



Cite this: *New J. Chem.*, 2025, 49, 5601

Correction: Structure-based design to explore the anticancer efficacy of organometallic Pt(II)- and Au(III)-N-heterocyclic carbene (NHC) complexes

Pooja Das,^a Sraddhya Roy,^b Chaitali Das,^a Raju Biswas,^c Nabanita Chatterjee*^b and Joydev Dinda*^a

DOI: 10.1039/d5nj90034d

rsc.li/njc

Correction for 'Structure-based design to explore the anticancer efficacy of organometallic Pt(II)- and Au(III)-N-heterocyclic carbene (NHC) complexes' by Pooja Das *et al.*, *New J. Chem.*, 2024, **48**, 16189–16201, <https://doi.org/10.1039/D4NJ02853H>.

The original manuscript reported incorrect treatment doses for the MTT assay. The correct values were 1 nM, 10 nM, 100 nM, 1000 nM, and 10 000 nM of complexes 2 and 3.

The description of subsequent experiments did not give explicit details of the dose of compound used. A derived IC₅₀ value of 8.4 nM of complex 3 was used for all experiments.

The authors would also like to note that the compounds were prepared as stock solutions in DMSO. The compounds were soluble and stable in DMSO, as confirmed by NMR analysis. The final concentration of the solutions was 0.5% of DMSO.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^a Department of Chemistry, Utkal University, Bhubaneswar 751004, Odisha, India. E-mail: joydevdinda@gmail.com

^b Department of Receptor Biology and Tumor Metastasis, Chittaranjan National Cancer Institute, Kolkata 700026, West Bengal, India

^c Department of Chemistry, CSIR – Indian Institute of Chemical Biology, Kolkata 700032, West Bengal, India

