

CORRECTION

[View Article Online](#)
[View Journal](#) | [View Issue](#)

Cite this: *RSC Adv.*, 2025, **15**, 27642

Correction: A polypropylene mesh coated with interpenetrating double network hydrogel for local drug delivery in temporary closure of open abdomen

Ze Li,^a Changliang Wu,^a Zhen Liu,^a Zhenlu Li,^a Xingang Peng,^a Jinjian Huang,^{*ab} Jianan Ren^{*ab} and Peige Wang^{*a}

DOI: 10.1039/d5ra90092a

rsc.li/rsc-advances

Correction for 'A polypropylene mesh coated with interpenetrating double network hydrogel for local drug delivery in temporary closure of open abdomen' by Ze Li *et al.*, *RSC Adv.*, 2020, **10**, 1331–1340, <https://doi.org/10.1039/C9RA10455K>.

The authors regret an error in Fig. 7A of the published article. The correct Fig. 7 is as shown here. An independent expert has viewed the corrected figure and has concluded that it is consistent with the discussions and conclusions presented in the article.

^aDepartment of Emergency Surgery, The Affiliated Hospital of Qingdao University, 16 Jiangsu Road, Qingdao 266000, P. R. China. E-mail: wpgzyz@163.com
^bLab for Trauma and Surgical Infections, Department of Surgery, Jinling Hospital, Affiliated to Southeast University, 305 East Zhongshan Road, Nanjing 210002, P. R. China. E-mail: 220163109@seu.edu.cn; jiananr@gmail.com





Fig. 7 Assessment of four potential treatments on protection of abdominal wall defect of rat models. (A) HE staining of regenerative abdominal wall tissues (blank arrows: regenerative tissues), 10 \times . * P < 0.05, ** P < 0.01. (B) Masson staining of regenerative abdominal wall tissues, 10 \times . * P < 0.05, ** P < 0.01, *** P < 0.001.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.