




Cite this: *RSC Adv.*, 2025, 15, 43404

Correction: Dominant formation of disulfidic linkages in the sulfur cross-linking reaction of isoprene rubber by using zinc stearate as an activator

Yuta Sakaki,^a Ryota Usami,^a Atitaya Tohsan,^b Preeyanuch Junkong^{cd}
 and Yuko Ikeda *^{ce}

DOI: 10.1039/d5ra90126j

rsc.li/rsc-advances

Correction for 'Dominant formation of disulfidic linkages in the sulfur cross-linking reaction of isoprene rubber by using zinc stearate as an activator' by Yuta Sakaki *et al.*, *RSC Adv.*, 2018, 8, 10727–10734, <https://doi.org/10.1039/C8RA00544C>.

The ORCID previously listed for Yuko Ikeda was incorrect. The correct ORCID is: <https://orcid.org/0000-0003-2809-8911>.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^aGraduate School of Science and Technology, Kyoto Institute of Technology, Matsugasaki, Sakyo, Kyoto 606-8585, Japan

^bDepartment of Materials and Production Technology Engineering, Faculty of Engineering, King Mongkut's University of Technology North Bangkok, Wongsawang, Bangsue, Bangkok 10800, Thailand

^cCenter for Rubber Science and Technology, Kyoto Institute of Technology, Matsugasaki, Sakyo, Kyoto 606-8585, Japan

^dResearch Strategy Promotion Center, Kyoto Institute of Technology, Matsugasaki, Sakyo, Kyoto 606-8585, Japan

^eFaculty of Molecular Chemistry and Engineering, Kyoto Institute of Technology, Matsugasaki, Sakyo, Kyoto 606-8585, Japan. E-mail: yuko@kit.ac.jp

