Sensors & Diagnostics

rsc.li/sensors

The Royal Society of Chemistry is the world's leading chemistry community. Through our high impact journals and publications we connect the world with the chemical sciences and invest the profits back into the chemistry community.

IN THIS ISSUE

ISSN 2635-0998 CODEN SDEIAR 4(2) 105-196 (2025)




Image Credit: © Metamorworks/ Getty Images

CRITICAL REVIEW

The development of GFETs for biometric applications

Weisong Yang, Weihao Feng, Siyu Hou, Zhuang Hao, Cong Huang and Yunlu Pan*




COMMUNICATION

136

Agarose-gel coating for improving the polydopamine-based pH sensor stability in continuous pH measurements

Natalie Fudge, Fatemeh Keyvani, Joshua Khatri and Mahla Poudineh*





Royal Society of Chemistry approved training courses

Explore your options.

Develop your skills.

Discover learning
that suits you.

Courses in the classroom, the lab, or online

Find something for every stage of your professional development. Search our database by:

- subject area
- location
- event type
- skill level

Members get at least 10% off

Visit rsc.li/cpd-training






Registered charity number: 207890

PAPERS

147

Non-organic solvent extraction of capsaicinoids from oil combined with fluorescent lateral flow immunoassay strips for on-site identification of illegally recycled waste cooking oil


Yulian Wang, Yuxiang Wu, Deji Gesang, Zixuan Dong, Zhaoxu Qin, Qingchun Li, Jin Li, Qianxu Zhou and Guoging Shi*



159

Detection of C-reactive protein using single cluster analysis of gold nanoparticle aggregates using a dark-field microscope equipped with a smartphone


Nanami Fukuzumi, Takako Nakagawa, Gen Hirao, Atsushi Ogawa, Mizuo Maeda, Tsuyoshi Asahi and Tamotsu Zako*



166


Construction of a self-assembled duplexed aptasensor for the simultaneous detection of haemoglobin and glycated haemoglobin

Xue-Qing Feng, Yi-Ning Su, Qing Li, Zhong-Gan Jin, Ming Wang, Xi-Le Hu,* Lei Zou,* Yi Ju,* Xiao-Peng He* and Bang-Ce Ye*




Rapid and automated interpretation of CRISPR-Cas13-based lateral flow assay test results using machine learning

Mengyuan Xue, Diego H. Gonzalez, Emmanuel Osikpa, Xue Gao and Peter B. Lillehoj*



PAPERS

182



NHS-ester conjugated gold nanoparticles for spermine detection: a potential tool in meat spoilage monitoring

Teody Gumabat,* Jeanne Phyre Lagare Oracion, Jolina Fedelis, Ethel Keleste, Rey Capangpangan, Noel Lito Sayson, Gerard Dumancas, Arnold Alguno and Felmer Latayada*