

CORRECTION

[View Article Online](#)
[View Journal](#) | [View Issue](#)Cite this: *J. Mater. Chem. C*, 2025, 13, 12564

Correction: Ordered Co/Ni oxide nanostructures from MOFs: enhancing efficiency in hybrid asymmetric energy devices

Xiaolong Leng,^{ab} S. V. Prabhakar Vattikuti,^c Yumei Li,^{ab} P. Rosaiah,^d Abdullah N. Alodhayb,^e Saravanan Pandiaraj,^f Burragoni Sravanthi Goud,^g Ganesh Koyyada,^{*g} Jae Hong Kim,^{*g} Nam Nguyen Dang^{*hi} and Jaesool Shim^{*c}

DOI: 10.1039/d5tc90091c

rsc.li/materials-cCorrection for 'Ordered Co/Ni oxide nanostructures from MOFs: enhancing efficiency in hybrid asymmetric energy devices' by Xiaolong Leng et al., *J. Mater. Chem. C*, 2025, 13, 9653–9666, <https://doi.org/10.1039/D5TC00922G>.

The authors regret several errors which appeared in the published article, as follows:

Incorrect affiliation details were given for Saravanan Pandiaraj, Burragoni Sravanthi Goud, Ganesh Koyyada, Jae Hong Kim and Nam Nguyen Dang. The corrected affiliation details are as shown in this notice.

In the "Results and discussion" section, the following corrections should be noted:

In the first paragraph, the sentence beginning "The MD-Co/Ni nanostructures undergo further changes..." should read "The MD-Co/Ni nanostructures (Fig. 2(c–f(iii, iv))) undergo further changes..."

In the second paragraph, the sentence "Fig. 2(i) illustrates the XRD patterns..." should read "Fig. 2(g) illustrates the XRD patterns..."

In eqn (1), b should be superscript, as follows:

$$i(\nu) = a \cdot \nu^b \quad (1)$$

In the paragraph beginning "The Nyquist plots...", the sentence beginning "To understand the stability of the constructed device..." should refer to Fig. 8(c) and not Fig. 9(a).

In the paragraph beginning "The C_{sp} of the HS device...", in the sentence beginning "In Fig. 10(d),...", the value of initial capacitance retained should be 80%, not 79.8%.

In the "Acknowledgements" section, project number RSP2024R448 should be RSP2025R304.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^a School of Mechanical Engineering, Hubei Engineering University, Xiaogan 432000, China

^b Hubei Engineering Research Center for Key Technologies in Modern Paper and Sanitary Products Manufacturing, Xiaogan 432000, China

^c School of Mechanical Engineering, College of Engineering, Yeungnam University, Gyeongsan 38541, Republic of Korea. E-mail: jshim@ynu.ac.kr

^d Department of Physics, Saveetha School of Engineering, Saveetha Institute of Medical and Technical Sciences (SIMATS), Thandalam, Chennai 602105, Tamil Nadu, India

^e Department of Physics and Astronomy, College of Science, King Saud University, Riyadh 11451, Saudi Arabia

^f Department of Self-Development Skills, King Saud University, Riyadh, 11451, Saudi Arabia

^g School of Chemical Engineering, Yeungnam University, Gyeongsan 38541, Republic of Korea. E-mail: ganeshkoyyada@gmail.com, jaehkim@ynu.ac.kr

^h Future Materials & Devices Lab., Institute of Fundamental and Applied Sciences, Duy Tan University, Ho Chi Minh City 70000, Vietnam

E-mail: nguyendangnam@duytan.edu.vn

ⁱ The Faculty of Environmental and Chemical Engineering, Duy Tan University, Danang 50000, Vietnam