



Cite this: *J. Mater. Chem. C*, 2025, **13**, 12565

Correction: Impact of oxygen vacancy reduction on the dielectric, energy storage, and electrocaloric properties of annealed BCZT ceramic

Vartika Khandelwal,^a Piyush Siroha,^a Soumyaranjan Barik,^a S. Satapathy,^b Sonali Pradhan,^b Ashok Kumar,^c Surendra Kumar,^d Narendra Jakhar,^e Ramovatar^{*a} and Neeraj Panwar^{*f}

DOI: 10.1039/d5tc90092a

rsc.li/materials-c

Correction for 'Impact of oxygen vacancy reduction on the dielectric, energy storage, and electrocaloric properties of annealed BCZT ceramic' by Vartika Khandelwal et al., *J. Mater. Chem. C*, 2025, **13**, 10178–10193, <https://doi.org/10.1039/D5TC00115C>.

In the published article, the Fig. 2a and b inset images were unfortunately omitted. The corrected Fig. 2 is as shown here. The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^a Department of Physics and Astrophysics, Central University of Haryana, Jant-Pali, Mahendergarh 123031, Haryana, India. E-mail: ramovatar@cuh.ac.in

^b Laser Biomedical Applications Division, Raja Ramanna Centre for Advanced Technology, Indore 452013, Madhya Pradesh, India

^c CSIR-National Physical Laboratory, Dr K. S. Krishnan Marg, Delhi-110012, India

^d Department of Physics, Shivaji College, University of Delhi, New Delhi 110027, India

^e Department of Physics, University of Rajasthan, Jaipur 302004, India

^f Department of Physics, Chaudhary Charan Singh University Meerut, Uttar Pradesh 250004, India. E-mail: npanwar.phy@ccsuniversity.ac.in






Fig. 2 (a) The XRD pattern, its insets show the Gaussian fitting at the 2θ range 44.5° – 46° and 64.5° – 66.5° of the annealed BCZT ceramic. (b) A comparison of the XRD pattern of sintered and annealed BCZT samples. (c) the Rietveld refinement pattern, (d) a 3-D pie chart of wt% phase composition, the inset shows the crystal structure of the annealed sample, and (e) and (f) an electron density graph of sintered and annealed BCZT ceramics, respectively.

