



Cite this: *Biomater. Sci.*, 2026, **14**, 1122

Correction: Ciprofloxacin-loaded bioadhesive hydrogels for ocular applications

Islam A. Khalil,^{a,b,c,d} Bahram Saleh,^a Dina M. Ibrahim,^{a,e} Clotilde Jumelle,^f Ann Yung,^f Reza Dana^f and Nasim Annabi^{*b,c,g}

DOI: 10.1039/d5bm90097b
rsc.li/biomaterials-science

Correction for 'Ciprofloxacin-loaded bioadhesive hydrogels for ocular applications' by Islam A. Khalil *et al.*, *Biomater. Sci.*, 2020, **8**, 5196–5209.

The authors regret an error in Fig. 6 in the original manuscript. The correct version of Fig. 6g–l is as shown herein. The authors confirm that this correction does not affect the data interpretation or conclusions of the original study.




Fig. 6 *In vitro* cytocompatibility of GelCORE + MCs bioadhesive. Representative Actin/DAPI images from corneal fibroblast cells on days 1, 4, and 7 after seeding (scale bar, 200 μm) on (g–i) GelCORE, and (j–l) GelCORE + MCs.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^aDepartment of Chemical Engineering, Northeastern University, Boston, MA, USA

^bBrigham and Women's Hospital, Harvard Medical School, Boston, MA, USA

^cHarvard-MIT Division of Health Sciences and Technology, Massachusetts Institute of Technology, Cambridge, MA, USA

^dDepartment of Pharmaceutics, Misr University of Science and Technology, 6th of October City 12566, Giza, Egypt

^eEnergy Materials Laboratory, School of Sciences and Engineering, The American University in Cairo, New Cairo 11835, Egypt

^fMassachusetts Eye and Ear, Department of Ophthalmology, Harvard Medical School, Boston, MA, USA

^gDepartment of Chemical and Biomolecular Engineering, University of California, Los Angeles, Los Angeles, CA 90095, USA. E-mail: nannabi@ucla.edu;

Tel: +1(310) 267-5927

