

CORRECTION

[View Article Online](#)
[View Journal](#) | [View Issue](#)



Cite this: *Biomater. Sci.*, 2026, **14**, 2140

Correction: "Hot-dog-string" drug-eluting degradable stents for treating stenosis in tortuous arteries

Chen-Hung Lee,^a Pin-Chao Feng,^{b,c} Shih-Jie Hsu,^c Yi-Hua Kuo^c and Shih-Jung Liu^{*c,d}

DOI: 10.1039/d6bm90024k
rsc.li/biomaterials-science

Correction for "Hot-dog-string" drug-eluting degradable stents for treating stenosis in tortuous arteries' by Chen-Hung Lee *et al.*, *Biomater. Sci.*, 2025, **13**, 1758–1769, <https://doi.org/10.1039/D4BM01478B>.

The authors regret some missing acknowledgements and funding grant numbers in the Acknowledgements section of the published article. The Acknowledgements section should read as follows:

All procedures were approved by the Institutional Animal Care and Use Committee (CGMH2018121905, CGU106-037, and CGU108-177) and were conducted in accordance with the National Institutes of Health (Taiwan) guidelines. This study was financially supported by the Ministry of Science and Technology, Taiwan (Grant No. 111-2221-E-182-004-MY3 and 112-2314-B-182-066-MY3), and Chang Gung Memorial Hospital (Grant No. CMRPD2P0071, CMRPG3N0662, and CMRPG3M1462).

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^aDivision of Cardiology, Department of Internal Medicine, Chang Gung Memorial Hospital at Linkou, Chang Gung University College of Medicine, Taoyuan 33305, Taiwan

^bDepartment of Thoracic and Cardiovascular Surgery, Chang Gung Memorial Hospital at Linkou, Taoyuan 33305, Taiwan

^cDepartment of Mechanical Engineering, Chang Gung University, Taoyuan 33302, Taiwan. E-mail: shihjung@mail.cgu.edu.tw

^dDepartment of Orthopedic Surgery, Bone and Joint Research Center, Chang Gung Memorial Hospital-Linkou, Taoyuan 33305, Taiwan

