

CORRECTION

[View Article Online](#)
[View Journal](#) | [View Issue](#)Cite this: *Dalton Trans.*, 2026, **55**, 7737

DOI: 10.1039/d6dt90071b

rsc.li/dalton**Correction: A flexible sensor based on a multilayer polymer/AgNW composite film for temperature and strain sensing**Wenjing Ruan,^a Jian Chen,^a Shengxi Du,^a Wei Xu^b and Yan Xiong^{*a}Correction for 'A flexible sensor based on a multilayer polymer/AgNW composite film for temperature and strain sensing' by Wenjing Ruan *et al.*, *Dalton Trans.*, 2026, **55**, 7287–7299, <https://doi.org/10.1039/D6DT00534A>.

The authors regret that an incorrect Fig. 4 was published in the original article. The correct Fig. 4 is shown here.




Fig. 4 Photographs of (a) the PVA/PDMS/PVA/AgNW film and (b) the PVA/PDMS/AgNW film prepared from a 7 wt% PVA solution with 15 AgNW layers, after undergoing heating-cooling cycle testing.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^aSchool of Physics and Optoelectronic Engineering, Yangtze University, Jingzhou 434023, PR China. E-mail: xiongyan1215@163.com^bState Key Laboratory of Luminescent Materials and Devices, Institute of Polymer Optoelectronic Materials and Devices, South China University of Technology, Guangzhou 510641, PR China