



Cite this: *Green Chem.*, 2026, **28**, 1269

Correction: Cesium chemistry enables microporous carbon nanofibers with biomimetic ion transport channels for zinc-ion capacitors

Zhenye Yin,^a Xuan Luo,^a Qian Zhang,^{*a} Guangjie Yang,^a Chunmei Zhang,^{*b} Zhenlu Liu,^a Xue Li,^{*c} Jian Song,^a Haoqi Yang^{*d} and Shuijian He^{*a}

DOI: 10.1039/d5gc90242h

rsc.li/greenchem

Correction for 'Cesium chemistry enables microporous carbon nanofibers with biomimetic ion transport channels for zinc-ion capacitors' by Zhenye Yin et al., *Green Chem.*, 2025, **27**, 10699–10710, <https://doi.org/10.1039/D5GC02376A>.

The authors regret that the cellulose acetate structure in Fig. 1 was incorrect. The corrected Fig. 1 can be found below.

^aCo-Innovation Center of Efficient Processing and Utilization of Forest Resources, International Innovation Center for Forest Chemicals and Materials, Nanjing Forestry University, Nanjing 210037, China. E-mail: zhangqian5689@njfu.edu.cn, shuijianhe@njfu.edu.cn

^bInstitute of Materials Science and Devices, School of Materials Science and Engineering, Suzhou University of Science and Technology, Suzhou 2150009, China. E-mail: cmzhang@usts.edu.cn

^cNational and Local Joint Engineering Laboratory for Lithium-Ion Batteries and Materials Fabrication Technology, Faculty of Metallurgical and Energy Engineering, Kunming University of Science and Technology, Kunming 650093, China. E-mail: lixue@kust.edu.cn

^dInstitute of Technology for Carbon Neutralization, College of Electrical, Energy and Power Engineering, Yangzhou University, Yangzhou, Jiangsu 225127, China. E-mail: yanghq@yzu.edu.cn






Fig. 1 (a) Schematic illustration of the CsAc-assisted fabrication process of CNF_x-T. (b–d) SEM images of CNF₁₀₀-T, highlighting the well-preserved fibrous network. (e and f) TEM images and (g) SAED pattern of CNF₁₀₀-750.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

