



Cite this: DOI: 10.1039/d6nr90068b

## Correction: Aqueous dispersion of carbon nanotubes by chlorine dioxide oxidation

Yuki Itabashi, <sup>a</sup> Ai Sunami,<sup>a</sup> Kaoru Maeno,<sup>a</sup> Hiroshi Ueno, <sup>b,c</sup> Takashi Itoh,<sup>b</sup> Hiroshi Fukumura <sup>c,d</sup> and Kei Ohkubo <sup>\*a,e</sup>

DOI: 10.1039/d6nr90068b  
rsc.li/nanoscale

Correction for 'Aqueous dispersion of carbon nanotubes by chlorine dioxide oxidation' by Yuki Itabashi *et al.*, *Nanoscale*, 2026, **18**, 5805–5811, <https://doi.org/10.1039/D5NR05444C>.

The authors regret an error in Fig. 7 of the original article, where the colours assigned to the plot lines were swapped. The amended figure is as shown below. The authors confirm that the conclusions are not affected by this change, and that the text referring to the figure remains correct.




Fig. 7 Volume resistivity of CNT films prepared by filtration: pristine CNTs dispersed with sodium cholate (blue) and oxidized CNTs (red).

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

<sup>a</sup>Institute for Open and Transdisciplinary Research Initiatives (OTRI), The University of Osaka, 1-6 Yamada-oka, Suita, Osaka, Japan. E-mail: ohkubo@irdd.osaka-u.ac.jp

<sup>b</sup>Frontier Research Institute for Interdisciplinary Sciences (FRIS), Tohoku University, 6-3 Aramaki-aza-aoba, Aoba-ku, Sendai, Miyagi, Japan

<sup>c</sup>Department of Chemistry, Graduate School of Science, Tohoku University, 6-3 Aramaki-aza-aoba, Aoba-ku, Sendai, Miyagi, Japan

<sup>d</sup>Idea International Co., Ltd, 1-2-11 Kitayama Aoba-ku, Sendai, Miyagi 981-0931, Japan

<sup>e</sup>Organization for Carbon Neutrality Collaboration (OCNC), The University of Osaka, 1-6 Yamada-oka, Suita, Osaka, Japan

