



Cite this: DOI: 10.1039/d6ob90044e

Correction: Synthesis of hexahydroisobenzofuran-1(3*H*)-ones via pyridine-boryl radical-catalyzed intramolecular cascade cyclization of alkene-tethered cyclobutyl ketones


Xiao-Ye Yang, Hua Huang, Qiong Wu, Yun-Xuan Tan* and Ping Tian*

DOI: 10.1039/d6ob90044e

rsc.li/obc

Correction for 'Synthesis of hexahydroisobenzofuran-1(3*H*)-ones via pyridine-boryl radical-catalyzed intramolecular cascade cyclization of alkene-tethered cyclobutyl ketones' by Xiao-Ye Yang *et al.*, *Org. Biomol. Chem.*, 2025, **23**, 10057–10061, <https://doi.org/10.1039/D5OB01566A>.

The authors regret that there was an error in the structure of compound **2f** in Scheme 2 and in the SI (Pages S17, S74, and S75). The correct scheme is shown below.



Scheme 2 Substrate scope of alkene-tethered cyclobutyl ketones. Reaction conditions: **1** (0.1 mmol, dr > 20 : 1), **B1** (30 mol%), **P1** (40 mol%), and mesitylene (0.1 mL) under N₂ atmosphere, 120 °C, 24 h. ^a Isolated yield for the major isomer. ^b NMR yield for the combination of the two isomers using dibromomethane as the internal standard. ^c Determined by ¹H NMR analysis of the crude mixtures.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

The Research Center of Chiral Drugs, Innovation Research Institute of Traditional Chinese Medicine, Shanghai University of Traditional Chinese Medicine, 1200 Cailun Road, Shanghai 201203, China. E-mail: tanyx1993@shutcm.edu.cn, tianping@shutcm.edu.cn

