


 Cite this: *RSC Adv.*, 2026, 16, 3893

Correction: Room temperature sensing of CO₂ using C₃-symmetry pyridinium-based porous ionic polymers with triazine or benzene cores


 Maha A. Alshubramy,^{*a} Khalid A. Alamry,^a Hajar S. Alorfi,^a Sameh H. Ismail,^b Nadjet Rezki,^c Mohamed Reda Aouad,^c Salsabeel Al-Sodies^{ac} and Mahmoud A. Hussein^{*ad}

DOI: 10.1039/d6ra90005d

rsc.li/rsc-advances

 Correction for 'Room temperature sensing of CO₂ using C₃-symmetry pyridinium-based porous ionic polymers with triazine or benzene cores' by Maha A. Alshubramy *et al.*, *RSC Adv.*, 2025, 15, 3317–3330, <https://doi.org/10.1039/D4RA07062C>.

The authors regret that Fig. 1(A) showed an anomaly in the 4,4'-bp trace, which was caused by automatic graphical markers generated by OriginPro software. The figure should have been as shown herein.


 Fig. 1 FTIR spectra of the precursor Schiff base 4,4'-bp-O and targeted C₃-symmetry porous ionic polymers. (A) Triazine core.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^aChemistry Department, Faculty of Science, King Abdulaziz University, Jeddah 21589, Saudi Arabia. E-mail: maha.alshubramy@gmail.com; malshubramy@stu.kau.edu.sa; maabdo@kau.edu.sa

^bEgypt Nanotechnology Center, Cairo University, El-Sheikh Zayed, 6th October, Giza, Egypt

^cDepartment of Chemistry, Taibah University, Al-Madina Al-Mounawara, Saudi Arabia

^dChemistry Department, Faculty of Science, Assiut University, Assiut, Egypt. E-mail: mahusseini74@yahoo.com
