



Cite this: DOI: 10.1039/d6sc90100j

Correction: Controlled intra- and extracellular localization of bioorthogonal polymeric nanozymes

Cristina-Maria Hirschbiegel,^a Mathangi Shrikanth,^a Yagiz Anil Cicek,^a Nourina Nasim,^a Joe Truong,^a Junwhhee Yang,^a Alexander Ribbe,^b Maged Abdelaziz^a and Vincent M. Rotello^{*a}

DOI: 10.1039/d6sc90100j

rsc.li/chemical-science

Correction for 'Controlled intra- and extracellular localization of bioorthogonal polymeric nanozymes' by Cristina-Maria Hirschbiegel *et al.*, *Chem. Sci.*, 2026, 17, 4050–4060, <https://doi.org/10.1039/D5SC07223A>.

The authors regret that the units reported in Fig. 2c and 5 were mislabelled. The correct units are nmol nmol⁻¹ instead of nmol μmol⁻¹ for Fig. 2c and pmol and pmol h⁻¹ instead of ng and ng h⁻¹ for Fig. 5. The updated figures are shown herein. These errors do not affect the underlying data, analysis, results, and conclusions of the paper.



^aDepartment of Chemistry, University of Massachusetts Amherst, 710N. Pleasant St., Amherst, MA 01003, USA. E-mail: rotello@umass.edu

^bDepartment of Polymer Science and Engineering, University of Massachusetts, 120 Governors Drive, Amherst, MA 01003, USA




Fig. 2 (a) Size distribution measured by dynamic light scattering (DLS); (b) ζ -potential of respective PZs; (c) quantification of encapsulated Pd¹⁰⁶ measured by inductively coupled plasma mass spectrometry (ICP); TEM images of (d) PZ-TMA and (e) PZ-COOH.






Fig. 5 (a) Quantification of Pd¹⁰⁶ in HeLa cells by ICP-MS at different time points of incubation with respective PZ; (b) linear fit of time-dependent uptake within cells; (c) average uptake of Pd (pmol h⁻¹) in HeLa cells per PZ at different concentrations, demonstrating significantly higher uptake rates of positively charged PZ-TMA. All values represent the average of three individual measurements; error bars represent the standard deviation. Statistical analysis was performed using Student's *t*-test. ns = not significant; * = *p* < 0.05.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

