


 Cite this: *Sens. Diagn.*, 2026, 5, 425

Correction: Rapid detection of major Gram-positive pathogens in ocular specimens using a novel fluorescent vancomycin-based probe

 Richa Sharma,^a Harinee Rajagopalan,^b Maxime Klausen,^a Mani Vimalin Jeyalatha,^b Muhammed Üçüncü,^{a,c} Seshasailam Venkateswaran,^a Appakkudal R. Anand^{*b} and Mark Bradley^{*a}

DOI: 10.1039/d5sd90048d

rsc.li/sensors

 Correction for 'Rapid detection of major Gram-positive pathogens in ocular specimens using a novel fluorescent vancomycin-based probe' by Richa Sharma *et al.*, *Sens. Diagn.*, 2022, 1, 1014–1020, <https://doi.org/10.1039/d2sd00061j>.

The authors have added a statement in relation to the clinical specimens that was omitted in error from the published article. This statement is detailed below.

The study was approved by the Institutional Ethics committee review board of the Medical Research Foundation, Chennai, India (Ethics Approval number: 1059-2022-P). The study was conducted according to the principles expressed in the Declaration of Helsinki. All experiments involving live subjects were performed in compliance with relevant laws and followed institutional guidelines. All the clinical specimens used in this study were collected at our tertiary eye care centre (Sankara Nethralaya, Medical Research Foundation) from patients as part of routine diagnostic investigations, at the discretion of the treating physicians. Written consent was obtained from patients for the same. For the experimental studies evaluating the probe on clinical specimens, patient informed consent was waived by the Ethics committee that approves the usage of anonymized de-identified leftover patient samples collected for diagnostic purposes in accordance with our institutional and national regulations.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^a EaStCHEM, School of Chemistry, University of Edinburgh, King's Buildings, Edinburgh, EH9 3FJ, UK. E-mail: Mark.Bradley@ed.ac.uk

^b L & T Microbiology Research Centre, Medical Research Foundation, Sankara Nethralaya, Chennai, India. E-mail: aranand@gmail.com

^c Department of Analytical Chemistry, Faculty of Pharmacy, Izmir Katip Celebi University, Izmir, Turkey

