

## CORRECTION

[View Article Online](#)  
[View Journal](#)



Cite this: DOI: 10.1039/d6ta90118b

## Correction: Balancing fluorine density and pore architecture in nanoporous polyketaminal networks for exceptional SF<sub>6</sub>/N<sub>2</sub> separation

Qilin Wang,<sup>a</sup> Hanrui Zhang,<sup>a</sup> Jiangli Zhu,<sup>a</sup> Jun Yan,<sup>\*ab</sup> Zefeng Wang<sup>\*c</sup>  
and Shengwei Guo<sup>\*ab</sup>

DOI: 10.1039/d6ta90118b

[rsc.li/materials-a](https://rsc.li/materials-a)

Correction for 'Balancing fluorine density and pore architecture in nanoporous polyketaminal networks for exceptional SF<sub>6</sub>/N<sub>2</sub> separation' by Qilin Wang *et al.*, *J. Mater. Chem. A*, 2026, <https://doi.org/10.1039/D6TA00457A>.

The authors regret that during the final production stage, a data duplication error was inadvertently introduced in Fig. 3(a). Specifically, the N<sub>2</sub> adsorption isotherms at 273 K and 298 K, and the SF<sub>6</sub> adsorption isotherm at 273 K for PKAN-2 were mistakenly plotted using the data belonging to PKAN-3 (which correctly correspond to Fig. 3(b)). The authors have re-evaluated the original data files and confirm that this was a graphical compilation error during figure preparation and does not affect any scientific discussion or conclusions of the original article.

<sup>a</sup>School of Materials Science and Engineering, North Minzu University, Yinchuan, 750021, China. E-mail: [yanjun2018@nun.edu.cn](mailto:yanjun2018@nun.edu.cn); [shangk72@163.com](mailto:shangk72@163.com); [shengwei@nun.edu.cn](mailto:shengwei@nun.edu.cn)

<sup>b</sup>Institute of Functional and Structural Characteristic Materials, Helanshan Laboratory, Yinchuan 750021, China

<sup>c</sup>College of Ecology, Lishui University, Lishui 323000, China






Fig. 3 (a) SF<sub>6</sub> and N<sub>2</sub> adsorption (filled symbols) and desorption (empty symbols) isotherms for PKAN-2 at 273 K and 298 K; (b) SF<sub>6</sub> and N<sub>2</sub> adsorption (filled symbols) and desorption (empty symbols) isotherms for PKAN-3 at 273 K and 298 K; (c) isosteric heat of adsorption ( $Q_{st}$ ) for SF<sub>6</sub> and N<sub>2</sub> on PKAN-2 and PKAN-3 at low coverage; (d) three cycles of SF<sub>6</sub> adsorption at 298 K for PKAN-2 and PKAN-3.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

