## Journal of Materials Chemistry B



## **CORRECTION**

View Article Online
View Journal



Cite this: DOI: 10.1039/d5tb90215k

## Correction: Tumor-targeting polymer nanohybrids with amplified ROS generation for combined photodynamic and chemodynamic therapy

Xiaodan Chen, ab Danling Cheng, Ningyue Yu, Jian Feng, Jingchao Li\* and Lin Lin\*

DOI: 10.1039/d5tb90215k

rsc.li/materials-b

Correction for 'Tumor-targeting polymer nanohybrids with amplified ROS generation for combined photodynamic and chemodynamic therapy' by Xiaodan Chen *et al.*, *J. Mater. Chem. B*, 2024, **12**, 1296–1306, https://doi.org/10.1039/D3TB02341A.

The authors regret that Fig. 4a of the original article contained an error. The mouse in the image for 0 h post-injection time in the TSM group was not the same animal depicted in the rest of the TSM group images. An updated version of Fig. 4 is displayed herein – the authors confirm that this change has no impact on the overall results and conclusions of the article.




Fig. 4 In vivo tumor accumulation and biodistribution evaluation. (a) NIR fluorescence images of breast 4T1 tumors of mice at various time points after injection of BSM or TSM (200  $\mu$ L, 200  $\mu$ g mL<sup>-1</sup>) (excitation: 710 nm and emission: 780 nm). (b) Quantification of NIR fluorescence intensity (FI) in tumor sites (n=3). (c) Fluorescence images of tumors, livers, kidneys, lungs, hearts and spleens from mice at 30 h after intravenous injection of BSM or TSM. (d) Quantification analysis of fluorescence intensity of tumors, livers, kidneys, lungs, hearts and spleens from mice in two groups (n=3).

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

<sup>&</sup>lt;sup>a</sup> Department of Radiology, Clinical Oncology School of Fujian Medical University, Fujian Cancer Hospital, Fuzhou 350014, China

b Department of Radiology, Fujian Medical University Union Hospital, Fuzhou 350001, China. E-mail: linlin@fjmu.edu.cn

<sup>&</sup>lt;sup>c</sup> College of Biological Science and Medical Engineering, Donghua University, Shanghai 201620, China. E-mail: jcli@dhu.edu.cn