

## CORRECTION

View Article Online  
View Journal | View Issue



Cite this: *J. Mater. Chem. B*,  
2026, 14, 2373

## Correction: Surface nanocrystallization enhances the biomedical performance of additively manufactured stainless steel

Sumit Ghosh,<sup>a</sup> Sushma Indrakumar,<sup>a</sup> Santanu Ghosh,<sup>ad</sup> Vasanth Gopal,<sup>b</sup>  
Sagar Nilawar,<sup>a</sup> Geetha Manivasagam,<sup>b</sup> Jayanth S. Kesave,<sup>c</sup> Satyam Suwas<sup>a</sup> and  
Kaushik Chatterjee<sup>\*a</sup>

DOI: 10.1039/d6tb90019d

rsc.li/materials-b

Correction for 'Surface nanocrystallization enhances the biomedical performance of additively manufactured stainless steel' by Sumit Ghosh et al., *J. Mater. Chem. B*, 2023, **11**, 9697–9711, <https://doi.org/10.1039/D3TB01534C>.

The authors regret that in the original article, incorrect affiliations were listed for the authors Sushma Indrakumar and Santanu Ghosh. The amended authorship list is as displayed herein, and a minor typographical error in affiliation *d* has also been corrected.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

<sup>a</sup> Department of Materials Engineering, Indian Institute of Science, Bangalore, Karnataka, India. E-mail: [kchatterjee@iisc.ac.in](mailto:kchatterjee@iisc.ac.in); Fax: +91-80-2360-0472; Tel: +91-80-2293-3408

<sup>b</sup> Centre for Biomaterials, Cellular and Molecular Theranostics, Vellore Institute of Technology, Vellore, Tamil Nadu, India

<sup>c</sup> Cranio Maxillofacial Surgery, Narayana Hospital, HSR Layout, Bangalore, Karnataka, India

<sup>d</sup> Department of Pharmaceutical Sciences & Technology, Birla Institute of Technology, Mesra, Ranchi, Jharkhand, India

