


Accepted Manuscript



This is an *Accepted Manuscript*, which has been through the Royal Society of Chemistry peer review process and has been accepted for publication.


Accepted Manuscripts are published online shortly after acceptance, before technical editing, formatting and proof reading. Using this free service, authors can make their results available to the community, in citable form, before we publish the edited article. We will replace this Accepted Manuscript with the edited and formatted Advance Article as soon as it is available.

You can find more information about *Accepted Manuscripts* in the **Information for Authors**.

Please note that technical editing may introduce minor changes to the text and/or graphics, which may alter content. The journal's standard <u>Terms & Conditions</u> and the <u>Ethical guidelines</u> still apply. In no event shall the Royal Society of Chemistry be held responsible for any errors or omissions in this *Accepted Manuscript* or any consequences arising from the use of any information it contains.



TOC image



When Co-Ac was used for electrolysis in phosphate solution, a hybrid Co-Pi-Ac was formed, resulting in enhanced catalytic activity towards OER.

Oxygen Evolution Co-Ac Catalyst - Synergistic Effect of Phosphate Ion

Ahamed Irshad and Nookala Munichandraiah*

Department of Inorganic and Physical Chemistry

Indian Institute of Science, Bangalore - 560012, India.

ABSTRACT

Formation of an amorphous cobalt based oxygen evolution catalyst called Co-Pi, is recently reported from a neutral phosphate buffer solution containing Co²⁺. But the concentration of Co²⁺is as low as 0.5 mM due to poor solubility of a cobalt salt in phosphate medium. In the present study, a cobalt acetate based oxygen evolution catalyst (Co-Ac) is prepared from a neutral acetate buffer solution, where the solubility of Co²⁺is very high (> 100 times in comparison with phosphate buffer solution). The Co-Ac possesses better catalytic activity than the Co-Pi with an additional advantage of easy bulk scale preparation. The comparative studies on the oxygen evolution reaction (OER) activity of Co-Ac and Co-Pi in phosphate and acetate buffer electrolytes reveal that the Co-Ac exhibits enhanced synergistic catalytic activity in phosphate solution, probably due to partial substitution of acetate in the catalyst layer by phosphate, resulting in the formation of a Co-Ac-Pi catalyst.

Keywords: Oxygen evolution, Co-Ac catalyst, acetate solution, synergistic effect.

*Corresponding author; e-mail: muni@ipc.iisc.ernet.in; Tel: +91-80-2293 3183

1. Introduction:

The global energy demand has increased considerably in recent years owing to an increase in human population and industrialization. The energy demand is met primarily by burning fossil fuels, which are non-renewable and also cause serious environmental problems.¹⁻³ Hence, exploration of appropriate renewable energy sources as alternates for the conventional fossil fuels is one of the scientific challenges of the present century. Among the renewable energy sources, solar energy has enormous potential to meet the future energy needs. Since it is diurnal, utilization of solar energy requires suitable means of its storage.^{4,5} Photo assisted electrolysis of water is one of the promising methods for solar energy storage.^{6,7} The process involves oxidation of water to oxygen and reduction of protons to hydrogen. The produced hydrogen gas can be stored as a fuel for energy conversion in the absence of solar radiation. The efficiency of electrolysis of water is mainly limited by the complex multistep and multi-electron oxygen evolution reaction.⁸⁻¹⁰ Hence, the design of an efficient and cost effective oxygen evolution reaction (OER) catalyst is a challenging task in solar energy storage.

Formation of an amorphous cobalt based oxygen evolution catalyst (OEC), namely, Co-Pi is reported in recent years. ¹¹ The catalyst is very promising owing to its high catalytic activity, easy formation and self-repairing property. ^{11,12} The catalyst functions in neutral electrolytes with moderate overpotentials for OER. Interfacing of Co-Pi with various semiconducting materials such as Si, ¹³ ZnO, ¹⁴ TiO₂, ¹⁵ WO₃, ¹⁶ α-Fe₂O₃ ¹⁷⁻¹⁹ and BiVO₄ ²⁰ is also reported for photoelectrolysis of water. However, the chemical composition of the catalyst, role of phosphate in catalysis and mechanism of OER are not well understood. ^{21,22} Furthermore, formation of thick layers of Co-Pi catalyst prior to water electrolysis is a tedious and time consuming process owing to poor solubility

of Co²⁺salts in neutral phosphate buffer solution. Till now, most of the studies reported on Co-Pi catalyst employed phosphate buffer solutions of pH~7.0 with Co²⁺ salt concentration of 0.5 mM. At this concentration, the solution reaches saturation with respect to Co²⁺ ion. Therefore, there is a need for the demonstration of catalysts in alternate buffer solutions in which Co²⁺ salts can be dissolved at high concentrations. A high concentration of Co²⁺ is an advantage because the rate of electrodeposition can be enhanced and also, thicker layers of the catalyst can be deposited in a short time.

In the present study, electrochemical deposition of a cobalt acetate based oxygen evolution catalyst (Co-Ac) from a neutral acetate buffer solution containing a high concentration of Co²⁺ is reported. The Co-Ac catalyst is more efficient than Co-Pi under similar experimental conditions. Comparative studies on the OER activity of Co-Ac and Co-Pi catalysts in phosphate and acetate buffer electrolytes reveal that there is a synergistic effect of phosphate and acetate ions on OER activity of Co-Ac and Co-Pi catalysts, respectively.

2. Experimental Methods:

Analytical grade Co(NO₃)₂. 6H₂O, glacial acetic acid (S. D. Fine Chemicals), CH₃COONa, KH₂PO₄ (Merck) and K₂HPO₄ (Merck) were used as received. All solutions were prepared in doubly distilled water. Phosphate buffer solution was prepared by titrating 0.1 M KH₂PO₄ solution against 0.1 M K₂HPO₄ solution. Similarly, acetate buffer solution was prepared by mixing 0.1 M CH₃COONa and 0.1 M glacial acetic acid solutions. The pH of buffer solutions was 7.0, unless otherwise stated. A Toray carbon paper of thickness 0.2 mm was used as the working electrode for electrochemical measurements. A section of 7 mm width and 3 cm length was cut from a carbon paper sheet and 1.4 cm² area was exposed to the electrolyte. The rest of its length was used for electrical contact through a Cu wire. The unexposed area of the electrode was masked by a PTFE tape. Pt foil auxiliary electrodes and

saturated calomel reference electrode (SCE) were used in a glass cell. Microscopic analysis was carried out by using FEI Company scanning electron microscope (SEM) model SIRION equipped with EDX system at an accelerating voltage of 10 kV. For EDXA analysis, catalyst film was electrodeposited on an indium tin oxide (ITO) coated glass electrode instead of carbon paper. The surface chemistry of catalyst film was examined by X-ray photoelectron spectroscopy (XPS) using SPECS GmbH spectrometer (Phoibos100MCD Energy Analyzer) with Mg Kα radiation (1253.6 eV). The peak of C1s at 284.6 eV was taken as the reference energy position. Infrared spectroscopy measurements were recorded in a range of 400 to 4000 cm⁻¹ by JASCO FT/IR-4000 model. Samples were dried well and diluted by KBr. Powder X-ray diffraction (XRD) patterns were collected by Bruker D8 diffractometer using Cu Kα radiation. Electrochemical experiments were carried out using PARC EG&G potentiostat/galvanostat model Versastat II. Mass variations during various electrochemical experiments were monitored using CH Instruments potentiostat/galvanostat model 440A equipped with electrochemical quartz crystal microbalance (EQCM). A Teflon cell of about 10 ml capacity with Au-coated quartz crystal (8 MHz, active area - 0.205 cm², sensitivity -0.146 Hz ng⁻¹ cm²) working electrode, Ag/AgCl, 3 M KCl reference electrode and Pt wire counter electrode was used. All potential values are converted and reported against normal hydrogen electrode (NHE) reference. Current density values are reported on the basis of geometrical area of the electrode. All electrochemical experiments were performed at 22±1°C.

3. Results and Discussion:

3.1: Co-Ac formation and effect of Co^{2+} concentration.

Cyclic voltammograms of carbon paper electrodes in 0.1 M acetate and 0.1 M phosphate buffer (pH 7.0) solutions in the absence and presence of 0.5 mM Co²⁺ are

shown in Fig. 1. The voltammogram in 0.1 M phosphate buffer solution containing 0.5 mM Co²⁺ (Fig. 1 curve i) shows a broad current peak at 1.10 V corresponding to the oxidation of Co²⁺ to Co³⁺ and subsequent formation of Co-Pi catalyst similar to the results reported on fluorine doped indium tin oxide (FTO) electrode. 11 This is followed by a large increase in the current due to the oxidation of water to produce oxygen. To investigate a similar phenomenon in acetate buffer solution, cyclic voltammetry experiments were carried out (Fig. 1 curve ii) in 0.5 mM Co²⁺ + 0.1 M acetate buffer solution of pH 7.0. Although, the voltammogram does not exhibit any current peak corresponding to Co²⁺ oxidation (inset in Fig. 1 curve ii), a relatively more intense anodic wave for water oxidation is observed, suggesting the electrodeposition of a more efficient Co-Ac catalyst than Co-Pi prior to the onset of OER. To examine a possible decomposition of acetate ion in this potential range, experiments were repeated with 0.1 M acetate buffer solution without Co²⁺ salt (Fig. 1 curve iii). Voltammogram is quite similar to the one recorded in phosphate buffer solution (Fig. 1 curve iv), suggesting the absence of acetate oxidation in this potential range. In the absence of Co²⁺ ions in acetate and phosphate solutions (Fig. 1 curves iii and iv), negligibly small current flows through the carbon paper electrodes. To further confirm the electrochemical stability of acetate ion, a Pt foil electrode was cycled in acetate buffer solution (ESI, Fig. S1). When cycled between 0.20 to 1.50 V, current increased at about 1.40 V due to OER. There was no indication of oxidation of acetate. Thus, the large magnitude of current observed in the presence of Co²⁺ (Fig. 1 curves i and ii) is due to the catalytic effect of the electrodeposits. The values of current density at 1.34 V are 0.66 and 0.40 mA cm⁻², respectively, in acetate and phosphate electrolytes. As the magnitude of current at 1.34 V is greater in acetate solution than the corresponding values in phosphate solution, it is inferred that the Co-Ac is a better

catalyst than Co-Pi for OER. Similar to the present studies on preparation of Co-based OER catalyst from acetate electrolytes, Mn- based catalyst was prepared from acetate electrolytes.²³ Furthermore, the gas evolving at Co-Ac catalyst was identified by subjecting a Pt foil electrode introduced into the electrochemical cell to linear sweep voltammetry (ESI, Fig. S2). A current peak corresponding to the reduction of O₂, thus confirmed that the oxidation product at Co-Ac electrode was O₂ only. It was also found that the OER current was independent of acetate ion concentration in the buffer solution (ESI, Fig. S3).

The deposition of Co-Ac was quantitatively measured using EQCM. Fig. 2 shows variation in the mass of Au electrode during cyclic voltammetry experiments in acetate solution in the presence (Fig. 2 curve i) and absence of Co²⁺ (Fig. 2 curve ii). There is no noticeable change in the mass of the electrode in the absence of Co²⁺ (Fig. 2 curve ii). However, there is a net mass gain of about 160 ng after completing one cycle in 0.1~M acetate containing $0.5~mM~Co^{2+}$ (Fig. 2 curve i). There is no change in mass until the potential reaches 0.90 V, indicating the absence of any electrodeposition between 0.24 and 0.90 V. However, at 0.90V, mass starts increasing and reaches 155 ng after completing the first anodic half cycle. On sweep reversal at 1.29 V, mass continues to increase rather slowly until the potential reaches back to 0.90 V. Further sweeping of potential below 0.90 V causes a partial reduction of the catalyst and hence, a marginal decrease in the electrode mass. Thus, the net gain in mass after completing one potential cycle at 5 mV s⁻¹ in 0.1 M acetate solution (pH 7.0) containing 0.5 mM Co²⁺ is about 160 ng. This quantitative measurement further confirms the electrodeposition of Co-Ac even at a low concentration of Co²⁺ ion in acetate solution. Additionally, the elctrodeposition of cobalt based OEC from acetate buffer is more interesting as the solubility of Co²⁺ in phosphate buffer solution is limited to 0.5 mM whereas it is more than 100 times in acetate buffer solution under identical experimental conditions.

The effect of concentration of Co²⁺ in acetate solution was investigated by conducting linear sweep voltammetry experiments at various Co²⁺ concentrations ranging from 0.5 to 100 mM and the results are shown in Fig. 3. At 1.34 V, current increases from 0.60 mA cm⁻² in 0.5 mM Co²⁺electrolyte to about 1.50 mA cm⁻² in 100 mM Co²⁺ solution. Anodic current peak at about 1.04 V corresponding to the formation of Co-Ac is clearly observed when the concentration of Co²⁺ > 40 mM (Fig. 3 curves vii and viii). The catalyst deposition starts at a potential as low as 0.84 V and the onset of OER occurs at 1.14 V. On sweep reversal at 1.34 V, broad current peaks are observed. Inset in Fig. 3 shows the variation of current at 1.34 V with Co²⁺ ion concentration. Initially, there is a rapid increase in current with concentration of Co²⁺ up to 30 mM followed by a gradual increase. This could be due to the formation of thick and less conducting layers of the catalyst on the electrode surface at high concentrations. These results, thus, reveal that the Co-based OER catalyst (Co-Ac) can be electrodeposited from acetate electrolytes similar to the formation of Co-Pi from phosphate electrolytes with additional advantages of higher solubility of Co²⁺, formation of thicker layers of the catalyst and enhanced catalytic activity.

Growth of Co-Ac catalyst on carbon paper electrode was studied by bulk electrolysis in acetate electrolyte (pH 7.0) at 1.24 V for 6 h (Fig. 4). In the absence of Co²⁺ in acetate solution (Fig. 4 curve i), current is negligibly small throughout the electrolysis. In the presence of 0.5 mM Co²⁺ (Fig. 4 curve ii), however, current increases initially rapidly and reaches a nearly a steady value of 0.1 mA cm⁻² in about 4 h. During this process, a steady growth of brownish Co-Ac catalyst was visually

observed along with an increasing evolution of oxygen bubbles. The bulk electrolysis thus suggests the formation of the catalyst even at a concentration as low as 0.5 mM Co²⁺ in acetate electrolyte. At the end of 6 h, the current value is about 0.13 mA cm⁻². Similar experiments at 5.0 (Fig. 4 curve iii) and 50 mM Co²⁺ (Fig. 4 curve iv) concentrations provide 0.20 and 0.35 mA cm⁻², respectively, after 6 h of electrolysis. Catalytic activity of the deposited Co-Ac was obvious from these experiments as there were no gas bubbles noticed on the electrode surface in the initial stages of electrolysis and gas evolution became more and more vigorous with time as thick layer of the catalyst was formed on the surface. In contrast, the presence of oxygen bubbles was not observed during any stage of electrolysis in the absence of Co²⁺ (Fig. 4 curve i).

To quantitatively monitor the Co-Ac deposition process during constant potential electrolysis at 1.19 V, mass variations of Au-coated quartz crystal electrodes were recorded in-situ for different concentrations of Co²⁺ using EQCM (Fig. 5). The results show that the mass deposited after 5 min of electrolysis in 0.1 M acetate solution containing 0.5 mM Co²⁺ (Fig. 5 curve i) is 0.48 μg which is less than 0.68 μg obtained for 0.5 mM Co²⁺ in0.1 M phosphate solution (Fig. 5 curve ii). This could be due to the lower molar mass of acetate ion than the phosphate ion. Nevertheless, the quantity of Co-Ac catalyst deposited can be enhanced further by increasing the concentration of Co²⁺, as the solubility of Co²⁺ salts is several times greater in acetate solution than in phosphate solution. This is readily observed by conducting similar experiments in acetate solutions containing 5 mM Co²⁺ (Fig. 5 curve iii) and 50 mM Co²⁺ (Fig. 5 curve iv), which resulted in net mass of 2.57 and 11.48 μg, respectively, after 5 min. The average values of rate of electrodeposition of Co-Ac are 5.8, 37.5 and 175 ng cm⁻² s⁻¹, respectively, for Co²⁺ concentrations of 0.5, 5 and 50 mM (Fig. 5 curves i, ii and iv). The corresponding value for Co-Pi (Fig.5 curve ii) in phosphate buffer solution

containing 0.5 mM Co²⁺ is only 10.4 ng cm⁻² s⁻¹. These quantitative investigations further throw light on the importance of electrodeposition of Co-Ac catalyst for oxygen evolution.

3.2: Oxygen evolution reaction kinetics.

To study the effect of thickness of the catalyst layer on the kinetic of OER, Co-Ac was deposited in various thicknesses on carbon paper electrodes from 50 mM Co²⁺ in 0.1 M acetate solution by passing charge in the range from50 to 400 mC cm⁻². The electrodes were washed with double-distilled water and dried at 70° C in vacuum. Catalytic activity was studied by linear sweep voltammetry at 0.05 mV s⁻¹ in phosphate electrolyte (pH 7.0) under stirring condition (Fig. 6a). Phosphate buffer solution was used because Co-Ac exhibits greater activity in phosphate electrolyte than in acetate electrolyte of the same pH as discussed below. The values of current density measured at 1.39 V are 0.21, 0.37, 0.83, 1.52, 1.87 and 2.38 mA cm⁻², respectively, for the Co-Ac catalyst prepared by passing 50, 75, 100, 200, 300 and 400 mC cm⁻² (Fig. 6a curves i - vi). Thus, the result show that the catalytic activity of Co-Ac increases with an increase in the catalyst loading. The enhancement in the OER activity with increasing thickness of Co-Ac film is attributed to an increase in the density of surface active sites, which facilitate adsorption of OH. In neutral and alkaline electrolytes, OER is written as,

$$4 \text{ OH}^{-} \rightleftharpoons 2 \text{ H}_2\text{O} + \text{O}_2 + 4 \text{ e}^{-} \tag{1}$$

with reversible electrode potential (E^r) of 0.81 V at pH 7.0. The generally accepted mechanism for OER²⁴⁻²⁷ is as follows.

$$S + OH^{-} \rightleftharpoons S - OH + e^{-} \tag{2}$$

$$S-OH + OH^{-} \rightleftharpoons S=O + H_{2}O + e^{-}$$
(3)

$$2 S=O \rightleftharpoons S + O_2 \tag{4}$$

where S is the substrate site, which facilitates adsorption of OH species. The oxidation of OH ion is a single electron transfer step resulting in the formation of adsorbed OH as shown in reaction (2). Reaction (3) involves another single electron transfer producing adsorbed O. Oxygen evolution takes place chemically by combination of these adsorbed O atoms on adjacent sites as in step (4). The current density (i) and potential (E) relationship of electron-transfer controlled step of OER may be written as,

$$i = i_0 (1-\theta) \exp[(1-\alpha) n F (E - E^r) / (RT)]$$
 (5)

where i_0 is exchange current density, θ is surface coverage by adsorbed species, $(1-\alpha)$ is transfer coefficient and other symbols have their usual meanings. If either step (2) or step (3) is considered as the rate determining step, assuming θ is constant, the Tafel slope (dE / dlogi) becomes,

$$(dE / dlogi) = 2.3 RT / [(1-\alpha) F]$$
 (6)

$$= 0.059/(1-\alpha) \text{ V at } 25 \,^{\circ}\text{C}$$
 (7)

Assuming a symmetrical energy barrier (ie., $\alpha = 0.5$), the value of Tafel slope expected is 118 mV. Tafel data of OER measured on Co-Ac catalyst of various thicknesses are shown in Fig. 6b. The values of Tafel slope are 105, 106, 100, 101, 102 and 103 mV decade⁻¹, respectively, for Co-Ac catalysts prepared using charge 50, 75, 100, 200, 300 and 400 mC cm⁻². The average value of Tafel slopes thus becomes 103 ± 3 mV decade⁻¹. Dependence of Co-Ac catalyst thickness on the Tafel slope is not observed. This value is comparable to 100 mV decade⁻¹ reported for OER in phosphate electrolyte at Co-Pi catalyst deposited FTO - coated glass electrode.¹²

The reaction order with respect to OH⁻ activity was measured from constant potential electrolysis at 1.29 V using Co-Ac catalyst (prepared using 50 mC cm⁻²) in 0.1 M phosphate electrolyte by gradually increasing p^{OH} of the solution from 6.50 to

8.50. The electrolysis was carried out for 5 min at each p^H to ensure a steady value of current. A plot of log (current density) vs. p^{OH} (Fig. 6c) results a straight line with a slope of 0.79. Additionally, the p^{OH} dependence of water oxidation is studied using galvanostatic titration method. For this, a constant current density of 50 μA cm⁻² was applied and the corresponding potential was measured while the p^{OH} was gradually increased from 6.5 to 8.5 (Fig. 6d). A linear fit of the data in Fig. 6d yields a slope of 78mV. Tafel slope (Fig. 6b) can be correlated with the slopes of potential vs. p^{OH} (Fig. 6d) and log (current density) vs. p^{OH} (Fig. 6c) plots using the following equation,²¹

$$(\partial E / \partial p^{OH})_i = (\partial E / \partial \log (i))_{pOH} (\partial \log (i) / \partial p^{OH})_E$$
 (8)

From the values of 0.79 and 78mV of $(\partial \log (i) / \partial p^{OH})_E$ and $(\partial E / \partial p^{OH})_i$, respectively, the value of $(\partial E / \partial \log (i))_{pOH}$ calculated is 99 mV. This value is in agreement with the value of average Tafel slope (103 mV decade⁻¹) obtained as above from Fig. 6b. Thus, it is inferred that a single electron transfer reaction, ie., either reaction (2) or reaction (3) is the rate determining step of reaction (1). Using the value of 103 mV decade⁻¹ for the Tafel slope, the value of α , thus, becomes 0.43. As it is known that reaction (2) is the rate determining step on Pt - based catalysts,²⁸ reaction (2) is anticipated as the rate determining step on Co-Ac catalyst also.

3.3: Synergistic effect of phosphate buffer solution on catalytic activity of Co-Ac.

It was intended to investigate the catalytic activity of Co-Ac in phosphate and acetate buffer electrolytes in the absence of Co²⁺. For this, a layer of Co-Ac was deposited on carbon paper electrode at 1.29 V for 1 h from acetate (pH 7.0) containing0.5 mM Co²⁺. The electrode was washed with double-distilled water and dried in vacuum. The electrode, without any pre-treatment, was then transferred to phosphate or acetate electrolyte under study. Linear sweep voltammograms were

recorded at 0.05 mV s⁻¹ both in phosphate (Fig. 7 curve i) and acetate (Fig. 7 curve ii) electrolytes. The current density values at 1.34V are about 0.45 and 0.25 mA cm⁻², respectively, in phosphate and acetate electrolytes. Thus, Co-Ac shows almost twice OER activity in phosphate buffer in comparison with acetate electrolyte.

To compare the activity of Co-Ac with Co-Pi catalyst, experiments were also conducted with Co-Pi coated carbon paper electrode. Co-Pi deposition was carried out in 0.5 mM Co²⁺ ion concentration in phosphate buffer electrolyte. Interestingly, the Co-Pi catalyst exhibits greater current in acetate electrolyte (Fig. 7 curve iii) than in phosphate electrolyte (Fig. 7 curve iv). Thus, there are three interesting observations: (1) OER activity of Co-Ac (Fig. 7 curves i and ii) is much superior to that of Co-Pi (Fig. 7 curves iii and iv) both in terms of onset potential and current density at any potential in OER region. This observation is valid in both the buffer electrolytes used, (2) the catalytic activity of Co-Ac is almost twice in phosphate buffer than in acetate buffer of the same pH and (3) the activity of Co-Pi is greater in acetate electrolyte than in phosphate electrolyte.

Co-Ac catalyst in phosphate electrolyte exhibits the highest OER catalytic activity. From the elemental analysis as detailed below, the presence of both phosphate and acetate in Co-Ac used for electrolysis in phosphate buffer solution and also in Co-Pi used for electrolysis in acetate buffer solution are observed. Thus, it is observed that there is a partial exchange of acetate present in Co-Ac catalyst with phosphate of the electrolyte. This results in the formation of a hybrid Co-Ac-Pi catalyst. Similarly, when Co-Pi is used in acetate solution, a partial exchange of phosphate present in Co-Pi catalyst with acetate of the electrolyte results in the formation of Co-Ac-Pi. The Co-Ac-Pi catalyst so formed either from Co-Ac or Co-Pi exhibits greater activity towards oxygen evolution in relation to the pristine catalysts. The Co-Ac-Pi formed

from Co-Ac exhibits the highest activity. Therefore, it is proposed that there is a synergistic effect of acetate and phosphate ions on the activity of Co-catalyst. The electrochemical stability of Co-Ac catalyst in phosphate buffer solution was examined by continuous electrolysis at 1.34 V for 24 h (ESI, Fig. S4). Current is nearly constant during the entire period of electrolysis. Thus, the stability of the catalyst is ensured.

Morphology of the Co-Ac electrocatalyst was examined using SEM. Figures 8a and b show the morphology of the Co-Ac catalyst deposited on ITO coated glass electrode at 1.29 V for 2 h from 50 mM Co²⁺ + acetate solution in different magnifications. Cracks are observed (Fig. 8a) on the dried sample similar to Co-Pi deposited on FTO electrode. 11 The islands formed in between the cracks have irregular shape with size ranging from 15 to 30 µm. A higher magnification image (Fig. 8b) of the electrode indicates that the Co-Ac catalyst comprises of spherical particles of diameter in the range from 200 nm to 2 µm. A few larger size globules are also seen. Furthermore, SEM micrographs were recorded after 6 h of electrolysis at 1.29 V both in phosphate (Fig. 8c and d) and acetate (Fig. 8e and f) electrolytes. In both the cases, the catalyst layers are broken down into numerous tiny islands (Fig. 8c and e). The shape of tiny islands formed in phosphate electrolyte (Fig. 8c) resembles to the shape of pristine catalyst islands (Fig. 8a), but with size smaller by about 10 times. Interestingly, the inner-layer of the electrode observed at a higher magnification (Fig. 8d) is smooth with islands separated by boundaries but not by cracks as observed in Fig. 8a. It is anticipated that the formation of this layer could be due the partial dissolution of the as-deposited Co-Ac from the electrode surface and its subsequent re-deposition as Co-Pi, resulting in the formation of Co-Ac-Pi catalyst layer. Dissolution and re-deposition of the Co-Pi is well discussed as a self-healing mechanism. 19 Similar phenomenon is expected to occur for Co-Ac also. Development

of Co-Ac-Pi additional catalytic regions may be responsible for the enhanced activity of Co-Ac in phosphate than in acetate electrolyte. After electrolysis in acetate solution also (Fig. 8e), Co-Ac electrodes breaks down and smaller islands are formed on the outer layer. But the morphology of inner layer (Fig. 8f) indicates the presence of ill-defined shape or spongy-type particle without any clear inter-particulate separation (Fig. 8e and f). Thus, the composition of the electrolyte influences the morphology of Co-Ac catalyst layers.

Powder XRD patterns were recorded for bare carbon paper substrate and for Co-Ac catalyst deposited (35 C cm⁻²) on carbon paper (ESI, Fig. S5). The pattern for the substrate consisted of peaks at $2\theta = 26.2$ and 54.4° due to carbon crystallites. Only these reflections were identified even after the catalyst deposition, thus reflecting amorphous nature of Co-Ac catalyst. The composition of the electrodeposited material was further analysed by EDXA and XPS. Energy-dispersive X-ray analysis (EDXA) spectra were obtained from multiple regions of Co-Ac samples before and after electrolysis in phosphate electrolyte. Results are shown in Fig. 9. The ratio of Co:C:O in the as prepared Co-Ac sample is approximately as 1:1:2 (Fig. 9a). Unlike in the case of Co-Pi. 11 amount of Na present in the Co-Ac catalyst layer is negligibly small. Interestingly, P and K are also present in the Co-Ac film after 6 h of electrolysis in phosphate buffer electrolyte (Fig. 9b and c). However, there is a significant difference in the chemical composition of top (Fig. 9b) and bottom layers (Fig. 9c) corresponding to the SEM micrographs of Co-Ac (Fig. 8c and d) after electrolysis in phosphate buffer. For the top layer (Fig. 9b), Co:C:O ratio is changed to 1:1:2.65 from 1:1:2 observed in the as-deposited Co-Ac. Increase in the percentage of oxygen and the presence of K and P suggest the addition of PO₄³- from the electrolyte. However, bottom layer (Fig. 9c) exhibits Co:P ratio as 1:1.8 similar to Co-Pi deposited on

Au-electrode²⁹ and a relatively higher Co:O ratio (1:10). Therefore, it is anticipated that the bottom layer is converted into Co-Pi rather than present as Co-Ac. The presence of this additional layer in the SEM images together with detection of P and K in the EDXA spectrum suggest the formation of Co-Pi layer in the cracks developed during electrolysis.

For XPS analysis, Co-Ac was deposited (20 C cm⁻²) on carbon paper from 50 mM Co²⁺ in acetate buffer solution (pH 7.0). The spectra are shown in Fig. 10. The survey spectrum (Fig. 10a) identifies Co, C and O in the Co-Ac deposit which is in agreement with EDXA results. In the Co region (Fig. 10b), two peaks are identified with binding energies 796.1 eV and 780.9 eV corresponding to Co 2p_{1/2} and Co 2p_{3/2},³⁰ respectively. Furthermore, additional satellite peaks are observed in the vicinity of Co 2p_{3/2} line. It is known that all Co(II) compounds are high spin paramagnetic complexes (s = 3/2) whereas the low spin Co(III) complexes are diamagnetic (s = 0). As a consequence. Co(II) compounds show intense broad shake-up peaks at higher binding energies. Such additional peaks are either weak or absent in the case of diamagnetic Co(III) complexes. 31,32 In the present case, relatively sharper Co 2p main peaks (Fig. 10b) along with broad additional shake-up features are indicative of the presence of both Co(II) and Co(III) states. It is expected that Co(II)/Co(III) ratio is not much significant in OER activity of the catalyst because oxidation states of Coin the catalyst change continuously [Co(II)→Co(III)/Co(IV)→Co(II)] in a cyclic manner during the course of oxygen evolution similar to Co-Pi.³³ It was further intended to study the effect of electrolysis in phosphate buffer solution. For this, Co-Ac was deposited on carbon paper electrode and subjected to electrolysis at 1.29 V for 3 h in phosphate solution, washed and dried before recording XPS. The survey spectrum (Fig. 10c) is similar to that of as deposited Co-Ac (Fig. 10a) but with additional peaks corresponding to

K and P. This supports SEM and EDXA results that Co-Pi under layers are formed after OER catalysis in phosphate buffer. Moreover, binding energy values of the peaks in the Co 2p spectra (Fig. 10d) are slightly shifted to lower values (795.7 eV and 780.5 eV) indicating a direct interaction of phosphate species with Co-centres. The high resolution P 2p peak (Fig. 10e) at 132.8 eV is ascribed to phosphate in the Co-Pi layer as reported in the case of electrodeposited Co-Pi on FTO coated glass electrode. These observations support that the Co-Ac catalyst is converted into more active Co-Ac-Pi catalyst by using phosphate electrolyte for OER.

The molecular structure of the Co-Ac catalyst was analysed by recording IR spectrum. For this, Co-Ac was deposited on large ITO coated glass electrode at 1.29 V from 0.1 M acetate buffer containing 50 mM Co²⁺. The electrode was dried at 100° C for 3 h under vacuum and the material was scrapped off using a razar blade. The IR-spectrum of the as-deposited material in the 400-4000 cm⁻¹ region (Fig. 11) is characterized by a pair of peaks at 1411 and 1559 cm⁻¹. These peaks with a separation of 148 cm⁻¹ are attributed to the antisymmetric stretching and symmetric stretching, vibrations of free acetate ion, ³⁴ respectively. The acetate anion can coordinate to Co in three ways, i.e., monodentate, bidentate chelating and bidentate bridging, and their stretching frequencies differ according to their coordination.³⁵ However, in the as-prepared Co-Ac, acetate ions are likely to exist as un-coordinated in analogy with phosphate in Co-Pi. ³⁶ Recent EXAFS investigation on Co-Pi³⁶ suggests that there is no extensive bonding between cobalt and phosphate. Thus, phosphate ions are mobile within Co-Pi which is considered to have layered-double-hydroxide like structure.³⁷ Similarly, Co-Ac is expected to have charged layers of Co - hydroxide / oxyhydroxide, which accommodate free acetate ions in the interlayer region.

4. Conclusions:

A high catalytic activity of electrochemically deposited Co-Ac towards OER was demonstrated. Acetate buffer solution was employed for in-situ deposition of Co-OEC because of greater solubility of Co²⁺ salts in comparison with widely studied phosphate buffer solution. When Co-Ac catalyst was used for electrolysis in phosphate solution, formation of a hybrid Co-Pi-Ac was observed, which resulted in greater catalytic activity owing to synergistic effect of phosphate ions in the catalyst layer.

Acknowledgements:

Authors thank Aneesh Joesph and Dr. Ambily Mathew for their help in physical characterization.

References:

- [1]. D. Abbott, Proc. IEEE, 2010, 98, 42 66.
- [2]. M. I. Hoffert, K. Caldeira, A. K. Jain, E. F. Haites, L. D. D. Harvey, S. D. Potter, M. E. Schlesinger, S. H. Schneider, R. G. Watts, T. M. L. Wigley, D. J. Wuebbles, Nature, 1998, 395, 881 884.
- [3]. D. G. Nocera, Chem. Soc. Rev., 2009, 38, 13 15.
- [4]. N. S Lewis, D. G. Nocera, Proc. Natl. Acad. Sci., 2006, 103, 15729 15735.
- [5]. J. L. Dempsey, A. J. Esswein, D. R. Manke, J. Rosenthal, J. D. Soper, D. G. Nocera, Inorg. Chem., 2005, 44, 6879 - 6892.
- [6.]. M. S. Wrighton, Acc. Chem. Res., 1979, 12, 303 310.
- [7]. A. J. Bard, M. A. Fox, Acc. Chem. Res., 1995, 28, 141 145.
- [8]. R. Eisenberg, H. B. Gray, Inorg. Chem., 2008, 47, 1697 1699.
- [9]. T. A. Betley, Q. Wu, T. V. Voorhis, D. G. Nocera, Inorg. Chem., 2008, 47, 1849 -1861.
- [10]. M. Gratzel, Nature, 2001, **414**, 338 344.

- [11]. M. W. Kanan, D. G. Nocera, Science, 2008, **321**, 1072 1075.
- [12]. E. R. Young, D. G. Nocera, V. Bulovic, Energy Environ. Sci., 2010, 3, 1726 -1728.
- [13]. E. R. Young, R. Costi, S. Paydavosi, D. G. Nocera, V. Bulovic, Energy Environ.
 Sci., 2011, 4, 2058 2061.
- [14]. E. M. P. Steinmiller, K. S. Choi, Proc. Natl. Acad. Sci. U.S.A, 2009, 106, 20633 -20636.
- [15]. R. S. Khnayzer, M. W. Mara, J. Huang, M. L. Shelby, L. X. Chen, F. X. Castellano, ACS Catal., 2012, 2, 2150 - 2160.
- [16]. J. A. Seabold, K. S. Choi, Chem. Mater., 2011, 23, 1105 1112.
- [17]. D. K. Zhong, J. Sun, H. Inumaru, D. R. Gamelin, J. Am. chem. Soc., 2009, 131, 6086 - 6087.
- [18]. D. K. Zhong, M. Cornuz, K. Sivula, M. Gratzel, D. R. Gamelin, Energy Environ.
 Sci., 2011, 4, 1759 1764.
- [19]. D. K. Zhong, D. R. Gamelin, J. Am. chem. Soc., 2010, 132, 4202 4207.
- [20]. S. K. Pilli, T. E. Furtak, L.D. Brown, T. G. Deutsch, J. A. Turnerc, A. M. Herring, A.M. Energy Environ. Sci., 2011, 4, 5028 - 5034.
- [21]. Y. Surendranath, M. W. Kanan, D. G. Nocera, J. Am. chem. Soc., 2010, 132, 16501 - 16509.
- [22]. Y. Surendranath, M. Dinca, D. G. Nocera, J. Am. Chem. Soc., 2009, 131, 2615 -2620.
- [23] I. Zaharieva, P. Cherenev, M. Risch, K. Klingan, M. Kohlhoff, A. Fischer, H. Dau, Energy Environmental Sci., 2012, 5, 7081-7089.
- [24]. M. E. G. Lyons, M. P. Brandon, Int. J. Electrochem. Sci., 2008, 3, 1386 1424.
- [25]. Y. Matsumoto, H. Manabe, E. Sato, J. Electrochem. Soc., 1980, 127, 811 814.

- [26]. P. Rasiyah, A. C. C. Tseung, J. Electrochem. 1983, **130**, 2384 2386.
- [27]. J. O'M. Bockris, J. Chem. Phys., 1956, 24, 81 827.
- [28]. C. Iwakura, K. Fukuda, H. Tamura, Electrochim. Acta, 19176, **21**, 501 508.
- [29]. A. Irshad, N. Munichandraiah, J. Phys. Chem. C, 2013, **117**, 8001 8008.
- [30]. I. G. Casella, M. R. Guascito, J. Electroanal. Chemistry, 1999, 476, 54 63.
- [31]. D. Briggs, V. A. Gibson, Chem. Phys. Letter, 1974, 25, 493 496.
- [32]. K. J. McDonald, K. S. Choi, Chem. Mater., 2011, 23, 1686 1693.
- [33]. S. Cobo, J. Heidkamp, P. A. Jacques, J. Fize, V. Fourmond, L. Guetaz, J. Bruno, V. Ivanova, H. Dau, S. Palacin, M. Fontecave, V. A. Artero, Nature Material, 2012, 11, 802 807.
- [34]. Y. Zhu, H. Li, Y. Koltypin, A. Gedanken, J. Mater. Chem., 2002, 12, 729 733.
- [35]. S. Doeuff, M. Henry, C. Sanchez, J. Livage, J. Non-Cryst. Solids,1987, 89, 206 -216.
- [36]. M. W. Kanan, J. Yano, Y. Surendranath, M. Dinca, V. K. Yachandra, D. G. Nocera, J. Am. chem. Soc., 2010, 132, 13692 13701.
- [37]. S. J. Harley, H. E. Mason, J. G. McAlpin, R. D. Britt, W. H. A. Casey, Chem. Eur. J., 2012, 18, 10476 – 1047.

FIGURE CAPTIONS

- **Fig. 1.** Cyclic voltammograms of carbon paper electrode in (i) 0.1 M phosphate solution containing 0.5 mM Co^{2+} , (ii) 0.1 M acetate solution containing 0.5 mM Co^{2+} , (iii) 0.1 M acetate solution without Co^{2+} and (iv) 0.1 M phosphate solution without Co^{2+} pH of the solutions = 7.0. Inset shows the enlarged region of Co^{2+} oxidation peak. Sweep rate: 5 mV s⁻¹
- **Fig. 2.** Mass variations (Δm) vs. potential of Au-coated quartz crystal in 0.1 M neutral acetate solutions (i) containing 0.5 mM Co²⁺ and (ii) without Co²⁺. Area of the electrode = 0.205cm².
- **Fig. 3.** Linear sweep voltammograms of carbon paper electrode in 0.1 M acetate buffer (pH 7.0) containing (i) 0.0, (ii) 0.5, (iii) 1.0, (iv) 5.0, (v) 10, (vi) 20, (vii) 40 and (viii) 100 mM Co²⁺. Inset shows variation in the current density at 1.34 V with Co²⁺ concentration.
- **Fig. 4.** Bulk electrolysis current at 1.24 V for 6 h using carbon paper electrode in 0.1 M acetate buffer solution containing (i) 0.0, (ii) 0.5, (iii) 5.0 and (iv) 50 mM Co²⁺.
- **Fig. 5**. Mass difference (Δm) vs. time plot during the deposition of Co-Ac catalyst on Au electrode of area = 0.205 cm² at 1.19 V for 5 min from (i) 0.5 mM Co²⁺ in 0.1 M acetate, (ii) 0.5 mM Co²⁺ in 0.1 M phosphate, (ii) 5 mM Co²⁺ in 0.1 M acetate and (iv) 50 mM Co²⁺ in 0.1 M acetate, electrolytes.
- **Fig. 6.** (a) Linear sweep voltammograms of Co-Ac catalyst prepared using (i) 50, (ii) 75, (iii) 100, (iv) 200, (v) 300 and (vi) 400 mC cm⁻² on carbon paper in phosphate buffer solution of pH 7.0. Scan rate: 0.05 mV s⁻¹, (b) the corresponding Tafel plots, (c) p^{OH} dependence of steady state current density at 1.29 V and (d) p^{OH} dependence of steady-state electrode potential at 50 μAcm⁻². Data in (c) and (d) are measured at Co-Ac catalyst prepared using 50 mC cm⁻².

- **Fig. 7.** Linear sweep voltammograms of Co-Ac catalyst deposited carbon paper electrode in (i) phosphate, (ii) acetate electrolytes and Co-Pi deposited carbon paper in (iii) acetate and (iv) phosphate electrolytes. Sweep rate: 0.05 mV s⁻¹. Catalyst was deposited from 0.5 mM Co²⁺ at 1.29 V for 1 h.
- **Fig. 8.** SEM micrographs of Co-Ac electrodeposited on ITO coated glass electrode (1cm²) at 1.29 V for 2 h from 50 mM Co²⁺ + acetate buffer solution (pH 7.0) at (a) 2500x and (b) 10,000x. SEM images of the similar electrodes after electrolysis at 1.29 V for 6 h in phosphate buffer solution (pH 7.0) at (c) 2500x and (d) 10,000x. Similar micrographs after electrolysis at 1.29 V for 6 h in acetate buffer solution (pH 7.0) at (c) 2500x and (d) 10,000x.
- **Fig. 9.** EDXA analysis for Co-Ac deposited on ITO coated glass electrode at 1.29 V for 2 h from 50 mM Co²⁺ in 0.1 M acetate solution (a) before electrolysis and (b, c) after electrolysis at 1.29 V for 6 h in phosphate buffer solution, (b) for the top layer region and (c) for the bottom layer region.
- **Fig. 10.** XPS spectra of the electrodeposited Co-Ac film (20 C cm⁻²) on carbon paper. (a and b) before electrolysis and (c to e) after 3 h of electrolysis at 1.29 V in phosphate buffer solution (pH 7.0). Here, (a and c) survey spectrum, (b and d) Co 2p and (e) P 2p detailed spectra.
- **Fig. 11.** Infra-red spectrum of electrochemically prepared Co-Ac catalyst on ITO coated glass electrode. Samples are diluted using KBr.

Figure. 1




Figure. 2




Figure. 3




Figure. 4




Figure. 5




Figure. 6




Figure. 7




Figure 8:




Figure. 9




Figure 10






Figure. 11



TOC image



When Co-Ac was used for electrolysis in phosphate solution, a hybrid Co-Pi-Ac was formed, resulting in enhanced catalytic activity towards OER.