RSC Advances



This is an *Accepted Manuscript*, which has been through the Royal Society of Chemistry peer review process and has been accepted for publication.

Accepted Manuscripts are published online shortly after acceptance, before technical editing, formatting and proof reading. Using this free service, authors can make their results available to the community, in citable form, before we publish the edited article. This Accepted Manuscript will be replaced by the edited, formatted and paginated article as soon as this is available.

You can find more information about *Accepted Manuscripts* in the **Information for Authors**.

Please note that technical editing may introduce minor changes to the text and/or graphics, which may alter content. The journal's standard <u>Terms & Conditions</u> and the <u>Ethical guidelines</u> still apply. In no event shall the Royal Society of Chemistry be held responsible for any errors or omissions in this *Accepted Manuscript* or any consequences arising from the use of any information it contains.



Journal Name

RSCPublishing

ARTICLE

Recovery rate and homogeneity of doping europium into luminescent metal hydrides by chemical analysis

Cite this: DOI: 10.1039/x0xx00000x

R. Hahn^a, N. Kunkel^{a,b‡}, C. Hein^a, R. Kautenburger^a and H. Kohlmann^{*b}

Received 00th January 2012, Accepted 00th January 2012

DOI: 10.1039/x0xx00000x

www.rsc.org/

During the investigation of concentration dependent properties of phosphors, such as emission intensities, the knowledge of the activator ion concentration is of great importance. Herein we present a study on recovery rate and homogeneity of the activator ion concentration by chemical analysis in luminescent europium doped metal hydrides. The analysis method was established on the model system $Eu_xSr_{1-x}H_2$ and applied to brightly emitting hydridic perovskites $LiMH_3:Eu^{2+}$ and $LiMD_3:Eu^{2+}$ (M=Sr, Ba). The nominal activator ion concentrations calculated from initial weights are in good agreement with those determined via ICP-MS for 10^{-3} % \leq x both for the hydrides (deuterides) and the parent alloys. The synthesis protocol thus allows a reliable method for reproducibly doping europium into metal hydrides. Luminescence spectra of $LiEu_xSr_{1-x}H_3$ with x=0.0037% show a broad band emission at room temperature typical for Eu^{2+} $4f^65d^1$ - $4f^7$ transitions. Below 80 K, a vibronic fine structure is observed with vibrational coupling frequencies of approximately 100, 370 and 970 cm⁻¹.

Introduction

Inorganic luminescent materials play an important role in efficient energy conversion and contribute to saving energy for lighting purposes. Europium is being used for instance as efficient blue-emitting BaMgAl₁₀O₁₇:Eu(II) and red-emitting Y₂O₃:Eu(III) in LEDs and plasma screens [1-3]. The electricdipole and parity-allowed 4f⁷-4f⁶ 5d transition in Eu(II) produces high quantum yields and thus high emission intensities. In contrast to trivalent europium with an f-f transition Eu(II) further exhibits a strong dependence of the emission wavelength on the coordination of the activator ion. Eu(II) in oxide and halide host lattices often emits blue or green light [2], while more polarisable ions like sulfides and nitrides induce emission in the green to red colour region [2, 4]. Luminescent materials usually contain only small amounts of the activator ion and for efficient host lattices luminescence can often be observed even for ppm amounts of the activator ion. Many investigations have been carried out to study concentration dependencies of the luminescence intensity. Exact control of the activator ion concentration is of great importance, since luminescence properties may be strongly influenced. For instance, too high concentrations often lead to energy transfer and consequently to luminescence quenching [5]. However, analyses of the exact content of the activator ion

or the local coordination environment via a method different from luminescence spectroscopy are rather scarce and concentrations are usually calculated according to initial weights. Lately, an NMR and ESR study regarding the Nd³⁺ and Gd³⁺ content in LaPO₄ was carried out, studying doping rates down to approximately 0.1 at % [6].

Chemical analyses of europium species in solution via inductively-coupled plasma – mass spectrometry (ICP-MS) are commonly used, e. g. in rock samples [7], in water [8, 9], in fine chemicals [10], in biological samples [11, 12] or in non-radioactive model systems using europium as chemical homologue for the highly toxic americium (as one of the main components in radioactive waste) to analyse the complexation behavior of europium with natural organic matter [13, 14] as well as the sorption/desorption properties in porewater/clay systems [15].

Another feature often neglected concerns the homogeneity of the activator ions within the host materials. In a recent study of Eu(II) in a metal-organic framework it was shown that at least for higher doping rates (20%) on a nanometer to low micrometer scale the europium content varied between 12-28%, proving a considerable heterogeneity [16].

RSC Advances Page 2 of 6
ARTICLE Journal Name

Recently, we have studied Eu²⁺ luminescence in alkaline earth metal hydrides [17] and perovskite type hydrides [18, 19]. In order to check whether the europium concentrations of our luminescent materials calculated based on the initial weights are in accordance with the real europium content and whether europium is distributed homogeneously within the host lattice, we present a method of analysis of the phosphors using the model system Eu_xSr_{1-x}H₂ within this work. EuH₂ and SrH₂ are isotypic and the existence of a solid solution series was shown before [17]. In strontium-rich samples a broad band emission at 728 nm was observed and assigned to the Eu²⁺ 4f⁷-4f⁶5d transition. The system was chosen due to its relative simplicity and we will also show that the methods can be applied for ternary systems such as the yellow emitting LiSrH₃:Eu²⁺[18]. Spectra of SrH₂, LiSrH₃ and LiBaH₃ with relatively high doping rates can be found in [17, 18]. SrH₂ samples with relatively low doping rates do not show emission, because emission intensities of alkaline earth metal hydrides are rather low. However, LiSrH₃:Eu²⁺ shows a bright emission even at very low doping rates and herein we also present emission spectra of a low doped sample whose europium concentration was determined during our study.

Experimental details

Sample preparation

Due to their air sensitivity, all solids were handled in an argon filled glove box. The alloys Eu_xSr_{1-x} were synthesised by melting reactions of the elements (Eu ingot Alfa Aesar 99.9%, Sr pieces, distilled, Alfa Aesar 99.9 % and Kristallhandel Kelpin, all mechanically surface cleaned before use) in niobium ampoules in a high-frequency furnace and hydrogenated in an autoclave at 650 K and approx. 100 bar H2 pressure (H2 Praxair 99.9%) for about 2-3 days. The autoclave and crucibles consist of the hydrogen resistant Nicrofer® 5219 alloy (Inconel 718). Preparation of samples Eu_xSr_{1-x} with x < 0.05 was performed by melting alloys with higher europium concentration with corresponding amounts of strontium metal. A list of the initial weights is given in the supplementary information. The ternary hydrides were prepared as described in [18, 19]. Note that therein the europium concentrations are given with respect to the substitutional site M in AMH₃, therefore 0.5 % corresponds to an overall value of 0.25 % in our present study. For ICP-MS measurements, three to four samples were taken from each intermetallic phase in order to assure representative sampling and to probe homogeneity, but only one sample from each hydride.

X-ray powder diffraction

X-ray powder diffraction data were collected on a PANalytical Philips X'Pert Pro with focusing Bragg-Brentano geometry and a fine focus X-ray tube (CuK $\alpha_{1,2}$ radiation). The ratio of CuK α_1 and K α_2 was determined using a silicon standard (NIST640d). Finely ground samples were enclosed between kapton foils with apiezon grease. The data collection time was 60 min and the diffraction range $10^{\circ} \leq 2\theta \leq 110^{\circ}$. Crystal structures were refined using the program TOPAS 4.2 (Bruker AXS, Karlsruhe, Germany) [20] together with the fundamental parameter approach [21]. The instrumental function was determined empirically by means of a reference scan of LaB₆. Typically, complete crystal structures including hydrogen positions were taking as starting structures from literature and scale factors,

lattice parameters, zero point shift, thermal displacement and microstructural parameters were refined.

Chemicals and standards for ICP-MS

The quality of all chemicals used was analytical reagent grade or better (e.g. suprapure) from Merck. All solutions were prepared with Milli-Q deionised water (18.2 M Ω , Milli-Q-System, Millipore, Schwalbach, Germany). Single element standards of europium and holmium Certipur® from Merck were used and Argon 5.0 (99.999%, Praxair) as plasma gas.

ICP-MS measurements

For calibration a 1000 ppm europium stock solution was prepared by dissolving europium metal in HNO₃ (3.25 %) and diluting to a concentration of 1 ppm europium. 10 μ L of a 10 ppm holmium as internal standard was added to correct time dependent sensitivity deviation of the ICP-MS system to the calibration samples as well as all other samples. Additionally, 300 μ L of HNO₃ (65%, suprapure) were added to prohibit metal sorption onto the sample container surface. MilliQ water was then added to obtain the different europium concentrations (5-500 ppb).

All samples were first dissolved in 1 ml HNO $_3$ (3.25 %) and stocked up to a concentration of 1000 ppm (according to initial weights of the samples). Samples with europium concentration of $7*10^{-5} - 7*10^{-7}$ % were diluted with a total sample dilution of 1:3 using an ICP-MS solution (300 ml HNO $_3$ 65 %, 1 ml internal standard, 636 ml MilliQ water). To all other samples 10 μ L of internal standard and 300 μ L of HNO $_3$ (65 %) were added and stocked up with MilliQ water to reach a volume of 10 mL. 9.5 mg of the pure strontium samples were dissolved in 5 ml HNO3 (3.25 %). 10 μ L of internal standard, 300 μ L of HNO $_3$ (65 %) and MilliQ water were added to reach a volume of 10 ml

Table 1 Operating parameters and analytical conditions of the ICP-MS.

ICP-MS	Agilent 7500cx
RF-power	1550 W
Cooling / auxiliary gas	15.0 / 1.05 Lmin ⁻¹
Dwell times	300 msec (3*100 msec) per mass
Repetition	3 times
Samples	
Ho-ICP standard	Certipur® (Merck)
Analysed isotope	¹⁵³ Eu
Internal standard	¹⁶⁵ Ho
Detection limit	10 ppt (ng*kg ⁻¹)

Page 3 of 6 RSC Advances

Journal Name ARTICLE

An Agilent 7500cx ICP-MS (Agilent Technologies, Santa Clara, USA) was used for the isotopic measurements; detailed analytical conditions are given in Table 1. A correction of the isotope intensities via normalisation by the intensity of ¹⁶⁵Ho as internal standard was carried out and samples were measured in triplicate [15]. RSD values are in the range of 0.1 and 2.2 %.

Luminescence measurements

Temperature dependent photoluminescence emission spectra and lifetime measurements were carried out on an Edingburgh FLS-920 spectrofluorometer with a pulsed 376.8 nm Edingburgh laser diode for sample excitation, a monochromator according to Czerny-Turner (500 nm focal length) for emission, a R928P (Hamamatsu) photomultiplier tube for detection of the emission spectra and a H7422-02 photomultiplier tube (Hamamatsu) for detection of the decay curves. temperature measurements were carried out using an Oxford liquid helium coldfinger. Due to moisture and air sensitivity, samples were enclosed in sealed silica tubes of 0.5-1 cm diameter and they were attached to the coldfinger using high purity silver paint in order to facilitate heat transfer and minimise the lagging of real temperatures behind the nominal ones assigned to the spectra. Spectra were corrected for lamp intensity and photomultiplier sensitivity. Luminescence decay curves were recorded under pulsed excitation with the Edinburgh 376.8 nm pulsed diode laser. Neglecting a slight deviation from single exponential behavior in the higher temperature range (faster initial decay), a single exponential function was used for the analysis of the luminescence decay curves.

Results and discussion

Melting of the elements produced alloys Eu_xSr_{1-x} with a silver luster, which were hydrogenated to yield in metal hydrides $Eu_xSr_{1-x}H_2$ as fine powders. For samples with $0.5\% \le x \le 2\%$ yellow to orange colors were observed, whereas samples with lower europium concentrations were colorless. Samples were single-phase according to X-Ray powder diffraction and Rietveld refinement (Fig. 1). Due to the low doping concentrations and like ionic radii of Sr^{2+} and Eu^{2+} refined lattice parameters vary very little and cannot reflect the concentration of Eu^{2+} properly given the accuracy of a routine X-ray powder diffraction measurement (Tab. 2).




Figure 1 Rietveld refinement of the crystal structure of SrH_2 : Eu^{2+} (2 %). Observed (red line), calculated (black line), and difference (observed-calculated; bottom, blue line) X-ray powder diffraction patterns ($\lambda = 1.54056 \text{ Å}$). Markers indicate Bragg peak positions of SrH_2 : Eu^{2+} (2 %).

Table 2 Lattice parameters in Eu_xSrH_{2-x} as determined by Rietveld refinement on X-ray powder diffraction data.

nominal x	<i>a</i> / pm	<i>b</i> / pm	<i>c</i> / pm
in Eu_xSr_{1-}			
_x H ₂ in %			
2	638.164(9)	387.344(5)	732.71(1)
1	638.357(7)	387.518(4)	732.632(8)
0.5	638.456(8)	387.505(5)	732.650(9)
0.05	638.456(1)	387.517(7)	732.81(1)
0.005	638.36(1)	387.537(6)	732.57(1)
0.0005	638.38(1)	387.582(9)	732.45(2)
10 ⁻⁵	638.38(1)	387.61(1)	732.68(2)
10 ⁻⁶	638.51(2)	387.45(1)	733.19(2)
10 ⁻⁷	638.31(1)	387.618(8)	732.29(2)

Chemical analysis of the dissolved starting materials by ICP-MS gave 0.225 ppm europium in strontium from Alfa Aesar (99.9%) and 0.01 ppm europium in the strontium rod from Kristallhandel Kelpin. Thus samples Eu_xSr_{1-x} and $Eu_xSr_{1-x}H_2$ with europium contents $x \leq 5*10^{-2}$ % were prepared from the latter material. As a consequence of the 0.01 ppm europium in the strontium metal europium in Eu_xSr_{1-x} and $Eu_xSr_{1-x}H_2$ samples the lowest reasonably achievable doping content was 10^{-6} %.

Analyses of alloys $\mathrm{Eu_xSr_{1-x}}$ show differences in europium content up to a factor of 2.8 between samples taken from different spots on the same alloy (Tab. 3). This hints at some inhomogeneity in the distribution of europium in strontium, which is not unexpected. Such inhomogeneity in the alloys most probably will cause inhomogeneity in the hydrides as well, which could not be measured, however, due to decrepitation of the alloys to a fine powder upon hydrogenation.

The relative deviation of europium content as determined by ICP-MS from the nominal contents in the metal hydrides $Eu_xSr_{1-x}H_2$ is only 6% for x=0.5% and increases with decreasing europium content up to 70% for $x=5*10^{-4}$ % (Tab. 3). Samples with lower europium content were analysed as well; however, the concentrations found for those samples lie within the same range as the blank samples and are therefore not reliable. At least for the higher contents shown in Tabs. 2 and 3, which are in the range of conventional activator contents in phosphors, the correspondence between nominal and experimentally determined europium contents is satisfactory. Nominal europium contents are thus a reasonable measure of the actual content at least for 10^{-3} % $\leq x$, where the deviations were found to be between 6% and 32%.

Table 3 Nominal and experimentally determined europium contents x of alloys Eu_xSr_{1-x} and their hydrides $Eu_xSr_{1-x}H_2$ in %.

Europium content x / %						
nominal	by chemical analysis on alloys Eu _x Sr _{1-x}					by chemical
according	No.1	No.2	No.3	No.4	average	analysis on
to initial						hydrides Eu _x Sr ₁₋
weight						$_{x}H_{2}$
2.0	1.30(2)	1.00(2)	2.40(1)	2.40(1)	1.78(2)	
1.0	0.39 (1)	0.89(1)	0.81(1)	0.49(1)	0.65(1)	1.00(2)
0.5	0.490(1)	0.460(3)	0.520(4)	0.530(1)	0.500(3)	0.530(1)
5*10 ⁻²	5.90(4)*10 ⁻²	6.00(4)*10 ⁻²	5.90(2)*10 ⁻²		5.93(3)*10 ⁻²	6.10(5)*10 ⁻²
5*10 ⁻³	2.50(1)*10 ⁻³	6.00(2)*10 ⁻³	7.10(4)*10 ⁻³		5.20(2)*10 ⁻³	6.60(2)*10 ⁻³
5*10 ⁻⁴	6.800(8)*10 ⁻⁴	7.20(2)*10 ⁻⁴	7.00(8)*10 ⁻⁴		7.00(2)*10 ⁻⁴	8.500(4)*10 ⁻⁴




Figure 2 Log-log plot showing the relation between the nominal and real europium contents in the intermetallic phases Eu_xSr_{1-x} .




Figure 3 Log-log plot showing the relation between nominal and real europium contents in the hydrides Eu_xSr_{1-x}H₂.

The analysis of the ternary luminescent materials yielded the following europium concentrations (see Table 4).

Table 4 Europium content in ternary europium doped metal hydrides LiMH₃ and LiMD₃ (M = Sr. Ba).

Compound	Nominal europium content x / %	Europium content x determined by ICP-MS / %
LiSrH ₃ :Eu ²⁺	0.247	0.268(3)
LiSrD ₃ :Eu ²⁺	0.240	0.26(3)
LiBaH ₃ :Eu ²⁺	0.248	0.27(2)
LiBaD ₃ :Eu ²⁺	0.217	0.23(4)
LiSr _{0.8} Ba _{0.2} H ₃ :Eu ²⁺	0.239	0.25(2)
LiSrH ₃ :Eu ²⁺	0.005	0.0037

Again, the agreement between nominal and experimentally observed values is satisfactory. Nominal values based on the initial weights may therefore be regarded as a reasonable measure for the true activator content in europium doped metal hydrides prepared by melting of the metals and subsequent hydrogenation, even for very low dopant concentrations; however, europium distributions in powder samples may be inhomogeneous. This might lead to varying local environments and thus broadening of absorption and emission bands.

In contrast to higher doped LiSrH₃ samples, which are of a light yellow colour, LiSrH₃:Eu²⁺ 0.0037 % is colourless. However, in spite of the low europium content it still shows a bright yellow emission as described for samples with higher doping rates [18]. In Fig. 4 temperature dependent spectra of LiSrH₃:Eu²⁺ 0.0037% are given. In good agreement with [18], the spectra show a broad band emission at room temperature which is typically observed for Eu²⁺ 4f⁶5d¹ 4f⁷ emission and below approximately 80 K, a vibronic fine structure is observed. Due to the low europium content, this fine structure shows a slightly better resolution than that of the higher concentrated samples and higher modes are still clearly visible and can be assigned. Thus it may be concluded that the spectral resolution may be improved by the use of lower doping rates; if the emission intensities allow for it. The vibrational energies

Page 5 of 6 RSC Advances

Journal Name ARTICLE

with respect to the zero phonon line 0-0-0 are listed in the ESI, Table 1 and the assignment of the bands was done according to [18]. A vibrational coupling with three different modes is observed (approx. 100, 370 and 970 cm⁻¹).




Figure 4 Temperature dependent emission spectra of LiSrH₃:Eu²⁺ 0.0037 mol % under UV excitation (376.8 nm).

The temperature dependence of the lifetimes is shown in Fig. 5. In good agreement with earlier results [18], the quenching temperature is approximately 150 K.




Figure 5: Temperature dependence of the lifetimes of LiSrH $_3$:Eu $^{2+}$ 0.0037 mol %. Excitation at 376.8 nm, emission at 580 nm.

With about 530 ns, the lifetime at 10 K is slightly larger than for a higher europium concentration (0.25 mol%, approximately 420 ns). This indicates, together with the slightly better resolved vibronics, that in higher doped samples concentration effects might already play a role. It is well known that higher doping rates may lead to concentration quenching and a shortening of the observed lifetimes [5].

Conclusion

The exact knowledge of the doping concentration and homogeneity of the activator ion in luminescent samples is of great importance for concentration dependent effects such as emission intensities. Chemical analysis on europium doped alloys and their metal hydrides was performed by ICP-MS. Nominal activator ion concentrations calculated from initial weights in $\mathrm{Eu_xSr_{1-x}}$ and $\mathrm{Eu_xSr_{1-x}H_2}$ are in good agreement with experimentally determined concentrations for $10^{-3}~\% \leq x$. The synthesis protocol thus allows a reliable method for reproducibly doping europium into metal hydrides. A good agreement between nominal and experimental values was also achieved for compounds LiMH_3:Eu^2+ and LiMD_3:Eu^2+ (M = Sr, Ba) at dopant levels around 0.25% and at 0.0037% for LiSrH_3:Eu^2+. For the latter luminescence spectra show a broad band emission at room temperature which is typically observed for $\mathrm{Eu}^{2+}~4f^65d^1~4f^7$ transitions. Below 80 K, a vibronic fine structure is observed with vibrational coupling frequencies of approximately 100, 370 and 970 cm^-1.

Acknowledgements

We are grateful to the Deutsche Forschungsgemeinschaft (DFG grant KO1803/7-1) for financial support. N. K. and H. K. would like to thank Prof. Andries Meijerink and M. Sc. Tim Senden for technical support and the Landesgraduiertenförderung Saar for a doctoral scholarship.

Notes and references

- ^a Inorganic Solid State Chemistry, Saarland University, P. O. Box 151150, 66041 Saarbrücken, Germany
- b Inorganic Chemistry, University Leipzig, Johannisallee 29, 04103 Leipzig, Germany. Email: holger.kohlmann@uni-leipzig.de
- ‡ Current institution: Chimie Paristech-CNRS, Institut de Recherche de Chimie Paris, 11 rue Pierre et Marie Curie, 75005 Paris, France

Electronic Supplementary Information (ESI) available: high resolution spectrum of $LiSrH_3:Eu^{2+}$ 0.0037 mol % at 4 K and assignment of the vibronics. See DOI: 10.1039/b000000x/

- 1 H. Höppe, Angew, Chem. Int. Ed. 2009, 48, 3572.
- 2 P. Dorenbos, J. Lumin. 2003, 104, 239.
- 3 T. Jüstel, H. Nikol, C. Ronda, Angew. Chem. Int. Ed. 1998, 37, 3084.
- 4 P. Pust, A. S. Wochnik, E. Baumann, P. J. Schmidt, D. Wiechert, C. Scheu, W. Schnick, *Chem. Mat.* 2014, 26, 3544.
- 5 A. Huignard, T. Gacoin, J.-P. Boilot, Chem. Mat. 2000, 12, 1090.
- 6 S. Maron, G. Dantelle, T. Gacoin, F. Devreux, *Phys. Chem. Chem. Phys.* 2014, 16, 18788.
- 7 N. N. Fedyunina, I. F. Seregina, M. A. Bolshov, O. I. Okina, S. M. Lyapunov, *Analytica Chimica Acta* 2012, 713, 97.
- 8 K. J. Stetzenbach, M. Amano, D. K. Kreamer, V. F. Hodge, *Ground Water* 1994, **32**, 976.
- W. Zhu, E. W. B. de Leer, M. Kennedy, G. J. F. R. Alaerts, *Fresenius J. Anal. Chem.* 1998, 360, 74.
- 10 W. R. Pedreira, J. E. S. Sarkis, C. A. da Silva Queiroz, C. Rodrigues, I. A. Tomiyoshi, A. Abrao, J. Solid State Chem. 2003, 171, 3.
- 11 Y. Ming, L-Bing, Spectrochimica Acta Part B 1998, 53, 1447.
- 12 B. Li, Y. Sun, M. Yin, J. Anal. At. Spectrom. 1999, 14, 1843.
- 13 C. Möser, H. P. Beck, R. Kautenburger, *Electrophoresis* 2012, 33, 1482.

- 14 R. Kautenburger, C. Hein, J. M. Sander, H. P. Beck, *Analytica Chimica Acta* 2014, 816, 50.
- 15 R. Kautenburger, H. P. Beck, J. Environ. Monit. 2010, 12, 1295-1301.
- 16 J.-C. Rybak, M. Hailmann, P. R. Matthes, A. Zurawski, J. Nitsch, A. Steffen, J. G. Heck, C. Feldmann, S. Gotzendorfer, J. Meinhardt, G. Sextl, H. Kohlmann, S. J. Sedlmaier, W. Schnick, K. Müller-Buschbaum, J. Am. Chem. Soc. 2013, 135, 6896.
- 17 N. Kunkel, H. Kohlmann, A. D. Sayede, M. Springborg, *Inorg. Chem.* 2011, **50**, 5873.
- 18 N. Kunkel, A. Meijerink, H. Kohlmann, *Phys. Chem. Chem. Phys.* 2014, **16**, 4807.
- 19 N. Kunkel, A. Meijerink, M. Springborg, H. Kohlmann, J. Mater. Chem. C 2014, 2, 4799.
- 20 Bruker, AXS, Karslruhe, TOPAS V4.2, General profile and structure analysis software for powder diffraction data, User's Manual.
- 21 A. A. Coelho, J. Appl. Crystallogr. 2003, 36, 86.

ARTICLE