

# Ultrafine oxygen-defective iridium oxide nanoclusters for efficient and durable water oxidation at high current densities in acidic media

| Journal:                      | Journal of Materials Chemistry A  |
|-------------------------------|---|
| Manuscript ID                 | TA-ART-07-2020-007093.R1  |
| Article Type:                 | Paper   |
| Date Submitted by the Author: | 28-Oct-2020   |
| Complete List of Authors:     | Yu, Zhipeng; International Iberian Nanotechnology Laboratory, Materials<br>Science<br>Xu, Junyuan; International Iberian Nanotechnology Laboratory, Materials<br>Science;<br>Li, Yifan; Key Laboratory for Liquid-Solid Structural Evolution and<br>Processing of Materials, Ministry of Education, Shandong University,<br>Wei, Bin; International Iberian Nanotechnology Laboratory,<br>Zhang, Nan; International Iberian Nanotechnology Laboratory, Materials<br>Science<br>Li, Yue; Center of Chemistry, Chemistry Department, University of<br>Minho, Gualtar Campus, Braga, 4710-057,<br>Bondarchuk, Oleksandr; International Iberian Nanotechnology Laboratory<br>Laboratory,<br>Miao, Hongwei; International Iberian Nanotechnology Laboratory<br>Araujo, Ana; International Iberian Nanotechnology Laboratory,<br>Quantum<br>and Energy Materials<br>Wang, Zhongchang; International Iberian Nanotechnology Laboratory,<br>Department of Quantum and Energy Materials<br>Faria, Joaquim; Universidade do Porto Faculdade de Engenharia,<br>Departamento de Engenharia Química<br>Liu, Yuanyue; California Institute of Technology,<br>Liu, Lifeng; International Iberian Nanotechnology Laboratory, Materials<br>Science |
|                               |   |



# Journal of Materials Chemistry A

# ROYAL SOCIETY OF CHEMISTRY

# PAPER

Received 00th January 20xx, Accepted 00th January 20xx

DOI: 10.1039/x0xx00000x

www.rsc.org/

# Ultrafine oxygen-defective iridium oxide nanoclusters for efficient and durable water oxidation at high current densities in acidic media

Zhipeng Yu,‡<sup>a,b</sup> Junyuan Xu,‡<sup>a</sup> Yifan Li,‡<sup>c</sup> Bin Wei,<sup>a</sup> Nan Zhang,<sup>a</sup> Yue Li,<sup>a,d</sup> Oleksandr Bondarchuk,<sup>a</sup> Hongwei Miao,<sup>a</sup> Ana Araujo,<sup>a</sup> Zhongchang Wang,<sup>a</sup> Joaquim Luis Faria,<sup>b</sup> Yuanyue Liu,\*<sup>c</sup> and Lifeng Liu<sup>\*a</sup>

Iridium oxide (IrO<sub>2</sub>) is one of the best known electrocatalysts for the oxygen evolution reaction (OER) taking place in strongly acidic solution. IrO<sub>2</sub> nanocatalysts with high activity as well as long term catalytic stability, particularly at high current densities, are highly desirable for proton exchange membrane water electrolysis (PEM-WE). Here, we report a simple and cost-effective strategy for depositing ultrafine oxygen-defective IrO<sub>x</sub> nanoclusters (1 – 2 nm) on a high-surface-area, acid-stable titanium current collector (H-Ti@IrO<sub>x</sub>), through a repeated impregnation-annealing process. The high catalytically-active surface area resulting from the small size of IrO<sub>x</sub> and the preferable electronic structure originating from the presence of oxygen defects render H-Ti@IrO<sub>x</sub> outstanding OER performance, with low overpotentials of 277 and 336 mV to deliver 10 and 200 mA cm<sup>-2</sup> in 0.5 M H<sub>2</sub>SO<sub>4</sub>. Moreover, H-Ti@IrO<sub>x</sub> also shows intrinsic specific activity of 0.04 mA cm<sub>catalyst</sub><sup>-2</sup> and superior mass activity of 1500 A g<sub>Ir</sub><sup>-1</sup> at an overpotential of 350 mV. Comprehensive experimental studies and density functional theory calculations confirm the important role of oxygen defects in the enhanced OER performance. Remarkably, H-Ti@IrO<sub>x</sub> can continuously catalyze the OER in 0.5 M H<sub>2</sub>SO<sub>4</sub> at 200 mA cm<sup>-2</sup> for 130 hours with minimal degradation, and with a higher IrO<sub>x</sub> loading it can sustain at such a high current density over 500 hours without significant performance decay, which holds substantial promise for use in PEM-WE.

### Introduction

Developing electrochemical energy conversion devices such as fuel cells and water electrolyzers, is of paramount importance to the future energy sustainability and environmental remediation.<sup>1</sup> Electrocatalytic water splitting has recently regained considerable research interest as a sustainable and carbon-neutral approach to the production of hydrogen  $(H_2) - a$ promising energy carrier that has the potential to replace conventional fossil fuels.<sup>2-4</sup> In particular, proton exchange membrane water electrolysis (PEM-WE) has shown significant advantages over the conventional alkaline water electrolysis (AWE) technology, because PEM-WE allows for higher energy efficiency, production of purer H<sub>2</sub> gas, compact system design, and dynamic flexibility of operation.<sup>5-7</sup> However, the development of PEM electrolyzers is largely hindered by the lack of highly active and stable electrocatalysts to efficiently catalyze the oxygen evolution reaction (OER) in acidic solutions.<sup>8</sup> Up to now, iridium (Ir)-based material is the best known OER electrocatalyst with both high activity and reasonably good stability in acidic media.<sup>8-13</sup> However, largescale deployment of PEM electrolyzers is restricted by the low earth abundance and high cost of iridium.<sup>10,14-16</sup>

To enable widespread deployment of PEM water electrolyzers, the OER catalytic performance of Ir-based catalysts must be drastically improved and meanwhile the Ir utilization should be kept as minimal as possible. To this end, much research effort has been dedicated to nanostructuring Ir and doping Ir with non-precious transition metals, aiming to enhance the intrinsic catalytic activity and to better utilize the precious Ir.<sup>17</sup> For example, nanoclusters of IrO<sub>x</sub>-Ir and IrRu alloy,<sup>18,19</sup> bimetallic IrNi,<sup>20</sup> nanoporous<sup>21</sup> and ultra-small IrO<sub>2</sub><sup>22</sup> have been reported to show good OER performance in acid media, with a low overpotential to deliver the benchmark current density of 10 mA cm<sup>-2</sup>.<sup>18-22</sup> In addition, a number of studies have shown that structural defects have a significant impact on the electronic structure and surface properties of catalysts, and intentional or accidental introduction of defects into catalysts may enhance their catalytic activity, which have

<sup>&</sup>lt;sup>a.</sup> International Iberian Nanotechnology Laboratory (INL), Av. Mestre Jose Veiga, 4715-330 Braga, Portugal. E-mail: lifeng.liu@inl.int

<sup>&</sup>lt;sup>b.</sup>Laboratory of Separation and Reaction Engineering – Laboratory of Catalysis and Materials (LSRE-LCM), Faculdade de Engenharia, Universidade do Porto, Rua Dr. Roberto Frias s/n 4200-465 Porto, Portugal

<sup>&</sup>lt;sup>c</sup> Materials Science & Engineering Programme, University of Texas at Austin, USA E-mail: yuanyue.liu@austin.utexas.edu

<sup>&</sup>lt;sup>d.</sup> Center of Chemistry, Chemistry Department, University of Minho, Gualtar Campus, Braga, 4710-057, Portugal

*<sup>†</sup> Electronic Supplementary Information (ESI) available. See DOI:* 10.1039/x0xx00000x

*<sup>‡</sup>* These authors contribute equally to this work.

#### COMMUNICATION

Page 2 of 10

#### Journal Name

been verified in a few nonprecious metal based catalysts.<sup>23,24</sup> Recent studies also demonstrated that iridium oxide or ruthenium oxide with non-stoichiometric and defective oxygen in the lattice may markedly boost the intrinsic activity of these catalysts for the OER.<sup>25-29</sup> This renders defect engineering a useful strategy to enhance catalytic activity.

While various strategies have been developed to improve the activity of Ir-based catalysts, achieving long-term stability in strong acidic media, particularly at a high current density, remains a great challenge. The harsh corrosive and oxidative environment may give rise to dissolution and/or over-oxidation of catalytically active species, leading to rapid loss of OER catalytic activity.<sup>30-32</sup> For these reasons, most Ir-based OER catalysts reported by far can only survive at a low current density (typically  $\leq$  10 mA cm<sup>-2</sup>) for a limited period of time (few to tens of hours),<sup>14,15,25-29</sup> which is far from what requires for practical industry-relevant PEM-WE.

Herein, we develop iridium oxide  $(IrO_x)$  nanoclusters combining the advantages of ultrafine cluster size (1 - 2 nm), which leads to the exposure of a large active surface area, and

oxygen-defective feature, which results in an electronic structure favorable for the OER. By loading IrO<sub>x</sub> nanoclusters on hydrothermally treated high-surface-area titanium foam (H-Ti foam), outstanding OER catalytic activity has been achieved in strongly acidic solution (i.e., 0.5 M  $H_2SO_4$ ), with low overpotentials (n) of 277 and 336 mV to deliver current densities of 10 and 200 mA cm<sup>-2</sup>, respectively. Moreover, the intimate contact between IrOx and H-Ti foam significantly stabilizes the  $IrO_x$  nanocluster catalysts. As a result, the H-Ti foam supported  $IrO_x$  (H-Ti@IrO<sub>x</sub>) is able to continuously catalyze the OER at a high current density of 200 mA cm<sup>-2</sup> in 0.5 M H<sub>2</sub>SO<sub>4</sub> for 130 hours without notable degradation. Moreover, density functional theory (DFT) calculations confirm that the oxygen defect in IrO<sub>x</sub> results in a low binding energy of oxygenated intermediates, especially of the oxygen atoms, leading to a markedly decreased energy barrier to the catalytic reaction and thus higher OER performance in the IrO<sub>x</sub>.

### **Results and discussion**



**Fig. 1** (a) Raman spectra of H-Ti foam and P-Ti foam. (b) XRD patterns of H-Ti@IrO<sub>x</sub>, P-Ti@IrO<sub>x</sub>, and C@IrO<sub>x</sub>. (c) Bright-field TEM image and (d) HRTEM image of H-Ti@IrO<sub>x</sub>. (e) Low-magnification and (f) high-magnification HAADF-STEM image of IrO<sub>x</sub> catalysts. (g) Atomic-resolution STEM image of an individual IrO<sub>x</sub> nanocluster. Inset: the corresponding FFT-ED pattern. (h) Schematic illustration of the crystal structure of (g). Yellow and red spheres represent Ir and O atoms, respectively. (i) HAADF-STEM image and the corresponding elemental maps of Ir, Ti and O.

The H-Ti@IrO<sub>x</sub> was prepared by soaking H-Ti foam into 0.1 M aqueous solution of IrCl<sub>3</sub> for 30 min, followed by thermal annealing at 400 °C in air for 30 min. The IrO<sub>x</sub> loading density can be adjusted by repeating the impregnation-annealing cycles. Using a similar process, IrO<sub>x</sub> was also loaded on pristine Ti foam (P-Ti@IrO<sub>x</sub>) and carbon paper substrate (C@IrO<sub>x</sub>) for use as controls.

Hydrothermal treatment of Ti foam in high-concentration KOH solution (10 M) led to the formation of a high density of cross-linked nanowires (NWs, 20 – 30 nm in diameter) on the foam surface (Fig. S1, ESI<sup>+</sup>), which may significantly increase the number of sites that can immobilize IrO<sub>x</sub> nanoclusters. The same morphology was observed as well on hydrothermally treated Ti foam in a recent report.<sup>33</sup> According to the X-ray diffractometry (XRD) examination results, only a very weak diffraction peak from KHTi<sub>4</sub>O<sub>9</sub>•0.5H<sub>2</sub>O (PHT, ICDD no. 00-038-0173) was detected for H-Ti (Fig. S1a, ESI<sup>+</sup>), besides those from metallic Ti (ICDD no. 04-015-0276). This indicates that the formed PHT NWs have poor crystallinity. Furthermore, the formation of KHTi<sub>4</sub>O<sub>9</sub>•0.5H<sub>2</sub>O was confirmed by Raman spectroscopy (Fig. 1a), where the Raman peaks at 200, 280, 440, and 650 cm<sup>-1</sup> can be well assigned to the Ti–OH vibration in KHTi<sub>4</sub>O<sub>9</sub>•0.5H<sub>2</sub>O.<sup>34,35</sup>

Fig. 1b shows the XRD patterns of as-prepared H-Ti@IrO<sub>x</sub> and the control samples of C@IrO<sub>x</sub> and P-Ti@IrO<sub>x</sub>. No diffraction peaks from IrO<sub>2</sub> can be resolved for H-Ti@IrO<sub>x</sub> and P-Ti@IrO<sub>x</sub>, suggesting that the deposited iridium oxide may either be poorly crystallized or consist of tiny crystallites that significantly widen the diffraction peaks.

The morphology and microstructure of H-Ti@IrOx catalysts were further examined by scanning electron microscopy (SEM) and transmission electron microscopy (TEM). Loading IrO<sub>x</sub> nanoclusters on H-Ti foam did not markedly alter its morphology, as revealed by SEM examination (Fig. S2, ESI<sup>+</sup>). Fig. 1c shows a representative low-magnification TEM image of PHT NWs loaded with IrOx catalysts, where a high density of nanoclusters are found to distribute on the surface of NWs (representative nanoclusters marked by yellow circles). These nanoclusters have a typical size of 1-2 nm and are crystallized, as shown in the high resolution TEM (HRTEM) image in Fig. 1d. The measured lattice fringe of 0.258 nm corresponds to the (101) crystal planes of tetragonal IrO<sub>2</sub> (ICDD No. 00-015-0870). The crystal structure of nanoclusters was further examined in the high-angle annular dark field scanning transmission electron microscopy (HAADF-STEM) mode, where dense distribution of nanoclusters on the NW surface can be distinguished more clearly (Fig. 1e and 1f). The atomic-resolution HAADF-STEM imaging (Fig. 1g) confirmed that the lattice of nanoclusters matches well the atomic model of tetragonal IrO2 with defective oxygen, viewed along the [100] direction (Fig. 1h), which can be further corroborated by the fast Fourier transformation electron diffraction (FFT-ED) analyses (Fig. 1g, inset). Furthermore, STEM elemental mapping (Fig. 1i) illustrated that Ir covers on the PHT NWs with a very high density.

We also examined the crystal structure and morphology of H-Ti@IrO<sub>x</sub> with different IrO<sub>x</sub> loading densities. No XRD peaks from any polymorph of iridium oxides were detected even if the loading density was increased to 0.6 mg cm<sup>-2</sup> (Fig. S3, ESI<sup>+</sup>). Moreover, the morphology did not change as the loading density varied (Fig. S4, ESI<sup>+</sup>). Furthermore, we investigated the microstructure of IrOx clusters deposited on P-Ti foam and carbon paper substrate. In P-Ti@IrO<sub>x</sub>, IrO<sub>x</sub> exhibits the same tetragonal crystal structure, but has a bigger cluster size and broader size distribution (4 – 10 nm, Fig. S5, ESI<sup>+</sup>); while for C@IrO<sub>x</sub>, the deposited IrO<sub>x</sub> is interconnected forming a porous structure where the size of ligaments falls in the range of 2 - 3nm (Fig. S6, ESI<sup>+</sup>), similar to the morphology of cluster beam deposited Ru clusters we reported previously.<sup>36</sup> This suggests that both the size and uniformity of the deposited IrOx nanoclusters are influenced by the catalyst support. When the H-Ti foam was immersed in IrCl<sub>3</sub> solution, Ir<sup>3+</sup> cations tended to bond with the hydroxyl groups on the surface of PHT NWs via electrostatic interaction.<sup>34</sup> The subsequent thermal annealing in air oxidized the chemisorbed iridium and immobilized the formed IrOx nanoclusters on the H-Ti foam. Simultaneous nucleation at multiple sites resulted in the formation of sizeuniform ultrafine nanoclusters. Similar nucleation process also happened on oxidized carbon paper, where a large quantity of hydroxyl functional groups exist on the surface,<sup>37,38</sup> leading to the formation of small IrO<sub>x</sub> clusters. In contrast, the pristine P-Ti foam does not have as many oxyl or hydroxyl groups on its surface as H-Ti foam or carbon paper, and therefore the IrOx deposited on P-Ti foam is larger in size and shows wider size distribution.



Fig. 2 O 1s spectrum of (a) H-Ti@IrO\_x, (b) P-Ti@IrO\_x, (c) C@IrO\_x, and (d) Commercial IrO\_2 particles.

We have investigated the surface chemical states of H-Ti@IrO<sub>x</sub>, P-Ti@IrO<sub>x</sub>, C@IrO<sub>x</sub>, and commercial IrO<sub>2</sub> particles, using X-ray photoelectron spectroscopy (XPS). The XPS survey spectra confirm the presence of corresponding elements in each catalyst (Fig. S7, ESI<sup>+</sup>). Given that XPS allows to investigate the local chemical (ionic) environment of materials,<sup>39</sup> it has been used to characterize the degree of oxygen deficiency and related valence state change of metal cations in metal oxides.<sup>23,24</sup> Fig. 2 shows the O 1s XPS spectra of H-Ti@IrO<sub>x</sub> and other control catalysts, which can be de-convoluted into four

#### COMMUNICATION

components. The binding energy (BE) peak at ca. 529.8 eV (O1) generally relates to metal-oxygen bonding, the BE peak at 531.4 eV (O3) can be assigned to surface -OH groups, and the BE peak at 532.6 eV (O4) is associated with water.<sup>40</sup> In the literature, the BE peak centered around 530.4 eV (O2) has been proposed to correlate with surface oxygen defects, reflecting the degree of oxygen deficiency (i.e., the stoichiometry of oxygen with metal cations).<sup>24,25</sup> XPS quantitative analysis manifests that the content of the surface defective oxygen is 37.0 %, 34.4 %, 28.5 %, and 20.5 % in H-Ti@IrOx, C@IrOx, P-Ti@IrOx, and commercial IrO<sub>2</sub> particles, respectively (Table S1, ESI<sup>+</sup>), indicating that the Ir/O stoichiometry in H-Ti@IrOx deviates heavily from 1:2 and the IrO<sub>x</sub> nanoclusters in H-Ti@IrO<sub>x</sub> is severely oxygen-defective. The high-resolution Ir 4f XPS spectra of all the catalysts are compared in Fig. S8 (ESI<sup>+</sup>). There exist two spin-orbit components in the spectra, corresponding to the Ir  $4f_{5/2}\,and$  Ir  $4f_{7/2}$  components, respectively, which can be further deconvoluted into nine components characteristic of Ir<sup>IV</sup>, Ir<sup>III</sup>, Ir<sup>IV</sup> satellite 1, Ir<sup>IV</sup> satellite 2 and Ir<sup>III</sup> satellite, respectively (Fig. S8, Tables S2 and S3, ESI<sup>+</sup>).<sup>41,42</sup> Notably, we found that the ratio of Ir<sup>III</sup>/Ir<sup>IV</sup> increases as the content of surface defective oxygen increases, following the order H-Ti@IrO<sub>x</sub> > C@IrO<sub>x</sub> > P-Ti@IrO<sub>x</sub> > commercial IrO<sub>2</sub>, in consistence with the degree of oxygen deficiency in these catalysts, which indicates that the Ir<sup>III</sup> valence state correlates with the O2 component in O 1s spectra. The Ir<sup>III</sup> valence state likely results from the transfer of electrons trapped at the oxygen-defective sites to Ir<sup>IV</sup> cations.<sup>41,42</sup>



**Fig. 3** OER performance of H-Ti@IrO<sub>x</sub> and other control catalysts. (a) *iR*-corrected polarization curves of H-Ti@IrO<sub>x</sub>, C@IrO<sub>x</sub>, P-Ti@IrO<sub>x</sub> and commercial IrO<sub>2</sub> catalysts, recorded at a scan rate of 5 mV s<sup>-1</sup> in 0.5 M H<sub>2</sub>SO<sub>4</sub>. (b) Specific activities, and (c) Mass activities of H-Ti@IrO<sub>x</sub>, C@IrO<sub>x</sub>, P-Ti@IrO<sub>x</sub> and commercial IrO<sub>2</sub> catalysts in 0.5 M H<sub>2</sub>SO<sub>4</sub>. (d) Comparison of OER performance of H-Ti@IrO<sub>x</sub> catalysts to that of other state-of-the-art OER catalysts. (e) *iR*-corrected polarization curves of H-Ti@IrO<sub>x</sub> catalysts, recorded at a scan rate of 5 mV s<sup>-1</sup> in electrolytes with different

Page 4 of 10

pH values. (f) Specific activities of H-Ti@IrO<sub>x</sub>, H-Ti@IrO<sub>x</sub>-air-0.5 h and H-Ti@IrO<sub>x</sub>-air-5 h in 0.5 M H<sub>2</sub>SO<sub>4</sub>.

The OER activity of H-Ti@IrO<sub>x</sub> with different IrO<sub>x</sub> loading densities was firstly assessed at room temperature in 0.5 M H<sub>2</sub>SO<sub>4</sub> (pH = 0.3), and H-Ti@IrO<sub>x</sub> loaded with 0.25 mg cm<sup>-2</sup> IrO<sub>x</sub> was found to outperform all others under the same testing conditions in terms of not only the apparent catalytic activity but also Ir-mass based activity and the intrinsic specific activity obtained through normalizing the catalytic current by electrocatalytically-active surface area, i.e., ECSA (Fig. S9-11, ESI<sup>+</sup>). Therefore, the H-Ti@IrO<sub>x</sub>-0.25 mg cm<sup>-2</sup> sample (denoted as H-Ti@IrO<sub>x</sub> for simplicity hereafter) was used in further investigation and comparison with other control catalysts.

Fig. 3a shows the polarization curves of H-Ti@IrO<sub>x</sub> and control catalysts including P-Ti@IrOx, C@IrOx, and commercial IrO2, which were recorded in 0.5 M  $H_2SO_4$  at a scan rate of 5 mV s<sup>-1</sup>. The H-Ti foam subjected to thermal annealing treatment the same as that for preparing H-Ti@IrOx does not show appreciable anodic current density (Fig. S12, ESI<sup>+</sup>). Upon loading IrOx, the OER catalytic current density of H-Ti@IrOx is significantly enhanced. The H-Ti@IrOx can deliver geometric current densities of 10, 100, 200 mA cm<sub>geo</sub>-2 at low overpotentials (n) of 277, 318 and 336 mV, respectively (Fig. 3a), remarkably lower than those of P-Ti@IrO<sub>x</sub> ( $\eta_{10}$  = 343 mV), C@IrO<sub>x</sub> ( $\eta_{10}$  = 328 mV), commercial IrO<sub>2</sub> ( $\eta_{10}$  = 556 mV), even if the loading densities of iridium oxide are similar to or lower than these control catalysts (0.39 mg cm<sup>-2</sup> for P-Ti@IrOx, 0.24 mg cm<sup>-2</sup> for C@IrOx, and 0.39 mg cm<sup>-2</sup> for commercial IrO<sub>2</sub> particles).

To assess the intrinsic catalytic performance, the ECSAnormalized specific activities of H-Ti@IrOx and other control catalysts, which reflect the reactivity of each active site, were calculated and compared. The ECSA was obtained by cyclic voltammetry measurements in the non-Faradic potential region (see Experimental details), and it shows the following order: H-Ti@IrO<sub>x</sub> (7086  $cm_{catalyst}^2$ ) > C@IrO<sub>x</sub> (828  $cm_{catalyst}^2$ ) > P-Ti@IrO<sub>x</sub> (357 cm<sub>catalyst</sub><sup>2</sup>) > commercial IrO<sub>2</sub> (37 cm<sub>catalyst</sub><sup>2</sup>), as revealed in Fig. S13 (ESI<sup>+</sup>). The exceptionally high ECSA of H-Ti@IrO<sub>x</sub> may result, on one hand, from the ultra-small feature size of IrOx nanoclusters and ultra-high specific surface area of PHT NW support, and on the other hand, likely from the high number of oxygen defects in H-Ti@IrOx.<sup>23</sup> Despite the exceptionally high surface, after normalization the H-Ti@IrOx still exhibits a higher specific activity, able to deliver 0.04 mA  $cm_{catalyst}^{-2}$  at  $\eta = 350 \text{ mV}$ (Fig. 3b), 2.4, 2.0 and 6.5 times more active than P-Ti@IrOx, C@IrO<sub>x</sub>, and commercial IrO<sub>2</sub>, respectively.

The mass activities of all catalysts, which is an important consideration for practical applications, were also calculated and compared in Fig. 3c. The H-Ti@IrO<sub>x</sub> outperforms all control catalysts, capable of delivering a mass activity as high as 1500 A g<sub>Ir</sub><sup>-1</sup> at  $\eta = 350$  mV, which is 20, 89 and 2041 higher than that of C@IrO<sub>x</sub>, P-Ti@IrO<sub>x</sub> and commercial IrO<sub>2</sub>, respectively. The mass activity of H-Ti@IrO<sub>x</sub> is also higher than that of commercial Irbased catalysts from different industrial suppliers.<sup>43</sup> To better reflect the utilization of precious Ir, the mass activity of H-Ti@IrO<sub>x</sub> at  $\eta = 300$  mV is further plotted against the apparent

catalytic activity  $\eta_{50}$  and compared to previously reported stateof-the-art Ir based catalysts, as shown in Fig. 3d. An optimal catalyst should show both high apparent activity (i.e., low overpotential at a given current density) and high mass activity, namely, utilize the minimum possible precious metal(s) without sacrificing the apparent catalytic current density (positioned in the upper right region in Fig. 3d).<sup>14,44</sup> In this respect, our H-Ti@IrO<sub>x</sub> indeed outperforms many other Ir-based OER catalysts,<sup>12,45-53</sup> indicating that the Ir in H-Ti@IrO<sub>x</sub> is optimally utilized.

The reaction kinetics of all catalysts was studied by the Tafel analysis. As shown in Fig. S14a (ESI<sup>+</sup>), the H-Ti@IrO<sub>x</sub> exhibits a small Tafel slope of 29 mV dec<sup>-1</sup>, which is markedly smaller than that of C@IrO<sub>x</sub> (60 mV dec<sup>-1</sup>), P-Ti@IrO<sub>x</sub> (60 mV dec<sup>-1</sup>) and commercial IrO<sub>2</sub> (85 mV dec<sup>-1</sup>), indicating more favorable OER kinetics. The electrochemical impedance spectroscopy (EIS) measurements also confirmed the fast reaction rate of H-Ti@IrO<sub>x</sub> for the OER, as evidenced by its much smaller charge transfer resistance (R<sub>ct</sub>) compared to that of other control catalysts (Fig. S14b, ESI<sup>+</sup>). It is hypothesized that the oxygen defects might give rise to reactive oxygen species such as O<sup>1–</sup> reported by Schlögl and co-workers,<sup>41,42,54</sup> the electrophilic nature of which would help accelerate the formation of the OOH intermediates, leading to fast OER kinetics.<sup>54</sup>

Given the corrosive nature of strong acids, it is preferable to perform PEM-WE in weak acids or environmentally more media. friendly neutral However, developing OER electrocatalysts active in weak acids and neutral solutions remains a great challenge.<sup>2</sup> We have tested the OER performance of H-Ti@IrO<sub>x</sub> in 0.05 M  $H_2SO_4$  and phosphate buffered saline (PBS) solution (pH = 7.2), respectively. Interestingly, H-Ti@IrO<sub>x</sub> likewise exhibits very good OER activity in these electrolytes (Fig. 3e). For instance, it only needs overpotentials of 414 mV to generate a high catalytic current density of 100 mA cm<sup>-2</sup> in 0.05 M H<sub>2</sub>SO<sub>4</sub>. Furthermore, in PBS electrolyte it can deliver 10 mA cm<sup>-2</sup> at a low overpotential of 339 mV, showing substantial promise for use in PEM-WE in neutral solutions.

We hypothesize that the content of oxygen-defective sites in the  $H-Ti@IrO_x$  catalysts may play an important role in their outstanding OER performance. To validate this hypothesis, we managed to anneal H-Ti@IrOx in air for 0.5 and 5 h (denoted as H-Ti@IrOx-air-0.5 h and H-Ti@IrOx-air-5 h, respectively). XPS analyses proved that the content of oxygen-defective site was decreased to 32.6 % and 27.0 % for H-Ti@IrOx-air-0.5 h and H-Ti@IrOx-air-5 h, respectively, from the initial 37.0 %, and meanwhile, the ratio of IrIII/IrIV in the catalysts decreased accordingly (Fig. S15, Tables S1 and S2, ESI<sup>+</sup>). Moreover, the ECSA of thermally annealed  $H-Ti@IrO_x$  was remarkably reduced as well (Fig. S16a-c, ESI<sup>+</sup>). Accordingly, the apparent catalytic activities of H-Ti@IrOx-air-0.5 h and H-Ti@IrOx-air-5 h become poorer, and larger overpotentials of 372 and 381 mV are needed to afford 100 mA cm  $^{\text{-2}}$  for H-Ti@IrO\_x-air-0.5 h and H-Ti@IrO<sub>x</sub>-air-5 h, respectively (Fig. S16d, ESI<sup>+</sup>). Furthermore, the specific activity of H-Ti@IrOx becomes deteriorated upon thermal annealing (Fig. 3f), which suggests that the intrinsic

catalytic performance of H-Ti@IrOx is indeed closely related to the content of oxygen-defective sites in  $IrO_x$ .

![](_page_5_Figure_9.jpeg)

**Fig. 4** (a) The proposed 4e<sup>-</sup> OER mechanism in the present work. Calculated Gibbs free-energy diagrams for OER on (b) p-IrO<sub>2</sub>, (c) mono-IrO<sub>x</sub> and (d) bi-IrO<sub>x</sub> at U=1.50 V. The inset shows the corresponding calculation model of each catalyst. The catalyst models of mono-IrO<sub>x</sub> and bi-IrO<sub>x</sub> are optimized ones. (e) Net charge analysis of oxygen atoms adsorbed on p-IrO<sub>2</sub> (left), mono-IrO<sub>x</sub> (middle) and bi-IrO<sub>x</sub> (right). (f) The net charge relative to the Gibbs energy barrier of the oxygen desorption step in p-IrO<sub>2</sub>, mono-IrO<sub>x</sub> and bi-IrO<sub>x</sub>. The yellow and red white spheres represent Ir and O atoms, respectively, in all models. The active site, oxygen-defective site and adsorbed oxygen atoms are labelled by light blue, green, violet and navy circles in the each model used for calculation.

Density functional theory (DFT) calculations were performed to gain further insight into the role of oxygen defects in promoting OER performance. The (110) facet of the tetragonal (rutile-phase) IrO<sub>2</sub> without (perfect IrO<sub>2</sub>, denoted as p-IrO<sub>2</sub>) and with oxygen defect (i.e., IrO<sub>x</sub>) was used as a model surface, in accordance with the previous reports.55-57 Fig. 4a shows the reaction steps during the OER with the related oxygenated intermediates of OH\*, O\*, OOH\* and OO\*, based on the conventional adsorbate evolution mechanism (AEM). To study how the number of oxygen defects influences the catalytic performance, IrO<sub>x</sub> models with a single oxygen-defective site at five possible sites (denoted as mono-IrOx, Fig. S17, ESI<sup>+</sup>) and with double oxygen-defective sites at seven possible sites (denoted as bi-IrO<sub>x</sub>, Fig. S18, ESI<sup>+</sup>) were developed and the thermodynamically most stable models were identified (Fig. S17 and S18, ESI<sup>+</sup>). The OER Gibbs free energy diagrams of p-IrO<sub>2</sub>, mono-IrO<sub>x</sub>, and bi-IrO<sub>x</sub> were calculated at a potential of U = 1.50V based on the optimized models (Fig. 4b-4d). For p-IrO<sub>2</sub> and mono-IrO<sub>x</sub>, the calculations reveal that the last elementary reaction step (OO<sup>\*</sup>  $\rightarrow$  O<sub>2</sub>  $\uparrow$  + \*) is the rate determining step (RDS), and the energy barrier (2.23 eV) is significantly higher for the Ir site in p-IrO<sub>2</sub> (labelled by light blue circle in Fig. 4b, inset) than that (1.21 eV) for the Ir site in mono-IrO<sub>x</sub> (labelled by light

#### COMMUNICATION

Page 6 of 10

Journal Name

blue circle in Fig. 4c, inset). This indicates that introducing an oxygen-defective site into  $IrO_x$  indeed decreases the energy barrier in the RDS step and enhances the OER activity. Interestingly, for bi-IrO<sub>x</sub> the RDS has been altered to the second elementary step (OH<sup>\*</sup>  $\rightarrow$  O<sup>\*</sup> + H<sup>+</sup> + e<sup>-</sup>) with a much lower energy barrier of 0.51 eV, suggesting that the OER activity is further improved as the number of oxygen defects increases. The Gibbs energy calculations agree well with the experimental observation where the intrinsic OER activity increases with the increasing content of oxygen defects (Fig. 3b and 3f). It is worth noting that the same trend is also valid for the Gibbs free energy diagrams calculated at U = 1.23 V (Fig. S19, ESI<sup>+</sup>).

To further scrutinize the oxygen defect induced enhancement in OER performance, the optimal adsorption structures of all reaction intermediates were identified and the binding energy of the reaction intermediates to the model catalysts was calculated. As shown Fig. S20a (ESI<sup>+</sup>), all the reaction intermediates bind strongly to the p-IrO<sub>2</sub> surface, which causes high energy barriers for the OER.<sup>55</sup> Incorporation of an oxygen-defective site (i.e., mono-IrOx) weakens the binding of all intermediates to IrOx, especially that of the adsorbed oxygen atoms (Fig. S20b, ESI<sup>+</sup>), thus decreasing the energy barrier of RDS (OO\*  $\rightarrow$  O<sub>2</sub>  $\uparrow$  +\*). Incorporating one more oxygen-defective site further reduces the binding energy of OO\*, and the oxygen desorption step is not the RDS any more in bi-IrOx; moreover, the energy barrier of RDS in bi-IrOx markedly diminishes due to the optimized adsorption of all reaction intermediates (Fig. S20c, ESI<sup>+</sup>). All these results suggest that the enhanced OER performance could be attributed to the decreased binding energy of reaction intermediates to the catalyst as the oxygen defect is introduced.

Furthermore, the net charge induced by the adsorbed oxygen atoms at the Ir site was calculated and compared (Fig. 4e). The net charge is -0.46 e in mono-IrO<sub>x</sub>, lower than that of -0.50 e in p-IrO<sub>2</sub>, which implies that the oxygen adsorption is weakened around the Ir site, and accordingly the energy barrier of RDS is reduced and the OER performance promoted (Fig. 4f). The net

charge further decreases to -0.23 e in bi-IrO<sub>x</sub>, and in this case the oxygen molecule release step (OO<sup>\*</sup>  $\rightarrow$  O<sub>2</sub>  $\uparrow$  + <sup>\*</sup>) shows an even lower energy barrier (Fig. 4f). Meanwhile, the partial density of states (PDOS) calculations reveal markedly reduced overlay of Ir d-orbit and O p-orbit in defect-rich catalysts (Fig. S21, ESI<sup>+</sup>), corroborating the decreased adsorption of oxygen atoms in mono-IrO<sub>x</sub> and bi-IrO<sub>x</sub>.

While the above calculations are made based on the conventional adsorbate evolution mechanism, it was recently reported that the lattice oxygen may also participate in the OER generating oxygen through the lattice oxygen mechanism (LOM), especially in hydrous IrOx.<sup>10,58,59</sup> To access to which degree the LOM would contribute to the OER, we calculated the Gibbs free energy of reaction intermediates on p-IrO<sub>2</sub>, mono- $IrO_{x\text{,}}$  and bi-IrO\_x based on the LOM at U = 1.50 V (see Experimental details, ESI<sup>+</sup>).<sup>60</sup> As shown from the free energy diagrams (Fig. S22, ESI<sup>+</sup>), the energy barrier to overcome for the  $O^* + O_{lat} \rightarrow O_2 \uparrow + V_0$  step (RDS) for all model catalysts via LOM, where O<sub>lat</sub> and V<sub>o</sub> represent the lattice oxygen and the oxygen vacancy (defect), respectively, is much higher than that of the RDS of the catalysts via AEM (Fig. 4b-d), suggesting that desorption of evolved oxygen from the catalyst lattice would be difficult and the OER on our IrOx catalysts is unlikely to occur via LOM. Our calculations are consistent with the recent theoretical research on the AEM and LOM of IrO<sub>2</sub>, where oxygen-defective IrO<sub>2</sub> is demonstrated to be less LOM active than RuO<sub>2</sub>.<sup>60</sup> In fact, even for the previously reported electrodeposited hydrous IrOx where LOM works toward the OER, the contribution of oxygen evolution from the lattice oxygen is fairly small, compared to the oxygen evolved through the AEM.58

Overall, our DFT calculations are in good agreement with the experimental data of OER tests (Fig. 3), highlighting the prominent role of oxygen defects in the improvement of OER catalytic performance by weakening the binding of all intermediates to  $IrO_x$ . This is also consistent with previous studies on  $IrO_x$ ,<sup>41,42</sup> in which "O holes" are proposed to contribute to higher catalytic activity.

![](_page_6_Figure_10.jpeg)

**Fig. 5** (a) Chronopotentiometric curves of H-Ti@IrO<sub>x</sub> and other control catalysts, recorded at a constant current density of 200 mA cm<sup>-2</sup> in 0.5 M H<sub>2</sub>SO<sub>4</sub>. The inset shows a zoomed view in the beginning 1.5 h. (b) ICP analysis of the dissolution of Ir and Ti in H-Ti@IrO<sub>x</sub> during the OER electrolysis at 200 mA cm<sup>-2</sup> after different time intervals. (c) Low-magnification TEM image and (d) HRTEM image of H-Ti@IrO<sub>x</sub> after the extended stability test at 200 mA cm<sup>-2</sup> for 130 h.

Stability is a critically important indicator of electrocatalysts for practical applications in water electrolyzers, especially in strong acidic environment. Many catalysts are subjected to fast dissolution and/or loss of active phases under corrosive and highly oxidative conditions, leading to poor stability of only few hours.14,15,25-30,57,61 We have examined the catalytic stability of H-Ti@IrO\_x and other control catalysts in 0.5 M  $H_2SO_4$  using chronopotentiometry (CP) at a large current density of 200 mA cm<sup>-2</sup> relevant to practical applications. As illustrated in Fig. 5a, C@IrO<sub>x</sub> shows a gradual degradation initially and a sharp increase in potential when the OER is going on for only about 1.5 h (Fig. 5a, inset). The failure might result from significant corrosion of carbon paper during the OER at a high current density, which led to the detachment of IrO<sub>x</sub> nanoclusters from the carbon microfiber surface. This was confirmed by our energy-dispersive X-ray (EDX) spectroscopy, where it showed that ca. 82 % of initial Ir loading lost after the stability test in only a short period of time (i.e., 1.5 h, Fig. S23, ESI<sup>+</sup>). The Ir loss can be suppressed in case IrOx is loaded on a corrosionresistant, acid-stable support such as Ti foam, as verified by the stability test of P-Ti@IrOx catalysts at 200 mA cm<sup>-2</sup> for 60 h, where only 55 % of initial Ir got lost in 60 h (Fig. S24, ESI<sup>+</sup>). Compared to C@IrO<sub>x</sub> and P-Ti@IrO<sub>x</sub>, the H-Ti@IrO<sub>x</sub> catalyst exhibited superior stability and was able to sustain at 200 mA cm<sup>-2</sup> for continuous OER electrolysis of 130 h with minimal degradation. According to EDX analysis, merely 22 % of initial Ir lost in this case (Fig. S25, ESI<sup>+</sup>). Meanwhile, the Ir dissolution in the electrolyte was monitored using the inductively coupled plasma - optical emission spectroscopy (ICP-OES) (Fig. 5b), where we found an Ir loss of only 8.4 % after the stability test. The discrepancy in EDX and ICP results can be explained by the fact that some physically detached yet undissolved  $\ensuremath{\text{IrO}_x}$ nanoclusters cannot be detected by ICP.<sup>30</sup> We further examined the microstructure of H-Ti@IrOx after the extended stability test at 200 mA cm<sup>-2</sup>. Remarkably, a high density of uniformly distributed  $IrO_x$  nanoclusters with sizes of 1-2 nm still retained on the surface of PHT NWs and remained crystalline (Fig. 5c and 5d). Furthermore, using XPS we investigated the chemical states of the H-Ti@IrOx catalyst subjected to the extended stability test, and we found that both Ir 4f and O 1s spectra (Fig. S26, ESI<sup>+</sup>) show features pretty similar to those of freshly prepared H-Ti@IrO<sub>x</sub> (Fig. 2a and S8a, ESI<sup>+</sup>). All the above analyses verify that the corrosion-resistant H-Ti support (as proved by trace amounts of Ti dissolution observed by ICP, Fig. 5b) indeed substantially stabilizes IrOx and significantly suppresses its loss under harsh conditions, thereby giving rise to excellent catalytic stability. Moreover, the stability number as a metric for electrocatalyst stability benchmarking is also calculated, 59,62 and our H-Ti@IrO<sub>x</sub> catalysts show a stability number of 4.27  $\times$ 10<sup>6</sup>, which is much higher than IrO<sub>x</sub> nanoparticles (5 – 6.5  $\times$ 10<sup>4</sup>), <sup>59</sup> SrCo<sub>0.9</sub>Ir<sub>0.1</sub>O<sub>3- $\delta$ </sub> (8 × 10<sup>4</sup>), <sup>62</sup> Ba<sub>2</sub>PrIrO<sub>6</sub> (0.7 – 2.5 × 10<sup>4</sup>), <sup>63</sup> and comparable to crystalline  $IrO_2$  (0.7 – 3 × 10<sup>6</sup>).<sup>59</sup> In fact, with a higher  $IrO_x$  loading density (e.g., H-Ti@IrO<sub>x</sub>-0.60 mg cm<sup>-2</sup>), the

H-Ti@IrO<sub>x</sub> can survive for a significantly longer period of time (above 500 h) at 200 mA cm<sup>-2</sup> (Fig. S27, ESI<sup>+</sup>), even though the catalytic activity is compromised a bit. In addition, the Faradaic efficiency of O<sub>2</sub> evolution by H-Ti@IrO<sub>x</sub> was measured (Fig. S28, ESI<sup>+</sup>). The volume of O<sub>2</sub> detected matches well with that calculated, indicating a nearly 100 % Faradaic efficiency in the process of OER.

### Conclusions

In summary, we have deposited ultrafine oxygen-defective iridium oxide nanoclusters on a hydrothermally treated, highsurface-area, acid-stable porous titanium current collector, using a repetitive impregnation-annealing process. Benefiting from the large electrocatalytically accessible surface and intrinsically high activity arising from the oxygen defect, the obtained H-Ti@IrO<sub>x</sub> electrode exhibits excellent apparent, specific, and mass activities for the OER in both acidic and neutral electrolytes, outperforming most of Ir-based OER catalysts reported before. Comprehensive experimental and theoretical studies confirm that oxygen defect plays an important role in the enhanced OER performance. More importantly, we demonstrate that the H-Ti@IrO<sub>x</sub> electrode can sustain continuous acidic OER electrolysis at a high current density of 200 mA cm<sup>-2</sup> for 130 hours without notable degradation, and increasing IrO<sub>x</sub> loading to a certain level allows the electrode to catalyze the OER at such a high current density over 500 hours with little performance decay. Given the simplicity of the fabrication procedures and the high mass activity and excellent long-term stability, the porous titanium foam loaded with ultrafine oxygen-defective iridium oxide nanoclusters holds substantial promise for use as highperformance anode in proton exchange membrane water electrolyzers.

### **Conflicts of interest**

There are no conflicts to declare.

### Author contributions

Z. P. Yu and J. Y. Xu conceived the experiments and drafted the first version of the manuscript. Z. P. Yu synthesized the catalysts and performed XRD, SEM and electrocatalytic tests. J. Y. Xu performed ICP-OES test. Y. F. Li and Y. Y. Liu performed DFT calculations. B. Wei, H. W. Miao and Z. C. Wang carried out the TEM characterization and did microstructural analyses. Z. P. Yu, Y. Li, O. Bondarchuk and N. Zhang contributed to XPS measurements and analysis. J. L. Faria and A. Araujo contributed to the discussion. L. Liu wrote the final version of the manuscript and coordinated the project.

# COMMUNICATION

## Acknowledgements

Z. P. Yu acknowledges the financial supported offered by the China Scholarship Council (Grant no. 201806150015). This work was partially funded by European Regional Development Fund (ERDF) through COMPETE2020 programme and by FCT through the MicrophotOGen (POCI-01-0145-FEDER-030674) and TACIT (02/SAICT/2017/028837) projects as well as by National Innovation Agency of Portugal through the Mobilizador Programme (Baterias 2030, POCI-01-0247-FEDER-046109). Y. Liu acknowledges the support by the Welch Foundation (Grant no. F-1959-20180324) and the National Science Foundation (Grant no. 1900039 and no. 2029442), and the computational resources provided by National Renewable Energy Lab, the Extreme Science and Engineering Discovery Environment (XSEDE) through allocation TG-CHE190065, the Center for Nanoscale Materials at Argonne National Lab, and the Center for Nanophase Materials Sciences at Oak Ridge National Lab.

# Notes and references

- 1 G. M. Wang, Y. Yang, D. D. Han and Y. Li, *Nano Today*, 2017, **13**, 23-39.
- 2 N. T. Suen, S. F. Hung, Q. Quan, N. Zhang, Y. J. Xu and H. M. Chen, *Chem. Soc. Rev.*, 2017, **46**, 337-365.
- 3 W. Li, D. H. Xiong, X. F. Gao and L. F. Liu, *Chem. Commun.*, 2019, **55**, 8744-8763.
- 4 X. W. Li, X. G. Hao, A. Abudula and G. Q. Guan, *J. Mater. Chem. A*, 2016, **4**, 11973-12000.
- 5 M. Carmo, D. L. Fritz, J. Mergel and D. Stolten, *Int. J. Hydrog. Energy*, 2013, **38**, 4901-4934.
- J. Y. Xu, D. Aili, Q. F. Li, E. Christensen, J. O. Jensen, W. Zhang, M. K. Hansen, G. Y. Liu, X. D. Wang and N. J. Bjerrum, *Energy Environ. Sci.*, 2014, 7, 820-830.
- 7 M. Bernt and H. A. Gasteiger, *J. Electrochem. Soc.*, 2016, **163**, F3179-F3189.
- 8 T. Reier, M. Oezaslan and P. Strasser, ACS Catal., 2012, 2, 1765-1772.
- 9 J. Y. Xu, M. Wang, G. Y. Liu, J. L. Li and X. D. Wang, *Electrochim. Acta.*, 2011, **56**, 10223-10230.
- A. Grimaud, A. Demortière, M. Saubanère, W. Dachraoui, M. Duchamp, M. L. Doublet and J.M. Tarascon, *Nat. Energy*, 2016, 2, 16189.
- D. F. Abbott, D. Lebedev, K. Waltar, M. Povia, M. Nachtegaal, E. Fabbri, C. Copéret and T. J. Schmidt, *Chem. Mater.*, 2016, 28, 6591-6604.
- 12 W. Hu, H. W. Zhong, W. Liang and S. L. Chen, ACS Appl. Mater. Interfaces, 2014, **6**, 12729-12736.
- 13 E. Oakton, D. Lebedev, M. Povia, D. F. Abbott, E. Fabbri, A. Fedorov, M. Nachtegaal, C. Copéret and T. J. Schmidt, *ACS Catal.*, 2017, **7**, 2346-2352.
- 14 L. C. Seitz, C. F. Dickens, K. Nishio, Y. Hikita, J. Montoya, A. Doyle, C. Kirk, A. Vojvodic, H. Y. Hwang, J. K. Norskov and T. F. Jaramillo, *Science*, 2016, **353**, 1011-1014.
- 15 L. Yang, G. T. Yu, X. Ai, W. S. Yan, H. L. Duan, W. Chen, X. T. Li, T. Wang, C. H. Zhang, X. R. Huang, J. S. Chen and X. X. Zou, *Nat. Commun.*, 2018, **9**, 5236.
- 16 C. V. Pham, M. Bühler, J. Knöppel, M. Bierling, D. Seeberger, D. Escalera-López, K. J. J. Mayrhofer, S. Cherevko and S. Thiele, *Appl. Catal. B: Environ.*, 2020, **269**, 118762.
- C. Wang, F. L. Lan, Z. F. He, X. F. Xie, Y. H. Zhao, H. Hou, L. Guo, V. Murugadoss, H. Liu, Q. Shao, Q. Gao, T. Ding, R. B. Wei and Z. H. Guo, *ChemSusChem*, 2019, **12**, 1576-1590.

- 18 P. Lettenmeier, L. Wang, U. Golla-Schindler, P. Gazdzicki, N. A. Cañas, M. Handl, R. Hiesgen, S. S. Hosseiny, A. S. Gago and K. A. Friedrich, Angew. Chem. Int. Ed., 2016, 55, 742-746.
- 19 J. Y. Xu, Z. Lian, B. Wei, Y. Li, O. Bondarchuk, N. Zhang, Z. P. Yu, A. Araujo, I. Amorim, Z. C. Wang, B. Li and L. F. Liu, ACS Catal., 2020, **10**, 3571-3579.
- 20 T. Reier, Z. Pawolek, S. Cherevko, M. Bruns, T. Jones, D. Teschner, S. Selve, A. Bergmann, H. N. Nong, R. Schlögl, K. J. J. Mayrhofer and P. Strasser, J. Am. Chem. Soc., 2015, 137, 13031-13040.
- 21 Q. Li, J. J. Li, J. Y. Xu, N. Zhang, Y. P. Li, L. F. Liu, D. Pan, Z. C. Wang and F. L. Deepak, ACS Appl. Energy Mater., 2020, 3, 3736-3744.
- 22 J. Q. Guan, D. Li, R. Si, S. Miao, F. X. Zhang and C. Li, ACS Catal., 2017, 7, 5983-5986.
- 23 D. F. Yan, Y. X. Li, J. Huo, R. Chen, L. M. Dai and S. Y. Wang, Adv. Mater., 2017, 29, 1606459.
- 24 T. Zhang, M. Y. Wu, D. Y. Yan, J. Mao, H. Liu, W. B. Hu, X. W. Du, T. Ling and S. Z. Qiao, *Nano Energy*, 2018, **43**, 103-109.
- 25 R. X. Ge, L. Li, J. W. Su, Y. C. Lin, Z. Q. Tian and L. Chen, *Adv. Energy Mater.*, 2019, **9**, 1901313.
- 26 Y. C. Pi, J. Guo, Q. Shao and X. Q. Huang, *Chem. Mater.*, 2018, 30, 8571-8578.
- 27 B. M. Tackett, W. C. Sheng, S. Kattel, S. Y. Yao, B. H. Yan, K. A. Kuttiyiel, Q. Y. Wu and J. G. Chen, ACS Catal., 2018, 8, 2615-2621.
- 28 J. W. Su, R. X. Ge, K. M. Jiang, Y. Dong, F. Hao, Z. Q. Tian, G. X. Chen and L. Chen, *Adv. Mater.*, 2018, **30**, 1801351.
- 29 Q. Feng, Q. Wang, Z. Zhang, Y. Y. H. Xiong, H. Y. Li, Y. Yao, X. Z. Yuan, M. C. Williams, M. Gu, H. Chen, H. Li and H. J. Wang, *Appl. Catal. B: Environ.*, 2019, **244**, 494-501.
- 30 H. S. Oh, H. N. Nong, T. Reier, A. Bergmann, M. Gliech, J. Ferreira de Araújo, E. Willinger, R. Schlögl, D. Teschner and P. Strasser, J. Am. Chem. Soc., 2016, 138, 12552-12563.
- 31 C. Spöri, J. T. H. Kwan, A. Bonakdarpour, D. P. Wilkinson and P. Strasser, Angew. Chem. Int. Ed., 2017, **56**, 5994-6021.
- 32 S. Cherevko, T. Reier, A. R. Zeradjanin, Z. Pawolek, P. Strasser and K. J. J. Mayrhofer, *Electrochem. Commun.*, 2014, 48, 81-85.
- 33 L. L. Zhao, Q. Cao, A. L. Wang, J. Z. Duan, W. J. Zhou, Y. H. Sang and H. Liu, *Nano Energy*, 2018, **45**, 118-126.
- 34 T. Kokubo and S. Yamaguchi, Materials, 2010, 3, 48-63.
- 35 C. Caparrós, M. Ortiz-Hernandez, M. Molmeneu, M. Punset, J. A. Calero, C. Aparicio, M. Fernández-Fairén, R. Perez and F. J. Gil, J. Mater. Sci.: Mater. Med., 2016, 27, 151.
- 36 J. Y. Xu, S. Murphy, D. H. Xiong, R. S. Cai, X. K. Wei, M. Heggen, E. Barborini, S. Vinati, R. E. Dunin-Borkowski, R. E. Palmer and L. F. Liu, ACS Appl. Energy Mater., 2018, 1, 3013-3018.
- 37 J. Y. Xu, T. F. Liu, J. J. Li, B. Li, Y. F. Liu, B. S. Zhang, D. H. Xiong, I. Amorim, W. Li and L. F. Liu, *Energy Environ. Sci.*, 2018, **11**, 1819-1827.
- 38 J. Y. Xu, J. J. Li, D. H. Xiong, B. S. Zhang, Y. F. Liu, K. H. Wu, I. Amorim, W. Li and L. F. Liu, *Chem. Sci.*, 2018, **9**, 3470-3476.
- 39 A. Sarkar and G. G. Khan, Nanoscale, 2019, 11, 3414-3444.
- 40 R. Kötz, H. Neff and S. Stucki, *J. Electrochem. Soc.*, 1984, **131**, 72-77.
- 41 V. Pfeifer, T. E. Jones, J. J. Velasco Vélez, C. Massué, M. T. Greiner, R. Arrigo, D. Teschner, F. Girgsdies, M. Scherzer, J. Allan, M. Hashagen, G. Weinberg, S. Piccinin, M. Hävecker, A. Knop-Gericke and R. Schlögl, *Phys. Chem. Chem. Phys.*, 2016, 18, 2292-2296.
- 42 V. Pfeifer, T. E. Jones, J. J. Velasco Vélez, C. Massué, R. Arrigo, D. Teschner, F. Girgsdies, M. Scherzer, M. T. Greiner, J. Allan, M. Hashagen, G. Weinberg, S. Piccinin, M. Hävecker, A. Knop-Gericke and R. Schlögl, *Surf. Interface Anal.*, 2016, **48**, 261-273.

This journal is © The Royal Society of Chemistry 20xx

- 43 S. M. Alia, B. Rasimick, C. Ngo, K. C. Neyerlin, S. S. Kocha, S. Pylypenko, H. Xu and B. S. Pivovar, *J. Electrochem. Soc.*, 2016, 163, F3105-F3112.
- 44 H. N. Nong, T. Reier, H. S. Oh, M. Gliech, P. Paciok, T. H. T. Vu, D. Teschner, M. Heggen, V. Petkov, R. Schlögl, T. Jones and P. Strasser, *Nat. Catal.*, 2018, 1, 841-851.
- 45 G. F. Li, H. M. Yu, X. Y. Wang, S. C. Sun, Y. K. Li, Z. G. Shao and B. L. Yi, *Phys. Chem. Chem. Phys.*, 2013, **15**, 2858-2866.
- 46 C. Wang, Y. M. Sui, G. J. Xiao, X. Y. Yang, Y. J. Wei, G. T. Zou and B. Zou, *J. Mater. Chem. A*, 2015, **3**, 19669-19673.
- 47 R. E. Fuentes, H. R. Colón-Mercado and M. J. Martínez-Rodríguez, J. Electrochem. Soc., 2014, **161**, F77-F82.
- 48 W. Hu, S. L. Chen and Q. H. Xia, *Int. J. Hydrogen Energy.*, 2014, **39**, 6967-6976.
- 49 P. Lettenmeier, J. Majchel, L. Wang, V. A. Saveleva, S. Zafeiratos, E. R. Savinova, J. J. Gallet, F. Bournel, A. S. Gago and K. A. Friedrich, *Chem. Sci.*, 2018, **9**, 3570-3579.
- 50 G. Q. Li, K. Li, L. Yang, J. F. Chang, R. P. Ma, Z. J. Wu, J. J. Ge, C. P. Liu and W. Xing, ACS Appl. Mater. Inter., 2018, **10**, 38117-38124.
- 51 G. Q. Li, S. T. Li, J. J. Ge, C. P. Liu and W. Xing, *J. Mater. Chem. A*, 2017, **5**, 17221-17229.
- 52 L. Wang, P. Lettenmeier, U. Golla-Schindler, P. Gazdzicki, N. A. Cañas, T. Morawietz, R. Hiesgen, S. S. Hosseiny, A. S. Gago and K. A. Friedrich, *Phys. Chem. Chem. Phys.*, 2016, **18**, 4487-4495.
- 53 J. Lim, D. Park, S. S. Jeon, C. W. Roh, J. Choi, D. Yoon, M. Park, H. Jung and H. Lee, *Adv. Funct. Mater.*, 2018, **28**, 1704796.
- 54 V. Pfeifer, T. E. Jones, S. Wrabetz, C. Massué, J. J. Velasco Vélez, R. Arrigo, M. Scherzer, S. Piccinin, M. Hävecker, A. Knop-Gericke and R. Schlögl, *Chem. Sci.*, 2016, 7, 6791-6795.
- 55 J. R. Feng, F. Lv, W. Y. Zhang, P. H. Li, K. Wang, C. Yang, B. Wang, Y. Yang, J. H. Zhou, F. Lin, G. C. Wang and S. J. Guo, *Adv. Mater.*, 2017, **29**, 1703798.
- 56 Q. R. Shi, C. Z. Zhu, H. Zhong, D. Su, N. Li, M. H. Engelhard, H. B. Xia, Q. Zhang, S. Feng, S. P. Beckman, D. Du and Y. H. Lin, ACS Energy Lett., 2018, **3**, 2038-2044.
- 57 Y. C. Lin, Z. Q. Tian, L. J. Zhang, J. Y. Ma, Z. Jiang, B. J. Deibert, R. X. Ge and L. Chen, *Nat. Commun.*, 2019, **10**, 162.
- 58 O. Kasian, S. Geiger, T. Li, J. P. Grote, K. Schweinar, S. Y. Zhang, C. Scheu, D. Raabe, S. Cherevko, B. Gault and K. J. J. Mayrhofer, *Energy Environ. Sci.*, 2019, **12**, 3548-3555.
- 59 S. Geiger, O. Kasian, M. Ledendecker, E. Pizzutilo, A. M. Mingers, W. T. Fu, O. Diaz-Morales, Z. Z. Li, T. Oellers, L. Fruchter, A. Ludwig, K. J. J. Mayrhofer, M. T. M. Koper and S. Cherevko, *Nat. Catal.*, 2018, 1, 508-515.
- 60 A. Zagalskaya and V. Alexandrov, ACS Catal. 2020, 10, 3650-3657.
- 61 J. Y. Chen, P. X. Cui, G. Q. Zhao, K. Rui, M. M. Lao, Y. P. Chen, X. S. Zheng, Y. Z. Jiang, H. G. Pan, S. X. Dou and W. P. Sun, *Angew. Chem. Int. Ed.*, 2019, **58**, 12540-12544.
- 62 Y. B. Chen, H. Y. Li, J. X. Wang, Y. H. Du, S. B. Xi, Y. M. Sun, M. Sherburne, J. W. Ager, A. C. Fisher and Z. C. J. Xu, *Nat. Commun.*, 2019, **10**, 572.
- 63 O. Diaz-Morales, S. Raaijman, R. Kortlever, P. J. Kooyman, T. Wezendonk, J. Gascon, W. T. Fu and M. T. M. Koper, *Nat. Commun.*, 2016, **7**, 12363.

# **ToC Figure**

![](_page_10_Figure_3.jpeg)

Ultrafine oxygen-defective iridium oxide nanoclusters are immobilized on a hydrothermally treated high-surface-area titanium current collector via a simple and cost-effective approach, which show outstanding performance for catalyzing the oxygen evolution reaction at a high current density of 200 mA cm<sup>-2</sup> in strongly acidic electrolyte. Oxygen defects play an important role in lowering the energy barrier of the reaction boosting the catalytic performance.