



Cite this: *Phys. Chem. Chem. Phys.*, 2017, **19**, 18102

DOI: 10.1039/c7cp90146a

rsc.li/pccp

Correction: A critical comparison of coarse-grained structure-based approaches and atomic models of protein folding

Jie Hu, ^a Tao Chen, ^b Moye Wang, ^a Hue Sun Chan ^{*cd} and Zhuqing Zhang ^{*ac}

Correction for 'A critical comparison of coarse-grained structure-based approaches and atomic models of protein folding' by Jie Hu et al., *Phys. Chem. Chem. Phys.*, 2017, **19**, 13629–13639.

It has come to our attention that there is a typographical error in the legend of Fig. 2: “The black solid curve and the shaded band represent $R_g = R_0 \times N^\nu$ with $R_0 = 1.330$ and $\nu = 0.598 \pm 0.028$ obtained from fitting experimental data on an extensive set of proteins (ref. 38)” should read “The black solid curve and the shaded band represent $R_g = R_0 \times N^\nu$ with $R_0 = 0.1927$ and $\nu = 0.598 \pm 0.028$ obtained from fitting experimental data on an extensive set of proteins (ref. 38)”. The value $R_0 = 0.1927$ nm was what we actually used to produce Fig. 2. This value follows the Correction to ref. 38 published in *Proc. Natl. Acad. Sci. U. S. A.*, 2005, **102**, 14475, which states that “the prefactor R_0 is 1.927 Å”. This typographical error has no effect on the results presented in our paper.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^a College of Life Sciences, University of Chinese Academy of Sciences, Beijing, 100049, China. E-mail: zhuqingzhang@ucas.ac.cn

^b College of Chemistry and Materials Science, Northwest University, Xi'an, 710127, China

^c Department of Biochemistry, University of Toronto, Toronto, Ontario, M5S 1A8, Canada. E-mail: chan@arrhenius.med.toronto.edu

^d Department of Molecular Genetics, University of Toronto, Toronto, Ontario, M5S 1A8, Canada

