## Journal of Materials Chemistry B



## CORRECTION

View Article Online



Cite this: DOI: 10.1039/d5tb90110c

Correction: Construction and evaluation of platelet concentrate/mesoporous bioactive glass composite scaffolds for bone repair: injectable platelet-rich fibrin (i-PRF) vs. concentrated growth factors (CGF)

Yuanyuan Guo, ab Zhizheng Li, b Mengran Ma, c Linggiang Meng\* and Dan Lin\*abd

DOI: 10.1039/d5tb90110c

rsc.li/materials-b

Correction for 'Construction and evaluation of platelet concentrate/mesoporous bioactive glass composite scaffolds for bone repair: injectable platelet-rich fibrin (i-PRF) vs. concentrated growth factors (CGF)' by Yuanyuan Guo et al., J. Mater. Chem. B, 2025, https://doi.org/10.1039/D5TB00413F.

The authors regret that there was an error in the image labels in Fig. 5C in the originally published article. The correct version of Fig. 5 is shown here.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

<sup>&</sup>lt;sup>a</sup> School of Health Science and Engineering, University of Shanghai for Science and Technology, Shanghai, P. R. China

<sup>&</sup>lt;sup>b</sup> School of Medical Technology, Shanghai University of Medicine & Health Sciences, Shanghai, P. R. China. E-mail: lind@sumhs.edu.cn

<sup>&</sup>lt;sup>c</sup> Department of Prosthodontics, Hebei Key Laboratory of Stomatology, Hebei Clinical Research Center for Oral Diseases, School and Hospital of Stomatology, Hebei Medical University, Shijiazhuang, P. R. China. E-mail: menglingqiang65@163.com

<sup>&</sup>lt;sup>d</sup> Shanghai University of Medicine and Health Sciences Affiliated Zhoupu Hospital, Shanghai, P. R. China

Correction




Fig. 5 Evaluating the co-culture characteristics of the scaffolds and cells. (A) The adhesion of cells on the scaffold. Experimental result (N = 3), the figure shows the result of a single experiment. (B) ALP staining and alizarin red staining of cells on scaffolds. (C) osteogenic protein expression on the well bottom by immunofluorescence staining (asterisks indicate significant differences, \*p < 0.05, \*\*p < 0.01, \*\*\*p < 0.001).