

CORRECTION

[View Article Online](#)
[View Journal](#) | [View Issue](#)



Cite this: *J. Mater. Chem. A*, 2019, 7, 15451

Correction: Controlled synthesis of pentachlorophenol-imprinted polymers on the surface of magnetic graphene oxide for highly selective adsorption

Sheng-Dong Pan,^{ab} Hao-Yu Shen,^c Li-Xin Zhou,^d Xiao-Hong Chen,^{ab} Yong-Gang Zhao,^{ab} Mei-Qiang Cai^e and Mi-Cong Jin^{*ab}

DOI: 10.1039/c9ta90133g

www.rsc.org/MaterialsA

Correction for 'Controlled synthesis of pentachlorophenol-imprinted polymers on the surface of magnetic graphene oxide for highly selective adsorption' by Sheng-Dong Pan *et al.*, *J. Mater. Chem. A*, 2014, 2, 15345–15356.

The authors apologise that parts of the data presented in Fig. 1 had been inappropriately modified using Photoshop to make the images more appealing. The authors apologise for this and understand that any type of image manipulation is not acceptable.

The authors have repeated the experiments to provide replacement data for Fig. 1(b)–(f). The accuracy and integrity of the new data has been confirmed by the Director of the Ningbo Municipal Center for Disease Control and Prevention. The new figures have been reviewed by a member of the journal's Editorial Board and are provided below in order to fulfil the journal's responsibility to correct the scientific record, in accordance with the guidelines provided by the Committee on Publication Ethics (COPE). This correction does not alter the conclusions presented in this *Journal of Materials Chemistry A* paper.

This correction supersedes the information provided in the Expression of Concern related to this article.

The corrected version of Fig. 1(b)–(f) is shown below:

^aZhejiang Provincial Key Laboratory of Health Risk Appraisal for Trace Toxic Chemicals, Ningbo Municipal Center for Disease Control and Prevention, Ningbo, Zhejiang, 315010, China. E-mail: jmcjc@163.com

^bNingbo Key Laboratory of Poison Research and Control, Ningbo Municipal Center for Disease Control and Prevention, Ningbo 315010, China

^cNingbo Institute of Technology, Zhejiang University, Ningbo, Zhejiang 315100, China

^dMedical School, Ningbo University, Ningbo, Zhejiang, 315211, China

^eSchool of Environmental Science and Engineering, Zhejiang Gongshang University, Hangzhou 310018, China






Fig. 1 (a) SEM image of Fe_3O_4 microspheres; (b) TEM image of Fe_3O_4 microspheres; (c–e) TEM images of core–shell structure $\text{Fe}_3\text{O}_4@P(\text{GMA-co-DVB})$ with different thicknesses of polymer shell named as $\text{Fe}_3\text{O}_4@P(\text{GMA-co-DVB})$ -1^a, $\text{Fe}_3\text{O}_4@P(\text{GMA-co-DVB})$ -2^a and $\text{Fe}_3\text{O}_4@P(\text{GMA-co-DVB})$ -3^a, respectively; (f) TEM image of MGO@MIP. ^a $\text{Fe}_3\text{O}_4@P(\text{GMA-co-DVB})$ -1, $\text{Fe}_3\text{O}_4@P(\text{GMA-co-DVB})$ -2, and $\text{Fe}_3\text{O}_4@P(\text{GMA-co-DVB})$ -3 denote core–shell magnetic polymers with a ratio of monomers (GMA + DVB, GMA : DVB = 1 : 1) to Fe_3O_4 of 2.5, 15 and 28, respectively, used during the polymerization process.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

