

CORRECTION

View Article Online
View Journal | View Issue



Cite this: *Biomater. Sci.*, 2024, **12**, 808

Correction: An E-selectin targeting and MMP-2-responsive dextran–curcumin polymeric prodrug for targeted therapy of acute kidney injury

Jing-Bo Hu,^{a,b} Di Liu,^a Jing Qi,^a Kong-jun Lu,^a Fei-yang Jin,^a Xiao-Ying Ying,^a Jian You^a and Yong-Zhong Du^{*a}

DOI: 10.1039/d4bm90007c

rsc.li/biomaterials-science

Correction for 'An E-selectin targeting and MMP-2-responsive dextran–curcumin polymeric prodrug for targeted therapy of acute kidney injury' by Jing-Bo Hu *et al.*, *Biomater. Sci.*, 2018, **6**, 3397–3409, <https://doi.org/10.1039/C8BM00813B>.

The authors regret an error in Fig. 3a where the wrong panel was used for Fig. 3a 0.5 h + LPS SA-DEX-CUR. An independent expert has viewed the corrected data and has concluded that it is consistent with the discussions and conclusions presented.

The corrected Fig. 3 is shown below.

^aInstitute of Pharmaceutics, College of Pharmaceutical Sciences, Zhejiang University, 866 Yuhangtang Road, Hangzhou 310058, China. E-mail: duyongzhong@zju.edu.cn

^bInstitute of Drug Discovery Technology, Ningbo University, Ningbo 315211, China






Fig. 3 The cellular uptake of SA-DEX-PVGLIG-CUR by HUVECs with or without LPS pretreatment, with SA-DEX-CUR as the control. (A) Representative fluorescence images of HUVECs with or without LPS pretreatment which were incubated with SA-DEX-PVGLIG-CUR or SA-DEX-CUR for 0.5 h, 1 h and 2 h, respectively. Scale bar = 100 μ m. (B) The semi-quantitative fluorescence values of (A). (C) The internalization behaviors of SA-DEX-PVGLIG-CUR or SA-DEX-CUR by HUVECs with or without LPS pretreatment were quantitatively determined using flow cytometry. Data are presented as mean \pm SD ($n = 3$), $*P < 0.05$.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

