

Showcasing collaborative research from North Carolina Central University and Pennsylvania State University, USA

Green synthesis of reduced ${\rm Ti_3C_2T_x}$ MXene nanosheets with enhanced conductivity, oxidation stability, and SERS activity

Surface engineering of ${\rm Ti_3C_2T_x}$ MXenes enhances electrical conductivity, oxidation stability and surface-enhanced Raman scattering activity. The reduced MXene nanosheets are uniquely suitable for applications that employ high electronic conductivity, such as electrode materials for batteries and supercapacitors, photodetectors, and SERS-based sensors.





Journal of Materials Chemistry C



PAPER

View Article Online
View Journal | View Issue



Cite this: *J. Mater. Chem. C*, 2020, **8**, 4722

Green synthesis of reduced $Ti_3C_2T_x$ MXene nanosheets with enhanced conductivity, oxidation stability, and SERS activity†

Tej B. Limbu, 🗓 a Basant Chitara, 🗓 a Jason D. Orlando, a Martha Y. Garcia Cervantes, a Shalini Kumari, 🗓 b Qi Li, 📵 Yongan Tang 🗓 c and Fei Yan 🗓 *

Transition metal carbides (MXenes) are an emerging family of highly conductive two-dimensional materials with additional functional properties introduced by surface terminations. Further modification of the surface terminations makes MXenes even more appealing for practical applications. Herein, we report a facile and environmentally benign synthesis of reduced $Ti_3C_2T_x$ MXene $(r-Ti_3C_2T_x)$ via a simple treatment with L-ascorbic acid at room temperature. $r-Ti_3C_2T_x$ shows a six-fold increase in electrical conductivity, from 471 ± 49 for regular $Ti_3C_2T_x$ to 2819 ± 306 S m⁻¹ for the reduced version. Additionally, we show an enhanced oxidation stability of $r-Ti_3C_2T_x$ as compared to regular $Ti_3C_2T_x$. An examination of the surface-enhanced Raman scattering (SERS) activity reveals that the SERS enhancement factor of $r-Ti_3C_2T_x$ is an order of magnitude higher than that of regular $Ti_3C_2T_x$. The improved SERS activity of $r-Ti_3C_2T_x$ is attributed to the charge transfer interaction between the MXene surface and probe molecules, re-enforced by an increased electronic density of states (DOS) at the Fermi level of $r-Ti_3C_2T_x$. The findings of this study suggest that reduced MXene could be a superior choice over regular MXene, especially for the applications that employ high electronic conductivity, such as electrode materials for batteries and supercapacitors, photodetectors, and SERS-based sensors.

Received 22nd December 2019, Accepted 3rd March 2020

DOI: 10.1039/c9tc06984d

rsc.li/materials-c

1. Introduction

Since their discovery in 2011,¹ titanium carbides, also called MXenes, a two-dimensional (2D) layered material, have attracted increasing attention from the scientific community, due to their exciting properties such as high metallic-like conductivity, good environmental and chemical stability, and controllable surface hydrophilicity.^{2,3} Subsequently, several other species of the MXene family^{4–8} have been discovered and synthesized in laboratories by top-down approaches starting with a three-dimensional parent

material known as MAX. MAX phases are transition metal carbides, nitrides, or carbonitrides with the general formula $M_{n+1}AX_n$, where n = 1, 2, or 3, M is a transition metal, A is an A group element(mainly 13 and 14 group), and X is C and/or N. After removal of the A layers in MAX phases by chemical etching, the obtained 2D materials are regarded as MXenes, which are usually represented by the general formula $M_{n+1}X_nT_x$, where T_x is the surface termination acquired during the chemical etching process. Depending upon the type of M and X elements, and surface terminations, various members of the MXene family are known to exhibit quite different physical properties and chemical behavior; from metallic to semiconducting, or topological insulators, and even magnetic. 6,7,9 Due to their diverse and exciting properties, MXenes have been explored for a myriad of applications, including energy storage devices, 10-12 catalysis, 5,13,14 water desalination, 15 transparent conductors, 16,17 light absorbers, electromagnetic interference shielding, 18 photodetection, 19 and surface-enhanced Raman scattering (SERS) detection, 4,20,21 among others.

Among a wide variety of MXene species, $Ti_3C_2T_x$ MXene is reported to have shown the highest electrical conductivity²² and has been studied most extensively. It possesses impressive metallic-like conductivity comparable to those of reduced graphene oxide (GO) and carbon nanotubes, ^{23,24} and for most applications,

^a Department of Chemistry and Biochemistry, North Carolina Central University, Durham, NC 27707, USA. E-mail: fyan@nccu.edu, tejblimbu@gmail.com

^b Department of Physics, The Pennsylvania State University, University Park, PA 16802, USA

^c Department of Mathematics and Physics, North Carolina Central University, Durham, NC 27707, USA

 $[\]dagger$ Electronic supplementary information (ESI) available: Deconvolution of XPS fine peaks for Ti2p, O1s, and C1s; details of electrical measurements; calculation of electrical conductivity and contact resistivity; thickness measurement for Ti_3C_2T_x and r-Ti_3C_2T_x films; MXene oxidation stability test; SEM analysis of degraded Ti_3C_2T_x and r-Ti_3C_2T_x; Raman spectra of disordered carbon material formed on MXene; photographs of the SERS substrates on PVDF filter membranes; UV-vis absorption spectra of CV, MB, and R6B; examination of plasmonic absorption in Ti_3C_2T_x and r-Ti_3C_2T_x. See DOI: 10.1039/c9tc06984d

such as electrode materials for batteries, supercapacitors, transparent conductors, plasmonic devices, photodetectors, and SERS substrates, high electrical conductivity is desired. Interestingly, the conductivity of MXenes can be further increased by de-intercalation and surface de-functionalization.⁶ Hart et al.⁶ demonstrated by in situ vacuum annealing, electrical biasing, spectroscopic analysis, and transmission electron microscopy (TEM) that the loss of -OH and -F terminations in Ti₃C₂T_r MXene improves electronic conductivity. This result is consistent with a literature report²⁵ that by density functional theory simulation showed that surface functionalization with -OH, -H, -F, and -O on Ti₃C₂ MXene reduces the density of states (DOS) at the Fermi level, thereby reducing the conductivity. This implies that there exists plenty of room for further enhancement of the electrical conductivity of MXene by surface modification. Reduction of MXenes could be a new approach to tailor the properties and conductivity enhancement, in analogy with the reduction of insulating GO to highly conducting reducedgraphene oxide (r-GO). 26,27 Yoon et al. 2 showed that Li-ethylenediamine (Li-EDA) treatment on Ti₃C₂T_x removes most of the F and OH terminations and Ti4+ chemical states are changed to Ti³⁺, and the reduction of Ti₃C₂T_x MXene produces a Pauli paramagnetic character. Although this work showed an effective method of Ti₃C₂T_r MXene reduction, the use of Li-EDA as a reducing agent required a glove-box environment for safety purposes. This indicates a need for a safer, reproducible, and easily accessible method for the MXene reduction process.

Among several potential applications, MXenes have shown promise for making cheap and efficient SERS substrates. 4,20,21,28 SERS is a non-destructive and highly sensitive technique for molecular detection at trace amounts. Although noble metal nanostructure-based SERS substrates have shown an ultrahigh enhancement factor (EF) of 10¹⁴, ²⁹ the high cost of production limits their wide use for practical purposes. MXenes, which are produced by simple solution processing methods with relatively cheap precursors, can be an alternative material for commercial SERS substrates. Sarycheva et al.²⁰ showed that Ti₃C₂T_x MXenebased SERS substrates enhanced the Raman signal of common organic dyes by as much as 10⁶. Soundiraraju et al.⁴ reported even more interesting SERS results with titanium nitride (Ti₂NT_r) MXene. They found an EF of 10¹² using rhodamine 6G as a probe compound on a SERS substrate made by coating paper with Ti₂NT_r. Such a high EF is good enough for single molecule detection, indicating a potential use of MXenes for replacing expensive SERS substrates made from noble metal nanostructures.

Despite their exciting physical and electrochemical properties, it is widely known that MXenes have a weak chemical and environmental stability, 30-35 which can limit their use for practical applications. Because of the spontaneous and rapid oxidation issue in water and air, better ways of storing MXenes have also been explored and suggested. 30,32,35 However, it would be even more interesting if the cause of oxidation could be identified and the MXene crystals could be engineered to make them shelf-stable, or if one could discover a state-of-the-art route to synthesize chemically and environmentally stable MXenes.

In this work, we demonstrate a green protocol for the room temperature synthesis of reduced Ti₃C₂T_x MXene (r-Ti₃C₂T_x) via a simple L-ascorbic acid treatment, which is facile and highly reproducible. We show a significant modification of the properties of r-Ti₃C₂T_x with enhanced electrical conductivity and oxidation stability as compared to that of the Ti₃C₂T_r MXene (Ti₃C₂T_r) prepared by conventional methods, 1,20,36 showing reduced MXene as a primary choice for use in several applications that employ high electronic conductivity. We also report an application of r-Ti₃C₂T_x as a SERS substrate and demonstrate an improvement in the SERS EF by an order of magnitude compared to that of Ti₃C₂T_r.

2. Experimental section

2.1 Synthesis of Ti₃C₂T_x

To synthesize r-Ti₃C₂T_x, we started with etching of Al layers in Ti₃AlC₂ MAX powder purchased from Carbon-Ukraine (Y-Carbon, Ltd). The reduction process is preceded by etching and MXene delamination. The etching of Al layers and delamination of MXene were carried out following the methods described in a published report³⁶ with a slight modification. Briefly, 0.5 g of Ti₃AlC₂ MAX powder was slowly added to 10 ml of 30% hydrofluoric acid (HF) (ACROS Organics, 48-51% solution in water) under a gentle and constant stirring condition with the help of a Teflon magnetic bar, and the stirring was continued for 7 hours. The solution was then washed one time with deionized (DI) water by centrifugation at a speed of 3500 rpm for 30 minutes and the water-like supernatant was removed. The sediment was then further washed with at least 5 liters of DI water via vacuumassisted filtration using a polyvinyl difluoride (PVDF) filter membrane with 0.22 µm pore size (Durapore, Millipore) until the pH of the filtrate was lowered to \sim 6.5. The cleaned sediment was then dried in the same filter cup by placing it in a vacuum desiccator for 24 hours. For the delamination process, 100 mg of Ti₃C₂T_x powder was put into 20 ml of 1% tetramethylammonium hydroxide (TMAOH) (Alfa Aesar, Electronic Grade, 99.9999% (metal basis) liquid) solution and was shaken for 24 hours. After 24 hours of shaking, the solution was centrifuged at 5000 rpm for 30 minutes to separate out the unwanted brown solution containing TMAOH. The centrifugation process was repeated several times until the pH of the supernatant solution was decreased to \sim 7. The MXene solution was then centrifuged at 3500 rpm for 5 minutes to separate out the bigger and unetched particles, and the stable MXene colloidal solution was collected for further processing.

2.2 Green synthesis of r-Ti₃C₂T_x

For the reduction process, first, DI water was added to the obtained MXene colloidal solution to make a total volume of 40 ml. The solution was shaken and divided into two equal volumes, 20 ml each for Ti₃C₂T_x and r-Ti₃C₂T_x. One part was further centrifuged to extract a slurry and freeze-dried to obtain a powder material for characterization. The obtained Ti₃C₂T_x powder was weighed to be \sim 25 mg. The other part, which was expected to contain the same amount of $Ti_3C_2T_x$ (~25 mg) in 20 ml of water was mixed with 1 g of 1-ascorbic acid

(Fisher Scientific, Reagent Grade) and shaken for 5 hours. After 5 hours of treatment with L-ascorbic acid, the solution was centrifuged several times at 5000 rpm for 30 minutes to remove the acidic solution. Finally, a slurry of $r\text{-}Ti_3C_2T_x$ nanosheets was extracted and freeze-dried to obtain the $r\text{-}Ti_3C_2T_x$ powder for characterization. In order to obtain $Ti_3C_2T_x$ and $r\text{-}Ti_3C_2T_x$ colloidal solutions for film preparation on SiO_2/Si and paper, the synthesis process was repeated, and instead of freeze-drying, the slurries of MXene nanosheets were dissolved in a suitable amount of methanol.

2.3 Fabrication of $Ti_3C_2T_x/r-Ti_3C_2T_x$ films

To fabricate the films of ${\rm Ti_3C_2T_x}$ and ${\rm r\text{-}Ti_3C_2T_x}$ on ${\rm SiO_2/Si}$ substrates, the slurries of ${\rm Ti_3C_2T_x}$ and ${\rm r\text{-}Ti_3C_2T_x}$ nanosheets were dissolved in a suitable amount of methanol separately in two different glass vials to obtain dense colloidal solutions. The dense colloidal solutions of ${\rm Ti_3C_2T_x}$ and ${\rm r\text{-}Ti_3C_2T_x}$ nanosheets were drop casted on oxygen plasma-cleaned ${\rm SiO_2/Si}$ substrates followed by subsequent heating at 60 °C by placing the samples on a hot plate. ${\rm Ti_3C_2T_x}$ and ${\rm r\text{-}Ti_3C_2T_x}$ films on paper substrates were fabricated on PVDF filter paper with a pore size of 0.22 μ m (Durapore, Millipore) employing vacuum-assisted filtration.

2.4 Characterization of $Ti_3C_2T_x/r-Ti_3C_2T_x$

Characterization of $\mathrm{Ti_3C_2T_x/r\text{-}Ti_3C_2T_x}$ samples was performed by using Raman spectroscopy (Horiba LabRAM Evolution RAMAN microscope), atomic force microscopy (AFM) (Horiba Smart SPM Atomic Force Microscope), UV-visible spectroscopy

(VWR, UV-3100PC Spectrophotometer), scanning electron microscopy (SEM) (FEI Verios 460L), TEM (FEI Talos F200X, 200 KV accelerating voltage), X-ray diffractometry (XRD) (Rigaku Smart-Lab X-ray Diffractometer), and X-ray photoelectron spectroscopy (XPS) (SPECS FlexMod XPS, Mg Kα excitation (1254 eV)). Ti(20 nm)/Au(300 nm) contact pads were deposited on the fabricated MXene films by using electron beam evaporation. Electrical properties were studied by employing transmission line measurements with two probes in a probe station (EVERBEING) equipped with a Keithley analyzer (4200A-SCS). For the test of oxidation stability, the dried and stored $Ti_3C_2T_x$ and $r-Ti_3C_2T_x$ powders were re-dispersed in water at a concentration of 15 mg/ 10 ml, sonicated for 10 minutes and left open in an ambient atmosphere for several days. The stability test was repeated with another concentration, 5 mg/10 ml of water for confirmation. The SERS measurements were performed using a Raman spectrometer (Horiba LabRAM Evolution RAMAN microscope) with 532 nm laser excitation and a 100× objective lens with an integration time of 20 s. Raman enhancement of Ti₃C₂T_r and r-Ti₃C₂T_r was examined with three dye molecules, i.e., crystal violet (CV) (ACROS Organics), methylene blue (MB) (ACROS Organics), and rhodamine 6G (R6G) (ACROS Organics).

Results and discussion

3.1 Synthesis and characterization

Fig. 1 schematically summarizes the synthesis route of $r-Ti_3C_2T_x$. Etching of Al layers in the Ti_3AlC_2 MAX phase (Fig. 1a) with HF




Fig. 1 Schematic diagram of $r-Ti_3C_2T_x$ synthesis.

produces 2D crystals of titanium carbide with -O, -OH, and -F terminations (Fig. 1b). The Ti₃C₂T_x layers are still bound to each other by a weak hydrogen or van der Waals force between T_r (OH, F, O) terminations of two adjacent MXene layers. 1,36 Upon intercalation with tetramethylammonium ions during delamination using TMAOH, the Ti₃C₂T_r layers are separated into free standing particles (Fig. 1c). Treatment of colloidal Ti₃C₂T_x solution with Lascorbic acid changes the surface chemistry of MXene nanosheets to give rise to reduced Ti₃C₂T_x (Fig. 1d). We note that we have followed the model presented by Yoon et al.² to describe the surface chemistry changes in the 2D Ti₃C₂T_x due to HF etching and reduction processes as depicted in Fig. 1b-d, which will be discussed later in detail.

SEM images in Fig. 2a and b show that 3D Ti₃AlC₂ MAX particles are changed to accordion-like multilayer Ti₃C₂T_x structures indicating that Al layers in the Ti₃AlC₂ MAX phase are etched out by HF. Fig. 2c and d show fabric-like SEM micrographs of Ti₃C₂T_x powder before and after L-ascorbic acid treatment, respectively. The tapping mode AFM image (Fig. 2e) of Ti₃C₂T_x nanosheets deposited onto SiO₂/Si substrates shows that the majority of the sheets are large with a lateral dimension of about 1 µm and 2 to 6 nm height corresponding to 1 to 3 layers. Fig. 1f shows a high magnification TEM image of a 2D Ti₃C₂T_x nanosheet suspended over a holey carbon grid, and its inset shows the selected area electron diffraction pattern with a




Fig. 2 (a and b) SEM micrographs of $Ti_3C_2T_x$ after HF-etching of Ti_3AlC_2 MAX phase, (c and d) SEM micrographs of $Ti_3C_2T_x$ and $r-Ti_3C_2T_x$ powders, respectively, (e) Tapping mode AFM image of Ti₃C₂T_x nanosheets on SiO₂/ Si, and (f) high magnification TEM image of a $Ti_3C_2T_x$ nanosheet suspended over a holey carbon grid. The inset shows the selected area electron diffraction (SAED) pattern

six-fold reflection spot corresponding to the hexagonal crystal symmetry of $Ti_3C_2T_x$.

XPS analysis of the samples shows a clear difference among the Ti₃AlC₂ MAX phase, Ti₃C₂T_x, and r-Ti₃C₂T_x. The XPS survey spectrum (Fig. 3a) of the Ti₃AlC₂ MAX phase (black) shows a peak at 77.0 eV corresponding to Al, which, however, is below the detection limit in the spectra of $Ti_3C_2T_x$ (red), and r- $Ti_3C_2T_x$ (blue). This indicates that HF treatment on Ti₃AlC₂ MAX powder removes most of the Al layers. The survey spectra of Ti₃C₂T_x show a F peak at 685.0 eV with 8.1 atomic%, due to the addition of fluorine during HF etching.36 After treatment with L-ascorbic acid, the fluorine amount significantly decreases to 3.8%. This shows that L-ascorbic acid treatment significantly changes the surface chemistry of Ti₃C₂T_x, similar to the results in a published report, where Li-EDA treatment is shown to remove a significant amount of F termination from Ti₃C₂T_x. Fig. 3b depicts a high-resolution peak of Ti2p ranging from 454.8 to 464.8 eV for Ti_3AlC_2 MAX phase (black), $Ti_3C_2T_x$ (red), and r-Ti₃C₂T_r (blue). Deconvolution (Fig. S1a and b, ESI†) shows that Ti2p_{3/2} peaks appear between 454.8 and 459.0 eV and the peaks beyond 459.0 eV are their corresponding doublets (Ti2p_{1/2}). These peaks have been assigned to Ti, Ti²⁺, Ti³⁺, and Ti⁴⁺ chemical states as in the literature. ^{2,37,38} The peaks appearing at 454.8 eV (460.3 eV) and 459.0 eV (464.9 eV) for Ti₃C₂T_x are assigned to Ti bonded to C of Ti₃C₂ crystal and TiO₂ resulting from surface oxidation, respectively. 37,38 For $\mathrm{Ti}_3\mathrm{C}_2\mathrm{T}_x$, the component peak at 459.0 eV (464.9 eV) is also largely contributed by Ti⁴⁺ chemical states of Ti atoms surrounded by the O²⁻ ions in the lattice, which occurs due to the replacement of some carbons by oxygen in the crystal during the etching process.² This fact is supported by the increased intensity ratio of Ti⁴⁺ to Ti-C peaks for Ti₃C₂T_x compared to the Ti₃AlC₂ MAX phase. The peaks at 456.4 eV (461.5 eV) and 458.2 eV (263.5 eV) are assigned to Ti²⁺ and Ti³⁺ chemical states, respectively. 2,38,39 One of the main purposes of XPS analysis is to assess the difference between Ti₃C₂T_x and r-Ti₃C₂T_x. Interestingly, we observed clear changes in the intensities of Ti³⁺ and Ti⁴⁺ components. In contrast to Ti₃C₂T_x (red), r-Ti₃C₂T_x (blue) shows a high intensity of Ti³⁺ peak at 458.2 eV (463.7 eV) with a diminished Ti⁴⁺ peak at 459.0 eV (464.7 eV), indicating a reduction of Ti⁴⁺ chemical states to Ti³⁺ under L-ascorbic acid treatment.

The O1s fine spectra (Fig. S1c and d, ESI†) of both $Ti_3C_2T_x$ and r-Ti₃C₂T_r have been fitted with four different components peaking at 530.4, 531.6, 532.6, and 533.7 eV and are assigned to TiO₂, Ti-O, Ti-OH, and adsorbed H₂O molecules, respectively. The deconvolution clearly shows that the TiO2 component decreases upon reduction of Ti₃C₂T_x with L-ascorbic acid, and the center of gravity of the O1s fine spectrum of $r-Ti_3C_2T_x$ is slightly shifted to a higher energy with respect to Ti₃C₂T_x, consistent with a published report.2 Some changes can also be seen between C1s XPS spectra of Ti₃C₂T_x and r-Ti₃C₂T_x (see Fig. S1e and f, ESI \dagger). The C1s fine spectrum of Ti₃C₂T_x has been deconvoluted into five components peaking at 282.4, 284.5, 285.6, 286.8, and 288.9 eV and they are assigned to Ti-C bonds in Ti₃C₂T_x crystal, C-C, CHx, C-O, and COOH, respectively. The spectrum of $r-Ti_3C_2T_x$ has been deconvoluted with the same components,




Fig. 3 (a) XPS survey spectra, (b) high resolution XPS spectra of Ti2p region, (c) Raman spectra, and (d) XRD patterns, respectively, of Ti_3AlC_2 MAX phase (black), $Ti_3C_2T_x$ (red), and $r-Ti_3C_2T_x$ (blue).

but the peak intensity ratio of C bonds in the components C–C, CH_x , C–O, and COOH altogether to that of Ti–C alone increases compared to $Ti_3C_2T_x$, similar to the results in a published report.²

Fig. 3c shows the normalized Raman spectra of Ti₃AlC₂ MAX phase (black), Ti₃C₂T_x (red), and r-Ti₃C₂T_x (blue). Ti₃AlC₂ MAX phase shows six distinct Raman bands, among which three intense bands occurring at 180, 198, and 268 cm⁻¹ are associated with the vibrations of Ti and Al bonds and three shallow bands occurring at 575, 628, and 650 cm⁻¹ are associated with Ti-C bonds. 1,40 A small peak at 149 cm $^{-1}$ is the E_g vibrational mode of anatase phase TiO2 particles41 formed due to spontaneous oxidation of surface titanium atoms. Note that this peak is very intense relative to the MXene band intensity when there is a sufficient amount of TiO₂, ⁴¹ and hence even with a small amount present, it is easily detectable. Ti₃C₂T_x and r-Ti₃C₂T_x show a broadened peak at 205 cm⁻¹, which is assigned to the Ti-Al vibrational mode occurring at 198 cm⁻¹ in MAX phase and is slightly blue-shifted, due to a phonon stiffening effect as the crystals are thinned down to the nanoscale. Apparently, our observation suggests that this Raman peak is visible even at a small amount of Al in MXene crystals, which is below the detection limit of XPS. The three peaks occurring at 575, 628, and 650 cm⁻¹ in MAX phase are merged and red-shifted in $Ti_3C_2T_x$ and r- $Ti_3C_2T_x$, as observed previously. ^{1,40}

The XRD patterns (Fig. 3d) show that several peaks are not observed for ${\rm Ti_3C_2T_x}$ (red), including the most intense one appearing at 39.0° due to the disappearance of the non-basal crystal planes upon removal of Al layers by HF etching. Consistent with the reports, 1,28 we observed a broadening, loss of intensity,

and shift of the peaks to lower angles for (00l) peaks such as (002) and (004). The peaks appearing in the range of 33–45° broaden so significantly that they look merged together. The most prominent change is a huge shift of the (002) peak from 9.5° in ${\rm Ti_3AlC_2}$ MAX to 6.5° in ${\rm Ti_3C_2T_x}$, owing to the removal of Al layers and the introduction of surface terminations (-F, -O, -OH).³⁶ r- ${\rm Ti_3C_2T_x}$ shows similar XRD peaks to ${\rm Ti_3C_2T_x}$, except that the (002) peak is further shifted to a slightly lower angle, 6.0° in r- ${\rm Ti_3C_2T_x}$, which could be attributed to a further increase of the c-lattice spacing upon removal of F terminations.

3.2 Enhanced electrical conductivity of r-Ti₃C₂T_x

Fig. 4a shows a SEM micrograph of r-Ti₃C₂T_x with Ti/Au contact pads. More detailed images of Ti₃C₂T_r and r-Ti₃C₂T_r are presented in Fig. S2, ESI.† High magnification SEM images of the Ti₃C₂T_x and r-Ti₃C₂T_r films are presented in the insets of Fig. 4b and c, respectively. Fig. 4b and c present the plots of the measured total resistance vs. contact pad spacing for Ti₃C₂T_x and r-Ti₃C₂T_x, respectively. Neglecting the small value of contact pad to probe resistance (\sim 12 Ω) measured in our case, we have used the following relation for total measured resistance: $R_T = (R_s/W)L +$ $2R_c$, where R_s is the sheet resistance of the films, L and W are spacing and width of the metal pads, respectively, and R_c is the metal pad to MXene film contact resistance. Hence, from slopes of the fitted lines in Fig. 4b and c, we obtained sheet resistance values of 1415 \pm 125 and 288 \pm 27 Ω sq⁻¹ for Ti₃C₂T_x and r-Ti₃C₂T_x, respectively. With the measured thicknesses of 1.5 and 1.2 µm for $Ti_3C_2T_x$ and r- $Ti_3C_2T_x$ films (see Fig. S3, ESI†), the corresponding conductivity values are 471 \pm 49 and 2819 \pm 306 S m⁻¹,




Fig. 4 SEM image of Au/Ti contact pads on r-Ti₃C₂T_x films on SiO₂/Si (a), plots of total resistance vs. contact pad spacing of (b) Ti₃C₂T_x and (c) $r-Ti_3C_2T_x$ films on SiO_2/Si . Insets in figures b and c are the high magnification SEM images of the corresponding films.

respectively. The contact resistance of the Ti/Au pad with MXene films obtained from the y-intercept values in Fig. 4b and c are 4.2 ± 0.4 and 0.5 ± 0.05 K Ω for Ti₃C₂T_r and r-Ti₃C₂T_r films, respectively, and the corresponding contact resistivities are (2.6 \pm $0.3) \times 10^{-4}$ and $(3.3 \pm 0.4) \times 10^{-5} \Omega \text{ m}^2$. These values are high compared to the values for continuous graphene-metal contacts, 42,43 but reasonable considering the nature of the films made by drop casting of the MXene sheets.

Although our conductivity values for Ti₃C₂T_x and r-Ti₃C₂T_x films fall within widely scattered values of 2D titanium carbide MXene films reported previously, 16,24,33,37,44,45 these values are smaller than most of the previously reported values for Ti₃C₂T_x. Since the conductivity of MXene films is synthesis and processing dependent, the relatively small electrical conductivity of our Ti₃C₂T_x can mainly be attributed to the use of HF as an etchant instead of a mixture of HCl and alkali metal fluoride salts such as LiF, as suggested in a published report.³⁶ Moreover, the choice of intercalant for delamination, flake size and thickness, and film processing method could also alter the conductivity. Most importantly, it is exciting to find that the electrical conductivity of Ti₃C₂T_r is enhanced six-fold upon treatment with L-ascorbic acid, suggesting a great value of the reduction process in MXene processing. Our result suggests that the reduction of Ti₃C₂T_r via L-ascorbic treatment significantly enhances the electrical conductivity regardless of the initial conductivity value. An eight-fold reduction in the contact resistivity of r-Ti₃C₂T_r with respect to Ti₃C₂T_x also suggests that r-Ti₃C₂T_x is a more suitable material than $Ti_3C_2T_x$ for fabricating devices that require metal-MXene contacts, such as electronic and optoelectronic devices. The reason for the enhanced conductivity in r-Ti₃C₂T_x can be explained as a consequence of the changes in chemistry of the MXene crystals during HF and L-ascorbic acid treatments. First, the carbon atoms that are replaced by O⁻² ions during the HF etching process² are subsequently removed by L-ascorbic acid treatment creating vacancies in the crystal lattice and this provides a localized electron in the vacant site. Next, the XPS result shows that a significant loss of fluorine terminations occurs during the reduction process. These modifications in the

crystal chemistry cause redistribution of the missing hybridized Ti3d-C2p and Ti3d-F2p states to Ti-Ti metallic bond states near the Fermi energy, thereby increasing the DOS at the Fermi level. With this argument, a significantly large electrical conductivity of each r-Ti₃C₂T_x nanosheet is expected compared to an untreated $Ti_3C_2T_r$ sheet.

3.3 Oxidation stability

Fig. 5(a-f) show photographs of the aqueous solutions of $Ti_3C_2T_x$ (left) and r- $Ti_3C_2T_x$ (right) collected on different days. We reiterate that the aqueous solutions (15 mg/10 ml) of $Ti_3C_2T_x$ and $r-Ti_3C_2T_x$ were prepared by re-dispersing the dried powders of the corresponding materials in water to study oxidation stability. Both Ti₃C₂T_x and r-Ti₃C₂T_x aqueous solutions look black initially, but upon exposure to water for several days, Ti₃C₂T_x aqueous solution turns whitish faster than r-Ti₃C₂T_x aqueous solution, indicating a faster degradation of Ti₃C₂T_r crystals. The repeated experiment with a lower concentration (5 mg/10 ml) of Ti₃C₂T_x and r-Ti₃C₂T_x in water results in the same observation (see Fig. S4, ESI†). As shown in Fig. 5b, the MXene nanosheets allowed to oxidize for 3 days do not look distinctively different to the eye, but the difference can easily be detected by Raman spectroscopic analysis of the corresponding dried powders (Fig. 5g and h). The features in the Raman spectra for each of Ti₃C₂T_x and r-Ti₃C₂T_x exposed to water for a different




Fig. 5 Photographs of the aqueous solutions of $Ti_3C_2T_x$ (left) and $r-Ti_3C_2T_x$ (right) collected after (a) 0 day, (b) 3 days, (c) 14 days before shaking, (d) 14 days, (e) 21 days, and (f) 28 days. The concentrations of $Ti_3C_2T_x$ and $r-Ti_3C_2T_x$ solutions were 15 mg in 10 ml of water. Normalized Raman spectra collected on dried powder from the aqueous solutions of (g) $Ti_3C_2T_x$, and (h) r-Ti₃C₂T_x kept for different days.

length of time are different. With the increased number of days, the degraded MXene powders show a gradual increase of the $\rm E_g$ vibrational band intensity of anatase $\rm TiO_2$ occurring at $\sim \! 149~\rm cm^{-1}$ (indicated with stars) and a decrease of the MXene peak occurring at $\sim \! 205~\rm cm^{-1}$, as observed by Zhang $\it et~al.^{31}$ It is evident from Fig. 5g and h that the ratio of anatase $\rm TiO_2$ to MXene band intensities increases faster for $\rm Ti_3C_2T_x$ than $\rm r-Ti_3C_2T_x$, which indicates that $\rm r-Ti_3C_2T_x$ nanoflakes are more stable in oxygenrich environments such as water. SEM micrographs (Fig. S5, ESI†) further confirm that nucleation and growth of $\rm TiO_2$ nanoparticles take place faster on $\rm Ti_3C_2T_x$ surfaces than on $\rm r-Ti_3C_2T_x$ surfaces.

It is evident that after treatment with L-ascorbic acid, Ti₃C₂T_r nanosheets become more stable in the oxygen rich environment. This result is consistent with a recent work³⁰ that uncovered that Ti₃C₂T_x nanosheets were protected from severe oxidation up to six months when stored in a sodium ascorbate aqueous solution. The average lateral size of the $Ti_3C_2T_x$ and $r-Ti_3C_2T_x$ nanosheets in the SEM images in Fig. S2c, d and S5 presented in the ESI† are \sim 1.6 and \sim 1.5 μ m, respectively. Hence, a faster degradation of Ti₃C₂T_r nanosheets compared to r-Ti₃C₂T_r in water is not because of the smaller flake size as reported previously.31 The enhanced oxidation stability of r-Ti₃C₂T_x can be explained based on the reduction of the Ti₃C₂T_x nanosheets caused by L-ascorbic acid molecules. As described above, O²⁻ ions replace a significantly large number of carbons from the Ti₃C₂T_r lattice during the Al layer etching process, as shown in Fig. 1b. These oxygen sites in the Ti₃C₂T_x crystal act as nucleation centers for TiO₂ nanoparticle growth. Upon exposure of the Ti₃C₂T_x nanosheets to water,

reactive oxygen species such as hydroxyl radical or oxygen molecules react with the nanosheets breaking the Ti-C bonds and forming Ti-O bonds.30 This process accelerates the TiO2 nanoparticle growth. The carbons released during this process are bonded to each other forming disordered carbon material (see Fig. S6, ESI†). Hence, the MXene nanosheets continue to degrade while TiO₂ nanoparticles continue to increase in size. This argument is supported by the SEM micrographs (see Fig. S5, ESI†) of the MXene sheets, where TiO₂ nanoparticles are observed to increase in size with continued exposure to water. The TiO2 nanoparticle growth on the MXene surface also confirms that MXene degradation not only starts at the $Ti_3C_2T_x$ sheet edges as claimed in the literature, 30,31 but it also occurs simultaneously at the basal plane. However, L-ascorbic acid treatment on Ti₃C₂T_x removes the O²⁻ ions sitting in the carbon sites, and the possible nucleation sites for TiO2 particle growth are minimized. This argument is supported by a much smaller density and size of the TiO₂ nanoparticles grown on the basal plane of r-Ti₃C₂T_x compared to Ti₃C₂T_r (see Fig. S5, ESI†). Such an enhanced oxidation stability makes r-Ti₃C₂T_r a promising material for use in applications.

3.4 SERS activity

Fig. 6a–c show SERS spectra of the probe molecules, crystal violet (CV) at 2 \times 10 $^{-6}$ M, methylene blue (MB) at 1 \times 10 $^{-6}$ M, and rhodamine 6G (R6G) at 1 \times 10 $^{-7}$ M, respectively, collected on Ti₃C₂T_x/SiO₂/Si (black) and r-Ti₃C₂T_x/SiO₂/Si (red) substrates. It is apparent that the r-Ti₃C₂T_x/SiO₂/Si substrate shows about an order of magnitude higher Raman signal intensity compared to Ti₃C₂T_x/SiO₂/Si for all three probe molecules.




Fig. 6 SERS spectra of (a and d) CV, (b and e) MB, and (c and f) R6G collected on $Ti_3C_2T_x/SiO_2/Si$ (black) and $r-Ti_3C_2T_x/SiO_2/Si$ (red), and bare SiO_2/Si (blue) substrates. Concentration of dyes on SiO_2/Si substrate is 1 M in water.

Calculated analytical Raman enhancement factors for CV, MB, and R6G

Probe molecules	SERS substrates	Raman shift (cm ⁻¹)	Peak assignment	Dye concentration (M)	EF
CV	Ti ₃ C ₂ T _x /SiO ₂ /Si r-Ti ₃ C ₂ T _x /SiO ₂ /Si	1613	In-plane stretching of C–C ring ⁴⁶	2.0×10^{-6}	2.1×10^{5} 1.6×10^{6}
MB	Ti ₃ C ₂ T _x /SiO ₂ /Si r-Ti ₃ C ₂ T _x /SiO ₂ /Si	1623	In-plane stretching of C-C ring ⁴⁷	1.0×10^{-6}	1.0×10^{5} 7.8×10^{5}
R6G	$Ti_3C_2T_x/SiO_2/Si$ $r-Ti_3C_2T_x/SiO_2/Si$	1361	Carboxylate stretches ⁴⁸	1.0×10^{-7}	1.3×10^6 1.0×10^7

Raman enhancement on SERS substrates prepared with Ti₃C₂T_x and r-Ti₃C₂T_x on PVDF filter membrane (see photographs Fig. S7, ESI†) showed similar results.

The SERS EF was calculated using the following equation: EF = $(I_{SERS}/C_{SERS})/(I_{ref}/C_{ref})$, where I_{SERS} is the Raman intensity of a selected vibrational mode of a dye with a concentration of C_{SERS} , and I_{ref} is the intensity of the same vibrational mode of the dye on a SERS inactive substrate (SiO₂/Si) with a concentration of C_{ref} . The calculated SERS EFs for different dyes are presented in Table 1.

It is evident that the SERS EF is an order of magnitude higher on r-Ti₃C₂T_r/SiO₂/Si than on Ti₃C₂T_r/SiO₂/Si for all three dyes used. The calculated SERS EFs for Ti₃C₂T_x/SiO₂/Si are similar to that of the SERS substrates fabricated with Ti₃C₂T_x on glass and silicon in the literature²⁰ and are much larger than those of Ti2NTx-based SERS substrates fabricated on glass and silicon reported by Soundiraraju et al.4

As shown in Fig. 6d-f, some of the vibrational peak positions in the SERS spectra of CV, MB, and R6G are red-shifted with respect to their original positions, i.e., Raman peak positions measured on the non-SERS substrate, SiO₂/Si. For example, the in-plane stretching mode of the C-C ring of CV and MB appears at 1619 and 1629 cm⁻¹ on SiO₂/Si, respectively, which shift to 1613 and 1623 cm⁻¹ on MXene substrates. For R6G, the peak associated with the in-plane stretching mode of C-C ring appears at 1196 cm⁻¹ on bare SiO₂/Si, which is shifted to 1187 cm⁻¹ on MXene substrates. We also noticed that there was no shift in some peaks, such as those appearing at 1173 cm⁻¹ and 1032 cm⁻¹ corresponding to the in-plane bending mode of C-H in CV⁴⁶ and MB, ⁴⁷ respectively, and 1361 cm⁻¹ corresponding to the carboxylate stretch mode⁴⁸ in R6G. The shift in the peak positions of dye molecules on Ti₃C₂T_r and r-Ti₃C₂T_r SERS substrates is attributed to charge transfer interaction 49,50 of the MXenes with the probe molecules. To understand our results, it is reasonable to expect the transfer of electrons from electron rich MXenes to C-C rings of the dye molecules, which slightly weakens C-C bonds of the rings, causing a red-shift of the associated vibrational peaks. However, no charge transfer from MXenes to the C-H bond of CV and MB, and to the carboxylate group of R6G takes place. Hence, a peak shift associated with these bonds was not observed. Band shift due to charge transfer interaction is common in several other spectroscopies, such as XPS,⁵¹ nuclear magnetic resonance spectroscopy,52 and infrared absorption spectroscopy (IR).52,53 In Raman spectroscopy, the degree of charge transfer is reflected by the magnitude of wavenumber shift^{53,54} and has a positive correlation with Raman signal enhancement.⁵⁵ Hence, based on the magnitude of the band shift,

the degree of the charge transfer is found to be slightly greater in R6G than in CV and MB. This is supported by the higher Raman EF of R6G compared to those of CV and MB. Moreover, the laser excitation wavelength, 532 nm, is much closer to the light absorption peak position of R6G (527 nm) (see Fig. S8 for UV visible spectra, ESI†) than the absorption peak positions of CV (591 nm) and MB (663 nm). Hence, the matching of the excitation beam energy with a molecular transition is another factor that accounts for the higher EF of R6G than those of CV and MB.

Now, we discuss briefly why the r-Ti₃C₂T_x/SiO₂/Si SERS substrate enhances the Raman signal of dye molecules more than the Ti₃C₂T_x/SiO₂/Si substrate. As mentioned above, L-ascorbic acid treatment removes more than 50% of the F terminations on Ti₃C₂T_r, exposing a much larger number of surface-Ti atoms to the adsorbing dye molecules. This allows a larger population of adsorbing dye molecules to interact and form charge transfer complexes with r-Ti₃C₂T_x. Consequently, a higher EF factor is achieved. Additionally, as described above, the increased electronic DOS at the Fermi level in r-Ti₃C₂T_x facilitates electronic charge transfer to dye molecules, causing an enhanced Raman EF. Despite the increased metallic property or DOS at the Fermi level in r-Ti₃C₂T_x, no plasmonic absorption was observed in the UV visible spectrum (see Fig. S9, ESI†). Hence, the observed SERS enhancement of the dye molecules cannot be attributed directly to the electromagnetic contribution.

4. Conclusions

We have developed a facile and green protocol for the room temperature synthesis of reduced Ti₃C₂T_r MXene nanosheets via a simple treatment with L-ascorbic acid. The results show that r-Ti₃C₂T_r has a 6-fold higher electrical conductivity and has a better oxidation stability than Ti₃C₂T_x, making r-Ti₃C₂T_x a more promising material for most applications. Furthermore, r-Ti₃C₂T_x offers a much smaller contact resistance with Ti/Au contact pads, which encourages the use of r-Ti₃C₂T_x in fabricating devices that require metal-MXene contacts, such as electronic and optoelectronic devices.

The study demonstrates that r-Ti₃C₂T_x enhances the Raman signal of dye molecules by an order of magnitude compared to Ti₃C₂T_x. The SERS enhancement factor obtained for R6G on $r-Ti_3C_2T_x$ is as high as 10^7 using the laser excitation wavelength of 532 nm, indicating a potential use of r-Ti₃C₂T_x for making practical SERS substrates. The outstanding SERS activity of r-Ti₃C₂T_x has been attributed to a larger number of Ti atoms

exposed due to the loss of F terminations allowing a larger population of dye molecules to interact with $r\text{-}Ti_3C_2T_x$. The higher SERS activity of $r\text{-}Ti_3C_2T_x$ is further re-enforced by the increased electronic DOS at the Fermi level. The findings of this study suggest that reduced MXene could be a superior choice over MXene prepared by regular methods, especially for applications that employ high electronic conductivity, such as electrode materials for batteries and supercapacitors, photodetectors, and SERS-based sensors.

Tetramethylammonium hydroxide

Abbreviations

TMAOH

XRD

Li-EDA	Li-ethylenediamine	
$r-Ti_3C_2T_x$	Reduced $Ti_3C_2T_x$ MXene	
CV	Crystal violet	
MB	Methylene blue	
R6G	Rhodamine 6G	
SERS	Surface-enhanced Raman scattering	
AFM	Atomic force microscopy	
SEM	Scanning electron microscopy	
TEM	Transmission electron microscopy	
SAED	Selected area electron diffraction	
XPS	X-ray photoelectron spectroscopy	

Two-dimensional

Conflicts of interest

The authors declare no competing financial interest.

X-ray diffractometry

Acknowledgements

The authors are grateful for the financial support of this project by the U.S. National Science Foundation (Awards # 1831133 and #1523617). Q. L. and S. K. would like to thank NSF Award #1905833 and DOE FG02-08ER46531. This work was performed in part at the Analytical Instrumentation Facility (AIF) and Nanofabrication facility (NNF) at North Carolina State University, which is supported by the State of North Carolina and the National Science Foundation (award number ECCS-1542015). The AIF and NNF are members of the North Carolina Research Triangle Nanotechnology Network (RTNN), a site in the National Nanotechnology Coordinated Infrastructure (NNCI). The authors thank Dr Spyridon Pavlidis and Mr Rohan Sengupta for assisting in electrical measurements.

References

- 1 M. Naguib, M. Kurtoglu, V. Presser, J. Lu, J. Niu, M. Heon, L. Hultman, Y. Gogotsi and M. W. Barsoum, *Adv. Mater.*, 2011, 23, 4248.
- 2 Y. Yoon, T. A. Le, A. P. Tiwari, I. Kim, M. W. Barsoum and H. Lee, *Nanoscale*, 2018, **10**, 22429.

- 3 K. Chaudhuri, M. Alhabeb, Z. Wang, V. M. Shalaev, Y. Gogotsi and A. Boltasseva, ACS Photonics, 2018, 5, 1115.
- 4 B. Soundiraraju and B. K. George, ACS Nano, 2017, 11, 8892.
- 5 M. H. Tran, T. Schäfer, A. Shahraei, M. Dürrschnabel, L. Molina-Luna, U. I. Kramm and C. S. Birkel, ACS Appl. Energy Mater., 2018, 1, 3908.
- 6 J. L. Hart, K. Hantanasirisakul, A. C. Lang, B. Anasori, D. Pinto, Y. Pivak, J. T. van Omme, S. J. May, Y. Gogotsi and M. L. Taheri, *Nat. Commun.*, 2019, 10, 522.
- 7 L. Verger, V. Natu, M. Carey and M. W. Barsoum, *Trends Chem.*, 2019, 1, 656.
- 8 M. Naguib, O. Mashtalir, J. Carle, V. Presser, J. Lu, L. Hultman, Y. Gogotsi and M. W. Barsoum, *ACS Nano*, 2012, **6**, 1322.
- 9 M. Khazaei, M. Arai, T. Sasaki, C.-Y. Chung, N. S. Venkataramanan, M. Estili, Y. Sakka and Y. Kawazoe, *Adv. Funct. Mater.*, 2013, 23, 2185.
- 10 M. R. Lukatskaya, O. Mashtalir, C. E. Ren, Y. Dall'Agnese, P. Rozier, P. L. Taberna, M. Naguib, P. Simon, M. W. Barsoum and Y. Gogotsi, *Science*, 2013, 341, 1502.
- 11 M. Ghidiu, M. R. Lukatskaya, M.-Q. Zhao, Y. Gogotsi and M. W. Barsoum, *Nature*, 2014, **516**, 78.
- 12 Q. Pan, C. Duan, H. Liu, M. Li, Z. Zhao, D. Zhao, Y. Duan, Y. Chen and Y. Wang, ACS Appl. Energy Mater., 2019, 2, 6834.
- 13 G. Gao, A. P. O'Mullane and A. Du, ACS Catal., 2017, 7, 494.
- 14 Z. W. Seh, K. D. Fredrickson, B. Anasori, J. Kibsgaard, A. L. Strickler, M. R. Lukatskaya, Y. Gogotsi, T. F. Jaramillo and A. Vojvodic, ACS Energy Lett., 2016, 1, 589.
- 15 C. E. Ren, K. B. Hatzell, M. Alhabeb, Z. Ling, K. A. Mahmoud and Y. Gogotsi, *J. Phys. Chem. Lett.*, 2015, **6**, 4026.
- 16 C. (John) Zhang, B. Anasori, A. Seral-Ascaso, S.-H. Park, N. McEvoy, A. Shmeliov, G. S. Duesberg, J. N. Coleman, Y. Gogotsi and V. Nicolosi, Adv. Mater., 2017, 29, 1702678.
- 17 G. Ying, A. D. Dillon, A. T. Fafarman and M. W. Barsoum, *Mater. Res. Lett.*, 2017, 5, 391.
- 18 J. Liu, H.-B. Zhang, R. Sun, Y. Liu, Z. Liu, A. Zhou and Z.-Z. Yu, *Adv. Mater.*, 2017, **29**, 1702367.
- D. B. Velusamy, J. K. El-Demellawi, A. M. El-Zohry, A. Giugni,
 S. Lopatin, M. N. Hedhili, A. E. Mansour, E. D. Fabrizio,
 O. F. Mohammed and H. N. Alshareef, *Adv. Mater.*, 2019,
 31, 1807658.
- 20 A. Sarycheva, T. Makaryan, K. Maleski, E. Satheeshkumar, A. Melikyan, H. Minassian, M. Yoshimura and Y. Gogotsi, J. Phys. Chem. C, 2017, 121, 19983.
- 21 E. Satheeshkumar, T. Makaryan, A. Melikyan, H. Minassian, Y. Gogotsi and M. Yoshimura, *Sci. Rep.*, 2016, **6**, 32049.
- 22 K. Hantanasirisakul, M. Alhabeb, A. Lipatov, K. Maleski, B. Anasori, P. Salles, C. Ieosakulrat, P. Pakawatpanurut, A. Sinitskii, S. J. May and Y. Gogotsi, *Chem. Mater.*, 2019, 31, 2941.
- 23 R. Li, L. Zhang, L. Shi and P. Wang, ACS Nano, 2017, 11, 3752.
- 24 Z. Ling, C. E. Ren, M.-Q. Zhao, J. Yang, J. M. Giammarco, J. Qiu, M. W. Barsoum and Y. Gogotsi, *Proc. Natl. Acad. Sci.* U. S. A., 2014, 111, 16676.
- 25 Y. Xie and P. R. C. Kent, Phys. Rev. B: Condens. Matter Mater. Phys., 2013, 87, 235441.
- 26 M. Savchak, N. Borodinov, R. Burtovyy, M. Anayee, K. Hu, R. Ma, A. Grant, H. Li, D. B. Cutshall, Y. Wen, G. Koley,

- W. R. Harrell, G. Chumanov, V. Tsukruk and I. Luzinov, ACS Appl. Mater. Interfaces, 2018, 10, 3975.
- 27 Y. Chen, K. Fu, S. Zhu, W. Luo, Y. Wang, Y. Li, E. Hitz, Y. Yao, J. Dai, J. Wan, V. A. Danner, T. Li and L. Hu, Nano Lett., 2016, 16, 3616.
- 28 X. Xie, Y. Zhu, F. Li, X. Zhou and T. Xue, Sci. China: Technol. Sci., 2019, 62, 1202.
- 29 K. Kneipp, Y. Wang, H. Kneipp, L. T. Perelman, I. Itzkan, R. R. Dasari and M. S. Feld, Phys. Rev. Lett., 1997, 78, 1667.
- 30 X. Zhao, A. Vashisth, E. Prehn, W. Sun, S. A. Shah, T. Habib, Y. Chen, Z. Tan, J. L. Lutkenhaus, M. Radovic and M. J. Green, Matter, 2019, 1, 513.
- 31 C. J. Zhang, S. Pinilla, N. McEvoy, C. P. Cullen, B. Anasori, E. Long, S.-H. Park, A. Seral-Ascaso, A. Shmeliov, D. Krishnan, C. Morant, X. Liu, G. S. Duesberg, Y. Gogotsi and V. Nicolosi, Chem. Mater., 2017, 29, 4848.
- 32 T. Habib, X. Zhao, S. A. Shah, Y. Chen, W. Sun, H. An, J. L. Lutkenhaus, M. Radovic and M. J. Green, npj 2D Mater. Appl., 2019, 3, 8.
- 33 A. Lipatov, M. Alhabeb, M. R. Lukatskaya, A. Boson, Y. Gogotsi and A. Sinitskii, Adv. Electron. Mater., 2016, 2, 1600255.
- 34 H. Ghassemi, W. Harlow, O. Mashtalir, M. Beidaghi, M. R. Lukatskaya, Y. Gogotsi and M. L. Taheri, J. Mater. Chem. A, 2014, 2, 14339.
- 35 V. Natu, J. L. Hart, M. Sokol, H. Chiang, M. L. Taheri and M. W. Barsoum, Angew. Chem., Int. Ed., 2019, 58, 12655.
- 36 M. Alhabeb, K. Maleski, B. Anasori, P. Lelyukh, L. Clark, S. Sin and Y. Gogotsi, Chem. Mater., 2017, 29, 7633.
- 37 A. Pazniak, P. Bazhin, N. Shplis, E. Kolesnikov, I. Shchetinin, A. Komissarov, J. Polcak, A. Stolin and D. Kuznetsov, Mater. Des., 2019, 183, 108143.
- 38 J. Halim, K. M. Cook, M. Naguib, P. Eklund, Y. Gogotsi, Y. Rosen and J. Barsoum, Appl. Surf. Sci., 2016, 30, 406–417.
- 39 Y. Zhang, Z. Xing, X. Liu, Z. Li, X. Wu, J. Jiang, M. Li, Q. Zhu and W. Zhou, ACS Appl. Mater. Interfaces, 2016, 8, 26851.

- 40 V. Presser, M. Naguib, L. Chaput, A. Togo, G. Hug and M. W. Barsoum, J. Raman Spectrosc., 2012, 43, 168.
- 41 O. Frank, M. Zukalova, B. Laskova, J. Kürti, J. Koltai and L. Kavan, Phys. Chem. Chem. Phys., 2012, 14, 14567.
- 42 S. Min Song, T. Yong Kim, O. Jae Sul, W. Cheol Shin and B. Jin Cho, Appl. Phys. Lett., 2014, 104, 183506.
- 43 V. Passi, A. Gahoi, E. G. Marin, T. Cusati, A. Fortunelli, G. Iannaccone, G. Fiori and M. C. Lemme, Adv. Mater. Interfaces, 2019, 6, 1801285.
- 44 J. Halim, M. R. Lukatskaya, K. M. Cook, J. Lu, C. R. Smith, L.-Å. Näslund, S. J. May, L. Hultman, Y. Gogotsi, P. Eklund and M. W. Barsoum, Chem. Mater., 2014, 26, 2374.
- 45 H. Kitadai, X. Wang, N. Mao, S. Huang and X. Ling, J. Phys. Chem. Lett., 2019, 10, 3043.
- 46 L. Pei, Y. Huang, C. Li, Y. Zhang, B. A. Rasco and K. Lai, J. Nanomater., 2014, 730915.
- 47 K.-D. Shim and E.-S. Jang, Bull. Korean Chem. Soc., 2018, **39**, 936.
- 48 M. Liu, M. Liu, Y. Shi, Y. Shi, G. Zhang, G. Zhang, Y. Zhang, M. Wu, J. Ren and B. Man, Appl. Spectrosc., 2018, 72, 1613.
- 49 Y. Wang, W. Ji, H. Sui, Y. Kitahama, W. Ruan, Y. Ozaki and B. Zhao, J. Phys. Chem. C, 2014, 118, 10191.
- 50 S. Liu, Y. Li, X. Zhao, X. Liu and M. Chen, Spectrochim. Acta, Part A, 2011, 82, 205.
- 51 C. Lenser, Q. Lu, E. Crumlin, H. Bluhm and B. Yildiz, J. Phys. Chem. C, 2018, 122, 4841.
- 52 M. S. Refat, H. A. Saad, A. M. A. Adam, M. A. Al-Omar and A. M. Naglah, Acta Pharm., 2016, 66, 533.
- 53 T. B. Limbu, F. Mendoza, D. Barrionuevo, J. Carpena, B. Maruyama, R. S. Katiyar, B. R. Weiner and G. Morell, AIP Adv., 2016, 6, 035319.
- 54 A. C. Crowther, A. Ghassaei, N. Jung and L. E. Brus, ACS Nano, 2012, 6, 1865.
- 55 H. Kitadai, X. Wang, N. Mao, S. Huang and X. Ling, J. Phys. Chem. Lett., 2019, 10, 3043.