



Cite this: *Green Chem.*, 2021, **23**, 5738

Correction: High enhancement of the hydrolysis rate of cellulose after pretreatment with inorganic salt hydrates

Marta Lara-Serrano, Silvia Morales-delaRosa,* Jose M. Campos-Martin* and Jose L. G. Fierro

DOI: 10.1039/d1gc90070f

rsc.li/greenchem

Correction for 'High enhancement of the hydrolysis rate of cellulose after pretreatment with inorganic salt hydrates' by Marta Lara-Serrano *et al.*, *Green Chem.*, 2020, **22**, 3860–3866, DOI: 10.1039/D0GC01066A.

The original version of Fig. 1 incorrectly showed the mirror image of the central sugar within the section of the zinc–cellulose complex.

The new version of Fig. 1, is shown here with this error corrected and replaces the original Fig. 1.




Fig. 1 Proposed zinc–cellulose complex formation in cellulose treated in $\text{ZnX}_2 \cdot 4\text{H}_2\text{O}$ (adapted from ref. 33 and 36 in the original manuscript, shown as ref. 1 and 2 here, respectively).

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

References

- 1 A. A. Awosusi, A. Ayeni, R. Adeleke and M. O. Daramola, *J. Chem. Technol. Biotechnol.*, 2017, **92**, 2468–2476.
- 2 S. Sen, B. P. Losey, E. E. Gordon, D. S. Argyropoulos and J. D. Martin, *J. Phys. Chem. B*, 2016, **120**, 1134–1141.

Sustainable Energy and Chemistry Group, Instituto de Catálisis y Petroleoquímica, CSIC, Marie Curie, 2, Cantoblanco, 28049 Madrid, Spain. E-mail: jm.campos@csic.es, smorales@icp.csic.es

