


 Cite this: *CrystEngComm*, 2015, 17, 3701

# Photoelectrochemical epitaxy of silver oxide clathrate $\text{Ag}_7\text{O}_8\text{M}$ ( $\text{M} = \text{NO}_3, \text{HSO}_4$ ) on rutile-type Nb-doped $\text{TiO}_2$ single crystals

 Ryohei Tanaka,<sup>a</sup> Ryota Takahashi,<sup>b</sup> Shintaro Takata,<sup>a</sup> Mikk Lippmaa<sup>b</sup> and Yuji Matsumoto<sup>\*ac</sup>

Silver oxide clathrate  $\text{Ag}_7\text{O}_8\text{M}$  ( $\text{M} = \text{NO}_3, \text{HSO}_4$ ) compounds were synthesized photoelectrochemically on rutile-type Nb-doped  $\text{TiO}_2$  single-crystal substrates. Epitaxial crystal growth was achieved for some clathrate compositions and substrate surface orientations, where commensurate growth is possible due to lattice matching between the pseudo lattice of the clathrate  $\text{Ag}_6\text{O}_8$  cages and the  $\text{TiO}_2$  surface, similar to the well-known case of epitaxial  $\text{C}_{60}$  growth on single-crystal substrates. Particularly for the growth of  $\text{Ag}_7\text{O}_8\text{NO}_3$  on Nb-doped  $\text{TiO}_2(110)$ , fully (111)-oriented epitaxial crystallites without any other orientations were obtained. The selectivity for  $\text{Ag}_7\text{O}_8\text{NO}_3$  growth and the suppression of the formation of by-products, such as  $\text{O}_2$ , were found to depend on the electrode potential. The highest selectivity was obtained at +0.2 V vs. Ag in a 0.01 M  $\text{AgNO}_3$  solution. An investigation of  $\text{Ag}_7\text{O}_8(\text{MM}')$  ( $\text{M} = \text{NO}_3, \text{M}' = \text{HSO}_4$ ) depositions from solutions with different  $\text{AgNO}_3$  and  $\text{Ag}_2\text{SO}_4$  mixing ratios showed that the growth of  $\text{Ag}_7\text{O}_8\text{HSO}_4$  is much faster than that of  $\text{Ag}_7\text{O}_8\text{NO}_3$ . The process of incorporating monovalent M anions into the clathrate  $\text{Ag}_6\text{O}_8$  cages was identified as the rate-limiting step for the growth of silver oxide clathrate compounds.

 Received 13th February 2015,  
Accepted 9th April 2015

DOI: 10.1039/c5ce00329f

[www.rsc.org/crystengcomm](http://www.rsc.org/crystengcomm)

## 1. Introduction

Silver oxide clathrates with a general formula of  $\text{Ag}_7\text{O}_8\text{M}$  are a class of clathrate compounds where M is a monovalent molecular anion that is surrounded by  $\text{Ag}_6\text{O}_8$  cages.<sup>1</sup> The possible molecular anions in silver oxide clathrates include  $\text{NO}_3$ ,  $\text{HSO}_4$ ,  $\text{ClO}_4$ ,  $\text{HF}_2$ ,  $\text{BF}_4$ ,  $\text{PF}_6$ , and  $\text{HCO}_3$ ,<sup>2–4</sup> with some of the compounds exhibiting superconductivity at low temperatures, such as  $\text{Ag}_7\text{O}_8\text{NO}_3$  that has a  $T_c$  of 1.04 K.<sup>5,6</sup> As is evident from the chemical formula, a  $\text{Ag}_6\text{O}_8$  cage contains Ag ions in multiple valence states, including  $\text{Ag}^+$ ,  $\text{Ag}^{2+}$ , and  $\text{Ag}^{3+}$ . Silver oxide clathrate compounds can therefore be synthesized only under strongly oxidizing conditions; as a result, they are thermodynamically unstable and are likely to undergo self-decomposition into  $\text{AgO}_x$  and other derivatives in air even at room temperature.<sup>7</sup>

So far, several different methods of synthesizing  $\text{Ag}_7\text{O}_8\text{M}$  have been reported, but depending on the concentration of

$\text{Ag}^+$ , the pH, and the choice of counter anion, most methods lead to the formation of various simple binary silver oxides, such as  $\text{Ag}_3\text{O}_4$ ,  $\text{Ag}_2\text{O}_4$ ,  $\text{Ag}_2\text{O}$ , and  $\text{Ag}_2\text{O}_2$ , in addition to the desired clathrate phase.<sup>7–11</sup> Electrochemical oxidation in a 5 M  $\text{AgNO}_3$  aqueous solution with pH = 1.45 is usually preferred for the synthesis of  $\text{Ag}_7\text{O}_8\text{NO}_3$ , using a Pt electrode that is biased beyond the  $\text{Ag}_7\text{O}_8\text{NO}_3$  equilibrium potential of +1.59 V vs. the standard hydrogen electrode potential (SHE).<sup>9</sup> We have shown earlier that  $\text{Ag}_7\text{O}_8\text{NO}_3$  films can be synthesized photocatalytically under ultraviolet (UV) light irradiation in an aqueous  $\text{AgNO}_3$  solution either directly on Nb- or La-doped  $\text{SrTiO}_3(001)$  single crystals.<sup>12</sup>  $\text{Ag}_7\text{O}_8\text{NO}_3$  is metallic among many photo-oxidized products, and thus the photo-deposition process of  $\text{Ag}_7\text{O}_8\text{NO}_3$  on substrates that have been coated with an epitaxial ferroelectric  $\text{PbTiO}_3$  thin film can be used for an efficient domain switching to pole a large area because the metallic  $\text{Ag}_7\text{O}_8\text{NO}_3$  can stabilize the resultant polar surface.<sup>13–15</sup> A common feature of all these surfaces is the presence of valence band levels that are derived predominantly from O 2p states and are thus more positive than the equilibrium potential. Similar light-induced deposition of  $\text{Ag}_7\text{O}_8\text{NO}_3$ , though not photocatalytically, has been observed on GaAs substrates when synchrotron X-rays were used as a light source.<sup>16</sup> More recently, we also demonstrated photoelectrochemical synthesis of  $\text{Ag}_7\text{O}_8\text{NO}_3$  on Nb-doped  $\text{SrTiO}_3(001)$  single-crystal electrodes in a  $\text{AgNO}_3$  solution and

<sup>a</sup> Materials and Structures Laboratory, Tokyo Institute of Technology, 4259 Nagatsuta, Midori-ku, Yokohama 226-8503, Japan

<sup>b</sup> Institute for Solid State Physics, University of Tokyo, 5-1-5 Kashiwanoha, Kashiwa, Chiba 277-8581, Japan

<sup>c</sup> Department of Applied Chemistry, School of Engineering, Tohoku University, 6-6-07 Aramaki Aza Aoba, Aoba-ku, Sendai, 980-8579, Japan.

E-mail: [matsumoto@atomol.che.tohoku.ac.jp](mailto:matsumoto@atomol.che.tohoku.ac.jp); Fax: +81 22 795 7268; Tel: +81 22 795 7266



discussed the role of the electrode potential in this photochemical process.<sup>17</sup>

Despite the availability of different synthesis methods, the crystal growth mechanism of silver oxide clathrate compounds is still very poorly understood. In particular, it is not clear if silver oxide clathrates can be epitaxially grown on appropriate lattice-matched single-crystal substrates. There is a growing interest in developing electrochemical room-temperature epitaxy techniques, often termed “electrochemical epitaxy”.<sup>18</sup> However, the growth of silver oxide clathrate compounds is usually not epitaxial, even when single-crystal electrodes, like Pt(100), Pt(111), Pt(110)<sup>10</sup> and Nb-doped SrTiO<sub>3</sub>(001) are used, probably due to the large difference in the crystal structures of the clathrate films and the single-crystal substrate electrodes. So far, only out-of-plane orientation control has been achieved in the growth of Ag<sub>7</sub>O<sub>8</sub>NO<sub>3</sub> on Pb–Ti–O buffer layers<sup>11</sup> but there is no conclusive data on epitaxial growth of any silver oxide clathrate compounds. If epitaxy for these materials can be achieved, a new guiding principle may be developed for epitaxial growth of materials that have very different crystal structures from the substrate.

In the present work, we therefore examine the possibility of epitaxial photoelectrochemical growth of Ag<sub>7</sub>O<sub>8</sub>NO<sub>3</sub> and Ag<sub>7</sub>O<sub>8</sub>HSO<sub>4</sub> on Nb-doped TiO<sub>2</sub> single crystals under UV irradiation at a well-controlled electrode potential and compare the results with earlier studies that used Nb-doped SrTiO<sub>3</sub>(001) as a substrate. Since the clathrate formation reaction competes with water photo-oxidation, we take a careful look at the electrode potential dependence of the reaction selectivity against the formation of by-products, such as O<sub>2</sub>. The crystal growth mechanism of silver oxide clathrates is studied by investigating the growth behaviour of Ag<sub>7</sub>O<sub>8</sub>(MM') (M = NO<sub>3</sub>, M' = HSO<sub>4</sub>) in mixtures of AgNO<sub>3</sub> and Ag<sub>2</sub>SO<sub>4</sub> solutions at different mixing ratios. We identify the rate-limiting step for the growth of silver oxide Ag<sub>7</sub>O<sub>8</sub>M clathrate compounds and show that single-phase Ag<sub>7</sub>O<sub>8</sub>NO<sub>3</sub> can be epitaxially grown on Nb-doped TiO<sub>2</sub>(110) surfaces.

## 2. Experimental section

We used single-crystal *n*-type 0.5 wt% Nb-doped rutile TiO<sub>2</sub> substrates with (110), (101), (100), and (001) surface cuts from Shinkosha.<sup>19</sup> Ohmic substrate contacts were made by coating the backside of the crystals with an In–Ga alloy and attaching copper wires with silver paste. All parts of the samples, except for the middle part of the front surface, were covered with epoxy resin to avoid leak currents in the electrochemical cell. The photoelectrochemical synthesis was performed at room temperature in a three-electrode electrochemical cell, using a Pt plate counter electrode and a silver wire reference electrode. The electrolytes used in this study included 0.01 M AgNO<sub>3</sub> and 0.01 M Ag<sub>2</sub>SO<sub>4</sub> aqueous solutions, and mixtures of AgNO<sub>3</sub> and Ag<sub>2</sub>SO<sub>4</sub> solutions with different mixing ratios. The photoelectrochemical reaction was

carried out under UV light illumination from a high-pressure Hg lamp (Ushio, USH-150SC) at a constant flux of 28 mW cm<sup>-2</sup> and the photocurrent was recorded at a sampling rate of 5 Hz. The light intensity was measured with an integrating light counter at 254 nm (Ushio, UIT-150-A). The electrode potential was set in the range between -0.5 and +1 V vs. Ag. After photoelectrochemical treatment, the deposited materials were first identified by  $\theta$ -2 $\theta$  X-ray diffraction (XRD) analysis (MAC Science SRA M18XHF22), followed by, if needed, X-ray  $\Phi$  scan analysis (PANalytical X'Pert PRO MRD) in order to investigate the epitaxial in-plane orientation of the Ag<sub>7</sub>O<sub>8</sub>NO<sub>3</sub> and Ag<sub>7</sub>O<sub>8</sub>HSO<sub>4</sub> crystals with respect to the TiO<sub>2</sub> substrate lattice. The morphology of the Ag<sub>7</sub>O<sub>8</sub>NO<sub>3</sub> and Ag<sub>7</sub>O<sub>8</sub>HSO<sub>4</sub> crystals was observed by scanning electron microscopy (SEM) and electron probe microanalysis (EPMA) was used to estimate the total volume and the composition of the deposition products (Hitachi S-4000). The photocatalytic reaction kinetics on Nb-doped TiO<sub>2</sub> was investigated by measuring the relative selectivity  $\sigma$  between Ag<sub>7</sub>O<sub>8</sub>NO<sub>3</sub> and other by-products, such as O<sub>2</sub>. The selectivity is defined as

$$\sigma = \frac{I(\text{Ag/Ti})}{Q_{\text{photo}}} \quad (1)$$

where  $I(\text{Ag/Ti})$  is the measured EPMA intensity ratio of Ag and Ti, and  $Q_{\text{photo}}$  is the total electrical charge conveyed per unit surface area by the photocurrent during the photoelectrochemical reaction.




Fig. 1 A set of  $\theta$ -2 $\theta$  XRD patterns of photoelectrochemically deposited Ag<sub>7</sub>O<sub>8</sub>NO<sub>3</sub> grown on Nb-doped TiO<sub>2</sub> (a) (110), (b) (101), (c) (100), and (d) (001) single-crystal substrates in a 0.01 M AgNO<sub>3</sub> solution at an electrode potential of +0.3 V vs. Ag. The deposition time was 2 h. All plots are shown on a logarithmic scale.



### 3. Results and discussion

#### 3.1. Growth of $\text{Ag}_7\text{O}_8\text{NO}_3$ on Nb-doped $\text{TiO}_2$ single crystals

Fig. 1 shows  $\theta$ - $2\theta$  XRD patterns of  $\text{Ag}_7\text{O}_8\text{NO}_3$  crystals that were photoelectrochemically deposited in 2 hours on Nb-doped  $\text{TiO}_2$  (110), (101), (100), and (001) single-crystal substrates in 0.01 M  $\text{AgNO}_3$  at an electrode potential of +0.3 V vs. Ag. Diffraction peaks were observed at  $2\theta = 31.28^\circ$ ,  $36.27^\circ$ ,  $52.26^\circ$ , and  $65.56^\circ$ ,<sup>20</sup> revealing that only  $\text{Ag}_7\text{O}_8\text{NO}_3$  was deposited on the  $\text{TiO}_2$  substrates, irrespective of the crystal face. No other peaks that could be assigned to binary silver oxides were detected. All XRD patterns in Fig. 1 show reflections of (111)-oriented  $\text{Ag}_7\text{O}_8\text{NO}_3$  crystals. In particular, Fig. 1(a) shows that the 222 peak for the sample grown on  $\text{TiO}_2(110)$  has the highest intensity, even though the deposition times are identical. As the FWHM values for the  $\theta$ - $2\theta$  scans are not so different, the highest intensity of  $\text{Ag}_7\text{O}_8\text{NO}_3$  on  $\text{TiO}_2(110)$  is due to its unique out-of-plane orientation.

The crystal quality of  $\text{Ag}_7\text{O}_8\text{NO}_3$  was further analyzed by visualizing the grain structure by SEM, as shown in Fig. 2. It is clear that a few large faceted crystals and many small grains grew on  $\text{TiO}_2(101)$ , (100), and (001) substrates, suggestive of a polycrystalline nature of  $\text{Ag}_7\text{O}_8\text{NO}_3$  on these surfaces. Only Fig. 2(a) shows large hexagonal crystal platelets with a unique in-plane orientation growing on the  $\text{TiO}_2(110)$  substrate. This implies epitaxial growth of (111)-oriented  $\text{Ag}_7\text{O}_8\text{NO}_3$  crystals on the  $\text{TiO}_2(110)$  substrate. The thickness of each  $\text{Ag}_7\text{O}_8\text{NO}_3$  platelet could be estimated to be in a range of a few hundred nanometers from a cross-sectional SEM image (not shown). The epitaxial relationship was determined from the  $\Phi$  scans recorded for the  $\text{TiO}_2(111)$  and  $\text{Ag}_7\text{O}_8\text{NO}_3(400)$  reflections, as shown in Fig. 3. There are six  $\text{Ag}_7\text{O}_8\text{NO}_3(400)$  peaks and two  $\text{TiO}_2(111)$  reflection peaks, which means that (111)-oriented  $\text{Ag}_7\text{O}_8\text{NO}_3$  grew epitaxially on  $\text{TiO}_2(110)$  in two equivalent domains that are rotated by  $180^\circ$  with respect to each other. The in-plane relationship between the  $\text{Ag}_7\text{O}_8\text{NO}_3$  crystals and the  $\text{TiO}_2(110)$  substrate is




Fig. 2 SEM images of the same set of  $\text{Ag}_7\text{O}_8\text{NO}_3$  samples for (a) (110), (b) (101), (c) (100), and (d) (001) single-crystal  $\text{TiO}_2$  substrates that were used for the XRD analysis in Fig. 1.




Fig. 3 X-ray  $\Phi$  scans of (a)  $\text{TiO}_2(111)$  and (b)  $\text{Ag}_7\text{O}_8\text{NO}_3(400)$  reflections for a (111)-oriented  $\text{Ag}_7\text{O}_8\text{NO}_3$  sample epitaxially grown on a  $\text{TiO}_2(110)$  substrate. Six clathrate peaks were observed from two equivalent domains rotated by  $180^\circ$  relative to each other.

$\text{Ag}_7\text{O}_8\text{NO}_3(111)[\bar{1}\bar{1}0]/\text{TiO}_2(110)[001]$ ,  $\text{Ag}_7\text{O}_8\text{NO}_3(111)[112]/\text{TiO}_2(110)[1\bar{1}0]$  or  $\text{Ag}_7\text{O}_8\text{NO}_3(111)[11\bar{2}]/\text{TiO}_2(110)[1\bar{1}0]$ .

The FWHM value of the (111)-oriented epitaxial  $\text{Ag}_7\text{O}_8\text{NO}_3$  film on  $\text{TiO}_2(110)$ , estimated from the  $\Phi$  scan, is as large as  $1.815^\circ$ , suggesting that the crystallinity and mosaic spread, though these two parameters cannot be independently discussed here, are significant the in-plane direction. Nevertheless, the X-ray analysis results are consistent with the SEM observation of a unique in-plane orientation of the large crystallites in Fig. 2(a). The analysis of the  $\Phi$  scan data, summarized in Table 1, revealed that some  $\text{Ag}_7\text{O}_8\text{NO}_3$  crystals grew epitaxially on other  $\text{TiO}_2$  crystal planes as well. For example, the data in Fig. 1 shows that (111)-oriented  $\text{Ag}_7\text{O}_8\text{NO}_3$  crystals were always present, regardless of the  $\text{TiO}_2$  substrate orientation. These photoelectrochemical deposition results are consistent with our earlier work on electrochemical deposition of clathrates on Nb:SrTiO<sub>3</sub>(001) substrates,<sup>12</sup> and photodeposition on Nb- or La-doped SrTiO<sub>3</sub>(001)<sup>17</sup> and on PbTiO<sub>3</sub>/Nb:SrTiO<sub>3</sub>(001).<sup>13–15</sup>  $\text{Ag}_7\text{O}_8\text{NO}_3$  appears to have a crystal habit of preferentially growing along the (111) direction, but the selectivity for pure (111)-oriented growth is the highest for photoelectrochemical deposition on  $\text{TiO}_2(110)$  substrates.

Table 1 Epitaxial relationship between  $\text{TiO}_2$  substrates and photoelectrochemically deposited  $\text{Ag}_7\text{O}_8\text{NO}_3$  crystals


Substrate	$\text{Ag}_7\text{O}_8\text{NO}_3$	$\text{Ag}_7\text{O}_8\text{NO}_3$	$\text{Ag}_7\text{O}_8\text{NO}_3$	$\text{TiO}_2$
	Epitaxial orientation	Non-epitaxial orientation	In-plane direction	In-plane direction
$\text{TiO}_2(110)$	(111)	×	$[\bar{1}\bar{1}\bar{2}]$ $[\bar{1}\bar{1}0]$	$[\bar{1}\bar{1}0]$ $[001]$
$\text{TiO}_2(101)$	(100)	(111)	$[001]$ $[010]$	$[010]$ $[10\bar{1}]$
$\text{TiO}_2(100)$	(110)	(111) (100)	$[001]$ $[\bar{1}\bar{1}0]$	$[001]$ $[010]$
$\text{TiO}_2(001)$	(110)	(111) (100)	$[001]$ $[\bar{1}\bar{1}0]$	$[100]$ $[010]$





### 3.2. Epitaxial growth model of $\text{Ag}_7\text{O}_8\text{NO}_3/\text{Nb-doped TiO}_2$ interfaces

We follow earlier work by Breyfogle *et al.*,<sup>11</sup> who found that the growth orientation of  $\text{Ag}_7\text{O}_8\text{NO}_3$  crystals is tunable by selecting a suitable lattice-matched and textured Pb–Ti–O bottom layer, and consider the lattice mismatch between  $\text{Ag}_7\text{O}_8\text{NO}_3$  crystals and  $\text{TiO}_2$  substrates. Fig. 4(a) schematically illustrates the  $\text{Ag}_7\text{O}_8\text{NO}_3$  crystal structure,<sup>1</sup> showing a network composed of large face-sharing rhombicuboctahedral  $\text{Ag}_6\text{O}_8$  cages. Silver ions are located at the centre points of the shared cage faces and in the middle of the small cubic voids in between the cages. As is illustrated in Fig. 4(b), the dominant factor determining whether commensurate epitaxial  $\text{Ag}_7\text{O}_8\text{NO}_3$  crystal growth can occur on a substrate is the  $\text{Ag}_6\text{O}_8$  cage size, which determines the lattice mismatch between the  $\text{TiO}_2$  surface and the clathrate cage pseudo lattice. This is analogous to the epitaxial growth of  $\text{C}_{60}$ , which is another well-known molecular cage compound that can be epitaxially grown on single-crystal substrates.<sup>21,22</sup> The in-plane distances of the cage pseudo lattice viewed along the (111) direction are 6.993 Å and 6.056 Å. We have taken a closer look at the structure of the




**Fig. 4** (a) Schematic illustration of the  $\text{Ag}_7\text{O}_8\text{NO}_3$  crystal structure in a cubic system. Blue, red, and gray spheres denote Ag, N, and O, respectively. (b) A view of the (111) surface of a  $\text{Ag}_7\text{O}_8\text{NO}_3$  crystal. The red lines mark the outlines of the surface unit cell of the rhombicuboctahedral pseudo lattice. (c) Illustration of the  $\text{TiO}_2(110)$  surface structure. The surface layer consists of bridging oxygens ( $\text{O}_b$ ), 5-fold coordinated titanium atoms ( $\text{Ti}_{5c}$ ), and in-plane oxygens. (d, e) Two possible in-plane alignments of  $\text{Ag}_7\text{O}_8\text{NO}_3$  crystals on a  $\text{TiO}_2(110)$  surface. The black open and closed circles mark the positions of the  $\text{Ti}_{5c}$  and bridging titanium sites, respectively, on the underlying  $\text{TiO}_2(110)$  surface. The configuration in (d) corresponds to the experimental results in Fig. 3, showing only a small lattice mismatch between the rhombicuboctahedral cage lattice and the bridging oxygens on the  $\text{TiO}_2(110)$  surface.

unreconstructed  $\text{TiO}_2(110)$  surface to understand the reason for the epitaxial growth of (111)-oriented  $\text{Ag}_7\text{O}_8\text{NO}_3$  crystals on  $\text{TiO}_2(110)$  substrates. This surface consists of 5-fold coordinated titanium ( $\text{Ti}_{5c}$ ) atoms, in-plane oxygen atoms, and bridging oxygen atoms ( $\text{O}_b$ ), as shown in Fig. 4(c). The bridging oxygen atoms are known to have a strong effect on the chemical reaction at the interface between the  $\text{TiO}_2(110)$  surface and an electrolyte.<sup>23</sup> The distance between adjacent bridging oxygen lines is 6.495 Å. Fig. 4(d) and (e) show two possible in-plane alignments of (111)-oriented  $\text{Ag}_7\text{O}_8\text{NO}_3$  crystals on the  $\text{TiO}_2(110)$  surface. The black closed and open circles mark the positions of Ti atoms along the  $\text{O}_b$  rows and at the  $\text{Ti}_{5c}$  sites, respectively, as illustrated in Fig. 4(f). The model in Fig. 4(d) clearly shows a smaller lattice mismatch than that in Fig. 4(e), and corresponds to the experimentally observed in-plane orientation as shown by the  $\Phi$  scan in Fig. 3. In general, it is difficult to stabilize a triangular lattice, such as that of the (111)-oriented  $\text{Ag}_7\text{O}_8\text{NO}_3$  crystals, on a rectangular lattice. However, the tetragonal  $\text{TiO}_2(110)$  surface has strong in-plane anisotropy, allowing the (111)-oriented  $\text{Ag}_7\text{O}_8\text{NO}_3$  crystals to grow epitaxially with only moderate in-plane mismatch.

### 3.3. Reaction selectivity against $\text{O}_2$ by-products

The effect of the electrode potential on the growth of  $\text{Ag}_7\text{O}_8\text{NO}_3$  crystals on  $\text{TiO}_2(110)$  was investigated. Fig. 5 shows the relative selectivity for the formation of  $\text{Ag}_7\text{O}_8\text{NO}_3$  (filled circles) as a function of the electrode potential, together with SEM images of crystals grown at electrode



**Fig. 5** (a) SEM images taken for samples grown at electrode potentials of (a)  $-0.15$  V, (b)  $+0.2$  V and (c)  $+0.45$  V, respectively. (d) Relative selectivity of the formation of  $\text{Ag}_7\text{O}_8\text{NO}_3$  (filled circles) as a function of electrode potential. Open circles correspond to the formation of Ag metal particles.



potentials of  $-0.15$ ,  $+0.2$ , and  $+0.45$  V. In principle, no deposition of  $\text{Ag}_7\text{O}_8\text{NO}_3$  (*relative selectivity* = 0) should occur at negative electrode potentials vs. Ag and, as expected, the inset SEM image for the  $-0.15$  V sample shows almost no growth. It is thermodynamically more likely for Ag ions to be reduced to Ag metal at negative electrode potentials and this behaviour was experimentally observed for electrode potentials  $< -0.3$  V, with Ag metal deposits growing on the  $\text{TiO}_2$  electrode instead of a clathrate phase. These data points are marked with open circles in Fig. 5. On the other hand, for positive electrode potentials, a gradual increase in selectivity was found up to a potential of *ca.*  $+0.2$  V, at which point the selectivity reached a maximum and decreased again for higher potentials. The inset SEM images of the  $+0.2$  V and  $+0.45$  V samples show that the selectivity changes are clearly reflected in the morphology of the crystals. Based on our earlier work on the growth selectivity of  $\text{Ag}_7\text{O}_8\text{NO}_3$  on Nb-doped  $\text{SrTiO}_3(001)$ ,<sup>17</sup> it appears that the selectivity maximum at around  $+0.2$  V is a common feature of silver oxide clathrates. A notable difference, however, is that on  $\text{SrTiO}_3(001)$  substrates, the clathrate formation selectivity actually increased at negative electrode potentials vs. Ag, although the absolute amount of deposited  $\text{Ag}_7\text{O}_8\text{NO}_3$ , of course, dropped in accordance with the decreasing total photocurrent. A strong electric field, on the order of  $1 \text{ MV cm}^{-1}$ , has been shown to occur at the interface between an electrode and an electrolyte.<sup>24</sup> Hot carriers that can be injected through quantized interface levels due to the strong electric fields<sup>25</sup> may be partly responsible for the observed electrode potential dependence.

### 3.4. Comparison of the growth behaviours of $\text{Ag}_7\text{O}_8\text{NO}_3$ and $\text{Ag}_7\text{O}_8\text{HSO}_4$ on Nb-doped $\text{TiO}_2$ single crystals

The photoelectrochemical synthesis of other types of silver oxide clathrates on Nb-doped  $\text{TiO}_2$  single crystals was also studied under experimental conditions that were identical except for the composition of the electrolyte.  $\text{Ag}_7\text{O}_8\text{HSO}_4$  crystals were successfully obtained in a  $0.01 \text{ M Ag}_2\text{SO}_4$  solution, while the synthesis of  $\text{Ag}_7\text{O}_8\text{ClO}_4$  in a  $0.01 \text{ M AgClO}_4$  solution was possible, but the absolute amount was too small to be fully characterized. We therefore compare the growth of  $\text{Ag}_7\text{O}_8\text{HSO}_4$  with  $\text{Ag}_7\text{O}_8\text{NO}_3$ . Fig. 6 shows a set of  $\theta$ - $2\theta$  XRD patterns of  $\text{Ag}_7\text{O}_8\text{HSO}_4$  layers that were photoelectrochemically deposited in 2 hours on Nb-doped  $\text{TiO}_2$  (110), (101), (100), and (001) single-crystal substrates in  $0.01 \text{ M Ag}_2\text{SO}_4$  at an electrode potential of  $+0.3 \text{ V vs. Ag}$ . The diffraction peak positions were very close to those of  $\text{Ag}_7\text{O}_8\text{NO}_3$  because of the similar lattice constants ( $\text{Ag}_7\text{O}_8\text{NO}_3$ :  $0.989 \text{ nm}$ ,  $\text{Ag}_7\text{O}_8\text{HSO}_4$ :  $0.992 \text{ nm}$ ).<sup>7</sup> No other peaks belonging to binary silver oxides or any other secondary phases could be detected. According to a  $\phi$  scan analysis (not shown), some  $\text{Ag}_7\text{O}_8\text{HSO}_4$  crystals always grew epitaxially, regardless of the  $\text{TiO}_2$  substrate orientation. The relative intensities of the  $\text{Ag}_7\text{O}_8\text{HSO}_4$  XRD peaks were different from those of  $\text{Ag}_7\text{O}_8\text{NO}_3$ , which reflects a different out-of-plane orientation preference. The main difference was the presence of (100)-




Fig. 6 A set of  $\theta$ - $2\theta$  XRD patterns of photoelectrochemically deposited  $\text{Ag}_7\text{O}_8\text{HSO}_4$  grown on Nb-doped  $\text{TiO}_2$  (a) (110), (b) (101), (c) (100), and (d) (001) single-crystal in a  $0.01 \text{ M Ag}_7\text{O}_8\text{HSO}_4$  solution at an electrode potential of  $+0.3 \text{ V vs. Ag}$  in 2 h. All plots are shown on a logarithmic scale.

oriented grains in addition to the (111)-orientation, even on  $\text{TiO}_2(110)$ . A set of SEM images corresponding to the different substrate orientations are shown in Fig. 7. A comparison with the SEM images of  $\text{Ag}_7\text{O}_8\text{NO}_3$  crystals in Fig. 2 clearly shows that the size and areal density of  $\text{Ag}_7\text{O}_8\text{HSO}_4$  crystals are considerably larger than those of  $\text{Ag}_7\text{O}_8\text{NO}_3$  on all  $\text{TiO}_2$  crystal faces, but most remarkably on  $\text{TiO}_2(110)$ . However, it should be pointed out that since the concentration of  $\text{Ag}^+$  ions in a  $0.01 \text{ M Ag}_2\text{SO}_4$  solution is two times higher than that in a  $0.01 \text{ M AgNO}_3$  solution, the growth behaviours of  $\text{Ag}_7\text{O}_8\text{NO}_3$  and  $\text{Ag}_7\text{O}_8\text{HSO}_4$  cannot be directly compared based on these two independent experiments if the growth rate depends on the concentration of  $\text{Ag}^+$  in the solution.




Fig. 7 SEM images of the same set of  $\text{Ag}_7\text{O}_8\text{HSO}_4$  samples for (a) (110), (b) (101), (c) (100), and (d) (001) single-crystal  $\text{TiO}_2$  substrates that were used for the XRD analysis in Fig. 6.



In order to rule out this possibility, simultaneous photo-deposition of  $\text{Ag}_7\text{O}_8(\text{MM}')$  ( $\text{M} = \text{NO}_3$ ,  $\text{M}' = \text{HSO}_4$ ) on  $\text{TiO}_2(110)$  was tested by using mixtures of  $\text{AgNO}_3$  and  $\text{Ag}_2\text{SO}_4$  solutions with different mixing ratios at an electrode potential of +0.3 V vs. Ag, where any unexpected effects that would appear even when all the experimental conditions are equal will be minimized. As shown by the series of SEM images in Fig. 8, no large crystallites were formed in a pure 0.01 M  $\text{AgNO}_3$  solution after a 2-hour deposition. As the concentration of  $\text{Ag}_2\text{SO}_4$ ,  $c_{\text{Ag}_2\text{SO}_4}$ , in the mixed solution increased, the number of large crystals also increased, reaching a maximum size for  $c_{\text{Ag}_2\text{SO}_4} = 0.01$  and decreasing for higher  $\text{Ag}_2\text{SO}_4$  concentrations. It is noted that a very small, e.g. 20%, increase of  $\text{Ag}^+$  in the solution by adding  $\text{Ag}_2\text{SO}_4$  ( $c_{\text{Ag}_2\text{SO}_4}$  is 0.001 M) is enough to cause a big change in the morphology and growth rate of the silver oxide clathrate compounds. According to our previous work, the concentration dependence of the growth rate and morphology is not very strong in the photocatalytic synthesis of  $\text{Ag}_7\text{O}_8\text{NO}_3$  on  $\text{Nb:SrTiO}_3(001)$ ;<sup>12</sup> the observed changes may not be simply due to the  $\text{Ag}^+$  concentration effect. As most of the volume of the deposited clathrate is contained in the large crystallites, the areal density of such crystals and their volume as a function of  $c_{\text{Ag}_2\text{SO}_4}$  should be proportional to the total amount of photodeposited silver-oxide clathrate compounds, which can be measured from the EPMA Ag/Ti intensity ratio as shown in Fig. 9(a). On the other hand, the intensity ratio of the 400 and 222 XRD peaks, plotted as a function of  $c_{\text{Ag}_2\text{SO}_4}$  in Fig. 9(b), shows a similar tendency to the Ag/Ti intensity ratio. The large crystals can thus be identified as (100)-oriented clathrate crystals. The large number of smaller plate-like crystals that can be seen in the

inset of Fig. 7(a) is spread under and around the large (100) crystals and appears to have formed at the initial growth stage. These small crystallites are responsible for the weaker 222 and 444 XRD peaks in Fig. 6 and these crystallites are thus oriented along the (111) direction. As was pointed out earlier, among the silver oxide clathrates studied here, only  $\text{Ag}_7\text{O}_8\text{HSO}_4$  crystals can grow along the (100) direction on  $\text{TiO}_2(110)$ . We can therefore conclude that when mixtures of  $\text{AgNO}_3$  and  $\text{Ag}_2\text{SO}_4$  solutions are used under the present experimental conditions, the dominant (100)-oriented  $\text{Ag}_7\text{O}_8(\text{MM}')$  phase is either pure  $\text{Ag}_7\text{O}_8\text{HSO}_4$  or at least a  $\text{Ag}_7\text{O}_8\text{HSO}_4$ -rich mixed clathrate. The preferential formation of  $\text{Ag}_7\text{O}_8\text{HSO}_4$  clathrate is probably caused by the faster growth rate of  $\text{Ag}_7\text{O}_8\text{HSO}_4$  crystals when compared to  $\text{Ag}_7\text{O}_8\text{NO}_3$  for both (100) and (111) orientations. As can be seen in the inset of Fig. 7(a), the average size of the (111)-oriented crystals of  $\text{Ag}_7\text{O}_8\text{HSO}_4$  is much smaller than that of  $\text{Ag}_7\text{O}_8\text{NO}_3$  crystals in Fig. 2(a). Both images were taken after a 2-hour photodeposition run under otherwise identical conditions. This size difference can be understood in terms of the kinetic effect, i.e., a higher growth rate leads to the formation of a larger number of smaller crystals. The small (111)-oriented crystallites grown from a mixed solution may contain  $\text{Ag}_7\text{O}_8\text{NO}_3$  or  $\text{Ag}_7\text{O}_8\text{NO}_3$ -rich mixed clathrates as well as  $\text{Ag}_7\text{O}_8\text{HSO}_4$ , but the volume fraction of the former must be very small due to the lower growth rate. This assumption is supported by the observation that, as shown in Fig. 9(c), the EPMA intensity ratio of S to Ag appears to be nearly constant, irrespective of the mixing ratio of the growth solution.




Fig. 8 A series of SEM images of silver oxide clathrate compounds photodeposited in solutions of  $\text{AgNO}_3$  and  $\text{Ag}_2\text{SO}_4$  with different mixing ratios at an electrode potential of +0.3 V vs. Ag in 1 h.




Fig. 9 (a) EPMA intensity ratio of Ag/Ti as a function of the  $\text{Ag}_2\text{SO}_4$  concentration in the photodeposition solution. The Ag/Ti ratio is proportional to the total amount of photodeposited silver oxide clathrate compounds. (b) Intensity ratio of the (400) and (222) XRD peaks. (c) EPMA S/Ag intensity ratio as a function of  $c_{\text{Ag}_2\text{SO}_4}$ .





Furthermore, the decrease of the EPMA Ag/Ti intensity ratio, *i.e.*, the amount of  $\text{Ag}_7\text{O}_8\text{HSO}_4$  or  $\text{Ag}_7\text{O}_8\text{HSO}_4$ -rich mixed clathrates deposited as a major product, at  $c_{\text{Ag}_2\text{SO}_4}$  higher than 0.01 M, can be understood when considering the very narrow  $\text{Ag}^+$  ion concentration window of less than 0.005 M where  $\text{Ag}_7\text{O}_8\text{HSO}_4$  can be synthesized by electrochemical oxidation.<sup>2</sup>

In simultaneous photodeposition of  $\text{Ag}_7\text{O}_8(\text{MM}')$  ( $\text{M} = \text{NO}_3$ ,  $\text{M}' = \text{HSO}_4$ ) the process that forms  $\text{Ag}_6\text{O}_8$  cages through the oxidation of  $\text{Ag}^+$  ions is common for both materials and the rate-limiting step for the growth of silver oxide clathrate  $\text{Ag}_7\text{O}_8\text{M}$  compounds must therefore be a process that involves the monovalent anions. It is possible, for example, that the different incorporation kinetics of the anions inside the  $\text{Ag}_6\text{O}_8$  cages are responsible for the observed differences in the  $\text{Ag}_7\text{O}_8\text{NO}_3$  and  $\text{Ag}_7\text{O}_8\text{HSO}_4$  growth rates.

## 4. Conclusion

We have succeeded in photoelectrochemically synthesizing silver oxide clathrate  $\text{Ag}_7\text{O}_8\text{M}$  ( $\text{M} = \text{NO}_3$ ,  $\text{HSO}_4$ ) compounds on Nb-doped rutile  $\text{TiO}_2$  single-crystal substrates. An epitaxial relationship between the clathrate crystals and  $\text{TiO}_2$  substrates was found for some combinations of the clathrate anions and substrate orientations, with a particularly clear case being the fully (111)-oriented growth of  $\text{Ag}_7\text{O}_8\text{NO}_3$  occurring on  $\text{TiO}_2(110)$ . This result has confirmed that commensurate, epitaxial lattice matching can occur between a single-crystal substrate lattice and the pseudo lattice of cages in an inorganic compound, such as the  $\text{Ag}_7\text{O}_8\text{NO}_3$  clathrate used in this work. This work shows that such a matching is not unique to organic cage compounds like  $\text{C}_{60}$ . A certain electrode potential of *ca.* +0.2 V *vs.* Ag resulted in the preferential deposition of  $\text{Ag}_7\text{O}_8\text{NO}_3$  over other by-products. It was found that the process of incorporating monovalent anions, such as  $\text{NO}_3^-$  or  $\text{HSO}_4^-$ , into the  $\text{Ag}_6\text{O}_8$  cages is the likely rate-limiting step in this photoelectrochemical silver oxide clathrate synthesis, leading to different growth rates of  $\text{Ag}_7\text{O}_8\text{NO}_3$  and  $\text{Ag}_7\text{O}_8\text{HSO}_4$ .

## Acknowledgements

This work was partially supported by a Grant-in-Aid from the Ministry of Education, Culture, Sports, Science and Technology of Japan (no. 20360294, 25706022, 26105002) and the Asahi Glass Foundation. Some of the experiments were performed using the joint-use facilities of the Institute for Solid State Physics, the University of Tokyo. Crystal structure illustrations were generated with VESTA.<sup>26</sup>

## Notes and references

- I. Náray-Szabó, G. Argay and P. Szabó, *Acta Crystallogr.*, 1965, **19**, 180–184.
- B. Standke and M. Jansen, *J. Solid State Chem.*, 1987, **67**, 278–284.
- A. Parkin, S. F. Johnstone, A. R. Mount, S. Parsons, C. R. Pulham and D. Sanders, *J. Appl. Crystallogr.*, 2004, **37**, 312–318.
- M. Jansen and S. Vensky, *Z. Naturforsch. B Chem. Sci.*, 2000, **55**, 882–886.
- M. B. Robin, K. Andres, T. H. Geballe, N. A. Kuebler and D. B. McWhan, *Phys. Rev. Lett.*, 1996, **17**, 917–919.
- K. Kawashima, M. Ishii, H. Okabe, J. Akimitsu, M. Kriener, H. Takatsu, S. Yonezawa and Y. Maeno, *J. Phys. Soc. Jpn.*, 2008, **77**, 024707.
- G. I. N. Waterhouse, J. B. Metson and G. A. Bowmaker, *Polyhedron*, 2007, **26**, 3310–3322.
- C. H. Wong, T. H. Lu, C. N. Chen and T. J. Lee, *J. Inorg. Nucl. Chem.*, 1972, **34**, 3253–3257.
- S. S. Djokic, *J. Electrochem. Soc.*, 2004, **151**, C359–364.
- E. Michailova and A. Milchev, *J. Appl. Electrochem.*, 1988, **18**, 614–618.
- B. E. Breyfogle, R. J. Phillips and J. A. Switzer, *Chem. Mater.*, 1992, **4**, 1356–1360.
- R. Tanaka, S. Takata, M. Katayama, R. Takahashi, J. K. Grepstad, T. Tybell and Y. Matsumoto, *J. Electrochem. Soc.*, 2010, **157**, E181–183.
- R. Takahashi, J. K. Grepstad, T. Tybell and Y. Matsumoto, *Appl. Phys. Lett.*, 2008, **92**, 112901.
- R. Takahashi, M. Katayama, Ø. Dahl, J. K. Grepstad, Y. Matsumoto and T. Tybell, *Appl. Phys. Lett.*, 2009, **94**, 232901.
- R. Takahashi, M. Katayama, Ø. Dahl, J. K. Grepstad, Y. Matsumoto and T. Tybell, *Appl. Phys. Lett.*, 2010, **97**, 059903.
- Y. Sun, Y. Ren, D. R. Haefner, J. D. Almer, J. D. Wang, W. Yang and T. T. Truong, *Nano Lett.*, 2010, **10**, 3747–3753.
- R. Tanaka, S. Takata, R. Takahashi, J. K. Grepstad, T. Tybell and Y. Matsumoto, *Electrochem. Solid-State Lett.*, 2012, **15**, E19–22.
- J. A. Switzer and G. Hodes, *MRS Bull.*, 2010, **35**, 743–752.
- Y. Yamamoto, K. Nakajima, T. Ohsawa, Y. Matsumoto and H. Koinuma, *Jpn. J. Appl. Phys., Part 1*, 2005, **40**, L511–514.
- JCPDS Card no. 006–0434.
- M. Sakurai, H. Tada, K. Saiki and A. Koma, *Jpn. J. Appl. Phys.*, 1991, **30**, L1892–1894.
- S. Yaginuma, K. Itaka, M. Haemori, M. Katayama, K. Ueno, T. Ohnishi, M. Lippmaa, Y. Matsumoto and H. Koinuma, *Appl. Phys. Express*, 2008, **1**, 015005.
- C. L. Pang, R. Lindsay and G. Thornton, *Chem. Soc. Rev.*, 2008, **37**, 2328–2353.
- Y. Matsumoto, S. Takata, R. Tanaka and A. Hachiya, *J. Appl. Phys.*, 2011, **109**, 014112.
- D. S. Boudreaux, F. Williams and A. Nozik, *J. Appl. Phys.*, 1980, **51**, 2158–2163.
- K. Momma and F. Izumi, *J. Appl. Crystallogr.*, 2008, **41**, 653–658.

