



Cite this: *J. Mater. Chem. A*, 2017, 5, 17088

DOI: 10.1039/c7ta90166f

www.rsc.org/MaterialsA

Correction: Thermoelectric properties of AMg_2X_2 , AZn_2Sb_2 ($A = Ca, Sr, Ba$; $X = Sb, Bi$), and Ba_2ZnX_2 ($X = Sb, Bi$) Zintl compounds

Jifeng Sun and David J. Singh*

Correction for 'Thermoelectric properties of AMg_2X_2 , AZn_2Sb_2 ($A = Ca, Sr, Ba$; $X = Sb, Bi$), and Ba_2ZnX_2 ($X = Sb, Bi$) Zintl compounds' by Jifeng Sun *et al.*, *J. Mater. Chem. A*, 2017, 5, 8499–8509.

The authors would like to replace Fig. 8 with the corrected version, shown below.




Fig. 8 Calculated transport function T_2 (see text) versus carrier concentration for both p- (solid lines) and n- (dashed lines) type materials at 800 K for the $[Mg_2Sb_2]^{2-}$ compounds (a), the $[Mg_2Bi_2]^{2-}$ (b), the $[Zn_2Sb_2]^{2-}$ (c), and the 212 phases (d).

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

