Journal of Materials Chemistry C

PAPER

Cite this: *J. Mater. Chem. C,* 2018, 6, 875

Received 6th July 2017, Accepted 8th December 2017

DOI: 10.1039/c7tc03010j

rsc.li/materials-c

Introduction

Magnetic nanoparticles (NP) are extremely versatile building blocks with applications ranging from biomedicine $1-4$ to energy, magnetic data storage, catalysis, and spin-filter devices.⁵⁻¹⁰ In addition, they are excellent model systems to study unique magnetic phenomena taking place at the nanoscale, such as single domain states, superparamagnetism (SPM), as well as the occurrence of enhanced values of magnetic moments and anisotropy energies.¹¹ In particular, magnetite (Fe₃O₄) and maghemite $(\gamma$ -Fe₂O₃) are among the most commonly studied systems due to their good magnetic performance, ease of production and functionalization by chemical routes, 12 and low toxicity. 13 However, for optimal performance, good control over the magnetic and structural properties as well as the surface chemistry is critical, and great efforts have been made for developing methods to obtain magnetic NP with high crystal quality, low size dispersion

Probing the variability in oxidation states of magnetite nanoparticles by single-particle spectroscopy†

A. Fraile Rodríguez, **D**^{*ab} C. Moya, D^{ab} M. Escoda-Torroella, D^{ab} A. Romero, ab A. Labarta \mathbf{D}^{ab} and X. Batlle \mathbf{D}^{ab}

We have studied the electronic and chemical properties of a variety of ensembles of size- and shapeselected Fe₃O₄ nanoparticles with single-particle sensitivity by means of synchrotron-based X-ray photoemission electron microscopy. The local X-ray absorption spectra reveal that the oxidation states and the amount and type of cations within the individual nanoparticles can show a striking local variability even when the average structural and magnetic parameters of the monodisperse ensembles appear to be compatible with those of conventional homogeneous magnetite nanoparticles. Our results show the key role played by oleic acid concentration in the reaction mixture on the formation and compositional homogeneity within individual nanoparticles. When the concentration of oleic acid is high enough, the nanoparticles are composed of a Fe₃O₄ core surrounded by a thin γ -Fe₂O₃ shell. However, at a low concentration of the fatty acid, the Fe₃O₄ nanoparticles are likely inhomogeneous with small inclusions of FeO and Fe phases, as a result of an uncontrolled reduction of $Fe³⁺$ cations. All the foregoing underlines the importance of combining both advanced synthesis techniques and complementary single-particle investigations performed on a statistically significant number of particles so as to improve the understanding and control over electronic and magnetic phenomena at the nanoscale. **PAPER**
 Probing the variability in oxidation states of magnetice and control in the control of the control in the state of the s

and enhanced magnetic response. $11,13$ Moreover, interpreting and controlling the magnetic and electronic properties of iron oxide NP, especially at these very small sizes, still remain a challenge because of their crucial dependence on composition, structure, surface chemistry, and interparticle interactions. All of these contributions are difficult to disentangle, thus limiting the ability to quantitatively assess their actual effects on the functional response of the NP. For example, a detailed knowledge of the specific surface modifications of iron-oxide NP is relevant in their functionalization using biomolecular interactions, 14 or in the manipulation of interfacial cross-coupling between magnetic and electrical properties in multiferroic nanostructures.15 Furthermore, good control over the magnetic anisotropy in such systems could be of potential interest for ultra-high density storage media and for magnetic tags in biological assays.^{16,17} At a more fundamental level, several questions still remain open about Fe₃O₄, including the half-metallic character¹⁸ or understanding what hinders the experimental realization of the theoretically predicted large spin polarization.¹⁹

Meeting the above challenges requires both advanced synthesis methods enabling obtaining size-selected, chemically homogeneous $Fe₃O₄$ NP with good magnetic properties and a precise and systematic characterization of the NP system. Regarding the first issue, chemical methods based on the high-temperature

 a Departament de Física de la Matèria Condensada, Universitat de Barcelona,

Martí i Franqués 1, 08028 Barcelona, Spain. E-mail: arantxa.fraile@ub.edu

 b Institut de Nanociència i Nanotecnologia (IN2UB), Universitat de Barcelona, Spain</sup> † Electronic supplementary information (ESI) available: Particle size distributions. Thermogravimetric curves. Field-cooled hysteresis loops. Low resolution dark field TEM images. High resolution STEM images and EELS spectra. See DOI: 10.1039/c7tc03010j

decomposition of iron organometallic precursors in organic media with accurate control of the reaction temperature and the surfactant concentration have proven successful to synthesize $Fe₃O₄$ NP with high crystal quality, well-controlled shapes and sizes in the range from a few nm to about 50 nm, and reduced magnetic disorder.¹³ However, even for highly monodisperse particles, a strong correlation has been found between their macroscopic magnetic behavior and the structural and compositional features of the individual NP.²⁰⁻²² This calls for the use of single-particle characterization techniques with elemental selectivity and high sensitivity to magnetic and electronic properties.²³⁻²⁶ For example, a 3D visualization of the iron oxidation state in $FeO/Fe₃O₄$ core–shell nanocubes has recently been achieved using electron energy loss tomography.²⁶ Such advanced transmission electron microscopy (TEM)-based methods have the main advantage of combining an excellent spatial resolution (A) with a fair energy resolution (about 0.5 eV). However, both the measurements and analyses are laborious, and thus the studies are typically restricted to a very limited number of particles. Paper

Recomposition of the restricted on the restricted on 10 Maximum and the restricted

In the present work, we investigate the electronic structure and distribution of Fe oxide phases within individual $Fe₃O₄$ NP by means of X-ray photoemission electron microscopy (X-PEEM) in a large number of particles. This is a non-invasive, element-specific technique providing quantitative information about the chemical composition, electronic structure, and magnetism of individual NP, both static^{23,27,28} and time-resolved.^{24,29} Using this unique approach, we find that NP that appear homogeneous in crystal quality and macroscopic magnetic response in a monodisperse ensemble can exhibit a striking size-independent coexistence of NP with distinct Fe oxide phases as a result of the uncontrolled reduction of $Fe³⁺$ during the reaction process.

Experimental section

Synthesis of Fe₃O₄ NP

Two samples of nominal $Fe₃O₄$ NP with mean diameters of 15 and 24 nm, – in the following referred as S1 and S2, respectively – were synthesized by slightly modifying a previously reported procedure²⁰ by using iron(m) acetylacetonate (Sigma-Aldrich, 99%) as an organometallic precursor and oleic acid (Sigma-Aldrich, 90%) and benzyl ether (Sigma-Aldrich, 98%) as a surfactant and organic solvent with a high boiling point, respectively. All the reactants were used in the synthesis without further purification.

Sample S1

15 nm NP were obtained by mixing 0.71 g of $Fe (acac)₃$ and 2.5 g of oleic acid (8 mmol) in 20 ml of benzyl ether. The reaction mixture was degassed at 60 \degree C for 30 minutes, and it was then

heated up to 200 \degree C and kept at this temperature for 2 hours under a nitrogen atmosphere and vigorous stirring. Thereafter, the solution was heated up to reflux at 6.7 $^{\circ}$ C min $^{-1}$ for 1 hour. Finally, the solution was cooled down to room temperature and transferred to a 50 ml centrifuge tube together with a 20 ml mixture of hexane and acetone with a volume ratio of $1:3$. After three times centrifugation at 9500 rpm for 15 minutes a black powder was obtained, which was then re-dispersed in hexane.

Sample S2

Bigger NP were obtained using the same experimental procedure than the above but reducing the amount of oleic acid in the reaction mixture to 2.1 g (6.7 mmol).

Structural and magnetic characterization of monodisperse ensembles of NP

The size and shape of the NP were determined using transmission electron microscopy (MT80-Hitachi microscope and Philips CM30) by placing a drop of a diluted suspension of NP in hexane onto standard C-coated Cu grids. The size distributions were determined through analysis of ensembles of around 2000 particles in randomly selected areas of the samples (see Table 1 and Fig. S1, ESI†). The particles were found to be pseudo-spherical (S1) and truncated octahedra (S2) (see Fig. 1(c) and (d)). High resolution TEM images (JEOL 2100 microscope) of S1 showed highly crystalline NP up to the particle surface (see Fig. 1(a)). In contrast, a large fraction of S2 NP exhibited crystallographic domains and or boundaries (see Fig. S2, ESI†). The latter is also confirmed by dark field TEM images showing inhomogeneous contrast within the NP, which is indicative of different crystallographic domains and/or different Fe phases inside the NP (Fig. S3, ESI†).

The crystal phase of the iron oxide NP was identified by powder X-ray diffraction. The patterns were collected in a PANalytical X'Pert PRO MPD diffractometer by using Cu Ka radiation (λ = 1.5418 Å), within 5[°] and 120[°] in 2 θ with a step size of 0.033°. The crystal size was determined by using a Rietveld analysis on the XRD patterns, indexing the Bragg's planes to face center cubic inverse spinel magnetite $(Fd3m)$, with a lattice constant $a = 8.359$ Å (Fig. 2(a)). The organic fraction of the samples was evaluated by thermogravimetric analysis (TGA) in a TGA-SDTA 851e/SF/1100 (Mettler Toledo) at a heating rate of 10 $^{\circ}$ C min⁻¹ from room temperature up to 800 $^{\circ}$ C under a nitrogen atmosphere (see Fig. S4, ESI†). Magnetization measurements in powder samples were performed with a Quantum Design SQUID magnetometer (Fig. 2(b)). Hysteresis loops, M(H), were recorded at several temperatures within 5 and 300 K under a maximum magnetic field of ± 50 kOe to study the saturation magnetization M_s and the coercive field H_c . M_s was obtained by

Table 1 Summary of the structural and magnetic parameters of samples S1 and S2

Fig. 1 Structural and magnetic characterization. (a and b) High-resolution TEM images of samples S1 and S2, respectively. (c and d) TEM images at medium-resolution of the corresponding samples. Scale bars are as follows: (a) 4 nm, (b) 7 nm, (c) and (d) 75 nm.

Fig. 2 (a) X-ray diffraction patterns with the indexation of the Bragg peaks to an inverse-spinel structure for S1 (black line) and S2 (blue line). Vertical lines at the bottom correspond to X'Pert High Score Plus patterns for γ -Fe₂O₃ (red) and Fe₃O₄ (black). (b) Hysteresis loops at 5 K. Black spheres: sample S1, blue spheres: sample S2. Inset: Detail of the low field region.

extrapolation of the high-field region of $M(H)$ to zero field, assuming the high-field behavior $M(H) = M_s + \gamma \cdot H$ where γ is a residual susceptibility (Table 1).^{30–32} M_s values were normalized to the magnetic content by subtracting the organic fraction determined by TGA measurements. The M_s of both samples at 5 K (Table 1) were close to that of bulk $Fe₃O₄$, $33,34$ indicating a nearly perfect ferrimagnetic order throughout the whole volume of the NP. It is also worth noting that the actual shape of the hysteresis loops of both samples, showing saturation at low fields and absence of high closure fields, is the expected signature for bulk-like magnetic behavior, as well established for magnetite NP.30 In these highly crystalline samples, above the Verwey temperature, well defined magneto-crystalline axes are expected to favor spins pointing along the [111] directions, $2^{1,35}$ as shown in Fig. 1(a) and (b) and previously reported in highly crystalline samples synthesized by thermal decomposition methods.^{12,20,30,33} The coercive field (H_c) was obtained as $H_c = (|H_c^+| + |H_c^-|)/2$, where $H_{\rm c}^{\rm +}$ and $H_{\rm c}^{\rm -}$ were the intercepts of the hysteresis loop with the positive and the negative sides of the H-axis, respectively. The H_c values at 5 K (Table 1) were in agreement with those published elsewhere for NP of similar sizes. $12,20$ Hysteresis loops were also recorded at 5 K after cooling the sample under 10 kOe (FC) from room temperature (Fig. S5, ESI†) in order to elucidate the existence of any changes in the internal magnetic configuration of the particles due to the presence of distinct coexisting magnetic phases.11,25,36–38 The hysteresis loops before and after FC for S1 look similar enough so as to discard the presence of inhomogeneous particles containing ferrimagnetic, antiferromagnetic (FeO in wustite phase) and/or ferromagnetic phases in close contact with each other. However, the FC hysteresis loop for S2 shows significant narrowing at low fields which may be attributed to the weak coupling among magnetic phases within a nanoparticle with a different magnetic anisotropy. The NP in both samples are magnetically blocked at room temperature (see e.g. the ZFC–FC magnetization curves for sample S2 in Fig. S6, ESI†). Journal of Materials Chemistry Care is a computation of the high field ones of *MLP* to zero field

and the access article is a common access to the McCommons Article is a common access to the N. of Domestic is a common

> The above spatially averaged characterizations on ensembles with a large number of particles would lead us to conclude that the structural and magnetic features for the different samples are rather uniform, regardless of the tuning of the synthesis parameters. However, as will be shown in the following, distributions of the actual chemical composition of the NP are present, even for such highly monodisperse (both in size and shape) ensembles of NP with consistently good crystallinity. Such heterogeneous physicochemical properties can only be disentangled through the local information obtained from single-particle experiments.

X-ray imaging of single NP

For the PEEM experiments, NP monolayers of the samples were prepared by either drop casting or spin coating under a N_2 atmosphere of highly diluted NP suspensions onto bare SiO_x (for sample S1) and carbon-coated SiO_x (for sample S2) substrates. The typical particle density on the substrates for all cases was limited to a few particles per μ m². The reason for this was twofold. First, single-particle detection by X-ray PEEM with a lateral resolution of about 50 nm is warranted; and second, it was aimed to avoid interparticle interactions in order to

distinguish the intrinsic properties of the individual NP from the complex magnetic behavior of dense particle ensembles.^{27,39} The stochastic nature of the deposition process leads to random lateral distributions and random orientations of the crystallographic axes of the NP with respect to the substrate. After deposition, the samples were transferred to the PEEM chamber (LEEM III, Elmitec GmbH) of the Surface/Interface: Microscopy (SIM) beamline of the Swiss Light Source, Paul Scherrer Institut, Switzerland.²⁸ The base pressure of the microscope was 5×10^{-10} mbar for the present experiments. All experiments were carried out at room temperature. The PEEM technique provides a full-field magnified image of the emitted secondary photoelectrons²⁸ with a probing depth of a few nm at the $L_{2,3}$ edges of Fe,⁴⁰ thus allowing a spatial map of the absorption of the particles.

To univocally determine the presence and position of the iron oxide NP, X-ray PEEM elemental contrast maps of the iron oxide nanoparticles were first obtained by a pixel-wise division of two PEEM images successively recorded at the resonant Fe L₃ absorption edge (\sim 709 eV) and at the pre-edge region (\sim 705 eV). Representative data are shown in Fig. 3(b). Such a procedure ensures that the observed contrast truly originates from the iron oxide NP and reduces topographic contrast. In addition, it reduces illumination inhomogeneity, thus significantly decreasing the systematic errors in X-ray absorption, which is of crucial importance to obtain reliable data. Considering that the particles are randomly distributed with a typical density of 1–2 particles per μ m 2 , each bright spot should ideally correspond to an individual iron oxide NP, such as particle A in Fig. 3(b). However, dimers or close-lying particles Paper

Open Access Article Schemation Complete Common Comple

Fig. 3 (a) AFM image of iron oxide NP (sample S1) with circles marking the positions of a few particles. The insets show high resolution AFM images of three particles tagged as A (with a height of 15 ± 1 nm), B, and C in (a). (b) Elemental contrast PEEM image of the same sample area as in (a), obtained by dividing images successively recorded at the Fe L_3 absorption edge (709 eV) and at the pre-edge region (705 eV). The scale bars are 2 µm.

(particles B and C, respectively, in Fig. 3(b)) are also present in our samples. Consequently, only truly individual and well separated particles were considered in the analysis to avoid misinterpretations. The random disposition of the particles on the substrates reflects the stochastic nature of the deposition process and the limited mobility of the particles on the surface.

AFM characterization of single NP

While X-ray PEEM yields information about the electronic properties of well-separated individual NP, its limited lateral resolution prevents a detailed morphological characterization. Thus, after the PEEM experiments were carried out, the samples were further studied by ex situ atomic force microscopy (AFM) (Fig. 3(a)) to accurately determine the size (height) of the very same individual NP investigated with PEEM (Fig. 3(b)). The identification of the same areas of the samples in the two microscopes was achieved using suitable marks on the substrates (Cr/Au lithographic markers in Fig. 3(a)).

X-ray absorption spectroscopy of single NP

Isotropic local X-ray absorption spectroscopy (XAS) images were obtained by recording sequences of X-ray PEEM images around the Fe $L_{2,3}$ edges using linear, s-polarized light and analyzing the isotropic (non-magnetic) intensity as a function of the photon energy.⁴¹ The field of view was 20 μ m. The images in each energy scan were first aligned to correct for sample drifts during acquisition. Subsequently, the spectra of single NP were obtained by extracting the image intensity from square pixel areas centered on the bright spots in the PEEM images and normalized to the pixel area. The spectra were then normalized by dividing the signal from the single NP by a background signal from neighboring areas without particles. All of the particles within the field of view were probed simultaneously, thus, systematic errors arising from either the measurements (e.g. due to an inhomogeneous illumination across the PEEM images) or the analysis procedure (e.g. caused by image drift correction) were comparable for all the analyzed particles. Although the particles are smaller than the lateral resolution, individual spectra can be obtained when the particles are separated from their nearest neighbors by a sufficiently large distance.^{27,41} In our case this is on average between 0.5 and $1 \mu m$ (see Fig. 3(a)). Note that for smaller interparticle distances (see *e.g.* particle C in Fig. 3(a) and (c)), the absorption intensity profiles of the close-lying particles overlap and thus the resulting spectral features do not represent the actual single-particle characteristics, but instead, some weighted average of the spectral features from different close-lying particles. Data was collected from different areas of the samples to ensure sufficient data statistics on single particles. The spectra of the individual particles were rescaled between zero at the pre-edge (705 eV, no absorption) and one at the post-edge (730 eV, finite non-resonant absorption). This normalization procedure makes the XAS from different particles and samples directly comparable. Nevertheless, it should be noted that a quantitative interpretation of X-ray PEEM spectra is not straightforward. In particular, the analysis procedures employed to obtain the local spectra can significantly alter the final result.⁴¹ Therefore, careful data processing was performed to ensure that consistent, reproducible spectra were computed, as discussed elsewhere.⁴¹ XMCD spectra of individual iron oxide NP can also be obtained by collecting successive stacks of images for right $(\sigma^{\text{+}})$ and left $(\sigma^{\text{+}})$ circularly polarized X-rays around the Fe $\text{L}_{2,3}$ edges.41 However, the low signal-to-noise ratio (SNR) of our XMCD spectra (not shown) hinders any attempts to get rough estimates of the spin and orbital moments from the individual NP. Therefore, in this work, we focus only on the study of the electronic and chemical structure from the isotropic XAS spectra.

Analysis of the local XAS spectra

In Fig. 4, illustrative examples of the Fe L-edge XAS spectra of single NP for samples S1(a) and S2(b–e) are shown. For each sample, the analysis was performed on a number of NP of similar size: 24 NP of 15 ± 1 nm for sample S1 and 33 NP of 24 ± 1 nm for sample S2. Iron forms several oxide compounds,

(c

d)

 ϵ

such as FeO, Fe₃O₄, γ -Fe₂O₃, and α -Fe₂O₃ where FeO and α -Fe₂O₃ are antiferromagnetic while Fe₃O₄ and γ -Fe₂O₃ are ferrimagnetic. The Fe L-edge XAS fine structure is a signature of the structural differences between the oxide phases and can thus be used to identify them. There are two main peaks corresponding to the L₃ (\sim 709 eV) and L₂ edges (\sim 722 eV), respectively, and several shoulder peaks (indicated by thin vertical lines in Fig. 4) with different energy positions and relative peak intensities depending on the iron oxide phase. To quantify the amount of these oxides present in selected individual particles within the samples, the measured local isotropic XAS spectra were fitted to a weighted linear combination of the reference bulk spectra of different iron oxide species taken from ref. 40: Fe, FeO, Fe₃O₄, and γ -Fe₂O₃. The assignment of the oxide phases shown in Fig. 4 has been chosen to achieve the best compromise between the most relevant criteria, as discussed in the literature. 42 These are namely the shapes of the spectral features (thin vertical lines in Fig. 4), the branching $L_3: L_2$ ratio, the shift between the first and main peak at the L_3 edge, the occurrence of a L_3 single peak, and the disappearance of the L_2 edge splitting. Note that no single criterion is able to discriminate one oxide species over another due to the large variability of experimental data and peak-fitting methods in the literature.⁴³ These difficulties together with the low SNR of the measured single-particle XAS spectra limit the average accuracy in the assignment of the oxide phases to about 8% in our case. Journal of Meterials Chemistry C

the final access Article spectra section products are computed set to set of the system and the set of the sy

In the case of the 15 nm S1 NP, data show that all particles have a similar composition. For all the analyzed particles, the best spectral fits were compatible with a XAS signal arising from the weighted sum of 80% Fe₃O₄ and 20% γ -Fe₂O₃ (Fig. 4). In Fig. 4(a), we show a representative example of a fit to the measured XAS for a single NP, showing good agreement.

In contrast, in the case of 24 nm S2 NP, we found that particles of the same size and high crystal quality (see Fig. 1(b) and (d)) were composed of different Fe oxide species (Fig. 4(b)–(e)). The XAS spectra for about 40% of the NP were compatible with a composition of 80% Fe₃O₄ + 20% γ -Fe₂O₃ (Fig. 4(e)); about 40% with 50% Fe₃O₄ + 50% FeO (Fig. 4(c)); about 10% of the NP with 15% Fe₃O₄ + 85% Fe (Fig. 4(b)); and about 10% with 50% Fe₃O₄ + 30% FeO + 20% γ-Fe₂O₃ (Fig. 4(d)). Note that the occurrence of a single L_3 peak and the symmetric shape of the L_2 edge are features that are characteristic of over-reduced phases such as FeO and Fe,^{40,44} and are consistent with our spectra in Fig. 4(b) and (c). In contrast, the presence of multiplet features and the splitting of both the L_3 and L_2 peaks indicate a predominance of the Fe₃O₄ and γ -Fe₂O₃ phases^{39,44} in agreement with our spectra in Fig. 4(d) and (e).

An accurate volume determination of each oxide phase is difficult. First, due to the intrinsic limitations of the experimental probe arising from the fact that the local intensity of the incident X-rays on the particles does not simply decay exponentially with the penetration depth, but is further modulated by the varying absorption cross sections of the different layers at a given photon energy, so the emitted electrons also experience a material dependent attenuation when leaving the sample.⁴⁰ In addition, for NP of the sizes that we are investigating here

(e) 80% Fe₃O₄ + 20% γ -Fe₂O₃.

Fig. 5 Schematic representation of the role of oleic acid concentration on the formation of the different Fe phases in the synthesis of $Fe₃O₄$ NP. For sample S1: (a) 100% of NP are composed of a homogeneous $Fe₃O₄$ core (gray) surrounded by a thin γ -Fe₂O₃ layer (red). For sample S2: (b) 10% of Fe₃O₄ NP (gray) containing small inclusions of Fe (black), (c) 40% of NP containing small inclusions of FeO (white), (d) 10% of NP containing small inclusions of FeO and a thin γ -Fe₂O₃ surface layer (red), (e) 40% of NP composed of a homogeneous Fe₃O₄ core surrounded by a thin γ -Fe₂O₃ surface layer. Note that the high oleic acid concentration of sample S1 generally yields cubic NP; only below a certain size threshold do they become pseudospherical as is our case.

 $(>12$ nm) deposited on substrates, a large fraction of the volume of the NP is hardly probed.⁴⁵ Second, if the volume of the parasitic phases is sufficiently small, it is difficult to discern whether they stabilize in layered-like structures or in the form of small inclusions of the Fe phases embedded within the $Fe₃O₄$ NP, as will be further discussed later (Fig. 5). We have estimated the diameters of the Fe and FeO inclusions to be very small $(<$ 1 nm), based on the bulk densities of the different Fe phases (5.2 $\rm g~cm^{-3},~Fe_3O_4;~4.9~cm^3,~\gamma\text{-}Fe_2O_3;~5.74~\rm g~cm^{-3},~FeO;$ 7.84 $\rm g$ $\rm cm^{-3}$, Fe) 46 and the $M_{\rm s}$ values at 5 K (Fig. 2(b)). Therefore, neither XRD (Fig. 2(a)) nor high-resolution TEM data (Fig. 1(b)) enable discriminating between Fe₃O₄ and γ -Fe₂O₃, although signatures from these phases as well as from over-reduced Fe phases have been confirmed through high resolution STEM and EELS characterization (Fig. S7, ESI†).

In the case of the 15 nm S1 NP, since in γ -Fe₂O₃, iron is in a higher oxidation state than in $Fe₃O₄$, it is reasonable to assume that the particles stabilize in the form of a $Fe₃O₄$ (core)/ γ -Fe₂O₃ shell structure, as often reported in the literature for magnetite NP prepared by similar methods (see e.g. ref. 25 and 47). The same argument applies for the 24 nm S2(e) particles. In these two cases, we can estimate the relative oxide layer thickness corresponding to the topmost part of the particle that is locally probed by XAS using the electron escape depths from the literature – 35 Å for γ -Fe₂O₃, and 50 Å for Fe₃O₄⁴⁰ – and a well-established procedure introduced by Regan et $al.^{40}$ The thickness of the γ -Fe₂O₃ shell for S1 and S2(e) NP was estimated to be about 0.7 nm. It should be pointed out that the thin γ -Fe₂O₃ shell at the surface of the S1 and S2(e) particles may coexist with the oxygen contribution from the carboxylic groups of the oleic acid bonded to the surface Fe ions.²⁵

In contrast to the homogeneous $Fe₃O₄$ (core)/ γ -Fe₂O₃ shell structure of the S1 and S2(e) particles, for S2(b), S2(c), and S2(d)

particles, iron can also be found in low oxidation states such as FeO or metallic Fe. It is thus reasonable to assume that $Fe₃O₄$ stabilizes around the more reduced phases in the three cases, e.g., in the form of inhomogeneous $Fe₃O₄$ NP throughout which small core inclusions of FeO or Fe are present (Fig. 5). This scenario would still be compatible with the XAS signal percent distributions in Fig. 4 and with the STEM and EELS data (Fig. S7, ESI†). The over-reduced Fe phases hinder the formation of the over-oxidized γ -Fe₂O₃ phase at the surface of the S2(b) and (c) particles.

The relatively low SNR of the experimental single-particle spectra in Fig. 4 limits a quantitative, accurate determination of the cation site occupancies by fitting them to a linear combination of ligand field multiplet simulated spectra.⁴⁴ This in turn prevents a reliable comparison with the data available in the literature for bulk or nanostructured Fe₃O₄.^{39,40,48} Furthermore, it should be noted that neither finite-size nor surface effects are responsible for the large variation in phase homogeneity between 15 nm S1 particles (homogeneous) and 24 nm S2 particles (highly heterogeneous), since both sizes are well above those at which these effects become prevalent (around $5-6$ nm).³⁴ Besides, the NP in both cases show high crystallinity up to the surface, and comparable values and shapes of the magnetic parameters (Table 1) and hysteresis loops (Fig. 2(b)), respectively. These facts rule out the occurrence of any effects associated with either the finite size or the surface of the NP. Paper

(a) (b) (c) particles, innumerable to at bits restorate on the orientation of the same characteristics.

The state and the common characteristics are the signal particle in the state of the state article is licensed

Role of the oleic acid concentration on the type of Fe oxide phases

Our single-particle spectra suggest that the concentration of the oleic acid in the reaction mixture has a remarkable effect on the nature and distribution of the various Fe oxide phases within individual NP. Typically, the role of the oleic acid on the synthesis of $Fe₃O₄$ NP is threefold. At the beginning of the reaction, oleic acid reacts with iron acetylacetonate (m) to form an intermediate $[Fe(oleate)_x]³⁺$ complex.⁴⁹ Then, the temperature of the reaction mixture is increased to reflux temperature where the $[Fe(oleate)_x]³⁺ decomposes⁴⁹ yielding Fe₃O₄ nuclei that are$ partially coated by unreacted oleic acid. This coating has a key role in self-regulating the subsequently growth of the nuclei to form the final particles.³⁵ Finally, the oleic acid layer binds to the particle surface by adhesion or covalent bonding both enhancing surface magnetization and preventing further oxidation.²⁵

In addition, one can obtain good control of the particle growth by only varying the concentration of the oleic acid in the reaction mixture, thus obtaining a large variation of the structural properties of the particles. In particular, at low concentrations of the oleic acid with respect to the iron acetylacetonate(III) ([Fe(acac)₃] $>$ 4[oleic acid]),¹² NP are obtained by the formation and further decomposition of various intermediate iron complexes. Thus, not only the aforementioned formation of $[Fe(oleate)_x]³⁺$ – which further decomposes giving rise to homogeneous $Fe₃O₄$ structures – takes place, but also secondary reactions between the $Fe (acac)_3$ and the benzyl-ether – that is not actually a non-inert solvent – yield other intermediate compounds⁴⁹ that produce inhomogeneous oxide NP with poor control of the iron oxidation state.⁵⁰ As a result, inhomogeneous particles composed of different Fe species are obtained as a function of the concentration of oleic acid in the reaction mixture. When the concentration of oleic acid is high enough, the NP are composed of a nucleus of $Fe₃O₄$ with an oxidized shell of γ -Fe₂O₃, as commonly found.²⁵ However, at low concentrations of the fatty acid, the $Fe₃O₄$ NP are likely inhomogeneous with small inclusions of FeO 31 and Fe 50 (Fig. 5), as a result of the uncontrolled reduction of $Fe³⁺$ ions.

Conclusions

We have studied the electronic and chemical properties of ensembles of size- and shape-selected $Fe₃O₄$ NP by means of synchrotron-based X-ray spectro-microscopy using PEEM with single-particle sensitivity. The local XAS spectra reveal that the oxidation states and cation distribution of the individual nanoparticles may show a striking local variability even when the average structural and magnetic parameters of monodisperse ensembles appear homogeneous and size-and sample-independent. Our results show the key role of oleic acid concentration during the synthesis reaction on the formation and distribution of the Fe phases within the individual NP. When the concentration of oleic acid is high enough, the NP are composed of a $Fe₃O₄$ core surrounded by a thin oxidized shell of γ -Fe₂O₃. In contrast, at low concentration of the fatty acid, the $Fe₃O₄$ NP are likely inhomogeneous with small inclusions of $FeO³¹$ and $Fe⁴⁹$ phases, as a result of the uncontrolled reduction of $Fe³⁺$. Our work demonstrates the relevance of single-particle spectroscopies performed on a statistically significant number of particles to bring about a paradigm shift in the understanding of NP with heterogeneous physicochemical properties. Finally, our results have broad implications for applications focusing on the modification and functionalization of magnetic nanoparticles. They also highlight that a deeper knowledge of the formation pathways, phase coexistence and surface chemistry of magnetic nanoparticles is still required.⁵¹ **Journal of Meterials Chemistry C**
 Suppose Articles Articles On 10 Concertation of their control on the concertation of their control of the concertation of the Creation of the Creation of the Creation of the Creation o

Author contributions

The manuscript was written through contributions of all authors. All authors have given approval to the final version of the manuscript.

Conflicts of interest

There are no conflicts of interest to declare.

Acknowledgements

This work was supported by the Spanish MINECO (MAT2015- 68772-P), Catalan DURSI (2014SGR220) and European Union FEDER funds. A. F. R. acknowledges the support from the Spanish MICIIN "Ramón y Cajal" Program. Part of this work was performed at the Surface/Interface: Microscopy (SIM) beamline of the Swiss Light Source (SLS), Paul Scherrer Institut, Switzerland.

The STEM and EELS studies have been conducted in the Laboratorio de Microscopias Avanzadas (LMA) at Instituto de Nanociencia de Aragon (INA) – Universidad de Zaragoza, Spain.

Notes and references

- 1 Q. A. Pankhurst, J. Connolly, S. K. Jones and J. Dobson, J. Phys. D: Appl. Phys., 2003, 36, R167.
- 2 J. M. Pérez, L. Josephson and R. Weissleder, ChemBioChem, 2004, 5, 261.
- 3 C. Sun, J. S. H. Lee and M. Zhang, Adv. Drug Delivery Rev., 2008, 60, 1252.
- 4 R. Mejías, S. Pérez-Yagüe, A. G. Roca, N. Pérez, A. Villanueva, M. Cañete, S. Mañes, J. Ruiz-Cabello, M. Benito, A. Labarta, X. Batlle, S. Veintemillas-Verdaguer, M. P. Morales, D. F. Barber and C. J. Serna, Nanomedicine, 2010, 5, 397.
- 5 J. Bansmann, S. H. Baker, C. Binns, J. A. Blackman, J.-P. Bucher, J. Dorantes-Dávila, V. Dupuis, L. Favre, D. Kechrakos and A. Kleibert, et al., Surf. Sci. Rep., 2005, 56, 189.
- 6 A. H. Lu, E. L. Salabas and F. Schuth, Angew. Chem., Int. Ed., 2007, 46, 1222.
- 7 N. Jones, Nature, 2011, 472, 22.
- 8 M. B. Gawande, P. S. Branco and R. S. Varma, Chem. Soc. Rev., 2013, 42, 3371.
- 9 Spintronics for Next Generation Innovative Devices, ed. K. Sato and E. Saitoh, John Wiley & Sons, 2015.
- 10 B. Q. Geng, Z. L. Ding and Y. Q. Ma, Nano Res., 2016, 9, 2772.
- 11 X. Batlle and X. Labarta, J. Phys. D: Appl. Phys., 2002, 35, R15.
- 12 P. Guardia, N. Pérez, A. Labarta and X. Batlle, Langmuir, 2010, 26, 5843.
- 13 P. Tartaj, M. P. Morales, S. Veintemillas-Verdaguer, T. González-Carreño and C. J. Serna, J. Phys. D: Appl. Phys., 2003, 36, R182.
- 14 P. Nicolás, M. Saleta, H. Troiani, R. Zyssleer, V. Lassalle and M. L. Ferreira, Acta Biomater., 2010, 9, 4754.
- 15 Y. Wang, J. Hu, Y. Li and C.-W. Nan, NPG Asia Mater., 2010, 2, 61.
- 16 B. D. Terris and T. Thomson, J. Phys. D: Appl. Phys., 2005, 38, R199.
- 17 D. L. Huber, Small, 2005, 1, 482.
- 18 M. Fonin, Y. S. Dedkov, R. Pentcheva, U. Rüdiger and G. Güntherodt, J. Phys.: Condens. Matter, 2007, 19, 315217.
- 19 H. C. Wu, C. O´. Coilea´in, M. Abid, O. Mauit, A. Syrlybekov, A. Khalid, H. Xu, R. Gatensby, J. J. Wang, L. Yang, G. S. Duerberg, H.-Z. Zhang, M. Abid and I. Shvets, Sci. Rep., 2015, 5, 15984.
- 20 C. Moya, X. Batlle and A. Labarta, Phys. Chem. Chem. Phys., 2015, 17, 27373.
- 21 C. Moya, Ó. Iglesias-Freire, N. Pérez, X. Batlle, A. Labarta and A. Asenjo, Nanoscale, 2015, 7, 8110.
- 22 C. Moya, G. Salas, M. P. Morales, X. Batlle and A. Labarta, J. Mater. Chem. C, 2015, 3, 4522.
- 23 A. Fraile Rodríguez, A. Kleibert, J. Bansmann, A. Voitkans, L. J. Heyderman and F. Nolting, Phys. Rev. Lett., 2010, 104, 127201.
- 24 A. Balan, P. M. Derlet, A. Fraile Rodríguez, J. Bansmann, R. Yanes, U. Nowak, A. Kleibert and F. Nolting, Phys. Rev. Lett., 2014, 112, 107201.
- 25 J. Salafranca, J. Gazquez, N. Pérez, A. Labarta, S. T. Pantelides, S. J. Pennycook, X. Batlle and M. Varela, Nano Lett., 2012, 12, 2499.
- 26 P. Torruella, R. Arenal, F. De La Peña, Z. Saghi, L. Yedra, A. Eljarrat, L. López-Conesa, M. Estrader, A. López-Ortega, G. Salazar-Alvarez, J. Nogués, C. Ducati, P. A. Midgley, F. Peiró and S. Estradé, Nano Lett., 2016, 16, 5068.
- 27 F. Kronast, N. Friedenberger, K. Ollefs, S. Gliga, L. Tati-Bismath, R. Thies, A. Ney, R. Weber, C. Hassel, F. M. Römer, A. V. Trunova, C. Wirtz, R. Hertel, H. A. Dürr and M. Farle, Nano Lett., 2011, 11, 1710.
- 28 L. Le Guyader, A. Kleibert, A. Fraile Rodríguez, S. El Moussaoui, A. Balan, M. Buzzi, J. Raabe and F. Nolting, J. Electron Spectrosc. Relat. Phenom., 2012, 185, 371.
- 29 M. Rohmer, M. Bauer, T. Leissner, Ch. Schneider, A. Fischer, G. Niedner-Schatteburg, B. v. Issendorff and M. Aeschlimann, Phys. Status Solidi B, 2010, 247, 1132.
- 30 P. Guardia, B. Batlle-Brugal, A. G. Roca, O. Iglesias, M. P. Morales, C. J. Serna, A. Labarta and X. Batlle, J. Magn. Magn. Mater., 2007, 316, e756.
- 31 P. Guardia, A. Labarta and X. Batlle, J. Phys. Chem. C, 2011, 115, 390.
- 32 X. Batlle, M. García del Muro, J. Tejada, H. Pfeiffer, P. Görnert and E. Sinn, J. Appl. Phys., 1993, 74, 3333.
- 33 B. D. Cullity and C. D. Graham, Introduction to Magnetic Materials, Wiley-IEEE Press, 2011.
- 34 X. Batlle, N. Pérez, P. Guardia, O. Iglesias, A. Labarta, F. Bartolomé, L. M. García, J. Bartolomé, A. G. Roca, M. P. Morales and C. J. Serna, J. Appl. Phys., 2011, 109, 07B524. Paper

24 A. Bahan, P. M. Derbid, A. Pinishe Rochippese, J. Bansmann, 26 J. Nondor, D. Wieler, P. Nondor, A. Wieler

21 A. G. Babar, A. Wieler, A. Pinished on 2018. Downloaded the Article is likely

2018. This article is l
	- 35 F. Heider, A. Zitzelsberger and K. Fabian, Phys. Earth Planet. Inter., 1996, 93, 239.
- 36 J. Nogués, J. Sort, V. Langlais, V. Skumryev, S. Suriñach, J. S. Muñoz and M. D. Baró, *Phys. Rep.*, 2005, 422, 65.
- 37 M. Estrader, A. López-Ortega, I. V. Golosovsky, S. Estradé, A. G. Roca, G. Salazar-Alvarez, L. López-Conesa, D. Tobia, E. Winkler and J. D. Ardisson, et al., Nanoscale, 2015, 7, 3002.
- 38 O. Iglesias, X. Batlle and A. Labarta, J. Phys.: Condens. Matter, 2007, 19, 406232.
- 39 F. Jimenez-Villacorta, C. Prieto, Y. Huttel, N. D. Telling and G. van der Laan, Phys. Rev. B: Condens. Matter Mater. Phys., 2011, 84, 172404.
- 40 T. J. Regan, H. Ohldag, C. Stamm, F. Nolting, J. Lüning, J. Stöhr and R. L. White, Phys. Rev. B: Condens. Matter Mater. Phys., 2001, 64, 214422.
- 41 A. Fraile Rodríguez, A. Kleibert, J. Bansmann and F. Nolting, J. Phys. D: Appl. Phys., 2010, 43, 474006.
- 42 J. G. Chen, Surf. Sci. Rep., 1997, 30, 1.
- 43 C. Wang, D. R. Baer, J. E. Amonette, M. H. Engelhard, J. Antony and Y. Qiang, J. Am. Chem. Soc., 2009, 131, 8824.
- 44 A. Kleibert, J. Bansmann and K.-H. Meiwes-Broer, Phys. Rev. B: Condens. Matter Mater. Phys., 2009, 79, 125423.
- 45 B. D. Cullity and C. D. Graham, Introduction to Magnetic Materials, Wiley-IEEE Press, Hoboken, New Jersey, 2011.
- 46 J. P. Crocombette, M. Pollak, F. Jollet, N. Thromat and M. Gautier-Soyer, Phys. Rev. B: Condens. Matter Mater. Phys., 1995, 52, 3143.
- 47 X. Zhu, S. S. Kalirai, A. P. Hitchcock and D. A. Bazylinski, J. Electron Spectrosc. Relat. Phenom., 2015, 199, 19.
- 48 N. Pérez, F. López-Calahorra, A. Labarta and X. Batlle, *Phys.* Chem. Chem. Phys., 2011, 13, 19485.
- 49 J. Park, K. An, Y. Hwang, J. E. G. Park, H. J. Noh, J. Y. Kim, J. H. Park, N. M. Hwang and T. Hyeon, Nat. Mater., 2004, 3, 891.
- 50 P. Guardia, J. Pérez-Juste, A. Labarta, X. Batlle and L. M. Liz-Marzán, Chem. Commun., 2010, 46, 6108.
- 51 S. P. Schwaminger, D. Bauer, P. Fraga-García, F. E. Wagner and S. Berensmeier, CrystEngComm, 2017, 19, 246.