Energy Advances



COMMUNICATION

View Article Online
View Journal | View Issue



Cite this: *Energy Adv.*, 2024, **3**, 765

Received 13th January 2024, Accepted 17th March 2024

DOI: 10.1039/d4ya00026a

rsc.li/energy-advances

Fabrication of nanocrystalline high-entropy oxide CoNiFeCrMnO $_x$ thin film electrodes by dip-coating for oxygen evolution electrocatalysis†

Qingyang Wu,^a Achim Alkemper, [©] Stefan Lauterbach, ^b Jan P. Hofmann [©] and Marcus Einert [©]*

The variation of calcination conditions allows for adjusting the oxidation states and coordination sites of near-surface elements in sol-gel-derived high-entropy oxides. Optimized synthesis conditions resulted in fabrication of nanocrystalline CoNiFeCrMnO $_{\rm x}$ thin films with 1–2 nm pores, showing low OER overpotentials of 258 mV vs. RHE at 10 mA cm $^{-2}$.

For catalyzing the water splitting reaction under alkaline conditions, earth-abundant, cheap and catalytically active elements have to be selected for tailoring the chemical composition of novel catalysts. Transition metal-based spinel high-entropy oxides are a promising class of electrocatalysts owing to manifold synergistic effects of the interacting constituting cations in the crystal structure. By implementation of five or more elements in (nearly) equiatomic concentrations at a single crystallographic site, the configurational entropy of a system can be drastically increased leading to an entropy-based stabilization effect with respect to formation of a solid solution.^{1,2} The principal concept of entropy-stabilized alloys was expanded to multicationic oxide systems in 2015.3 Novel and unpredictable properties of high entropy materials have been observed and investigated, such as exceptionally stable electrochemical performance^{4,5} and high electrocatalytic activities.⁶⁻⁹ In the field of electrocatalysis, the interaction of numerous cations in transition metal (TM)-based high entropy oxides has been demonstrated to affect the electronic structure and thus the adsorption energetics of oxygen evolution reaction (OER) intermediates, such as OH* and OOH*. 10 This can be understood on the basis of binding energy distribution patterns, for which unary catalysts possess just one distinct binding energy

In a systematic comparison between compact and mesoporous HEO thin films it was shown that the OER performance was substantially impacted by the overall surface area predetermining the absolute number of available catalytically active reaction sites.22 Ludwig et al. have recently determined the most OER active cantor alloy oxide (CoNiFeCrMn)₃O₄ by highthroughput analysis presenting an accelerated discovery of novel electrocatalysts by screening of sputter-deposited thin film libraries.²³ However, there is still a lack of knowledge about the impact of calcination temperature and holding time on sol-gel derived TM-based high-entropy oxide thin films, which would be advantageous towards optimization of the OER activity since the content of oxygen vacancies as well as coordination sites and oxidation states of catalytically reactive cations (such as Co3+, Ni2+, Cr6+ and Mn4+) can be adjusted/ varied in this way.

Therefore, HEO thin films were directly deposited on conductive substrates *via* an easy-to-handle sol-gel-based

⁽assuming an infinite planar crystal surface). 10 In contrast, for high-entropy materials, the configuration of neighbouring atoms at the surface with respect to the binding atom various to a much larger extend resulting in an almost continuous distribution of binding energies, and thus, formation of active sites with ideal binding energy.10 In this context, transition metal (TM)-based high-entropy oxides in spinel structure, firstly prepared by Dabrowa et al.,11 were presented to show enhanced OER activity.^{2,12–20} Furthermore, improvement of OER performance was reported by modification of the electronic structure in high-entropy ferrite thin films by synthetic tailoring of the chemical composition leading to enhanced charge carrier transport properties owing to an facilitated electron hopping mechanisms through d-d states of the transition metals.²¹ Multiatomic TM-based spinel oxide OER electrocatalysts with overpotentials ranging predominantly from 220 mV to 495 mV and with longterm stability up to 120 hours were reported recently 12,13 and collectively prove the beneficial effect of increasing the configurational disorder/entropy within a compound.

^a Surface Science Laboratory, Department of Materials and Earth Sciences, Technical University of Darmstadt, Otto-Berndt-Strasse 3, 64287 Darmstadt, Germany. E-mail: meinert@surface.tu-darmstadt.de

b Institute for Applied Geosciences, Geomaterial Science, Technical University of Darmstadt, Schnittspahnstrasse 9, 64287 Darmstadt, Germany

[†] Electronic supplementary information (ESI) available. See DOI: https://doi.org/ 10.1039/d4ya00026a

dip-coating approach and subsequently calcined at comparatively low annealing temperatures of 400 °C for either 10 min or 1 h. By control of the holding time, the impact of the nanostructure and surface area, crystallinity, charge transfer resistance, and surface composition on the OER performance was studied in alkaline solution. Based on the structural and electrochemical characterization, the HEO thin films were proven to be nanocrystalline, rich in defective oxygen sites and showed a dependence of the ${\rm Cr}^{6+}$ and ${\rm Mn}^{4+}$ concentration on the temperature holding time. Those control parameters were identified to be the reason for the observed second-highest OER activity (overpotential of 258 mV at 10 mA cm $^{-2}$) and, to the best of our knowledge, lowest OER onset potential of only +1.33 V ν s. RHE yet reported for CoNiFeCrMn-based HEOs.

Communication

The HEO thin films were prepared by a sol-gel-based dipcoating process recently reported by our group for preparation of mesoporous spinel HEO thin film electrodes utilizing the same (initial) concentration of transition metal nitrate precursors and structure directing agent (Pluronic F-127) in the dipcoating solution and keeping experimental conditions constant (see Experimental section in the ESI†). 22 However in the underlying work, the HEO samples were annealed at 400 °C for ether 10 min or 1 h (resulting samples referred to as HEO-400-10min and HEO-400-1h, respectively) in order to study the impact of calcination time on the micro- and nanostructure, crystallography, and chemical surface composition and how these material properties influence the electrocatalytic OER performance. The microscopic surface morphology of both HEO-400-10min and HEO-400-1h investigated by scanning electron microscopy (SEM), was initially found to be compact in structure and crack-free even on the micro- and millimeter length scale (Fig. 1 and Fig. S1A, B, ESI†). Decreasing the calcination temperature of HEO to 350 °C for 10 min (HEO-350-10 min) also lead to compact thin film structures with a tendency for agglomeration of particles (island formation at the surface, Fig. S1C, ESI†). At temperatures of 600 °C, the formation of a developed mesoporous HEO network can be observed (Fig. S1D, ESI†), similar as reported in literature.²² Scanning transmission electron microscopy (STEM)-based energy dispersive Xray spectroscopy (EDS) elemental mappings confirmed the presence of Cr (green), Mn (violet), Fe (red), Co (blue), and Ni (yellow) in HEO-400 thin films as illustrated in Fig. 1D. To verify the homogenous distribution of the transition metals throughout the entire thin film structure, EDS analyses were conducted on multiple distinct spots on the HEO samples (see Fig. S2, S3 and Table S1, ESI†). The results prove that all initially added transition metals are implemented homogenously throughout the HEO thin film in near-equiatomic concentrations (see Fig. S2-S4 and Table S1, ESI†), thus allowing for classification of the samples as high-entropy oxides.3 The selected area electron diffraction (SAED) patterns present diffuse and broad diffraction rings, wherefore the samples can be considered as crypto-crystalline since the nanostructures/-crystallites were too minute to relate the diffraction pattern to a specific crystal phase and to receive any structural information by X-ray-based analysis (Fig. 1C). The SAED patterns can be interpreted as

preliminary stage for the spinel phase since several Debye-rings in the SAED can be assigned to this crystallographic structure.

For further analysis of the morphology on the nanoscale, high-resolution transmission electron microscopy (HR-TEM, Fig. 1E) and STEM (Fig. 1F) was performed. Importantly, the HEO sample calcined at 400 °C demonstrates nanopores and nanoparticles both approximately between 1 nm to 2 nm in size (derived and measured from Fig. 1F). The contrast in the image (Fig. 1F) can be considered as verification of the nanoporous nature of the thin films. Furthermore, amorphous features were identified at the surface of HEO agglomerates (Fig. 1E), which can most likely be attributed to residual carbon originating from the porogen (Pluronic F-127) agreeing with the XSP data (Fig. S7B, ESI†). For comparison, spinel HEO thin films calcined at 600 °C for 1 h exhibit much larger mesopores due to thermally induced nanocrystal growth affecting the pore size.²² Temperature-dependent grazing-incidence X-ray diffraction (GIXRD) analysis was conducted to study the impact of annealing temperature and time on the crystallization process of the HEO thin films (Fig. 1C). Interestingly, the diffraction patterns of HEO-400-10min and HEO-400-1h exhibit a broad and lowintensity peak at $2\theta = 36^{\circ}$, which coincides with the strongest diffraction signal of the (311) plane of the cubic spinel phase (Fd3m, space group no. 227). The (111)-, (220)-, (311)-, and (400)peak become more pronounced when heating the HEO samples to 500 °C indicating thermally induced crystallite growth and formation of the spinel phase. At 600 °C, the HEO sample possess a crystallographic structure which can be consistently indexed to the cubic spinel phase in accordance with literature.21,22 Based on XRD data, the sol-gel-derived HEO thin films calcined at 400 °C show weak diffraction signals, suggesting a short-range order of atoms as also visualized by the diffuse Debye-rings in the SAED patterns (Fig. 3D). TEM analysis together with the GI-XRD data both demonstrate broad diffraction signals of the HEO-400 samples (in the XRD patterns at $2\theta = 32^{\circ} - 38^{\circ}$, corresponding to most intense diffraction of (311)-plane of the cubic spinel phase), which is indicative for the presence of ultra-small nanocrystals/-particles since the integral width of a peak correlates reciprocally with the average crystallite size. Hence, it can be expected that the nanoparticles, only 1-2 nm in diameter, already start to crystallize between 300 °C and 400 °C in the spinel phase, which is consistent with TEM data. Due to the extremely low nanosizes of the pores and crystallites, the thermal decomposition of Pluronic F-127 in the HEO thin films can be expected to be in its initial stage with the compound still being present (compare XPS Fig. 2). In contrast, Pluronic F-127 templated Co₃O₄ thin films synthesized under comparable conditions were reported to possess well-developed nanoporous structures and a progressed degradation of the block-copolymer, also in accordance with the thermodynamic decomposition behavior of Pluronic F-127 in synthetic air (main mass loss derivative at 292 °C and less than 5% of total mass remain after 400 °C).24

The absolute thicknesses of the HEO-400-10min and HEO-400-1h were analyzed by profilometry (Fig. S6, ESI \dagger) and determined to be (180 \pm 10) nm and (210 \pm 10) nm,




Fig. 1 Top-view SEM images of (A) HEO-400-10min and (B) HEO-400-1h thin films. (C) GIXRD of HEO thin films calcined at various temperature of 400 °C (black), 500 °C (blue), and 600 °C (green) with line patterns (orange) representing the diffraction signals of the cubic spinel phase. (D) STEM image of HEO-400-1h with the corresponding EDS-based elemental mapping of Cr (green), Mn (violet), Fe (red), Co (blue), and Ni (yellow). SAED patterns from bulk areas (see Fig. S5, ESI†) revealing a diffraction pattern typical for crypto-crystalline materials. (E) HRTEM and (F) STEM images of selected areas of HEO-400-1h thin films

respectively. These values are higher compared to the thickness of HEO thin films calcined at 600 °C for 1 h, a reasonable finding, since shrinkage of the amorphous (composite) film proceeds with increasing calcination time due to crystallization of the nanoporous framework and decomposition of the organic micelles (densification).²⁵ The chemical surface composition and oxidation states of the constituting metal cations were evaluated by X-ray photoelectron spectroscopy (XPS) and

measured at beamline PM3 of BESSY (Berlin, Germany).26 The survey spectrum (Fig. S7A, ESI†) shows that Ni, Co, Fe, Mn, Cr, O and C are present within the first atomic layers of the HEO-400-10min and HEO-400-1h thin films, thus validating the successful insertion of all cations, which were added in form of their nitrates upon dip-coating throughout the cryptocrystalline surface phase structure. The carbon signal, presented in Fig. S7B (ESI†), can be attributed to the residual




Fig. 2 2p core level photoemission spectra of Ni, Co, Fe, Mn, Cr, and O for the HEO-400-10min (black) and HEO-400-1h (red) thin films acquired at a constant kinetic energy of 610 eV with grey areas indicating commonly assigned speciation/oxidation state ranges.

porogen Pluronic F-127 as well as adventitious carbon. This observation agrees with the TEM data (compare Fig. 1E). The amount of detected carbon decreases for prolonged calcination at 400 $^{\circ}$ C (HEO-400-10min > HEO-400-1h). Fig. 2 illustrates the 2p core level spectra of the transition metals Ni, Co, Fe, Mn, Cr, and the O 1s spectrum analyzed for HEO-400-10min and HEO-400-1h. In general, 2p transition metal oxide spectra exhibit complex main line and satellite structures instead of a simple Gaussian-Lorentzian peak each. A straightforward fit based on one or two symmetric peaks per species would be incorrect. The overall shape is indicative of the oxidation state and coordination environment of the cations due to strong charge transfer and multiplet effects.²⁷ Consequently, only the dominating species were assigned based on the 2p_{3/2} peak position and the qualitative line shape in comparison with literature references. An upshift of all photoemission peaks by 0.3 \pm 0.1 eV is observed for the HEO-400-1h when compared to HEO-400-10min, which is related to charging and/or a Fermi level shift rather than any chemical differences of the involved species. The Ni 2p level (Fig. 2) shows a symmetric main line at 855.1-855.5 eV and an intense satellite at +6 eV. This is indicative for Ni2+ as oxide or hydroxide with the next-nearestneighbor not being nickel.^{28,29} The main Co 2p emission line was identified at 780.4-780.7 eV, with a pronounced satellite at a distance of 6 eV providing evidence for a 2+ oxidation state. Co³⁺ does not feature a satellite and can thus be excluded.²⁸ The Fe 2p spectra depict a defined main peak at 710.6-710.9 eV and a weak satellite feature separated by 8 eV. Therefore, iron can be assigned as 3+ valent in the form of Fe-O and Fe-OOH species. 22,30,31 In the Mn 2p spectra, the broad main emission line is located at 641.4-641.8 eV in the absence of any satellite

features, thus excluding the formation of larger quantities of Mn²⁺. ^{32,33} Hence, Mn can be expected to be mainly present in the oxidation states 3+ and 4+. Importantly, the Mn $2p_{3/2}$ peak of HEO-400-1h was identified as more asymmetric, specifically with more intensity at higher binding energies compared to HEO-400-10min implying that Mn⁴⁺ is present in higher concentrations at the surface, when the annealing time is prolonged from 10 min to 1 h. For the Cr 2p emission lines, Cr shows a complex main peak at 576.4-576.7 eV without the presence of any satellites suggesting the existence of Cr3+ cations being present as Cr-O and/or Cr-OH groups at the surface. 34,35 Interestingly, a pronounced shoulder develops at 579.0 eV for the HEO-400-1h sample, which allows the assumption that Cr³⁺ is oxidized to Cr^{5+/6+} with prolonged calcination at 400 °C. The formation of higher oxidized chromium species was also observed for HEO spinel films calcined at 600 °C and other sol-gel derived La(CrMnFeCo₂Ni)O₃ perovskite HEOs. ^{22,36,37} We note that – apart from the Mn⁴⁺ and Cr^{5+/6+} species - no significant differences/ shifts in binding energies were observed for the two control samples allowing the prediction that the annealing time has little impact on the chemical state of the transition metal cations at the surfaces and can be considered to be comparable in terms of their chemical status. The O 1s photoemission line (Fig. 2) features three components dominated by lattice oxygen (Oox 2- at 529.7-529.9 eV). Between 532.7 eV and 530.5 eV, hydroxyl groups accompanied with defective oxide species, i.e., undercoordinated or close to an undercoordinated site (O_{OH/defect}²⁻) were identified. Oxygen-containing molecules adsorbed at the surface (Oad2-) exhibit binding energies below 530.5 eV.22,37 As illustrated in Fig. 3, the electrochemical properties of the HEO-400-10min and HEO-400-1h were analyzed and compared using cyclic




Fig. 3 Electrochemical performance of HEO-400-10min (black) and HEO-400-1h (red): (A) cyclic voltammetry curves, (B) linear sweep voltammetry, (C) Nyquist plots measured at 1.6 V vs. RHE, (D) differential current densities and the corresponding the double-layer capacities, $C_{\rm DL}$, determined by linear fitting, (E) Tafel plots, and (F) chronopotentiometry analysis performed at 10 mA cm⁻² for 2 hours. All experiments were conducted in 1 M KOH (pH \approx 13.6).

voltammetry (CV, Fig. 3A), linear sweep voltammetry (LSV, Fig. 3B), electrochemical impedance spectroscopy (EIS, Fig. 3C), evaluation of the double layer capacitance ($C_{\rm DL}$, Fig. 3D), determination of the Tafel slope (Fig. 3E), and chronopotentiometry (CP, Fig. 3F) in 1 M KOH. For elucidating, if calcination below 400 °C has a beneficial effect on the OER performance of sol–gel HEO thin films, the control sample HEO-350-10 min was also investigated toward OER performance (see Fig. S8, ESI†). CVs for HEO-400-10min and HEO-400-1h were performed for 50 cycles from 0.9 eV to 1.5 eV ν s. RHE (iR-corrected) with a scan rate of

100 mV s⁻¹. The oxidation peak appearing between 1.2 eV to 1.4 eV is not precisely attributable to one specific oxidation process of a constituting cation, since several distinct cations theoretically may contribute to the overall signal. Therefore, the broad oxidation peak has to be ascribed to a superposition of several simultaneously proceeding oxidation reactions, which can be found for the transformation of Ni²⁺ to Ni³⁺, Co²⁺ to Co³⁺, Co³⁺ to Co⁴⁺, Cr³⁺ to Cr⁶⁺, and/or Fe²⁺ to Fe³⁺. Especially, the presence of transition metal cations in the oxidation state +3 suggests that electrocatalytically active oxyhydroxide species, such as NiOOH,

Communication

COOOH, CrOOH, and/or FeOOH were formed in situ upon CV cycling, which is in accordance with literature where, e.g., the presence of iron was demonstrated to favor the transformation of the spinel phase into catalytically active oxyhydroxide species.³⁸ The two reduction peaks observed between 1.0 V and 1.4 V can be understood as the reverse reaction of the higher oxidized cations and can most likely be described as superposition of several reduction peaks of the constituting elements. Prolonged CV cycling (from the first to the 50th cycle, Fig. 3A) neither reveals any significant change in the redox peak positions nor in the current density both implying improved electrochemical stability. The stable electrochemical performance can most likely be explained in surface reconstruction developing a long-termstable surface composition and structure. 39,40 It is noteworthy that – at this stage of the study – no precise identification of the redox active species is possible owing to the overlap of several redox peaks of reactants/cations, for which a synchrotron-based follow-up study is currently in progress for a detailed in situ evaluation of the electrocatalytically active centers (such as determination of tetrahedrally and octahedrally coordinated occupation sites) in the HEO thin films. The overpotential (vs. RHE) reached at $J_{\text{geo}} = 10 \text{ mA cm}^{-2}$ is a characteristic parameter typically utilized for comparison of electrocatalysts. The HEO-400-10min and HEO-400-1h exhibit relatively low (iR-corrected) overpotentials of 270 mV and 258 mV (Fig. S8A, ESI†), respectively, the last value being determined as second-best OER activity ever reported for cantor alloy-based (CoNiFeCrMn) high entropy oxides. 12,13 For comparison, mesoporous Co₃O₄ thin films, also prepared by softtemplating and EISA process under comparable synthesis conditions,41 were adduced as reference. It is noteworthy that only structurally related materials can be utilized as reference catalyst since the nanostructure is known to have major impact on the OER activity.²² The HEO thin films showed higher OER activities compared to mesoporous Co_3O_4 thin films (η_{10} = 340 mV). The difference in OER performance between HEO-400-10min and HEO-400-1h can be mainly assigned to the increased surface area of the longer calcined samples providing more catalytically active reaction site and being in agreement with results observed for mesoporous and dense HEO thin films.²² Additionally, the electrochemical performances might also be affected by the variation of the catalytically active surface species Cr⁶⁺ and Mn⁴⁺ as demonstrated by XPS analysis (Fig. 2). Especially, Cr^{6+} and Mn^{4+} cations are known to facilitate the oxygen evolution reaction since electron transfer from water to higher oxidized states is generally more likely to occur (compared to lower oxidized cations).37 The presence of both Mn3+ and Mn⁴⁺ were reported to have synergistic effects in promoting the OER, 42,43 in which Mn4+ acts as secondary supply for the formation of catalytically active Mn3+ due to comproportionation of Mn²⁺ and Mn⁴⁺ in alkaline media.^{37,44,45} Furthermore, it is also demonstrated that oxidation of Cr³⁺ to Cr⁶⁺ significantly enhances the OER activity, 46,47 wherefore the presence of both Cr⁶⁺ and Mn⁴⁺ at the surface of the HEO-400-1h thin film can be considered as additional catalytically active species (Fig. 3A). Furthermore, Cr and Mn promote the formation of different oxidation states of catalytically active Fe, Ni, and Co in HEO.48 Beside Mn and Cr,

Co³⁺ is reported as highly catalytically active species dominating the OER performance of HEO perovskite electrocatalysts.³⁷ Since Fe³⁺ has a higher affinity for electrons (than Co³⁺) it is capable of capturing electrons from Co³⁺ leading to redistribution of the Co 3d electrons. In this way, Co³⁺ ions can be activated by adjacent Fe³⁺ in spinel oxides resulting in enhanced OER activity.⁴⁹ Ni, especially as Ni³⁺,⁵⁰ is known to form highly active NiOOH phases *in situ*,^{51,52} contributing synergistically and collectively with the other near-surface located transition metals to an overall high OER activity by providing suitable binding energetics for reaction intermediates on the nanoporous HEO surface.

To further explain this exceptional OER performance, EIS analyses were conducted to determine the charge transfer resistance (R_{ct}) at the electrode-electrolyte interface. R_{ct} is known to have major impact on the OER activity⁵³ and was evaluated to be 4.6 Ω and 3.5 Ω for HEO-400-10min and HEO-400-1h, respectively, which are comparably small values related to other spinel oxide OER electrocatalysts from literature. 12 The results imply that prolonged calcination at 400 °C has a beneficial impact on the charge carrier transfer at the interface of the HEO thin film and the electrolyte, thus contributing to an overall better OER performance of HEO-400-1h. To assess the electrochemical active surface area (ECSA), scan-rate dependent cycle voltammetry measurements in the non-faradaic region (0.5 V to 0.9 V, Fig. S9A and B, ESI†) were collected (Fig. S9C and D, ESI†) and linear fitting of the differential scan rates were carried out. As shown in Fig. 3C, the HEO-400-1h possess an almost five times larger specific double layer capacity (and thus ECSA) compared to HEO-400-10min, which is reasonable since the thermal degradation of the organic porogen proceeds with increased annealing time. The results are in accordance with SEM and TEM analysis (Fig. 1 and Fig. S1, S5, ESI†). Interestingly and in agreement with literature, ²² the ECSA normalized LSV curves (Fig. S10, ESI†) show the opposite trend with J_{ECSA} HEO-400-10min $> J_{ECSA}$ HEO-400-1h allowing the assumption that HEO-400-10min possess a higher intrinsic OER activity. This can be explained based on the chemical composition (in the bulk structure), which was determined to be $Cr_{0.99}Mn_{0.93}Fe_{0.97}Co_{1.09}Ni_{1.03}$ for HEO-400-10min and $Cr_{0.99}Mn_{0.92}Fe_{0.97}Co_{1.06}Ni_{1.06}$ through EDS analysis (Fig. S3 and Table S1, ESI†). In principal, the transition elements are present in near-equiatomic concentrations. However, while the Cr, Mn, and Fe content are almost similar for both samples,

Table 1 Comparison of the experimentally-derived parameter of HEO-400-10min and HEO-400-1h thin films

	HEO-400-10min	HEO-400-1h
Composition (by EDS) Charge states cations (by XPS) (Geometrical) η_{10} $R_{\rm ct}$ at 1.6 V νs . RHE $C_{\rm DL}$ Tafel slope Stability (CP for 2 hours)	$Cr_{0.99}Mn_{0.93}Fe_{0.97}Co_{1.09}Ni_{1.03}$ Fe^{3+} , Ni^{2+} , Co^{3+} , Cr^{3+} and Mn^{3+} and Mn^{4+} (low) 258 mV νs . RHE 3.5 Ω 0.19 mF cm $^{-2}$ 40 mV dec $^{-1}$ 100% at 10 mA cm $^{-2}$	$Cr_{0.99}Mn_{0.92}Fe_{0.97}Co_{1.06}Ni_{1.06}$ Fe^{3+} , Ni^{2+} , Co^{3+} , Cr^{3+} , Cr^{6+} , Mn^{3+} and Mn^{4+} 270 mV νs . RHE 4.6 Ω 0.04 mF cm $^{-2}$ 40 mV dec $^{-1}$ 100% at 10 mA cm $^{-2}$

shows the HEO-400-10min an increased Co concentration, which likely contribute to the enhanced intrinsic (ECSA normalized) OER activity, since Co is a highly electrocatalytically active metal.³⁷ However, for precise evaluation of the surface composition advanced surface characterization techniques will be required. The Tafel plots show slopes of 40 mV dec⁻¹ for both samples, which are comparably low values for transition metal oxide electrocatalysts 12,13,15 and in the same range as observed for mesostructured HEO thin films calcined at 600 °C. 21,22 The presence of short diffusion paths provided by the nanoporous network can be considered as advantageous with respect to the activation energy for migration and transfer of charge carriers. To further assess the electrochemical stability of the HEO samples, chronopotentiometric measurements were performed at $J_{geo} = 10$ mA cm⁻² vs. RHE for 2 hours (Fig. 3F) and for the best-performing HEO-400-1h sample for 10 hours. Interestingly, both HEO samples demonstrate stable electrochemical performance possessing a constant overpotential of solely (260 \pm 2) mV over the entire analysis time. All experimentally obtained data are summarized in Table 1. After 10 hours of CP, the potential of HEO-400-1h decreases only 0.8% (Fig. S11A, ESI†). This stable performance of high-entropy spinel oxides can be ascribed to the reconstruction of the surface induced by in situ electrochemical activation through formation of an electrochemically stable oxyhydroxide surface layer. 39 Furthermore, dissolution of the less stable elements Mn and Cr were reported also resulting in enhancement of the OER performance. 48 SEM images taken after chronopotentiometry experiments illustrate slightly rougher surface morphologies (Fig. S11B and C, ESI†) clearly revealing the nanoporous structure of HEO-400-1h. The in-depth characterization of these surface reconstruction phenomena in nanoporous spinel HEO thin films will be scope of a perspective research study.

Conclusions

Energy Advances

In this study, it was shown that the chemical surface composition as well as crystallographic structure affect the oxygen evolution reaction performance of nanoporous CoNiFeCrMnO_x thin films. Uniform and crack-free HEO thin films were fabricated by a sol-gel-based dip-coating method accompanied by soft-templating. The HEOs showed stable and low overpotentials of (260 \pm 2) mV vs. RHE for driving the OER in alkaline solutions over at least 2 hours. The stable electrochemical performance was assigned to incorporation and formation of catalytically active Fe3+, Ni2+, Co3+, Cr6+ and Mn4+ species and

the presence of defective oxygen sites collectively and synergistically interacting with each other. The concentration of Cr⁶⁺ and Mn4+ sites was increased by prolonged calcination at 400 °C. Due to development of a nanoporous network and an increase of the configurational disorder by implementation of five transition metals within the surface composition, an electrochemically stable surface structure was formed. This wet-chemical approach represents an inexpensive and facile way to prepare non-precious and nanoporous thin film electrocatalysts for efficiently driving the oxygen evolution reaction.

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

The authors thank Arslan Waheed for assistance with sample preparation, Dr Torsten Kachel for support during BESSY II beamtime under no. 222-11450-ST-1.1-P, and Ulrike Kunz for help with SEM-based EDS analysis. Marcus Einert acknowledges funding by the Deutsche Forschungsgemeinschaft (DFG, German Research Foundation, Walter Benjamin Program to ME) under project no. 469377211. Jan Philipp Hofmann and Achim Alkemper acknowledge financial support from DFG SPP2080 under project no. 493685339. Qingyang Wu acknowledges support from China Scholarship Council (CSC) under no. 202208320036.

References

- 1 A. Sarkar, Q. Wang, A. Schiele, M. R. Chellali, S. S. Bhattacharya, D. Wang, T. Brezesinski, H. Hahn, L. Velasco and B. Breitung, High-Entropy Oxides: Fundamental Aspects and Electrochemical Properties, Adv. Mater., 2019, 31, 1806236.
- 2 Y. Ma, Y. Ma, Q. Wang, S. Schweidler, M. Botros, T. Fu, H. Hahn, T. Brezesinski and B. Breitung, High-entropy energy materials: challenges and new opportunities, Energy Environ. Sci., 2021, 14, 2883-2905.
- 3 C. M. Rost, E. Sachet, T. Borman, A. Moballegh, E. C. Dickey, D. Hou, J. L. Jones, S. Curtarolo and J.-P. Maria, Entropystabilized oxides, Nat. Commun., 2015, 6, 8485.
- 4 A. Sarkar, L. Velasco, D. Wang, Q. Wang, G. Talasila, L. de Biasi, C. Kübel, T. Brezesinski, S. S. Bhattacharya and

H. Hahn, High entropy oxides for reversible energy storage, Nat. Commun., 2018, 9, 3400.

Communication

- 5 Y. Ma, Y. Hu, Y. Pramudya, T. Diemant, Q. Wang, D. Goonetilleke, Y. Tang, B. Zhou, H. Hahn and W. Wenzel, Resolving the Role of Configurational Entropy in Improving Cycling Performance of Multicomponent Hexacyanoferrate Cathodes for Sodium-Ion Batteries, Adv. Funct. Mater., 2022, 32, 2202372.
- 6 W. Huang, J. Zhang, D. Liu, W. Xu, Y. Wang, J. Yao, H. T. Tan, K. N. Dinh, C. Wu and M. Kuang, Tuning the electronic structures of multimetal oxide nanoplates to realize favorable adsorption energies of oxygenated intermediates, ACS Nano, 2020, 14, 17640-17651.
- 7 Z.-J. Chen, T. Zhang, X.-Y. Gao, Y.-J. Huang, X.-H. Qin, Y.-F. Wang, K. Zhao, X. Peng, C. Zhang and L. Liu, Engineering microdomains of oxides in high-entropy alloy electrodes toward efficient oxygen evolution, Adv. Mater., 2021, 33, 2101845.
- 8 Y. Sun, L. Yu, S. Xu, S. Xie, L. Jiang, J. Duan, J. Zhu and S. Chen, Battery-driven N₂ electrolysis enabled by highentropy catalysts: from theoretical prediction to prototype model, Small, 2022, 18, 2106358.
- 9 Q. Zhang, Y. Hu, H. Wu, X. Zhao, M. Wang, S. Wang, R. Feng, Q. Chen, F. Song and M. Chen, Entropy-Stabilized Multicomponent Porous Spinel Nanowires of NiFeXO₄ (X = Fe, Ni, Al, Mo, Co, Cr) for Efficient and Durable Electrocatalytic Oxygen Evolution Reaction in Alkaline Medium, ACS Nano, 2023, 17, 1485-1494.
- 10 T. Löffler, A. Ludwig, J. Rossmeisl and W. Schuhmann, What makes high-entropy alloys exceptional electrocatalysts?, Angew. Chem., Int. Ed., 2021, 60, 26894-26903.
- 11 J. Dabrowa, M. Stygar, A. Mikuła, A. Knapik, K. Mroczka, W. Tejchman, M. Danielewski and M. Martin, Synthesis and microstructure of the (Co, Cr, Fe, Mn, Ni)₃O₄ high entropy oxide characterized by spinel structure, Mater. Lett., 2018, **216**, 32-36.
- 12 J. R. Esquius and L. Liu, High entropy materials as emerging electrocatalysts for hydrogen production through lowtemperature water electrolysis, Mater. Futures, 2023, 2, 022102.
- 13 X. Xu, Z. Shao and S. P. Jiang, High-Entropy Materials for Water Electrolysis, Energy Technol., 2022, 10, 2200573.
- 14 C. Triolo, S. Schweidler, L. Lin, G. Pagot, V. Di Noto, B. Breitung and S. Santangelo, Evaluation of electrospun spinel-type high-entropy (Cr_{0.2} Mn_{0.2}Fe_{0.2}Co_{0.2}Ni_{0.2})₃O₄,(Cr_{0.2}- $Mn_{0.2}Fe_{0.2}Co_{0.2}Zn_{0.2})_3O_4$ and $(Cr_{0.2}Mn_{0.2}Fe_{0.2}Ni_{0.2}Zn_{0.2})_3O_4$ oxide nanofibers as electrocatalysts for oxygen evolution in alkaline medium, Energy Adv., 2023, 2, 667-678.
- 15 M. Anandkumar and E. Trofimov, Synthesis, Properties, and Applications of High-Entropy Oxide Ceramics: Current Progress and Future Perspectives, J. Alloys Compd., 2023, 170690.
- 16 H. Yu, Q. Li, Y. Hu, K. Li, K. M. Reddy, G. Xie, X. Liu and H.-J. Qiu, Self-Floating Nanoporous High-Entropy Oxides with Tunable Bandgap for Efficient Solar Seawater Desalination, Nano Lett., 2023, 23, 10554-10562.

- 17 R. Zhang, Z. Xu, Z. Du, Y. Wan, S. Yuan, F. Zeng, J. Xu, Z. Meng, X. Hu and H. Tian, Electrodeposition of Self-Supported High-Entropy Spinel Oxides for Stable Oxygen Evolution, Inorg. Chem., 2023, 62, 19052-19059.
- 18 B. Talluri, K. Yoo and J. Kim, High entropy spinel metal oxide (CoCrFeMnNi)₃O₄ nanoparticles as novel efficient electrocatalyst for methanol oxidation and oxygen evolution reactions, J. Environ. Chem. Eng., 2022, 10, 106932.
- 19 Z. Sun, Y. Zhao, C. Sun, Q. Ni, C. Wang and H. Jin, High entropy spinel-structure oxide for electrochemical application, Chem. Eng. J., 2022, 431, 133448.
- 20 C. Duan, X. Li, D. Wang, Z. Wang, H. Sun, R. Zheng and Y. Liu, Nanosized high entropy spinel oxide (FeCo-NiCrMn)₃O₄ as a highly active and ultra-stable electrocatalyst for the oxygen evolution reaction, Sustainable Energy Fuels, 2022, 6, 1479-1488.
- 21 M. Einert, A. Waheed, S. Lauterbach, M. Mellin, M. Rohnke, L. Q. Wagner, J. Gallenberger, C. Tian, B. M. Smarsly and W. Jaegermann, Sol-Gel-Derived Ordered Mesoporous High Entropy Spinel Ferrites and Assessment of Their Photoelectrochemical and Electrocatalytic Water Splitting Performance, Small, 2023, 19, 2205412.
- 22 M. Einert, M. Mellin, N. Bahadorani, C. Dietz, S. Lauterbach and J. P. Hofmann, Mesoporous high-entropy oxide thin films: electrocatalytic water oxidation on high-surface-area spinel (Cr_{0.2}Mn_{0.2}Fe_{0.2}Co_{0.2}Ni_{0.2})₃O₄ electrodes, ACS Appl. Energy Mater., 2022, 5, 717-730.
- 23 V. Strotkötter, O. A. Krysiak, J. Zhang, X. Wang, E. Suhr, W. Schuhmann and A. Ludwig, Discovery of High-Entropy Oxide Electrocatalysts: From Thin-Film Material Libraries to Particles, Chem. Mater., 2022, 34, 10291-10303.
- 24 K. Kirchberg and R. Marschall, Sol-gel synthesis of mesoporous CaFe₂O₄ photocathodes with hierarchical pore morphology, Sustainable Energy Fuels, 2019, 3, 1150-1153.
- 25 E. Celik, Y. Ma, T. Brezesinski and M. T. Elm, Ordered mesoporous metal oxides for electrochemical applications: correlation between structure, electrical properties and device performance, Phys. Chem. Chem. Phys., 2021, 23, 10706-10735.
- 26 T. Kachel, F. Eggenstein and R. Follath, A soft X-ray planegrating monochromator optimized for elliptical dipole radiation from modern sources, J. Synchrotron Radiat., 2015, 22, 1301-1305.
- 27 F. de Groot, Multiplet effects in X-ray spectroscopy, Coord. Chem. Rev., 2005, 249, 31-63.
- 28 N. S. McIntyre and M. G. Cook, X-ray photoelectron studies on some oxides and hydroxides of cobalt, nickel, and copper, Anal. Chem., 1975, 47, 2208-2213.
- 29 M. Lenglet, A. d'Huysser and C. K. Jørgensen, Optical spectra, X-ray photoelectron spectra and XANES of divalent nickel in mixed spinels NiFe2-xCrxO4, Inorg. Chim. Acta, 1987, 133, 61-65.
- 30 W. Temesghen and P. Sherwood, Analytical utility of valence band X-ray photoelectron spectroscopy of iron and its oxides, with spectral interpretation by cluster and band structure calculations, Anal. Bioanal. Chem., 2002, 373, 601-608.

31 M. Aronniemi, J. Sainio and J. Lahtinen, Chemical state quantification of iron and chromium oxides using XPS: the effect of the background subtraction method, Surf. Sci., 2005, 578, 108-123.

Energy Advances

- 32 A. E. Bocquet, T. Mizokawa, T. Saitoh, H. Namatame and A. Fujimori, Electronic structure of 3d-transition-metal compounds by analysis of the 2p core-level photoemission spectra, Phys. Rev. B: Condens. Matter Mater. Phys., 1992, 46, 3771.
- 33 B. Gillot, S. Buguet, E. Kester, C. Baubet and P. Tailhades, Cation valencies and distribution in the spinels Co_xCu_yMn_z- $\operatorname{Fe}_{u}O_{4+\delta}$ ($\delta \geq 0$) thin films studied by X-ray photoelectron spectroscopy, Thin Solid Films, 1999, 357, 223-231.
- 34 Z. M. Hanafi, F. M. Ismail and A. K. Mohamed, X-ray photoelectron spectroscopy of chromium trioxide and some of its suboxides, Zeitschrift für Physikalische Chemie, 1996, **194**, 61-67.
- 35 M. C. Biesinger, C. Brown, J. R. Mycroft, R. D. Davidson and N. S. McIntyre, X-ray photoelectron spectroscopy studies of chromium compounds, Surf. Interface Anal., 2004, 36, 1550-1563.
- 36 G. Wang, J. Qin, Y. Feng, B. Feng, S. Yang, Z. Wang, Y. Zhao and J. Wei, Sol-gel synthesis of spherical mesoporous highentropy oxides, ACS Appl. Mater. Interfaces, 2020, 12, 45155-45164.
- 37 T. X. Nguyen, Y.-C. Liao, C.-C. Lin, Y.-H. Su and J.-M. Ting, Advanced high entropy perovskite oxide electrocatalyst for oxygen evolution reaction, Adv. Funct. Mater., 2021, 31, 2101632.
- 38 Y. Li, X. Lin and J. Du, Iron-Facilitated Transformation of Mesoporous Spinel Nanosheets into Oxyhydroxide Active Species in the Oxygen Evolution Reaction, Inorg. Chem., 2021, 60, 19373-19380.
- 39 S. Jiang, K. Tian, X. Li, C. Duan, D. Wang, Z. Wang, H. Sun, R. Zheng and Y. Liu, Amorphous High-entropy Nonprecious metal oxides with surface reconstruction toward highly efficient and durable catalyst for oxygen evolution reaction, J. Colloid Interface Sci., 2022, 606, 635-644.
- 40 K. Huang, J. Xia, Y. Lu, B. Zhang, W. Shi, X. Cao, X. Zhang, L. M. Woods, C. Han and C. Chen, Self-Reconstructed Spinel Surface Structure Enabling the Long-Term Stable Hydrogen Evolution Reaction/Oxygen Evolution Reaction Efficiency of FeCoNiRu High-Entropy Alloyed Electrocatalyst, Adv. Sci., 2023, 10, 2300094.
- 41 Q. Wu, M. Mellin, S. Lauterbach, C. Tian, C. Dietz, J. P. Hofmann and M. Einert, Soft-templated, mesoporous Co₃O₄ thin films for electrocatalysis of the oxygen evolution reaction, Mater. Adv., 2024, 5, 2098-2109.
- 42 M. Risch, K. A. Stoerzinger, B. Han, T. Z. Regier, D. Peak, S. Y. Sayed, C. Wei, Z. Xu and Y. Shao-Horn, Redox processes of manganese oxide in catalyzing oxygen evolution and reduction: an in situ soft X-ray absorption spectroscopy study, J. Phys. Chem. C, 2017, 121, 17682-17692.

- 43 M. F. Tesch, S. A. Bonke, T. E. Jones, M. N. Shaker, J. Xiao, K. Skorupska, R. Mom, J. Melder, P. Kurz and A. Knop-Gericke, Evolution of oxygen-metal electron transfer and metal electronic states during manganese oxide catalyzed water oxidation revealed with in situ soft X-ray spectroscopy, Angew. Chem., 2019, 131, 3464-3470.
- 44 H. Ooka, T. Takashima, A. Yamaguchi, T. Hayashi and R. Nakamura, Element strategy of oxygen evolution electrocatalysis based on in situ spectroelectrochemistry, Chem. Commun., 2017, 53, 7149-7161.
- 45 T. Takashima, K. Hashimoto and R. Nakamura, Mechanisms of pH-dependent activity for water oxidation to molecular oxygen by MnO₂ electrocatalysts, J. Am. Chem. Soc., 2012, 134, 1519-1527.
- 46 X. Bo, Y. Li, X. Chen and C. Zhao, High valence chromium regulated cobalt-iron-hydroxide for enhanced water oxidation, J. Power Sources, 2018, 402, 381-387.
- 47 R. N. Singh, J. P. Singh, B. Lal, M. J. Thomas and S. Bera, New NiFe_{2-x}Cr_xO₄ spinel films for O₂ evolution in alkaline solutions, Electrochim. Acta, 2006, 51, 5515-5523.
- 48 A. Abdelhafiz, B. Wang, A. R. Harutyunyan and J. Li, Carbothermal shock synthesis of high entropy oxide catalysts: dynamic structural and chemical reconstruction boosting the catalytic activity and stability toward oxygen evolution reaction, Adv. Energy Mater., 2022, 12, 2200742.
- 49 X.-T. Wang, T. Ouyang, L. Wang, J.-H. Zhong, T. Ma and Z.-Q. Liu, Redox-inert Fe3+ ions in octahedral sites of Co-Fe spinel oxides with enhanced oxygen catalytic activity for rechargeable zinc-air batteries, Angew. Chem., 2019, 131, 13425-13430.
- 50 X. Yang, S. Liping, L. Qiang, H. Lihua and Z. Hui, Coprosperity of electrocatalytic activity and stability in high entropy spinel $(Cr_{0.2}Mn_{0.2}Fe_{0.2}Ni_{0.2}Zn_{0.2})_3O_4$ for the oxygen evolution reaction, J. Mater. Chem. A, 2022, 10, 17633-17641.
- 51 S. Tao, Q. Wen, W. Jaegermann and B. Kaiser, Formation of Highly Active NiO(OH) Thin Films from Electrochemically Deposited Ni(OH)₂ by a Simple Thermal Treatment at a Moderate Temperature: A Combined Electrochemical and Surface Science Investigation, ACS Catal., 2022, 12, 1508-1519.
- 52 J. Gallenberger, H. M. Fernández, A. Alkemper, M. Li, C. Tian, B. Kaiser and J. P. Hofmann, Stability and decomposition pathways of the NiOOH OER active phase of NiOx electrocatalysts at open circuit potential traced by ex situ and in situ spectroscopies, Catal. Sci. Technol., 2023, 13, 4693-4700.
- 53 H. Wang, K. H. L. Zhang, J. P. Hofmann and F. E. Oropeza, The electronic structure of transition metal oxides for oxygen evolution reaction, J. Mater. Chem. A, 2021, 9, 19465-19488.
- 54 J. Song, C. Wei, Z.-F. Huang, C. Liu, L. Zeng, X. Wang and Z. J. Xu, A review on fundamentals for designing oxygen evolution electrocatalysts, Chem. Soc. Rev., 2020, 49, 2196-2214.