



Cite this: *Mol. Syst. Des. Eng.*, 2023, 8, 591

Mixing ligands to enhance gas uptake in polyMOFs†

Matthew A. Pearson, Sachin Bhagchandani, Mircea Dincă  and Jeremiah A. Johnson *

Polymer-metal organic frameworks (polyMOFs) offer a pathway toward processable polymer-MOF hybrid materials; however, because polymeric ligands are incorporated throughout the MOF lattice, polyMOFs have an inherent shortcoming of reduced pore accessibility and surface area compared to traditional MOFs. Herein, a strategy for altering the degree of polymer incorporation in polyMOFs by mixing a multivalent polymer ligand containing MOF-forming linkers with “free” linkers is investigated as a means to tune the properties of polyMOFs, resulting in polyMOFs with superior N₂ and CO₂ uptake. The mixed ligand approach is further extended to distinct MOF-forming polymer ligands to create multivariate (MTV)-polyMOFs, which provides a method for incorporating low-dispersity polymer ligands with complex architectures into polyMOF lattices without the addition of small molecule components.

Received 25th October 2022,
Accepted 16th January 2023

DOI: 10.1039/d2me00227b

rsc.li/molecular-engineering

Design, System, Application

MOFs synthesized from multivalent polymer ligands (polyMOFs) generally suffer from limited scope and decreased permanent porosity as a result of pore filling by the polymer backbones. Here, we employ a new design strategy that involves modifying the relative incorporation of polymer ligands in multi-component polyMOFs by mixing the polymer ligand with small molecule ligands. Increasing the amount of free 1,4-benzenedicarboxylic acid (H₂bdc) relative to polymer-bound H₂bdc lowers the amount of polymer and provides a concomitant increase in surface area of the polyMOF. This strategy allows for record BET surface areas and CO₂ uptake even compared to native MOF-5. The strategy can be extended to mixed polymer ligand polyMOFs, which expands the scope of possible polyMOFs and opens an avenue for the development of polyMOFs that incorporate more complex macromolecular ligands. The strategy also illustrates that the addition of even small amounts of polymer ligand can have drastic impacts on the properties and morphologies of MOFs.

Introduction

Metal-organic frameworks (MOFs), a class of crystalline, porous coordination polymers composed of inorganic metal-containing clusters connected by multitopic organic ligands, have received notable attention in recent years.¹ Their many attractive features, including high surface areas, tunable pore sizes, and modular and addressable chemical functionalities have made them promising platforms for catalysis,² gas storage and separation,^{3,4} sensing^{5,6} and drug delivery.⁷ Macroscopically, MOFs are microcrystalline powders that generally cannot be melted without destroying the crystal structure. As a result, for industrial applications in separations and catalysis, MOFs are processed into bulk samples by mechanical pressing or mixing with a suitable

binder that can then be extruded.^{8–10} Improving the processability of these materials is required to further their industrial applications and expand potential device fabrication. In recent years, there has been growing interest in the development of hybrid materials of flexible organic polymers and MOFs^{11,12} with the ultimate goal of combining the porosity, tunability, and functionality of MOFs with the processability and mechanical flexibility of polymers.^{13–17}

One approach to polymer/MOF hybridization is the assembly of MOFs from multivalent polymeric ligands, providing “polyMOFs.” The polymer ligands of polyMOFs are generally composed of MOF-forming organic linkers that are connected through a flexible macromolecular backbone.¹⁸ Unlike with physical blends of polymers and MOFs, which can generate macrovoids due to chemical incompatibilities at the MOF-polymer interface, in polyMOFs the polymer ligands weave through the MOF lattice and become fully incorporated into the framework during crystal growth. Despite the potential to improve the processability and

Department of Chemistry, Massachusetts Institute of Technology, 77 Massachusetts Avenue, Cambridge, Massachusetts 02139, USA. E-mail: jaj2109@mit.edu

† Electronic supplementary information (ESI) available. See DOI: <https://doi.org/10.1039/d2me00227b>




mechanical stability of MOFs, however, polyMOFs have an inherent drawback of reduced accessible surface areas due to pore filling by the polymer ligands.¹⁹ For the isoreticular polyMOF analogues of MOF-5, the highest BET surface area achieved has reached only 1100 m² g⁻¹, which is approximately one third of the surface area of native MOF-5.¹⁸ We recently reported the synthesis of polyMOFs from low dispersity polymers synthesized from reversible addition fragmentation chain transfer (RAFT) polymerization, which allows for greater control over the composition, molar mass, and dispersity of the polymer ligand and enables further expansion of the scope of potential polyMOF materials.²⁰ The utility of these polyMOFs is limited, however, by their low surface areas (only up to 140 m² g⁻¹). In order to realize the advantages of polyMOFs, the development of new strategies to circumvent this limitation is imperative.


A variety of strategies have been employed to improve the surface area and gas uptake of MOFs, including the modification of organic linkers with specific functional groups,²¹ metal substitution,²² judicious design of MOF topology and structure,²³ and the utilization of alternative methods of solvent evacuation such as activation by supercritical CO₂.²⁴ Additionally, the use of multiple organic linkers containing different functionalities to synthesize so-called multivariate (MTV) MOFs has been found to improve the porosity, catalytic activity, and optical properties of MOFs relative to their parent materials (Fig. 1A).^{25,26} Notably, the resulting properties have not necessarily been a linear combination of the constituent parts. In an early example illustrating this concept, Deng *et al.* synthesized MTV-MOFs with eight distinct dicarboxylate linkers containing different functionalities, with one "MTV-MOF-5" material exhibiting an increase in CO₂ selectivity over CO four times that of the pure component MOFs.²⁷ This work, among others, exemplifies that introducing heterogeneity into these otherwise ordered structures can have synergistic effects that improve the properties of the resulting MOF.

In a related approach, we demonstrated that for polyMOFs employing RAFT-derived polymer ligands, the degree of polymer incorporation and properties of the resultant polyMOF could be tuned by including free linkers.²⁰ While this method proved successful for tuning the crystallinity and hydrolytic stability of the polyMOFs, the surface areas, though still tunable, remained low even upon the addition of three equivalents of free linker. We hypothesized that the polyacrylamide structure, which placed the linkers on the polymer sidechains, likely results in greater pore filling relative to polymer ligands with linkers in the polymer backbone. Therefore, we envisioned expanding this strategy to polyMOFs synthesized from step-growth polymerizations that have already demonstrated appreciable surface areas (Fig. 1B). By tuning the

A MTV-MOFs: mixed-functionality free linkers



B Mixed-ligand polyMOFs: polymer ligand and free linker



C MTV-polyMOFs: mixture of polymer ligands




Fig. 1 Mixed ligand strategies used in conventional MOF syntheses and investigated here for polyMOFs. (A) Unique functionalized ligands have been used to synthesize MTV-MOFs. Comparably, we explored (B) a mixed ligand strategy with step-growth polymer ligands and (C) a mixed polymer ligand approach, employing both step-growth and RAFT-synthesized polymers to synthesize MTV-polyMOFs.

relative amount of polymer incorporation, we could access polyMOFs with higher surface areas, while maintaining the favorable properties induced by incorporation of the polymer ligand. Additionally, by utilizing multiple unique polymer ligands, we can synthesize multivariate polyMOFs (MTV-polyMOFs) that enable incorporation of low dispersity polymer ligands without the need for small-molecule linkers (Fig. 1C).

Results and discussion

We began our investigation by synthesizing a polymer ligand that had previously been reported to form polyMOFs with high surface areas. We selected a polyether ligand (**pbdc-7a**) comprising 1,4-benzenedicarboxylic acid (H₂bdc) linkers connected by a seven-carbon spacer, previously reported by Cohen *et al.* to form polyMOF analogues of both MOF-5 and UiO-66.^{18,28} This ligand has been shown to generate polyMOFs with the highest reported BET surface areas and highest CO₂ uptake at 298 K to date.¹⁸ The polymer was synthesized in a two-step procedure (Scheme S1†): first, a condensation polymerization of diethyl 2,5-dihydroxyterephthalate and 1,7-dibromoheptane in DMF at 100 °C for 24 hours gave the ester form of the polymer (**pbdc-7e**), which was then hydrolyzed to obtain the polyacid **pbdc-7a** in 55% yield, as indicated by ¹H NMR and ¹³C NMR (Fig. S1 and S2†). Analysis by gel permeation



The materials were each characterized by powder X-ray diffraction (PXRD). All samples exhibited the diffraction patterns characteristic of MOF-5, as well as a broad peak centered around $2\theta = 22^\circ$, indicative of the presence of an

Morphological differences between the particles are clearly evident in scanning electron microscopy (SEM) images (Fig. S11–S15†). **Zn-pbdc-7a-0eq** shows the formation of a film of interconnected cubic MOF crystals, which is not present in the polyMOFs with greater amounts of free linker added. Instead, particles of interconnected cubic MOF crystals form, with the size of these particles decreasing as the fraction of added free linker increases. In particular, **Zn-pbdc-7a-1eq** and




Fig. 2 Synthesis of mixed ligand polyMOF **Zn-pbdc-7a-xeq**, polyMOFs formed from **pbdc-7a** and *x* equivalents of free H_2bdc (a) and powder X-ray diffractogram (b) of **Zn-pbdc-7a-xeq** with varying equivalents of free H_2bdc used in the synthesis.




Fig. 3 (a) TEM image of Zn-pbdc-7a-2eq-NH₂ and (b), Zn (c) O, (d) N EDX elemental mapping of Zn-pbdc-7a-2eq-NH₂, indicating incorporation of free bdc-NH₂ ligand into polyMOF lattice.

We hypothesized that decreasing the polymer ligand concentration should have a measurable impact on the BET surface areas of the polyMOFs, as the occluded space in the pores should be reduced. We tested this hypothesis using N₂ gas sorption measurements for a series of polyMOFs at 77 K. The polyMOFs all exhibited type-I isotherms and calculations based on the N₂ adsorption isotherms for **Zn-pbdc-7a-0eq**, **Zn-pbdc-7a-1eq**, **Zn-pbdc-7a-3eq**, **Zn-pbdc-7a-15eq**, and **Zn-pbdc-7a-30eq** indicated BET surface areas of 1011, 1287, 1359, 1356, and 562 m² g⁻¹, respectively (Fig. 4a).³⁰ These measurements provide evidence that the mixed ligand strategy can be used to tune the accessible surface of polyMOFs. Furthermore, using this method we were able to

We also investigated the CO₂ uptake of several of these polyMOFs, as it has been shown that polyMOFs can have increased CO₂ uptake relative to their native MOF counterparts. It was suggested by Cohen and co-workers that the observed higher heats of CO₂ adsorption (Q_{st}) originate from a decrease in pore size that results from the




Fig. 4 N₂ (a) and CO₂ (c) gas sorption isotherms for a series of polyMOF-5 materials synthesized from **pbd-c-7a** and *x* equivalents of free H₂bdc linkers and a comparison of the polyMOFs' BET surface areas (b) and total CO₂ uptake at 298 K and 1 atm (d). BET surface areas and CO₂ uptake capacities corrected to only account for the mass contributing to the framework are shown in red.

incorporation of polymers throughout the framework.^{18,29,32,33} We reasoned that a lower polymer fraction could maintain the higher heats of CO₂ adsorption observed from polymer incorporation, while decreasing the mass of polymer ligand in the pores, leading to higher CO₂ uptake. Measurements of CO₂ uptake (Fig. 4c) for **Zn-pbdc-7a-0eq**, **Zn-pbdc-7a-15eq**, and **Zn-pbdc-7a-30eq** gave values of 51, 65, and 31 cm³ g⁻¹ at 1 atm and 298 K, compared to 20 cm³ g⁻¹ that has been previously measured for the native MOF-5.¹⁸ Interestingly, addition of free linker initially leads to an increase in CO₂ uptake—27% over **Zn-pbdc-7a-0eq** and 325% over native MOF-5—but further increases result in reductions of CO₂ uptake from the pure polymer **Zn-pbdc-7a-0eq**. One possible explanation for this trend could be that, past a certain point, the polyMOF becomes more structurally comparable to the native MOF-5 and thus leads to a relative decrease in CO₂ uptake. Regardless, these results show that even small amounts of polymer incorporation can have positive impacts on the properties of the resulting polyMOF.

Encouraged by these results, we sought to determine whether a similar strategy could be utilized to form MTV-polyMOFs composed of two unique polymer ligands bearing the same organic linker. As a proof of concept, we synthesized a set of polyMOFs from **pbdc-7a** and a previously reported poly(acrylamide), **pabdc-0a**, that was synthesized *via* RAFT and that bears the H₂bdc linkers on pendant sidechains (Fig. 5a).²⁰ The dispersity of **pabdc-0a** was shown to play a significant role in the ability of the polymer to form polyMOFs. In particular, **pabdc-0a** was only able to form

crystalline material when synthesized by an uncontrolled free radical polymerization, leading to high dispersity, or when free H₂bdc linker was added to the reaction solution during MOF synthesis. The high dispersity polymer **pbdc-7a** could function similarly in enabling the integration of low dispersity **pabdc-0a** into the MOF framework, thereby allowing access to polyMOFs composed purely of polymers that incorporate well-defined polymers with complex architectures.

We explored four different ligand ratios of **pbdc-7a** to **pabdc-0a** (10:1, 2:1, 1:1, and 1:2, based on the H₂bdc bound to each polymer) and maintained the ratio of Zn²⁺ to total H₂bdc constant at 3:1 for each synthesis. The polymers and Zn(NO₃)₂·6H₂O were dissolved in DMF and placed in a 100 °C preheated oven for 24 hours, after which a precipitated solid was isolated. The solids each exhibited diffraction patterns matching that of MOF-5 (Fig. 5b). Additionally, ¹H NMR of the digested materials (Fig. S16–S19†) showed polymer ratios comparable to the initial stoichiometric ratio, and elemental mapping by TEM-EDX (Fig. S20 and S21†) provided evidence of homogenous incorporation of **pabdc-0a** based on the nitrogen atoms of the acrylamide, suggesting that this strategy can facilitate the formation of MTV-polyMOFs over a range of polymer ratios.

We further explored this strategy as a means to incorporate more complex polymer architectures into the MOF framework by synthesizing MTV-polyMOFs from **pbdc-7a** and diblock copolymer **PS-b-pabdc-0a** (Scheme S2†) over the same range of polymer ratios. Brittle films were formed for each of the syntheses and again they each showed diffraction patterns corresponding to MOF-5 (Fig. S22†). Interestingly, however, samples with larger fractions of **PS-b-pabdc-0a**, as determined by ¹H NMR of the digested polyMOFs (Fig. S23–S26†), showed the appearance of several new diffraction peaks (most prominently at 14.7°, 20.2°, and 21.7°) not typical of MOF-5, indicating the formation of a new crystalline phase in addition to that of MOF-5. These results highlight that the addition of even small amounts of a polymer ligand can have impacts on the structure of the material and opens up MTV-polyMOFs as a viable approach for incorporating low dispersity polymers with complex architectures and functionalities into polyMOFs.^{19,34,35}

Conclusions

We have demonstrated that a mixed ligand strategy can be utilized to tune the relative incorporation of polymer ligands in polyMOFs. This approach was found to generate polyMOFs with improved BET surface areas and record high CO₂ uptake, significantly outpacing the native MOF-5. This strategy was further shown to enable the synthesis of mixed polymer ligand MTV-polyMOFs. MTV-polyMOFs can enable the incorporation of low dispersity RAFT polymers into polyMOFs without the addition of small molecule free linker.




Fig. 5 (a) Synthesis of mixed polymer ligand polyMOFs MTV-polyMOF-5_x_y from *x* equivalents of **pbdc-7a** and *y* equivalents of **pabdc-0a** and (b) powder X-ray diffractogram of series of MTV-polyMOF-5_x_y.



Altogether, these results expand the scope of polyMOF materials by facilitating the precise tuning of their properties and the integration of complex polymer architectures.

Author contributions

M. A. P., M. D., and J. A. J. conceived the research and designed experiments. M. A. P. and S. B. performed the research and collected data. M. A. P. analyzed the data. The manuscript was written through contributions of M. A. P., M. D., and J. A. J.

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

This work was supported by the NSF Center for the Chemistry of Molecularly Optimized Networks (MONET), CHE-2116298. M. D. was supported through the Department of Energy (DE-SC0023288).

Notes and references

- H. Furukawa, K. E. Cordova, M. O'Keeffe and O. M. Yaghi, *Science*, 2013, **341**, DOI: [10.1126/science.1230444](https://doi.org/10.1126/science.1230444).
- D. Yang and B. C. Gates, *ACS Catal.*, 2019, **9**, 1779–1798.
- J. A. Mason, M. Veenstra and J. R. Long, *Chem. Sci.*, 2014, **5**, 32–51.
- H. Li, K. Wang, Y. Sun, C. T. Lollar, J. Li and H. C. Zhou, *Mater. Today*, 2018, **21**, 108–121.
- P. Kumar, A. Deep and K. H. Kim, *TrAC, Trends Anal. Chem.*, 2015, **73**, 39–53.
- I. Stassen, J.-H. Dou, C. Hendon and M. Dincă, *ACS Cent. Sci.*, 2019, **5**, 1425–1431.
- P. Horcajada, R. Gref, T. Baati, P. K. Allan, G. Maurin, P. Couvreur, G. Férey, R. E. Morris and C. Serre, *Chem. Rev.*, 2012, **112**, 1232–1268.
- A. U. Czaja, N. Trukhan and U. Müller, *Chem. Soc. Rev.*, 2009, **38**, 1284–1293.
- B. Yilmaz, N. Trukhan and U. Müller, *Chin. J. Catal.*, 2012, **33**, 3–10.
- A. I. Spjelkavik, Aarti, S. Divekar, T. Didriksen and R. Blom, *Chem. – Eur. J.*, 2014, **20**, 8973–8978.
- T. Kitao, Y. Zhang, S. Kitagawa, B. Wang and T. Uemura, *Chem. Soc. Rev.*, 2017, **46**, 3108–3133.
- F. Jin, J. Liu, Y. Chen and Z. Zhang, *Angew. Chem.*, 2021, **133**, 14342–14355.
- M. Galizia, W. S. Chi, Z. P. Smith, T. C. Merkel, R. W. Baker and B. D. Freeman, *Macromolecules*, 2017, **50**, 7809–7843.
- Y. Cheng, Y. Ying, S. Japip, S.-D. Jiang, T.-S. Chung, S. Zhang, D. Zhao, Y. Cheng, Y. Ying, S. Japip, S. Jiang, T. Chung, S. Zhang and D. Zhao, *Adv. Mater.*, 2018, **30**, 1802401.
- H. B. Tanh Jeazet, C. Staudt and C. Janiak, *Dalton Trans.*, 2012, **41**, 14003–14027.
- V. J. Pastore and T. R. Cook, *Chem. Mater.*, 2020, **32**, 3680–3700.
- M. Kalaj, K. C. Bentz, S. Ayala, J. M. Palomba, K. S. Barcus, Y. Katayama and S. M. Cohen, *Chem. Rev.*, 2020, **120**, 8267–8302.
- Z. Zhang, H. T. H. Nguyen, S. A. Miller and S. M. Cohen, *Angew. Chem., Int. Ed.*, 2015, **54**, 6152–6157.
- K. C. Bentz, K. Gnanasekaran, J. B. Bailey, S. Ayala, F. A. Tezcan, N. C. Gianneschi and S. M. Cohen, *Chem. Sci.*, 2020, **11**, 10523–10528.
- M. A. Pearson, M. Dincă and J. A. Johnson, *Chem. Mater.*, 2021, **33**, 9508–9514.
- A. Demessence, D. M. D'Alessandro, M. L. Foo and J. R. Long, *J. Am. Chem. Soc.*, 2009, **131**, 8784–8786.
- S. R. Caskey, A. G. Wong-Foy and A. J. Matzger, *J. Am. Chem. Soc.*, 2008, **130**, 10870–10871.
- O. K. Farha, I. Eryazici, N. C. Jeong, B. G. Hauser, C. E. Wilmer, A. A. Sarjeant, R. Q. Snurr, S. T. Nguyen, A. Ö. Yazaydin and J. T. Hupp, *J. Am. Chem. Soc.*, 2012, **134**, 15016–15021.
- A. P. Nelson, O. K. Farha, K. L. Mulfort and J. T. Hupp, *J. Am. Chem. Soc.*, 2009, **131**, 458–460.
- A. Helal, Z. H. Yamani, K. E. Cordova and O. M. Yaghi, *Natl. Sci. Rev.*, 2017, **4**, 296–298.
- J. Jiao, W. Gong, X. Wu, S. Yang and Y. Cui, *Coord. Chem. Rev.*, 2019, **385**, 174–190.
- H. Deng, C. J. Doonan, H. Furukawa, R. B. Ferreira, J. Towne, C. B. Knobler, B. Wang and O. M. Yaghi, *Science*, 2010, **327**, 846–850.
- P. G. M. Mileo, S. Yuan, S. Ayala, P. Duan, R. Semino, S. M. Cohen, K. Schmidt-Rohr and G. Maurin, *J. Am. Chem. Soc.*, 2020, **142**, 10863–10868.
- Z. Zhang, H. T. H. Nguyen, S. A. Miller, A. M. Ploskonka, J. B. Decoste and S. M. Cohen, *J. Am. Chem. Soc.*, 2016, **138**, 920–925.
- J. W. M. Osterrieth, J. Rampersad, D. Madden, N. Rampal, L. Skoric, B. Connolly, M. D. Allendorf, V. Stavila, J. L. Snider, R. Ameloot, J. Marreiros, C. Ania, D. Azevedo, E. Vilarrasa-Garcia, B. F. Santos, X. H. Bu, Z. Chang, H. Bunzen, N. R. Champness, S. L. Griffin, B. Chen, R. B. Lin, B. Coasne, S. Cohen, J. C. Moreton, Y. J. Colón, L. Chen, R. Clowes, F. X. Coudert, Y. Cui, B. Hou, D. M. D'Alessandro, P. W. Doherty, M. Dincă, C. Sun, C. Doonan, M. T. Huxley, J. D. Evans, P. Falcaro, R. Ricco, O. Farha, K. B. Idrees, T. Islamoglu, P. Feng, H. Yang, R. S. Forgan, D. Bara, S. Furukawa, E. Sanchez, J. Gascon, S. Telalović, S. K. Ghosh, S. Mukherjee, M. R. Hill, M. M. Sadiq, P. Horcajada, P. Salcedo-Abraira, K. Kaneko, R. Kukobat, J. Kenvin, S. Keskin, S. Kitagawa, K. ichi Otake, R. P. Lively, S. J. A. DeWitt, P. Llewellyn, B. v. Lotsch, S. T. Emmerling, A. M. Pütz, C. Martí-Gastaldo, N. M. Padial, J. García-Martínez, N. Linares, D. Maspocho, J. A. Suárez del Pino, P. Moghadam, R. Oktavian, R. E. Morris, P. S. Wheatley, J. Navarro, C. Petit, D. Danaci, M. J. Rosseinsky, A. P. Katsoulidis, M. Schröder, X. Han, S. Yang, C. Serre, G. Mouchaham, D. S. Sholl, R. Thyagarajan, D. Siderius, R. Q.



- Snurr, R. B. Goncalves, S. Telfer, S. J. Lee, V. P. Ting, J. L. Rowlandson, T. Uemura, T. Iiyuka, M. A. van der Veen, D. Rega, V. van Speybroeck, S. M. J. Rogge, A. Lamaire, K. S. Walton, L. W. Bingel, S. Wuttke, J. Andreo, O. Yaghi, B. Zhang, C. T. Yavuz, T. S. Nguyen, F. Zamora, C. Montoro, H. Zhou, A. Kirchon and D. Fairen-Jimenez, *Adv. Mater.*, 2022, **34**, 2201502.
- 31 G. E. M. Schukraft, S. Ayala, B. L. Dick and S. M. Cohen, *Chem. Commun.*, 2017, **53**, 10684–10687.
- 32 K. Sumida, D. L. Rogow, J. A. Mason, T. M. McDonald, E. D. Bloch, Z. R. Herm, T. H. Bae and J. R. Long, *Chem. Rev.*, 2011, **112**, 724–781.
- 33 C. Trickett, A. Helal and B. Al-Maythaly, *et al.*, *Nat. Rev. Mater.*, 2017, **2**, 17045.
- 34 M. J. Macleod and J. A. Johnson, *Polym. Chem.*, 2017, **8**, 4488–4493.
- 35 S. Ayala, K. C. Bentz and S. M. Cohen, *Chem. Sci.*, 2019, **10**, 1746–1753.

