



Cite this: *New J. Chem.*, 2025, 49, 8267

Construction of Fe₃O₄/ZnO heterostructure photocatalysts derived from Fe-doped ZIF-8 for enhanced photocatalytic degradation of tetracycline and hydrogen peroxide production†

Sumiyyah Sabar,^a Afiqah M. Jamil,^a Yifan Zhao,^b Enis Nadia Md Yusof,^a Raphaël Schneider,^c Abdul Rahman Mohamed,^d Yasutaka Kuwahara,^e Kohsuke Mori^{be} and Hiromi Yamashita^{be}

This study focuses on the development of Fe₃O₄/ZnO heterostructures derived from Fe-doped ZIF-8 through a precipitation and thermal decomposition approach. Fe³⁺ ions were incorporated into the ZIF-8 framework to partially replace Zn²⁺ ions, facilitating the formation of Fe₃O₄ during calcination under air. Optical and structural characterization, including ultraviolet-visible diffuse reflectance spectroscopy (UV-Vis DRS), X-ray diffraction (XRD), and X-ray photoelectron spectroscopy (XPS), confirmed the successful formation of crystalline heterostructures. These heterostructures exhibited extended visible-light absorption, a narrowed bandgap, and the formation of defect states, which improved charge separation and suppressed electron-hole recombination. The Fe₃O₄/ZnO heterostructures demonstrate enhanced photocatalytic performance for two critical applications: tetracycline (TC) degradation and hydrogen peroxide (H₂O₂) production under visible light irradiation. Among the tested materials, Fe-ZIF-8 calcined at 500 °C showed the highest photocatalytic efficiency, achieving 74.8% TC degradation within 2 h, with a rate of 8.21 × 10^{−3} min^{−1}. Additionally, it exhibited a significantly enhanced H₂O₂ production yield of 919.2 μM within 3 h of irradiation. Radical scavenging experiments identified superoxide radicals (•O₂[−]) as the primary reactive species driving the photocatalytic reaction. These findings highlight the potential of ZIF-8-derived photocatalysts as efficient and promising materials for sustainable wastewater treatment and green chemical production.

Received 30th January 2025,
Accepted 23rd April 2025

DOI: 10.1039/d5nj00407a

rsc.li/njc

1. Introduction

The contamination of water resources with persistent organic pollutants, particularly antibiotics such as tetracycline (TC), poses a critical challenge to global sustainability. TC is frequently detected in water bodies due to its excessive use in agriculture, aquaculture, and healthcare, combined with inefficient wastewater treatment processes.^{1,2} Its presence disrupts

aquatic ecosystems, promotes the proliferation of antibiotic-resistant bacteria, and poses severe health risks, including joint diseases and nephropathy, through bioaccumulation and prolonged exposure.² Therefore, effective removal of TC from wastewater is critical for environmental remediation and public health. Concurrently, hydrogen peroxide (H₂O₂) has emerged as a green oxidant with applications in advanced oxidation processes, water disinfection, and eco-friendly chemical synthesis.³ The global market size for H₂O₂ was valued at USD 3.24 billion in 2023 and is projected to grow to USD 4.05 billion by 2027, reflecting its growing importance.⁴ Direct production of H₂O₂ offers a sustainable alternative to conventional energy-intensive, such as the anthraquinone process and electrocatalysis,^{3,5} making it a key focus for sustainable environmental technologies. However, the development of efficient, stable, and cost-effective methods capable of addressing both TC degradation and H₂O₂ production remains a significant scientific challenge.

Photocatalysis, driven by the activation of semiconductors under light irradiation, has gained attention as a promising approach for addressing environmental issues and advancing

^a Chemical Sciences Programme, School of Distance Education (SDE), Universiti Sains Malaysia, 11800 Minden, Penang, Malaysia. E-mail: sumiyyahs@usm.my

^b Division of Materials and Manufacturing Science, Graduate School of Engineering, Osaka University, 2-1 Yamadaoka, Suita, Osaka 565-0871, Japan. E-mail: yamashita@mat.eng.osaka-u.ac.jp

^c Université de Lorraine, CNRS, LRGP, F-54000 Nancy, France

^d School of Chemical Engineering, Universiti Sains Malaysia, Engineering Campus, Nibong Tebal, Pulau Pinang 14300, Malaysia

^e Innovative Catalysis Science Division, Institute for Open and Transdisciplinary Research Initiatives (OTRI), Osaka University, 2-1 Yamadaoka, Suita, Osaka 565-0871, Japan

† Electronic supplementary information (ESI) available. See DOI: <https://doi.org/10.1039/d5nj00407a>



sustainable chemical processes. However, traditional photocatalysts like titanium dioxide (TiO₂) and zinc oxide (ZnO) suffer from inherent limitations, including wide bandgaps that limit their activity to UV light and rapid recombination of photogenerated electron–hole pairs, which reduces their overall efficiency.⁶ To overcome these challenges, researchers have turned to innovative materials such as metal–organic frameworks (MOFs) for photocatalyst design.^{6–9} MOFs, particularly zeolitic imidazolate frameworks (ZIFs), offer unique advantages such as high surface area, tunable porosity, and chemical functionality.^{10,11} ZIF-8, a sodalite-type MOF composed of Zn²⁺ ions and 2-methylimidazole linkers, has emerged as a versatile precursor for functional materials due to its thermal stability and well-defined crystalline structure.^{12,13} Upon thermal decomposition, ZIF-8 transforms into ZnO while retaining its key structural features.^{14,15} Compared to other synthesis methods, MOF-derived metal oxides offer advantages such as high surface area, uniform porosity, abundant active sites, and efficient charge diffusion, capable of enhancing electrochemical and photochemical reactions.^{16–18} Viswanathan *et al.* reported a ZnO/C₃N₄ photocatalyst derived from ZIF-8 and C₃N₄ sheets, demonstrating improved photocatalytic performance due to interfacial coupling, which enhanced charge separation. The ZnO, derived from calcination of ZIF-8 at 600 °C, combined with C₃N₄ showed excellent sunlight-driven degradation of rhodamine B (RhB), achieving 95% degradation within 70 minutes.⁶ On the other hand, Su *et al.* developed a simple dipping-pyrolysis route to fabricate a novel 3D structure photocatalytic microreactor based on ZIF-8-derived porous ZnO nanocages supported on reduced graphene oxide-coated carbon sponge, which demonstrated excellent photocatalytic performance for RhB degradation and hydrogen production.¹⁹

Enhancing the performance of ZIF-8-derived materials can be achieved by incorporating transition metal dopants such as Ag,²⁰ Cu,²¹ Co,²² and Fe.²³ Metal doping introduces additional electronic states, reduces the bandgap, and enhances visible-light absorption, thereby improving the photocatalytic efficiency. Furthermore, the construction of heterostructures derived from ZIF-8, such as C₃N₄/ZnO,⁶ CuO/ZnO,⁸ Cu₂O/ZnO,²⁴ TiO₂/ZnO,²⁵ CuS/ZnO,²⁶ SrTiO₃/ZnO,²⁷ and Co₃O₄/ZnO,²⁸ offers a powerful strategy to further boost photocatalytic performance. Heterostructures provide enhanced charge separation through the formation of an internal electric field at the interface of the two phases, which suppresses electron–hole recombination.^{29,30} Previous studies have shown that Fe_xO_y/ZnO heterostructures exhibit superior photocatalytic performance due to their ability to facilitate efficient charge transfer between ZnO and iron oxide phases, resulting in prolonged lifetimes of charge carriers.^{31,32} Dien *et al.* synthesized ZnO nanoplates and Fe₂O₃ nanospindles using hydrothermal method and combined them in varying weight ratios to form Fe₂O₃/ZnO hybrids.³¹ The heterojunction formed between ZnO and Fe₂O₃ improved visible light absorption, facilitated enhanced electron–hole separation, and reduced recombination, contributing to its exceptional performance for methylene blue (MB) degradation under green LED illumination. On the other hand, Huong *et al.* demonstrated that Fe₃O₄/ZnO

hetero-nanostructures synthesized *via* hydrothermal technique achieved significant enhancement in MB degradation efficiency, reaching up to 99.7% under UV light and 79.7% under visible light irradiation.³² This improvement was attributed to the transfer of electrons between the conduction bands of ZnO and Fe₃O₄, as well as the formation of defect states (*e.g.*, Fe²⁺/Fe³⁺ levels) below the conduction band of ZnO, which promoted charge separation and prolonged carrier lifetimes. Despite these advancements, the development of Fe_xO_y/ZnO heterostructures derived from ZIF-8 remains both a challenge and an opportunity. Key challenges include achieving controlled phase transitions during calcination, retaining sufficient porosity after thermal decomposition, and optimizing the formation of heterostructures with efficient charge separation. Moreover, integrating transition metals like Fe into the ZIF-8 framework to introduce mixed-valence states can improve charge transfer and visible-light activity. Additionally, the practical application of Fe_xO_y/ZnO heterostructures for pollutant degradation and green chemical production remains underexplored.

This study addresses these challenges by synthesizing Fe-doped ZIF-8 and transforming it into Fe₃O₄/ZnO heterostructures through a precipitation method followed by thermal decomposition under air. During this process, Fe³⁺ ions partially replace Zn²⁺ within the ZIF-8 framework, enabling the formation of Fe₃O₄ during calcination. The resulting Fe₃O₄/ZnO heterostructures exhibit extended visible-light absorption, additional defect sites, and enhanced charge separation, significantly improving their photocatalytic performance for TC degradation and H₂O₂ production. By leveraging the unique properties of ZIF-8 and its derivatives, this work aims to address the challenges of inefficient photocatalysts and provide an environmentally friendly and sustainable solution for wastewater treatment and chemical production. Additionally, the structural and optical characteristics of these materials are investigated, correlating their physicochemical properties with their photocatalytic performance.

2. Experimental

2.1. Materials

The chemicals used in this study included zinc nitrate hexahydrate (Zn(NO₃)₂·6H₂O, Fisher), 2-methylimidazole (C₄H₆N₂, 99%, Acros) (denoted as meIm), iron(III) nitrate nonahydrate (Fe(NO₃)₃·9H₂O, R&M Chemicals), methanol (CH₃OH, 99.9%, Fisher) (denoted as MeOH), tetracycline (C₂₂H₂₄N₂O₈, AR, 98%, Sigma-Aldrich) (denoted as TC), oxo[5,10,15,20-tetra(4-pyridyl)porphyrinato]titanium(IV) ([TiO(tpypH₄)]⁴⁺, Tokyo Chemistry Industry Co., Ltd) (denoted as Ti-TPyP), hydrogen peroxide (H₂O₂, 30%, Nacalai Tesque), benzyl alcohol (C₆H₅CH₂OH, > 97%, Nacalai Tesque) (denoted as BA), acetonitrile (CH₃CN, 99%, Nacalai Tesque) (denoted as ACN), perchloric acid (HClO₄, 60%, Nacalai Tesque), hydrochloric acid (HCl, 16.9%, Nacalai Tesque), isopropyl alcohol ((CH₃)₂CHOH, 99.8%, QRec Chemicals) (denoted as IPA), 1,4-*p*-benzoquinone (C₆H₄O₂, 99%, HmbG Chemical) (denoted as BQ) and ethylenediamine tetraacetic acid ([CH₂N(CH₂CO₂H)₂]₂, 99.5%, R&M Chemicals) (denoted as EDTA).



All chemicals used were of analytical grade and used without further purification.

2.2. Synthesis of Fe-ZIF-8 and Fe₃O₄/ZnO heterostructures

Fe-doped ZIF-8 (Fe-ZIF-8) was synthesized *via* a precipitation method, adapted from Du *et al.* with slight modification.³³ First, 2.380 g of Zn(NO₃)₂·6H₂O and 0.0238 g of Fe(NO₃)₃·9H₂O were dissolved in 56 mL of MeOH (solution A). Separately, 5.287 g of meIm was dissolved in 56 mL of MeOH (solution B). Solution B was added dropwise to solution A, and the resulting mixture was stirred at 650 rpm for 6 h to facilitate the precipitation of Fe-ZIF-8. The precipitate was collected by centrifugation at 3000 rpm, washed three times with MeOH, and dried at 100 °C for 1 h. The dried Fe-ZIF-8 was calcined in a quartz tube furnace under an air atmosphere to form Fe₃O₄/ZnO heterostructures. Calcination was performed at 300, 500, 700, and 900 °C for 3 h with a heating rate of 5 °C min⁻¹. The calcined samples were denoted as Fe-ZIF-8 300, Fe-ZIF-8 500, Fe-ZIF-8 700, and Fe-ZIF-8 900, respectively. For comparison, undoped ZIF-8 was prepared following the same procedure but without adding Fe(NO₃)₃·9H₂O. The resulting undoped samples were similarly calcined and labeled accordingly. Fig. 1 shows the schematic representation of the synthesis of Fe₃O₄/ZnO heterostructures derived from Fe-ZIF-8 by thermal decomposition under an air atmosphere. The Fe-ZIF-8 precursor appeared as a fine beige powder, while calcination resulted in noticeable color changes due to thermal transformations. At 300 °C, the samples exhibited a brownish appearance, transitioning to an intense reddish-brown hue at 500 °C and above, reflecting the formation of Fe₃O₄/ZnO phases.

2.3. Characterization

Various characterizations were conducted to investigate the optical, physical, and chemical properties of the photocatalytic materials. The optical absorption of the photocatalysts was assessed using solid-state ultraviolet-visible diffuse reflectance spectroscopy (UV-vis DRS, Shimadzu UV-2450) from 200 to 800 nm with BaSO₄ as the reference. The absorption spectra were analyzed using the Kubelka–Munk function to determine the bandgap energy of the photocatalysts.³⁴ The crystalline phases and structural changes of the synthesized samples were recorded by powder X-ray diffraction (XRD) analysis (Rigaku Ultima IV) in the range of 5–60° with Cu Kα radiation (λ = 1.5405 Å). The thermal stability and decomposition behavior of the photocatalysts were evaluated using a PerkinElmer STA 6000 thermogravimetric analyzer (TGA). Samples were heated from room temperature to 900 °C at a rate of 5 °C min⁻¹ under an air and nitrogen atmosphere. Surface morphology and elemental composition were analyzed using a scanning electron microscope coupled with an energy dispersive X-ray spectrometer (SEM-EDX, Model Quanta FEG 650, USA), operating at 0.9 kV and a magnification of 20 000×. The particle size has been calculated using the ImageJ software from the SEM images. The specific surface area and pore size distribution were determined using N₂ physisorption measurements conducted on a BELSORP-max system (Microtrac BEL Corp., Inc.). Before the analysis, the samples were pretreated under vacuum at 120 °C for 5 h to eliminate moisture and surface impurities. Fourier-transform infrared (FTIR) spectroscopy (Model 2000, PerkinElmer, USA) was performed within the 4000–400 cm⁻¹




Fig. 1 Schematic representation of the synthesis of Fe-ZIF-8, followed by thermal decomposition under an air atmosphere to produce Fe₃O₄/ZnO heterostructures.



range to identify functional groups and confirm the structural integrity of the photocatalysts. X-ray photoelectron spectroscopy (XPS) was carried out to analyze the surface composition and chemical states of the elements in the samples using an ESCA-3400 XPS system from Shimadzu equipped with a monochromatic Al K α X-ray source. The binding energies were calibrated with reference to the C 1s peak at 284.6 eV.

2.4. Evaluation of photocatalytic performance

2.4.1. Photocatalytic degradation of TC. The photocatalytic degradation experiments were conducted in a custom-designed reactor equipped with a cooling fan to maintain room temperature and prevent thermal catalytic reactions. A 50 mg L⁻¹ TC solution was used as the target pollutant, with 40 mg of the photocatalysts dispersed in 50 mL of the solution in a 100 mL beaker. Air was bubbled into the solution at a constant flow rate of 6 mL min⁻¹, with continuous stirring using a magnetic stirrer to ensure proper mixing and maximum contact between the photocatalysts and the TC solution. A 120-W PAR38 warm light bulb (Philips), emitting visible light within 400–700 nm, was positioned 9 cm vertically above the beaker as the light source. The reaction was conducted in the dark for 1 h to reach adsorption–desorption equilibrium before being irradiated with light to initiate the photocatalytic reaction. At regular intervals, 5 mL aliquots were taken, centrifuged, and analyzed using a spectrophotometer (ThermoFisher Scientific, Genesys 30) at 370 nm. The degradation efficiency (*R*, %) of TC was calculated using the formula:

$$R = \frac{C_0 - C_t}{C_0} \times 100 \quad (1)$$

where C_0 and C_t represent the initial concentration and the concentration of TC at a specific time interval, respectively, in mg L⁻¹. The degradation rate (min⁻¹), k , was derived by the Langmuir–Hinshelwood kinetic model given by:

$$\ln\left(\frac{C_0}{C_t}\right) = -kt \quad (2)$$

2.4.2. Radical scavenging. The radical scavenging experiment was conducted to determine the main active species involved in the photocatalytic degradation of TC. For this study, BQ, IPA, and EDTA were taken as scavengers for superoxide radicals ($\bullet\text{O}_2^-$), hydroxyl radicals ($\bullet\text{OH}$), and holes (h^+), respectively.

2.4.3. Photocatalytic H₂O₂ production. The photocatalytic production of H₂O₂ was assessed using a one-phase photocatalytic reaction system. Firstly, 5.0 mg of photocatalysts, 3.0 mL of ACN, and 2.0 mL of BA were added to a 30 mL reaction tube. The reactor was then sealed and sonicated for 5 minutes to ensure proper dispersion of the photocatalyst. Next, the mixture was bubbled with O₂ at 20 mL min⁻¹ for 30 minutes while magnetically stirred in the dark. The reaction tube was then irradiated with a 500 W Xe-lamp (Sanei Electric XEF-501S) through a 420 nm cut-off glass filter, maintaining a 5 cm distance between the tube and the lamp. The reaction was

conducted at 25 °C and ambient pressure, with continuous stirring. Every hour, a 20 μL aliquot was withdrawn from the aqueous solution and diluted 100-fold with distilled water.

The concentration of H₂O₂ was determined using a [TiO(tpypH₄)]⁴⁺ complex titration method.³⁵ First, the Ti-TPyP reagent was prepared by dissolving 3.4 mg of the [TiO(tpypH₄)]⁴⁺ complex in a 100 mL solution of 50 mM aqueous HCl. Then, 250 μL of the prepared Ti-TPyP reagent and 250 μL of 4.8 M HClO₄ aqueous solution were mixed with 250 μL of the sample aliquot (diluted 100-fold with distilled water). After 5 minutes, the mixture was further diluted to a final volume of 2.5 mL with distilled water. The absorbance of the [TiO(tpypH₄)]⁴⁺ complex at 434 nm decreased with the formation of H₂O₂, due to the formation of the peroxo[5, 10, 15, 20-tetra(4-pyridyl)porphyrinato]titanium(IV) complex. This decrease in absorbance (ΔA_{434}) was directly proportional to the H₂O₂ concentration in the sample and was measured using a Shimadzu UV-2600 UV-vis spectrophotometer. The amount of H₂O₂ was calculated using the following equation:³⁶

$$\Delta A_{434} = A_B - A_S \quad (3)$$

where A_B and A_S represent the absorbance of the blank solution and the sample solution, respectively. The H₂O₂ concentration was determined from the linear relationship between ΔA_{434} and the molar concentration of H₂O₂, as established through a calibration curve.

3. Results and discussion

3.1. Characterization

The UV-vis diffuse reflectance spectra of Fe-ZIF-8, uncalcined and calcined at various temperatures (300, 500, 700, and 900 °C), provide valuable insights into the optical properties of the materials. These spectra are depicted as Kubelka–Munk functions in Fig. 2. The corresponding Tauc plots, shown in Fig. S1 (ESI[†]), illustrate the optical bandgap energies (E_g) of the samples, with the values summarized in Table 1. Uncalcined Fe-ZIF-8 exhibits minimal visible light absorption with an adsorption edge of approximately 250 nm, and a high bandgap energy of 5.26 eV. This high bandgap value is characteristic of MOFs like ZIF-8,²³ limiting their photocatalytic activity to the UV region and restricting their potential for solar-driven applications. Calcination induces significant changes in the optical properties of the catalyst. At 300 °C, a significant red-shift in the absorption edge occurs, reducing the bandgap energy to 3.28 eV. This reduction is due to the degradation of organic linkers, the collapse of the MOF framework, and the formation of defect states, which extend light absorption into the visible region.^{7,37} At higher calcination temperatures (500–900 °C), the bandgap stabilizes slightly above 3.0 eV, consistent with the formation of thermally stable crystalline ZnO, whose bandgap energy is approximately 3.37 eV.³⁷ Two key charge-transfer mechanisms that influence the optical and photocatalytic properties of these catalysts are intra-ligand charge transfer (ILCT) and ligand-to-metal charge transfer (LMCT).^{38,39} ILCT,






Fig. 2 UV-vis DRS spectra of uncalcined Fe-ZIF-8 and Fe-ZIF-8 calcined at different temperatures (300, 500, 700, and 900 °C).

Table 1 Bandgap energies and crystallite size of uncalcined Fe-ZIF-8 and Fe-ZIF-8 calcined at different temperatures (300, 500, 700, and 900 °C)

Catalyst	Bandgap energy (eV)	Crystallite size, <i>D</i> (nm)
Fe-ZIF-8	5.26	30.6 ± 2.0
Fe-ZIF-8 300	3.28	22.5 ± 0.6
Fe-ZIF-8 500	3.27	23.1 ± 2.6
Fe-ZIF-8 700	3.27	26.6 ± 2.4
Fe-ZIF-8 900	3.23	31.2 ± 1.4

dominant in uncalcined Fe-ZIF-8, involves electron transitions within the organic linker (meIm).³⁹ As Fe-ZIF-8 was calcined at 300 °C, the partial degradation of the linker reduces ILCT, thus narrowing the bandgap. Between 500–900 °C, complete decomposition of organic linkers eliminates ILCT, resulting in metal oxide-like behavior. LMCT, which involves electron transfer from the linker to metal clusters,⁴⁰ becomes dominant in calcined samples due to the formation of heterostructures. Compared to ZIF-8 (Fig. S2, ESI†), Fe-ZIF-8 demonstrates slightly enhanced visible light absorption due to the introduction of Fe³⁺ electronic states. The spectrum of Fe-ZIF-8 500 exhibits the most significant enhancement in visible light absorption and a slightly lower bandgap energy ($E_g = 3.27$ eV) compared to ZIF-8 500 ($E_g = 3.29$ eV). This improvement is attributed to the formation of Fe₃O₄/ZnO heterostructures, where the interaction between ZnO and Fe oxides promotes charge separation and creates defect states and interfacial pathways for efficient charge transfer.³² These effects result in broadened absorption and increased photocatalytic potential under visible light irradiation.

The phase transitions and crystal structures of Fe-ZIF-8 calcined at various temperatures were analyzed using XRD, as illustrated in Fig. 3(a). The diffraction patterns for uncalcined Fe-ZIF-8 confirm a sodalite (SOD)-type cubic crystal structure, similar to ZIF-8 (JCPDS 00-062-1030).⁴¹ With increasing calcination temperature, the XRD patterns demonstrate a gradual




Fig. 3 (a) XRD patterns of uncalcined and calcined Fe-ZIF-8 at different temperatures (300, 500, 700, and 900 °C); (b) TGA and DTG of Fe-ZIF-8 under air and N₂ atmosphere.

transformation from the MOF structure to a crystalline ZnO phase. This transition aligns with the thermal decomposition of organic linkers and the subsequent crystallization of metal oxides.^{7,15} At higher temperature of 500 °C and above, the diffraction peaks of Fe-ZIF-8 observed at 31.8°, 34.4°, 36.2°, 47.5°, and 56.5° correspond to the (100), (002), (101), (102), and (110) planes of wurtzite hexagonal-phase ZnO (JCPDS 36-1451).⁶ Additionally, new peaks appear corresponding to Fe₃O₄ magnetite (JCPDS 19-629),^{32,42} indicating the successful incorporation of Fe and the formation of Fe₃O₄/ZnO heterostructures. This differs from ZIF-8 500 (Fig. S3, ESI†), whose XRD pattern lacks Fe₃O₄-related peaks. Crystallite sizes calculated using the Debye–Scherrer equation,⁴³ are summarized in Table 1. Calcination at 300 °C results in a significant reduction in crystallite size compared to the uncalcined sample, attributed to the structural degradation and collapse of the MOF framework. As the calcination temperature increases from 500 to 900 °C, the crystallite size grows from 23.1 ± 2.6 to 31.2 ± 1.4 nm. The values obtained at 500 °C are similar to the crystalline size of ZnO/α-Fe₂O₃ nanocomposites synthesized by the sol-gel method,⁴⁴ indicating the development of well-crystallized Fe_xO_y/ZnO heterostructures.

The TGA and DTG curves under air and N₂ atmospheres, shown in Fig. 3(b), reveal key differences in the thermal



The SEM images in Fig. 4 illustrate the progressive morphological changes of Fe-ZIF-8 as it undergoes thermal treatment at various temperatures. The pristine Fe-ZIF-8 (Fig. 4(a)) exhibits a well-defined rhombic dodecahedral morphology with smooth surfaces and an average particle size of 815 ± 95 nm, reflecting its high crystallinity and intact SOD-type structure. Upon calcination at 300 °C (Fig. 4(b)), the structure largely retains its shape, though slight surface roughening is observed, and the average particle size reduces to 522 ± 81 nm, indicating the initial degradation of the organic linkers and partial collapse of the MOF framework. At 500 °C (Fig. 4(c)), the structure undergoes significant disintegration, transitioning into smaller, aggregated particles with increased porosity. The particle size significantly decreased to 81 ± 12 nm. This transformation corresponds to the decomposition of the organic framework and the formation of ZnO and Fe oxide phases. Calcination at 700 and 900 °C (Fig. 4(d) and (e)) leads to significant particle agglomeration, resulting in the formation of larger, irregularly shaped clumps with interconnected voids. This behavior is a characteristic of material sintering, occurs at elevated temperatures as thermal energy overcomes electrostatic repulsion and




Fig. 4 SEM images of (a) Fe-ZIF-8, (b) Fe-ZIF-8 300, (c) Fe-ZIF-8 500, (d) Fe-ZIF-8 700, and (e) Fe-ZIF-8 900 at 20 000 $\times$ magnification.

increased van der Waals forces, reducing surface energy and leading to particle agglomeration and the formation of compact, interconnected structures.⁴⁴ The elemental analysis of Fe-ZIF-8 and Fe-ZIF-8 500, as shown in Fig. S4 (ESI[†]), highlights the compositional changes and elemental distribution resulting from the calcination process. The elemental maps of Fe-ZIF-8 reveal the uniform distribution of Zn, Fe, C, and N throughout the material. The presence of C and N corresponds to the organic linkers (meIm) within the ZIF-8 framework. The Fe mapping confirms the successful incorporation of Fe within the MOF, while Zn is uniformly dispersed as part of the framework's metal nodes. The EDX spectrum further supported these findings, showing significant peaks for Zn, Fe, C, and N. After calcination at 500 °C, the elemental composition undergoes significant changes. The elemental maps indicate the continued presence of Zn and Fe, which remain uniformly distributed. However, the C and N signals are no longer detectable, which is consistent with the thermal decomposition of the organic linkers and the collapse of the MOF framework. Instead, O appears prominently in the elemental maps, reflecting the formation of oxide phases such as ZnO and Fe oxides. The EDX spectrum shows strong peaks for Zn, Fe, and O, confirming the transition from an organic-inorganic hybrid framework to a primarily inorganic oxide structure.

The N₂ adsorption-desorption isotherms of Fe-ZIF-8 and Fe-ZIF-8 500 (Fig. S5, ESI[†]) reveal key insights into the textural and structural changes, particularly porosity and surface area, resulting from calcination at 500 °C. The isotherm of Fe-ZIF-8 exhibits a Type I curve, characteristic of microporous materials, with a sharp increase in adsorption at low relative pressure ($P/P_0 < 0.1$), indicating the dominance of micropores within its well-defined framework.^{47,48} This microporous structure is

further supported by its high Brunauer–Emmett–Teller (BET) specific surface area of $1127 \text{ m}^2 \text{ g}^{-1}$, which provides an abundance of active sites, making Fe-ZIF-8 a highly suitable precursor for functional photocatalytic applications. In contrast, Fe-ZIF-8 500 demonstrates a Type IV isotherm with a pronounced hysteresis loop at higher relative pressures ($P/P_0 > 0.5$), indicative of mesoporous characteristics.^{41,47} This transition from microporosity to mesoporosity arises from the structural transformation induced by calcination at 500°C . During this process, the organic linkers in the ZIF-8 framework decompose, leading to the collapse of the microporous structure and the formation of $\text{Fe}_3\text{O}_4/\text{ZnO}$ heterostructures. Consequently, the BET surface area of Fe-ZIF-8 500 decreases significantly to $12.05 \text{ m}^2 \text{ g}^{-1}$, reflecting a marked reduction in microporosity along with an increase in mesopore size or particle aggregation. Huang *et al.* obtained a comparable surface area for $\text{ZnO}/\text{ZnCo}_2\text{O}_4$ synthesized *via* the *in situ* growth on ZIF-8 templates followed by thermal annealing in air.⁴⁹ Furthermore, mesoporous photocatalysts have been shown to improve accessibility for reactants to active sites, mitigating diffusion limitations, and enhance interaction between the photocatalyst and reactants, thereby improving overall catalytic performance.^{28,50,51}

The FTIR spectra of Fe-ZIF-8 and its calcined forms at various temperatures (300 , 500 , 700 , and 900°C), shown in Fig. S6 (ESI[†]), provide insights into the structural changes and chemical transformations occurring during thermal decomposition. For uncalcined Fe-ZIF-8, distinct peaks are observed that are characteristic of the ZIF-8 framework.^{15,41} The bands observed in the $3000\text{--}2900 \text{ cm}^{-1}$ region are attributed to the C–H stretching vibrations of the methyl group in the *meIm* linker. Additionally, peaks around 1600 and 1400 cm^{-1} correspond to the C=N stretching and C–N bending vibrations, respectively, which are indicative of the imidazole ring. In the fingerprint region ($900\text{--}1350 \text{ cm}^{-1}$), multiple sharp peaks appear due to the in-plane and out-of-plane bending of the imidazole ring. The bands in the range of $\sim 600\text{--}800 \text{ cm}^{-1}$ are associated with the Zn–N bond, indicative of the metal–ligand coordination in the ZIF-8 structure. Upon calcination at 300°C , the intensity of the C–H stretching bands decreases, indicating the partial decomposition of the organic linkers. Similarly, the C=N stretching and C–N bending peaks weaken significantly. This reduction in intensity suggests the onset of thermal degradation of the ZIF-8 framework, although some organic components remain intact. At 500°C , the spectra exhibit a complete disappearance of peaks associated with the ZIF-8 framework, confirming the complete decomposition of the organic linker. Instead, new peaks emerge in the lower wavenumber region ($\sim 500\text{--}600 \text{ cm}^{-1}$), which can be attributed to the Zn–O stretching vibrations of well-crystallized wurtzite-phase ZnO.⁶ Additionally, Fe-related vibrations may also contribute to this region, suggesting the formation of Fe_3O_4 in the calcined Fe-ZIF-8 samples.²² The progressive disappearance of ZIF-8 specific peaks and the emergence of metal oxides-specific vibrations confirm the structural transformation of Fe-ZIF-8 into $\text{Fe}_3\text{O}_4/\text{ZnO}$ heterostructures with increasing calcination temperatures.





Fig. 5 XPS spectra of ZIF-8 500 and Fe-ZIF-8 500: (a) survey spectrum, (b) Zn 2p, (c) Fe 2p, and (d) O 1s.







The XPS analysis provides critical insights into the surface composition and element states of the ZnO and $\text{Fe}_3\text{O}_4/\text{ZnO}$ heterostructures derived from ZIF-8 and Fe-ZIF-8, respectively. The survey spectrum (Fig. 5(a)) reveals the presence of key elements, including Zn, O, and a minor amount of residual C in both Fe-ZIF-8 500 and ZIF-8 500, with additional Fe 2p peaks observed only in Fe-ZIF-8 500. This confirms the successful doping of Fe into the ZIF-framework, followed by the formation of $\text{Fe}_3\text{O}_4/\text{ZnO}$ heterostructures. The absence of nitrogen in both spectra further validates the decomposition of the organic imidazolate framework, which aligns with the thermal decomposition of the ZIF-8 structure. The high-resolution Zn 2p spectra (Fig. 5(b)) of ZIF-8 500 display two distinct peaks at binding energies of 1022.7 eV ($\text{Zn } 2p_{3/2}$) and 1045.8 eV ($\text{Zn } 2p_{1/2}$), corresponding to the Zn^{2+} oxidation state in ZnO.^{32,52} The narrow peak shape and binding energy values confirm the presence of crystalline ZnO in the material, indicative of its transformation during calcination. In Fe-ZIF-8 500, these peaks shift slightly to 1021.9 eV and 1044.9 eV , suggesting some changes in the chemical environment of Zn^{2+} due to Fe doping. The Fe 2p spectrum (Fig. 5(c)) shows two prominent peaks at 710.6 eV ($\text{Fe } 2p_{3/2}$) and 723.9 eV ($\text{Fe } 2p_{1/2}$), with further splitting observed at 711.1 and 714.8 eV for $\text{Fe } 2p_{3/2}$ and at 724.2 and 726.3 eV for $\text{Fe } 2p_{1/2}$. These peaks correspond well to the mixed-valence



This journal is © The Royal Society of Chemistry and the Centre National de la Recherche Scientifique 2025

conduction band (CB) of both ZnO and Fe₃O₄, leaving behind h⁺ in the VB (eqn (4)). At the Fe₃O₄/ZnO interface, photogenerated electrons in the CB of Fe₃O₄ transfer to the CB of ZnO due to favorable energy band alignment.³² This process enhances charge separation and reduces electron–hole recombination (eqn (5)). Additionally, impurity defects (Fe²⁺/Fe³⁺ states) at the interface act as intermediate electronic states, facilitating efficient electron transfer between Fe₃O₄ and ZnO. The accumulated electrons in the CB of ZnO and Fe₃O₄ reduce adsorbed O₂ molecules on the catalyst surface to form •O₂[−] radicals (eqn (6)). Simultaneously, h⁺ in the VB of ZnO and Fe₃O₄ directly oxidize TC molecules or react with surface OH[−] or H₂O to generate •OH radicals (eqn (7)–(9)). The •O₂[−] radicals are highly reactive and attack the TC molecules, leading to their degradation (eqn (10)). The •OH radicals formed in small amounts also contribute to the degradation of TC, though their role is minimal compared to •O₂[−] radicals (eqn (11)). The intermediate products are further oxidized by •O₂[−], •OH, and h⁺, resulting in complete mineralization into CO₂, H₂O, and inorganic ions.

$$\text{ZnO/Fe}_3\text{O}_4 + h\nu \text{ (photons)} \rightarrow \text{e}_{\text{CB}}^- + \text{h}_{\text{VB}}^+ \quad (4)$$




3.2.2. Photocatalytic H₂O₂ production. The photocatalytic performance of Fe-ZIF-8 500 for H₂O₂ production under visible light irradiation is illustrated in Fig. 8. A significant enhancement in H₂O₂ production efficiency is observed due to the formation of Fe₃O₄/ZnO heterostructures. Over the course of 3 h, Fe-ZIF-8 500 demonstrates a markedly higher H₂O₂ concentration compared to ZIF-8 500, with a consistent increase in production rate across all time intervals. After 1 h of irradiation, Fe-ZIF-8 500 achieves an H₂O₂ concentration of 684.5 μM, nearly double that of ZIF-8 500, which only reaches around 391.1 μM. This trend continues after 3 h, where Fe-ZIF-8 500 reaches 919.2 μM, while ZIF-8 500 shows a notable decline, likely due to limited charge carrier generation or decomposition of H₂O₂.⁴ The superior performance of Fe-ZIF-8 500 can be attributed to the formation of Fe₃O₄/ZnO heterostructures (Fig. 7(b)). These heterostructures promote efficient charge separation, reducing recombination rates of photogenerated electron-hole pairs. The photogenerated electrons effectively reduce dissolved O₂ molecules adsorbed on the catalyst surface, producing $\bullet O_2^-$ radicals (eqn (4)–(6)), which subsequently form H₂O₂ via electron transfer pathways (eqn (12) and (13)). Simultaneously, photogenerated h⁺ in the VB of ZnO oxidize BA to benzaldehyde (BAL) (eqn (14)). BA acts as a sacrificial agent, effectively quenching h⁺ and donating more electrons to facilitate the oxygen reduction reaction.⁴







Fig. 8 Photocatalytic performance of ZIF-8 500 and Fe-ZIF-8 500 for H₂O₂ production.



These synergistic processes highlight the enhanced photocatalytic efficiency of Fe-ZIF-8 500, making it a promising material for H₂O₂ production under visible light irradiation.

4. Conclusions

This study successfully developed Fe₃O₄/ZnO heterostructures derived from Fe-doped ZIF-8 using a precipitation and thermal decomposition approach. Fe³⁺ doping into the ZIF-8 framework facilitated the formation of Fe₃O₄ during calcination under air, resulting in heterostructures with enhanced photocatalytic properties. Characterization by UV-vis DRS revealed improved visible-light absorption and a narrowed bandgap, while XRD confirmed the crystalline Fe₃O₄/ZnO heterostructures and phase transitions during calcination. TGA and SEM-EDX analyses identified 500 °C as the optimal calcination temperature, as it preserves porous structures with homogeneously distributed Fe, Zn, and O. FTIR confirmed the emergence of Zn–O and Fe–O bonds, while XPS reveals mixed-valence states of Fe²⁺ and Fe³⁺ and interfacial interactions promoting charge separation. Fe-ZIF-8 calcined at 500 °C demonstrated the highest photocatalytic performance, achieving 74.8% TC degradation with a degradation rate of $8.21 \times 10^{-3} \text{ min}^{-1}$ and a significant H₂O₂ yield of 919.2 μM under visible light irradiation. Mechanistic studies highlighted the role of defect states and favorable band alignment at the Fe₃O₄/ZnO interface in enhancing charge separation and generating reactive oxygen species, particularly $\bullet O_2^-$ radicals. These findings highlight the potential of Fe₃O₄/ZnO heterostructures as promising photocatalysts for sustainable wastewater treatment and green chemical synthesis, with future work aimed at improving their performance, stability, and recyclability.

Author contributions

Sumiyah Sabar: writing – original draft, visualization, investigation, funding acquisition, conceptualization, methodology. Afiqah M. Jamil: investigation, writing – review & editing. Yifan Zhao: investigation, writing – review & editing. Enis Nadia Md Yusof: conceptualization, writing – review & editing. Raphaël Schneider: conceptualization, writing – review & editing. Abdul Rahman Mohamed: writing – review & editing. Yasutaka Kuwahara: writing – review & editing. Kohsuke Mori: writing – review & editing. Hiromi Yamashita: supervision, conceptualization, methodology, resources.

Data availability

The authors confirm that the data supporting the findings of this study are available within the article and/or its ESI.†



Conflicts of interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

Acknowledgements

The authors would like to thank Universiti Sains Malaysia (USM) and Osaka University (OU) for the research facilities. In addition, we also would like to thank USM for the financial support under the USM Short Term Grant (R501-LR-RND002-0000000213-0000).

References

- 1 Y. Amangelsin, Y. Semenova, M. Dadar, M. Aljofan and G. Björklund, *Antibiotics*, 2023, **12**, 440.
- 2 L. Xu, H. Zhang, P. Xiong, Q. Zhu, C. Liao and G. Jiang, *Sci. Total Environ.*, 2021, **753**, 141975.
- 3 X. Chen, Y. Kuwahara, K. Mori, C. Louis and H. Yamashita, *J. Mater. Chem. A*, 2020, **8**, 1904–1910.
- 4 Y. Zhao, Y. Kondo, Y. Kuwahara, K. Mori and H. Yamashita, *Appl. Catal., B*, 2024, **351**, 123945.
- 5 X. Han, T. Zhang, Y. Cui, Z. Wang, R. Dong, Y. Wu, C. Du, R. Chen, C. Yu, J. Feng, J. Sun and S. Dong, *Molecules*, 2023, **28**, 2422.
- 6 V. P. Viswanathan, V. T. Balakrishnan, N. N. Adarsh, B. Varghese and S. Mathew, *Crystals*, 2023, **13**, 47.
- 7 N. S. Abdul Mubarak, K. Y. Foo, R. Schneider, R. M. Abdelhameed and S. Sabar, *Mater. Today Commun.*, 2023, **37**, 107228.
- 8 X. Lei, Y. Cao, Q. Chen, X. Ao, Y. Fang and B. Liu, *Colloids Surf., A*, 2019, **568**, 1–10.
- 9 K. Liu, N. Wang, J. Li, F. Du, B. Hou and R. Zhang, *J. Ind. Eng. Chem.*, 2023, **128**, 586–596.
- 10 M. A. Nazir, S. Ullah, M. U. Shahid, I. Hossain, T. Najam, M. A. Ismail, A. Ur Rehman, M. R. Karim and S. S. A. Shah, *Sep. Purif. Technol.*, 2025, **356**, 129828.
- 11 Y. Liu, H. Cheng, M. Cheng, Z. Liu, D. Huang, G. Zhang, B. Shao, Q. Liang, S. Luo, T. Wu and S. Xiao, *Chem. Eng. J.*, 2021, **417**, 127914.
- 12 A. Elaoui, M. El Ouardi, M. Zbair, A. BaQais, M. Saadi and H. Ait Ahsaine, *RSC Adv.*, 2022, **12**, 31801–31817.
- 13 H. Dai, X. Yuan, L. Jiang, H. Wang, J. Zhang, J. Zhang and T. Xiong, *Coord. Chem. Rev.*, 2021, **441**, 213985.
- 14 Y. Du, R. Z. Chen, J. F. Yao and H. T. Wang, *J. Alloys Compd.*, 2013, **551**, 125–130.
- 15 G. Mani, A. V. Kumar and S. Mathew, *RSC Sustainability*, 2023, **1**, 2081–2091.
- 16 S. Wu, J. Liu, H. Wang and H. Yan, *Int. J. Energy Res.*, 2019, **43**, 697–716.
- 17 A. Shahzad, F. Ahmad, S. Atiq, M. Saleem, O. Munir, M. A. Khan, S. M. Bin Arif, Q. U. Ain, S. Sarwar, M. Asim and U. Habib, *J. Energy Storage*, 2024, **87**, 111447.
- 18 M. Zahid Hussain, Z. Yang, Z. Huang, Q. Jia, Y. Zhu, Y. Xia, M. Z. Hussain, Z. Yang, Z. Huang, Y. Zhu, Y. Xia and Q. Jia, *Adv. Sci.*, 2021, **8**, 2100625.
- 19 Y. Su, S. Li, D. He, D. Yu, F. Liu, N. Shao and Z. Zhang, *ACS Sustainable Chem. Eng.*, 2018, **6**, 11989–11998.
- 20 J. Abdi, *Colloids Surf., A*, 2020, **604**, 125330.
- 21 S. Varangane, C. S. Vennapoosa, A. Tiwari, S. K. Nataraj, T. P. Yendrapati and U. Pal, *Appl. Organomet. Chem.*, 2022, **36**, e6815.
- 22 A. Mehrehjedy, P. Kumar, Z. Ahmad, P. Jankoski, A. S. Kshirsagar, J. D. Azoulay, X. He, M. K. Gangishetty, T. D. Clemons, X. Gu, W. Miao and S. Guo, *ACS Omega*, 2024, **9**, 49239.
- 23 M. T. Thanh, T. V. Thien, P. D. Du, N. P. Hung and D. Q. Khieu, *J. Porous Mater.*, 2018, **25**, 857–869.
- 24 Y. Yin, J. Liu, Z. Wu, T. Zhang and Z. Li, *New J. Chem.*, 2021, **45**, 3095–3101.
- 25 Q. Ding, D. Xu, J. Ding, W. Fan, X. Zhang, Y. Li and W. Shi, *J. Colloid Interface Sci.*, 2021, **603**, 120–130.
- 26 A. Mariappan, P. Mannu, T. Thirupathiraja, T. T. T. Nga, S. Lakshmipathi, C. L. Dong, R. K. Dharman and T. H. Oh, *Chem. Eng. J.*, 2023, **476**, 146720.
- 27 C. Cheng, J. Wang, Z. Zhao, C. Chen, S. Cui, Y. Wang, L. Pan, Y. Ni and C. Lu, *J. Alloys Compd.*, 2022, **896**, 163064.
- 28 R. M. Mohamed and A. Shawky, *Opt. Mater.*, 2022, **124**, 112012.
- 29 P. Dhiman, G. Rana, A. Kumar, G. Sharma, D. V. N. Vo and M. Naushad, *Environ. Chem. Lett.*, 2022, **20**, 1047.
- 30 I. Ahmad, R. Bousbih, A. Mahal, W. Q. Khan, M. Aljohani, M. A. Amin, N. N. A. Jafar, M. S. Jabir, H. Majdi, A. S. Alshomrany, M. Shaban, I. Ali and H. Bayahia, *Mater. Sci. Semicond. Process.*, 2024, **180**, 108578.
- 31 N. D. Dien, T. T. H. Pham, X. H. Vu, V. T. Xuan, T. T. T. Nguyen, T. T. Trang, N. Van Hao, P. T. Nga, T. T. Kim Chi, T. T. H. Giang and N. D. Toan, *RSC Adv.*, 2024, **14**, 28244–28259.
- 32 P. Thi Lan Huong, N. Van Quang, N. Thi Huyen, H. Thu Huong, D. Anh Tuan, M. Trung Tran, Q. Vinh Tran, T. Ngoc Bach, N. Tu and V. D. Dao, *Sol. Energy*, 2023, **249**, 712–724.
- 33 P. D. Du, N. T. Hieu and T. V. Thien, *J. Nanomater.*, 2021, **9988998**, 12.
- 34 X. Chen, Y. Kuwahara, K. Mori, C. Louis and H. Yamashita, *ACS Appl. Energy Mater.*, 2021, **4**, 4823–4830.
- 35 C. Matsubara, N. Kawamoto and K. Takamura, *Analyst*, 1992, **117**, 1781.
- 36 Y. Zhao, Y. Kondo, Y. Kuwahara, K. Mori and H. Yamashita, *Catal. Today*, 2024, **431**, 114558.
- 37 O. İloğlu and H. A. Yurtsever, *J. Mater. Sci.: Mater. Electron.*, 2024, **35**, 1–16.
- 38 X. Yu, D. Xu, X. Jiang, J. Zhang, Z. Ni and M. Wang, *J. Mol. Struct.*, 2023, **1289**, 135861.
- 39 T. Wang, Y. Wang, M. Sun, A. Hanif, H. Wu, Q. Gu, Y. S. Ok, D. C. W. Tsang, J. Li, J. Yu and J. Shang, *Chem. Sci.*, 2020, **11**, 6670–6681.



