

PERSPECTIVE

[View Article Online](#)
[View Journal](#) | [View Issue](#)Cite this: *J. Mater. Chem. A*, 2025, 13, 29885Reducibility, adsorption energies, surface acidity –
fundamental material properties for fast oxygen
exchangeMatthäus Siebenhofer, ^{*ab} Filip Grajkowski, ^c Clément Nicollet, ^d
Bilge Yildiz, ^{be} Jürgen Fleig ^a and Markus Kubicek ^a

Oxygen exchange on mixed conducting oxide surfaces and how to modulate its kinetics has been in the focus of research for decades. Recent studies have shown that surface modifications can be used to tune the high temperature oxygen exchange kinetics of a single material systematically over several orders of magnitude, shifting the focus of research from bulk descriptors to a material's outermost surface. Herein, we aim to unify bulk and surface perspectives and derive general design principles for fast oxygen exchange based on three fundamental material properties: oxide reducibility, adsorption energetics, and surface acidity. We explain in detail how these properties relate to a material's electronic structure to facilitate guided materials discovery and design. We first introduce the connection of a material's electronic structure with its equilibrium defect chemistry and doping compensation mechanisms, and consequently to experimental observables, such as the oxidation enthalpy. We then present a molecular orbital model for oxygen adsorption on mixed conducting oxide surfaces, rationalizing trends of adsorption energies with a material's chemistry and electronic structure. Using this model we explore the effect of surface modifications on adsorption energetics, partially clarifying the effect of surface acidity on oxygen exchange kinetics. Building on this discussion, we show why the bulk O 2p band center and the work function are the two fundamental quantities that need to be tuned to achieve fast oxygen exchange kinetics on pristine surfaces and we discuss corresponding material design strategies. Lastly, we discuss potential implications for stability under operating conditions.

Received 13th July 2025
Accepted 19th August 2025

DOI: 10.1039/d5ta05637c

rsc.li/materials-a

Introduction

Oxygen exchange at high temperatures is a critical reaction for various technologies, such as solid oxide fuel and electrolysis cells (SOFCs/SOECs),^{1–5} so being able to modulate and optimize its kinetics is key for these technologies. Extensive efforts have been directed to understanding the role of defect concentrations^{6–9} as well as to identifying experimentally and computationally accessible descriptors that are able to predict oxygen exchange kinetics. Experimentally, strong correlations between fast kinetics and high oxygen nonstoichiometry (or diffusivity) have been found.^{10–14} Some have suggested the concentration of conduction band electrons as a critical metric

for oxygen incorporation kinetics.^{8,15} Computationally, the bulk O 2p band center (the distance between the Fermi level and the centroid of the projected O 2p density of states) was identified as a powerful descriptor for the oxygen exchange kinetics of perovskites.^{16–19}

A parallel focus of research has been the optimization and modification of the outermost surface chemistry.^{20–24} While surface modifications have shown great potential in improving oxygen exchange kinetics, and are even able to reverse severe degradation effects,^{25,26} the underlying working mechanisms are again often unclear, and no explicit design principles for beneficial material combinations exist as of yet. In a first approach towards a fundamental understanding, Nicollet *et al.* have recently shown that both oxygen exchange kinetics and the work function of $\text{Pr}_{0.1}\text{Ce}_{0.9}\text{O}_{2-\delta}$ can be systematically modified with regard to the acidity of a binary oxide that is infiltrated on the surface.²⁰ Basic surface modifications accelerate oxygen exchange and reduce the work function. Siebenhofer *et al.* showed that this concept is extendable to a variety of materials^{27,28} and identified surface dipole changes as the fundamental cause for the observed work function modulation.²⁸

In this perspective, we discuss in detail the desired material properties for fast oxygen exchange at elevated temperatures

^aInstitute of Chemical Technologies and Analytics, TU Wien, Vienna, Austria. E-mail: matthaeus.siebenhofer@tuwien.ac.at^bDepartment of Nuclear Science and Engineering, Massachusetts Institute of Technology, Cambridge, USA^cDepartment of Chemistry, Massachusetts Institute of Technology, Cambridge, USA^dInstitut des Matériaux de Nantes Jean Rouxel, Nantes Université, CNRS, Nantes, France^eDepartment of Materials Science and Engineering, Massachusetts Institute of Technology, Cambridge, USA

(600 °C and below), in an attempt to unify concepts regarding bulk and surface, experiment and computation. Combining previous results from the authors and other seminal studies with new model considerations and calculations, we showcase the natural connections of multiple properties like oxygen nonstoichiometry, oxidation enthalpy, adsorption energies and surface acidity to a material's electronic structure. Thus, we aim to lay the groundwork for a comprehensive framework to design material systems with optimal catalytic properties.

The oxygen exchange reaction


Despite extensive efforts in trying to identify the critical steps and reaction intermediates of the oxygen exchange reaction, several details of the reaction mechanism are still under debate. Three aspects are of particular importance in this discussion:

(1) The reaction itself consists of multiple steps which might occur subsequently or in parallel. Relevant processes are adsorption, charge transfer, dissociation, migration of adsorbed species and/or oxygen vacancies and incorporation into the bulk crystal lattice. Due to this complexity, the isolation of specific intermediates or single processes is usually far from trivial.

(2) The reaction occurs at high temperatures and we have little knowledge about the exact surface chemistry and morphology. In addition, the surface is highly dynamic, illustrated by very fast surface exchange coefficients on pristine surfaces (e.g. around 100 nm s⁻¹ or 5.3 × 10¹⁷ O atoms per cm² and s for (La,Sr)CoO₃ at 600 °C and 1 bar O₂⁷). Therefore, it is generally challenging to obtain spectroscopic data or even atomic scale imaging at conditions that are reasonably close to relevant operating temperatures and pressures.

(3) The reaction is not expected to follow one universal mechanism and different surface chemistries, morphologies and degradation processes could favor particular pathways. This is especially critical when comparing experimental results from different studies, where nominally similar surfaces may differ substantially due to slight differences in preparation, the experimental setup, as well as varying levels of contamination.²⁹

Formally, the whole reaction can be described by:



and the left hand side of Fig. 1 shows the start and end states of the reaction. In the process of dissociating an O₂ molecule and incorporating it into the lattice, four electrons are transferred to the two O atoms (right hand side of Fig. 1). Several rate equations for the RDS of this reaction have been proposed^{6,7,9,30,31} and most have a general form of

$$\vec{r} = \vec{k} \cdot \prod_{i=1}^n K_i \cdot \prod_j c_j^{\nu_j} \cdot a(\text{O}_2)^{\nu_p} \cdot e^{-\frac{\beta e \chi(\eta)}{k_B T}}, \quad (2)$$

where $\vec{k}$ contains the kinetic barrier of the RDS, K_i are equilibrium constants of reaction steps before the RDS, c_j are the concentrations of participating defects with the mechanism dependent exponent ν_j (i.e. if one $V_{\text{O}}^{\bullet\bullet}$ is required in or before the rate limiting step, $\nu_{V_{\text{O}}^{\bullet\bullet}} = 1$) and $a(\text{O}_2)^{\nu_p}$ describes the dependence of the oxygen species in the rate limiting step on the gas phase activity (e.g. for molecular O₂, $\nu_p = 1$). The exponential term describes surface dipole contributions with the surface potential step χ (which can also depend on the overpotential η) and β the amount of charge which is transferred across this potential step.

As it becomes clear that deconvoluting all contributions to the reaction rate is difficult, we choose a more general approach to identify the critical requirements for fast oxygen exchange kinetics and to consolidate different points of view that focus either on bulk or surface. We will consider three fundamental properties: (i) a material's equilibrium bulk defect chemistry, (ii) adsorption energetics describing the interaction with oxygen on unmodified surfaces, (iii) surface acidity as a descriptor for modified surfaces.

Reducibility and defect concentrations

Since oxygen incorporation was identified as a bottleneck for SOFC performance, fast reaction kinetics on MIEC oxides were often correlated with high $V_{\text{O}}^{\bullet\bullet}$ concentrations^{10,11,32} and high O diffusivity.^{12–14} Computationally, it was shown that the distance between the centroid of the O 2p band with regard to the Fermi level, E_{F} , the O 2p band center, plays a critical role in this regard.^{16,17,33} In this section, we discuss defect-related bulk




Fig. 1 Essential aspects of the oxygen exchange reaction: oxygen is incorporated into the crystal lattice, two $V_{\text{O}}^{\bullet\bullet}$ are annihilated in the process and four electrons are transferred to the two oxygen atoms. In more detail, during the incorporation process, O₂ is adsorbed on the MIEC surface, the molecule is ionized, dissociates and is incorporated into the crystal lattice.



While we will mainly focus on perovskite oxides as a model material class, the presented concepts are expected to equally hold for other $V_O^{\bullet\bullet}$ mediated materials, such as many fluorite oxides. For $O_i^{\bullet\bullet}$ mediated materials, such as many Ruddlesden-Popper oxides, certain concepts may require adaptations. Fig. 2a shows how the electronic structure of a typical perovskite oxide emerges from the molecular orbital diagram of MO_6 octahedra.³⁴ As illustrated in Fig. 2b, different scenarios will arise depending on the electronegativity of the B-site cation. For cations with low electronegativity, such as chromium in $LaCrO_3$, the d band of the metal lies relatively high.^{35,36} This results in a high energy difference between the Fermi level, E_F and the centroid of the O 2p band, *i.e.* a deep O 2p band center. As the B-site cation electronegativity increases, for example with cobalt in $LaCoO_3$,^{37,38} the metal d-band and E_F shift downwards and closer to the O 2p band, resulting in a shallower O 2p band

center, and an increasing overlap between metal and oxygen states, implying increased covalency and hybridization.^{34,39,40} In general, for all the materials discussed in this perspective, metal d states and oxygen p states hybridize to a certain degree, therefore the valence band will always be of partial oxygen character.^{41,42} This is not shown in full detail in the schematics, but examples are shown in the DOS diagrams. For simplicity, we will assume here that the absolute position of the O 2p band is constant for bulk perovskite oxides.⁴³ This simplified picture does also not rigorously take into account Hubbard splitting or different spin configurations. It is also worth mentioning that the surface electronic structure can deviate substantially from this idealized picture. In particular, differences in coordination (MO_4 and MO_5 polyhedra⁴⁴) may give rise to distinctly different densities of states, manifesting *e.g.* in different vacancy formation energies. To illustrate these concepts for real materials, Fig. 2c shows a model cell of a La-based perovskite (permitting Jahn–Teller distortions and tilting) and Fig. 2d shows density functional theory (DFT) calculations of the atom-projected densities of states of LaCrO_3 and LaCoO_3 , using this model structure and the hybrid functional HSE06.⁴⁵

In thermodynamic equilibrium, undoped MIEC oxides generally accommodate a certain concentration of oxygen defects




Fig. 2 (a) Simplified evolution of an exemplary transition metal perovskite oxide band structure from the molecular orbital diagram for octahedral MO_6 . (b) Qualitative change of the electronic structure with increasing B-site cation electronegativity. E_F and the metal d-band shift down, leading to a shallower O 2p band center. (c) Model of a $2 \times 2 \times 2$ perovskite unit cell used for hybrid calculations (tilting angles slightly differ between LaCoO_3 and LaCrO_3). (d) Projected densities of states for LaCrO_3 and LaCoO_3 , with the energy of the respective centroid of the occupied O 2p states taken as the reference energy.

oxides with a high lying metal d band (implying a deep O 2p band center), such as LaCrO_3 , are expected to exhibit a favorable oxidation enthalpy and low equilibrium $V_{\text{O}}^{\bullet}$ concentrations. On the contrary, for an undoped perovskite with a low lying d band (and therefore a shallow O 2p band center), such as LaCoO_3 , a less favorable oxidation enthalpy and higher equilibrium $V_{\text{O}}^{\bullet}$ concentrations are expected (experimentally evaluated oxidation enthalpies are discussed in the next subsection).

$$\mu_{\text{O,int}} = \mu_{\text{O}^{2-}} - 2\mu_{\text{e}} = \mu_{V_{\text{O}}^{\bullet}} - 2\mu_{\text{e}} = \mu_{\text{O,ext}}. \quad (3)$$

A common way to increase $V_{\text{O}}^{\bullet}$ concentrations in perovskite oxides is acceptor doping. Depending on the electronic structure of the undoped perovskite, we distinguish three cases how charge is compensated. Those three cases are depicted in Fig. 3b–d. Fig. 3b shows a perovskite oxide with a deep O 2p band center, such as LaCrO_3 , with a valence band edge consisting mainly of metal states. Here, acceptor doping is compensated electronically (*e.g.* in $\text{La}_{1-x}\text{Sr}_x\text{CrO}_3$ (ref. 49)) through the formation of electron holes. The metal oxidation state is increased, leading to a downshift of E_{F} and the metal d band.⁵⁰ Fig. 3c depicts the case for perovskite oxides whose valence band consists mainly of O 2p states and no metal states are available for charge compensation, such as the electrolyte $\text{La}_{1-x}\text{Sr}_x\text{Ga}_{1-y}\text{Mg}_y\text{O}_{3-\delta}$ (LSGM).⁵¹ In this case, acceptor doping is primarily compensated ionically, by the creation of $V_{\text{O}}^{\bullet}$, reflected by a decrease in the projected O density of states. Finally,

$$K_{\text{ox}} = \frac{1}{\sqrt{a(\text{O}_2)} [V_{\text{O}}^{\bullet\bullet}] [e']^2} = K_{\text{ox}}^0 e^{-\frac{\Delta H_{\text{ox}}}{kT}}, \quad (4)$$

with ΔH_{ox} denoting the oxidation enthalpy. The equilibrium $V_{\text{O}}^{\bullet}$ concentration and the oxidation enthalpy are closely tied to the material's electronic structure. Fig. 3a shows how, during oxygen exchange, e^- are transferred between E_F and the O 2p band.^{16,48} For the release of neutral oxygen, valence e^- from the O 2p band have to be redistributed to free electronic states in the material (and from a thermodynamic point of view added to E_F) and the projected density of states of O decreases due to the net loss of O (and *vice versa* for incorporation). The deeper the O 2p band center, the more energetically favorable it is for e^- to be in the O 2p band compared to E_F , therefore, undoped perovskite




Fig. 3 (a) e^- Transfer from the O 2p band to E_F during oxygen release with the corresponding decrease of the projected density of oxygen states. (b–d) Simplified evolution of the electronic structure of a generic perovskite oxide upon (b) electronically, (c) ionically and (d) mixed electronically and ionically compensated acceptor doping. (e) Atom-projected densities of states for cobaltate perovskites with different A-site cations and $V_O^\bullet$ concentrations. Gradually replacing La with Sr in $\text{La}_{1-x}\text{Sr}_x\text{CoO}_3$ leads to a lower metal d-band and E_F . Introducing $V_O^\bullet$ in $\text{SrCoO}_{3-\delta}$ conversely leads to a higher metal d-band and E_F .

Fig. 3d shows the case of a perovskite oxide with a shallow O 2p band center and metal states at the valence band edge, such as $\text{La}_{1-x}\text{Sr}_x\text{CoO}_{3-\delta}$, which are considered most relevant for fast oxygen exchange. A mixed compensation occurs, and acceptor doping is compensated both by the creation of $V_{\text{O}}^{\bullet\bullet}$ and changes of oxidation state. The degree of oxygen character of the valence band and thus of the introduced electron holes is determined by the covalency of the material and generally increases with the electronegativity of the cation, *e.g.* when moving from Cr to Co. Fig. 3e shows the atom-projected densities of state for cobaltate perovskites with different A-site cations and $V_{\text{O}}^{\bullet\bullet}$ concentrations from DFT calculations. Starting from LaCoO_3 , replacing La with Sr leads to an increased Co oxidation state and to a lowering of the metal d-band and E_{F} (ultimately crossing the hybridized metal–oxygen band, leading to a metal-like density of states). When $V_{\text{O}}^{\bullet\bullet}$ are introduced in SrCoO_3 , the Co oxidation state decreases again, and the metal d-band and E_{F} shift upwards. This also manifests in an increased O 2p band center and in an absolute decrease of the O-projected density of states. It is worth noting that, in the case of SrCoO_3 , $V_{\text{O}}^{\bullet\bullet}$ formation is energetically favorable, which is why the material crystallizes in the substoichiometric Brown–Millerite phase $\text{SrCoO}_{2.5}$.

To date, the importance of sufficient $V_{\text{O}}^{\bullet\bullet}$ for fast oxygen exchange has been widely accepted,^{6,7,9,10,12} therefore the analysis above is in agreement with previous findings that a shallow O 2p band center, and thus high $V_{\text{O}}^{\bullet\bullet}$ concentrations, are generally important for fast oxygen exchange. However, oxygen nonstoichiometry alone is not a suitable indicator for fast reaction rates. Instead, the availability and favorable energetics of both $V_{\text{O}}^{\bullet\bullet}$ and electronic charge carriers are essential. An abundant supply of electronic charge carriers is also reflected in the electronic structure, primarily in the form of occupied and unoccupied states near E_{F} (which are usually present for materials with a shallow O 2p band center).

Prediction of vacancy formation and oxidation enthalpies

The above described model suggests that the O 2p band center is directly correlated with the energetic favorability of O being in the lattice, and thus with the $V_{\text{O}}^{\bullet\bullet}$ formation energy. This has been confirmed by Lee *et al.* who calculated that the $V_{\text{O}}^{\bullet\bullet}$ formation energy in La-based perovskites scales linearly with the O 2p band center with a slope of -1.8 , in agreement with the total transfer of 2 electrons when creating or annihilating a $V_{\text{O}}^{\bullet\bullet}$ (ref. 16). While $V_{\text{O}}^{\bullet\bullet}$ formation energies are commonly evaluated computationally, the O 2p band center is also expected to correlate well with a related experimentally accessible quantity, the oxidation enthalpy. This is confirmed for LaCoO_3 with different Sr doping contents: Fig. 4 compares oxidation enthalpies of $\text{La}_{1-x}\text{Sr}_x\text{CoO}_{3-\delta}$ (ref. 52) as a function of the corresponding bulk O 2p band center.⁵³ Values for the O 2p band center in the literature are subject to a strong scatter, therefore we use values from one established ref. 53, whenever possible. Values for LSC82 and LSC73 are linearly interpolated. The analysis yields a slope of -2.27 , again close to the expected -2 for incorporation of one O atom. Depicted on the right y-axis in Fig. 4, the computed $V_{\text{O}}^{\bullet\bullet}$ formation energies for these selected




Fig. 4 Correlation of experimental oxidation enthalpies ΔH_{ox} of $\text{La}_{1-x}\text{Sr}_x\text{CoO}_{3-\delta}$ with $x = 0-0.5$ (ref. 52) (left y-axis) and $V_{\text{O}}^{\bullet\bullet}$ formation energies⁴⁰ (right y-axis) plotted against the calculated bulk O 2p band centers of the respective composition (obtained from interpolation of literature results⁵³).

oxides⁴⁰ also conform to the linear trend with the O 2p band center, exhibiting a slope of 2.40 (a value for $\text{La}_{0.7}\text{Sr}_{0.3}\text{CoO}_{3-\delta}$ is not listed in the referenced study).

Quantitatively, this allows to estimate band shifts in the electronic structure from experiments, such as the thermogravimetric measurements of Mizusaki *et al.* on $\text{La}_{1-x}\text{Sr}_x\text{CoO}_{3-\delta}$ and $\text{La}_{1-x}\text{Sr}_x\text{FeO}_{3-\delta}$,^{52,54-56} which yield the oxidation enthalpy in dependence of doping content and O nonstoichiometry. Next to spectroscopic studies, this presents an experimental alternative to validate computational studies. As predicted by our model, increasing the doping content (resulting in an increase of the metal oxidation state, a downshift of the metal d-band, and a shallower O 2p band center, as shown in Fig. 3d), leads to a less favorable oxidation enthalpy. In addition, for the metal-like LSC64, an increase in O nonstoichiometry, corresponding to an increase of E_{F} , leads to an increase of the oxidation enthalpy,⁵² while for the semiconducting LSF64, the oxidation enthalpy is rather independent of the O nonstoichiometry,⁵⁴ suggesting that E_{F} is pinned by Fe/O states in the bandgap.

As mentioned previously, also the oxygen diffusivity correlates with a material's electronic structure, which we briefly discuss in S.I.1 of the SI. In addition, this also applies to the thermodynamics of other defect mediated reactions, such as hydration enthalpies, which are a critical quantity for materials in proton conducting fuel and electrolysis cells. While an in-depth discussion goes beyond the scope of this perspective, we want to highlight the correlation between hydration enthalpy and metal–oxygen covalency, which Merkle *et al.* described as the basicity of the oxide ions.⁵⁷ A low degree of covalency, *i.e.* a low electronegativity of the metal cation, a high basicity of the oxide ion, and ultimately a deep O 2p band center, generally lead to favorable hydration enthalpies. This has been exemplified for BaZrO_3 and BaFeO_3 , where BaZrO_3 exhibits a less electronegative B-site cation, a less covalent metal–oxygen sublattice, and a significantly more favorable hydration enthalpy.⁵⁷



perovskite. Initially, binding and antibinding O 2p molecular orbitals ($O_{2\text{ b.}}$ and $O_{2\text{ a.b.}}$) interact with s and p orbitals of the surface, broadening the molecular orbitals and shifting them down in energy.⁵⁸ The main interaction then occurs with the d-band of the transition metal. In a simplistic picture, the density of states of molecular O_2 in the vicinity of E_F consists of partially filled π^* states.⁶¹ These states interact with the surface, giving rise to a complicated surface-adsorbate orbital structure.⁵⁸ Here, we will only consider the interaction between the unoccupied antibinding $O_{2\text{ a.b.}}$ states and occupied metal states, assuming that this is the main pathway for charge transfer.

Depending on the relative positioning of these energies and the coupling matrix elements of the respective orbitals,³⁹ this interaction gives rise to a filled bonding orbital (surf-ads_{a,b.})_{b.} below and likely to a generally empty antibonding orbital (surf-ads_{a,b.})_{a.b.} above E_F , corresponding to a chemisorption picture (generally, coupling matrix elements decrease from left to right in the transition metal row⁶²). The critical quantity to consider in terms of adsorption strength is the difference between E_F and (surf-ads_{a,b.})_{b.} that receives the electron, as this difference

Guided by the d-band model for molecular adsorption on metal surfaces,^{58–60} we present a model for the interaction of O with a transition metal oxide surface and deduce the impact of the oxide’s electronic structure on adsorption. We use the example of molecular O₂, as the initial energy of the O₂ molecule does not depend on the surface it interacts with, however, we expect that trends equally hold for other adsorbed oxygen species such as atomic O. Fig. 5a illustrates the interaction of an O₂ molecule and the surface of an idealized BO₂ terminated transition metal




Fig. 5 (a) Schematic of the interaction of O_2 with a perovskite oxide surface, consisting of an initial interaction with surface sp orbitals and the dominating interaction with metal d states, giving rise to binding and antibinding surface-adsorbate molecular orbitals ($\text{surf-ads}_{a,b}$)_b and ($\text{surf-ads}_{a,b}$)_{a,b}. (b) Trends of electronegativity, E_F and d-band shifts, and adsorption strength for O_2 molecules on the perovskite oxide B-metal site with the periodic table. (c and d) Formation of surface-adsorbate orbitals for transition metal perovskite oxides with (c) deep and (d) shallow O 2p band centers. $O_2^S P$ denotes the O_2 orbitals after initial interaction with the surface sp states. (e) Atom-projected densities of state of the BO_2 surface layer of $LaCoO_3$ and $LaCrO_3$ slabs, each with a surface $V_O^{\bullet}$ and with an O_2 molecule adsorbed in this site, along with the density of states of a free O_2 molecule. All graphs are aligned at the vacuum level E_{vac} . The grey dashed line depicts the enlarged ($10\times$) density of states projected on the adsorbed O_2 molecule and the red dotted line marks the centroid of the p_x and p_y projected density of states. Arrows denote work functions ϕ and the energy difference between the E_F and this centroid energy.

This picture is confirmed by *ab initio* calculations of the adsorption of molecular oxygen in a surface vacancy on LaCoO_3 and LaCrO_3 . Fig. 5e shows the atom-projected densities of state of the BO_2 surface layer of the corresponding slab structures with a surface $V_{\text{O}}^{\bullet}$ and with an O_2 molecule adsorbed in this site, all aligned at the vacuum level. The dashed grey lines show the density of states projected onto this adsorbate ($10\times$ enhanced for visibility), corresponding to the aforementioned surface-adsorbate molecular orbitals. As a reference point for energy differences, we chose the centroid of the p_x and p_y states of the chemisorbed O_2 molecule (corresponding to $(\text{surf-ads}_{\text{a.b.}})_{\text{b.}}$ that is generated by the interaction of the unoccupied gas molecule states and the surface). In agreement with Fig. 5c and d, E_F of LaCrO_3 lies significantly higher than for LaCoO_3 , leading to a larger energy gain during the adsorption process for LaCrO_3 and thus to a more favorable adsorption energy. Quantitatively illustrating these results, Fig. 6 shows a compilation of calculated adsorption energies of atomic O on BO_2 terminated surfaces of LaBO_3 perovskites⁶⁴ vs. their O 2p band center,⁵³ as well as the corresponding $V_{\text{O}}^{\bullet}$ formation energies.

Figure 1 is a scatter plot showing the relationship between the O 2p band center (eV) on the x-axis and the O adsorption energy on B-site metal (eV) on the left y-axis, and the bulk vacancy formation energy (eV) on the right y-axis. The x-axis ranges from -4.5 to -2.5 eV. The left y-axis ranges from -1 to 5 eV, and the right y-axis ranges from -1 to 5 eV. Data points are color-coded by material: LaCrO₃ (pink squares), LaMnO₃ (green circles), LaFeO₃ (orange triangles), LaCoO₃ (blue inverted triangles), and LaNiO₃ (yellow diamonds). Two linear fits are shown: a solid line with a slope of $k = 2.00$ and a dashed line with a slope of $k = 2.31$. Arrows indicate the mapping of the left y-axis to the solid line and the right y-axis to the dashed line.

Fig. 6 Calculated adsorption energies (solid symbols, left y-axis) of atomic O on the metal site of BO₂ terminated surfaces of La-based perovskites, compiled from various studies,⁵³ as well as the respective bulk oxygen vacancy formation energies (empty symbols, right y-axis)⁶⁴ plotted against the respective oxide's O 2p band center.⁵³

downwards when moving from left to right in the periodic table. The quantitative implications of adsorption strength for oxygen exchange kinetics are ultimately unclear because adsorption strength can usually not be decoupled from other contributions, such as defect concentrations (*e.g.* LaCrO_3 exhibits strong adsorption but it is very difficult to form $V_{\text{O}}^{\bullet\bullet}$, hence overall reaction rates are slow). Generally, energetically favorable adsorption provides a high concentration of species for ionization and dissociation. It has further been shown that strong adsorption of O_2 leads to an increased partial charge on the molecule.^{68,69} This is likely correlated with facilitated dissociation, one of the critical steps during the oxygen reduction reaction, because the orbital that receives e^- from the surface is of antibonding character in terms of the intramolecular electronic structure of O_2 .

Summarizing our conclusions so far, it seems that V_{O} concentration and adsorption strength of oxygen species follow opposite trends with regard to the O 2p band center (quantitatively shown in Fig. 6). For pristine materials, experimental evidence clearly suggests that adsorption properties are not the decisive factor determining their kinetics, but rather the oxide reducibility, described by the bulk O 2p band center.¹⁶ In the following, we will discuss how the effects of surface modifications indicate that favored O_2 chemisorption could further enhance reaction rates and how both, surface and bulk properties of a material can be optimized in a comprehensive manner when aiming for fast oxygen exchange kinetics.


Correlating surface acidity with electronic structure properties

Recent reports by the authors have shown that modifying the surface of a MIEC oxide with very small amounts (sub-monolayer) of different binary oxides can lead to a modulation of the oxygen


Also our *ab initio* calculations are in excellent agreement with this theory. Fig. 8e shows the atom projected densities of states of the top CoO_2 layer of pristine LaCoO_3 (LCO, center) and the top CoO_2 layer + overlayer of LCO modified with one monolayer of SrO (left) and SnO_2 (right), each with a surface vacancy and an O_2 adsorbate in this vacancy, aligned at the vacuum level. Adding a SrO monolayer drastically reduces the work function of LaCoO_3 and introduces new O states from the modification. In contrast, adding a SnO_2 monolayer strongly increases the work function. Analyzing the energy difference between E_F and $(\text{surf-ads}_{\text{a.b.}})_{\text{b.}}$ (again identified by the centroid of the p_x and p_y states of the chemisorbed O_2 molecule) that is generated by the interaction of the unoccupied gas molecule states and the surface reveals a clear trend of an increased energy gain during adsorption on the basic surface and a decreased energy gain on the acidic surface. In addition, it is noteworthy that the degree of occupancy of these states varies for the different modifications. In agreement with earlier studies, stronger adsorption on basic modifications leads to an increased charge of the adsorbed molecule,^{68,69} possibly impacting the ease of O_2 dissociation. It is worth mentioning that the here presented calculations were performed for a BO_2 terminated host material. Because of the strongly different work functions between AO and BO_2 terminated surfaces,⁶⁷ the relative acidity of a binary oxide compared to the host material's surface will depend on the termination. While a modification may be basic with regard to a BO_2 terminated surface, it might in fact be acidic on an AO terminated surface because of the significantly lower work function.

Summarizing our results, we conclude that two aspects are of major importance for fast oxygen exchange on mixed conducting systems: (i) a shallow bulk O 2p band center, ideally with metal states between the O 2p band center and the Fermi level, warranting sufficiently high concentrations of both, oxygen

The foundation of this theory is the altered work function of the MIEC oxide. The formation of a surface dipole changes the electrostatic potential above the surface and affects the energetic alignment of the surface with the O_2 molecule before adsorption. Fig. 8b–d show the evolution of the electronic structure during O_2 adsorption for a prototypical pristine perovskite surface, and after decoration with a basic and an acidic oxide (SrO and SnO_2). For basic oxides, depicted in Fig. 8b, the work function decrease shifts E_F upward and leads




This journal is © The Royal Society of Chemistry 2025



Two design principles for oxygen exchange kinetics

$$\vec{r} = \vec{r}(\text{O}_{\text{bulk}}^{2\text{p}}, \phi) \propto e^{\nu_\phi \phi} \cdot e^{\nu_{\text{O}} \text{O}_{\text{bulk}}^{2\text{p}}}, \quad (5)$$

2p band center tune the oxygen exchange kinetics exponentially with mechanism dependent factors ν_ϕ and ν_O . An exponential relationship between oxygen exchange kinetics and the O 2p band center has been suggested previously by Lee *et al.* as well as Jacobs *et al.*^{16,72} Fig. 9a shows this correlation for a large dataset collected by Jacobs *et al.*⁷² While it is much more difficult to provide an equally large dataset of value pairs of oxygen exchange kinetics and work functions, Fig. 9b shows changes in the surface exchange coefficient of pristine $\text{La}_{0.6}\text{Sr}_{0.4}\text{CoO}_{3-\delta}$ and $\text{Pr}_{0.1}\text{Ce}_{0.9}\text{O}_{2-\delta}$, whose surfaces were both modified with basic SrO and SnO₂ *via* i-PLD, together with XPS-based work function measurements on extremely clean surfaces.²⁸ The results clearly show an exponential relationship between the work function of the (un-)modified surface and its catalytic activity.²⁸ Whereas the slope of the surface exchange coefficient with the work function is nearly the same for LSC64 and PCO10 (even despite the different material classes), the absolute values for LSC64 are significantly higher, which is well explained by its shallower O 2p band center. Also the accessible range of work functions is substantially smaller for LSC than for PCO, which has recently



The above presented model therefore suggests two powerful design guidelines to achieve fast oxygen exchange on pristine mixed ionic and electronic conducting oxide surfaces, that are summarized in Fig. 9c.

parameter and a higher $V_{\text{O}}^{\bullet\bullet}$ concentration.⁷⁹ Alternatively, doping the A-site with elements of lower valence also increases the oxidation state of the B-site cation, again leading to a shallower O 2p band center.⁵⁰ This is the case for Sr doping of LaCoO_3 .⁵² On the B-site, doping with elements of higher ionic electronegativity generally leads to a lowering of the metal d-band and E_{F} , and a shallower O 2p band center. As an example, increasing the Co content in $\text{La}_{0.6}\text{Sr}_{0.4}\text{Co}_y\text{Fe}_{1-y}\text{O}_{3-\delta}$ leads to higher $V_{\text{O}}^{\bullet\bullet}$ concentrations.⁵⁶ Lastly, it is worth mentioning that also other strategies may be useful to tune the bulk O 2p band center. It has previously been shown that lattice strain can substantially alter the oxygen vacancy formation energy in perovskite oxides, however, it depends on the exact material whether tensile strain leads to an increase or a decrease of the oxygen vacancy formation energy.⁸⁰ Second, more recently, high entropy perovskite oxides have been explored as a way to further modulate material properties through configuration entropy effects, however, the effect of high entropy configurations on the electronic structure of perovskite oxides has yet to be studied systematically.

Oxygen exchange is generally faster on more basic surfaces with lower work functions. Referring to the example of ABO_3 perovskites, most technologically relevant electrode materials are AO terminated at operating temperatures. An increased ionic radius of the A-site cation leads to an increased bond-length to subsurface O as well as to a more ionic bond and thus to a reduced work function⁶⁷ and is hence a means to improve the oxygen exchange kinetics on pristine surfaces. Again, an example is the replacement of Sr in $\text{La}_{0.6}\text{Sr}_{0.4}\text{CoO}_{3-\delta}$ with Ba.⁷⁹ The effect of aliovalent A-site doping on the work function is not clear, as different surface reconstructions are expected. From an electrostatic point of view, A-site cations with a higher valence likely lead to a more positive surface charge and a lower work function.⁶⁷ Intentional surface modification strategies primarily require knowledge of the intrinsic termination of the surface, as it needs to be modified with more basic materials to achieve a work function decrease. While this strategy has proven very

Whereas the previous chapters provide general guidance in how to optimize oxygen exchange kinetics on pristine surfaces, material stability and performance degradation in operating conditions have so far not been discussed. Among the multiple degradation factors for MIEC materials in solid oxide cells, two are particularly interesting with regard to their interplay with bulk and surface properties: (i) cation segregation is a severe issue for many perovskites and is frequently observed together with a gradual decline in catalytic activity; (ii) surface poisoning with contaminants, such as SO_2 , SiO_2 or CrO_3 has been found to lead to a sharp (and often irreversible) decrease of the oxygen exchange kinetics.

It has been previously theorized that a shallow O 2p band center is related to decreased material stability and decomposition of mixed conducting oxides,⁴⁶ because of the increased covalency of metal–oxygen bonds. This is discussed in detail in S.I.3 of the SI, giving several examples supporting this theory. It is further to be expected that surface modification strategies that lead to fast oxygen exchange, *i.e.* basic modifications, also lead to an increased susceptibility for acidic contaminants (discussed in more detail in S.I.4 of the SI), however, there is no comprehensive study on the degradation of modified surfaces as of yet. It is therefore crucial to understand the interplay between oxygen exchange on modified surfaces, contamination and long-term degradation to advance towards a tailored material system for solid oxide cell electrodes.

Ultimately, optimizing materials for high activity and long-term stability is a multidimensional problem. Firstly, both bulk and surface properties are critical to ensure fast intrinsic oxygen exchange kinetics. Secondly, both bulk and surface properties are crucial in determining the intrinsic material stability and its susceptibility towards environmental contamination. In the course of this article, we have shown that these phenomena can be correlated to fundamental material properties and to a material's electronic structure and chemistry. While not all of these correlations are fully understood and some require further investigation, we advocate viewing the task of designing the optimal material system for high temperature oxygen exchange from the perspective of fundamental material characteristics, and encourage to develop design principles that can be derived from these characteristics.

In this article, we discuss fundamental properties of mixed ionic and electronic conducting oxides that are relevant for

oxygen exchange at high temperatures, such as oxide reducibility, adsorption energetics, and surface acidity. We relate these properties to a material's electronic structure to facilitate guided materials discovery and design strategies. We introduce a molecular orbital picture to explain trends of adsorption energies with perovskite oxide composition and to elucidate ways how surface modifications impact the host material and how they can improve or inhibit oxygen exchange kinetics. We converge to a comprehensive framework to accelerate oxygen exchange on mixed conducting oxide surfaces in the form of two design principles: (1) tuning the bulk O 2p band center and (2) reducing the work function/basifying the surface. Finally, we discuss these strategies in light of performance degradation and highlight potential difficulties that may arise when trying to optimize a material for fast oxygen exchange.

Whereas this framework explains most experimental results and provides general guidelines for material design, we want to stress that many mechanistic details of this reaction are still unclear and require thorough research. In particular, identifying the rate limiting step of the reaction, the participating intermediates, and how the surface dipole exactly affects the concentration and lifetime of these species are critical questions that still remain unanswered. Complicating this task, the inherent susceptibility of mixed conducting oxide surfaces towards acidic contaminants and degradation makes it extremely difficult to obtain comparable high quality data for a large set of materials and to derive widely applicable models. We expect that the key experiments to clarify these issues will be well-planned *in situ* spectroscopic studies in near-ambient conditions on precisely controlled surfaces at elevated temperature under polarization, that allow for tuning the oxygen chemical potential in the material, while studying adsorbate concentrations and surface potential changes. If the underlying mechanisms should be elucidated, we expect that this may lead to far more general implications for the interactions between mixed conducting oxide surfaces and reaction intermediates that are not only critical for oxygen exchange but for a variety of other catalytic reactions, ranging from H_2O and CO_2 electrolysis to the electrochemical synthesis of methanol from CO_2 or the reduction of N_2 to ammonia.

Ab initio calculations in this study were performed with the VASP (Vienna *Ab initio* Simulation Package) software^{81–84} with the SCAN *meta*-GGA exchange-correlation function⁸⁵ for accurate lattice geometry during structural relaxation and the HSE06 hybrid functional for an appropriate representation of band gaps and electronic properties.⁸⁶ We included spin polarization in the calculations and atomic coordinates were relaxed until forces were below 10 meV Å⁻¹. To allow for distortions and octahedral tilting, we performed calculations on 2 × 2 × 2 supercells on a Gamma-centered 3 × 3 × 3 *k*-point mesh, and intentionally introduced symmetry breaking by displacing single atoms. The plane-wave energy cut-off was set to 500 eV and an energy convergence criterion of 10⁻⁵ eV was chosen. For density of states analysis, the tetrahedron method with Blöchl

correction was employed⁸⁷ and the data was smoothed in postprocessing. Calculations with surface oxygen vacancies and O₂ adsorbates were performed on 2 × 2 × 3 surface slabs with 15 Å vacuum between the slabs. Again, for structural relaxation after the introduction of a vacancy or a surface adsorbate, the SCAN functional was used, while the HSE06 hybrid functional was used to describe electronic properties. The vacuum energy was determined by the planar averaged electrostatic potential in the vacuum region and the convergence was tested. The O 2p band center was calculated as the centroid of the DOS below the Fermi level projected onto the 2p orbitals of the O atoms.

Author contributions

Matthäus Siebenhofer: conceptualization, methodology, investigation, funding acquisition, writing – original draft. Filip Grajkowski: conceptualization, investigation, writing – review & editing. Clément Nicolle: conceptualization, writing – review & editing. Bilge Yildiz: funding acquisition, writing – review & editing. Jürgen Fleig: conceptualization, funding acquisition, writing – review & editing. Markus Kubicek: conceptualization, writing – review & editing.

Conflicts of interest

There are no conflicts to declare.

Data availability

Data for this article, including all raw data for the figures presented in the manuscript are available at Researchsquare at <https://doi.org/10.21203/rs.3.rs-6320470/v1>.

S.I.1: discussion on oxygen diffusivity and nonstoichiometry, S.I.2: correlation of Smith acidity and an estimated absolute O 2p band center, S.I.3: discussion of bulk stability regarding the O 2p band center, S.I.4: discussions of surface contamination with regard to surface acidity. See DOI: <https://doi.org/10.1039/d5ta05637c>.

Acknowledgements

M. S. acknowledges the support of the Max Kade foundation through a Max Kade fellowship. The authors acknowledge financial support from The Austrian Science Fund (FWF) through the Cluster of Excellence MECS [<https://doi.org/10.55776/COE5>] and the Principal Investigator Project Modify [<https://doi.org/10.55776/PAT5485224>]. The authors acknowledge supercomputer resources provided by the MIT Engaging Cluster, and MIT Supercloud.

References

- 1 E. Maguire, B. Gharbage, F. Marques and J. Labrincha, Cathode materials for intermediate temperature SOFCs, *Solid State Ionics*, 2000, **127**, 329–335.
- 2 E. Ivers-Tiffée, A. Weber and D. Herbristrit, Materials and technologies for SOFC-components, *J. Eur. Ceram. Soc.*, 2001, **21**, 1805–1811.
- 3 C. Sun, R. Hui and J. Roller, Cathode materials for solid oxide fuel cells: a review, *J. Solid State Electrochem.*, 2010, **14**, 1125–1144.
- 4 P. Moçoteguy and A. Brisse, A review and comprehensive analysis of degradation mechanisms of solid oxide electrolysis cells, *Int. J. Hydrogen Energy*, 2013, **38**, 15887–15902.
- 5 M. A. Laguna-Bercero, Recent advances in high temperature electrolysis using solid oxide fuel cells: A review, *J. Power Sources*, 2012, **203**, 4–16.
- 6 D. Chen, Z. Guan, D. Zhang, L. Trotochaud, E. Crumlin, S. Nemsak, H. Bluhm, H. L. Tuller and W. C. Chueh, Constructing a pathway for mixed ion and electron transfer reactions for O₂ incorporation in Pr_{0.1}Ce_{0.9}O_{2-x}, *Nat. Catal.*, 2020, **3**, 116–124.
- 7 M. Siebenhofer, C. Riedl, A. Schmid, A. Limbeck, A. K. Opitz, J. Fleig and M. Kubicek, Investigating oxygen reduction pathways on pristine SOFC cathode surfaces by *in situ* PLD impedance spectroscopy, *J. Mater. Chem. A*, 2022, **10**, 2305–2319.
- 8 W. Jung and H. L. Tuller, A New Model Describing Solid Oxide Fuel Cell Cathode Kinetics: Model Thin Film SrTi_{1-x}Fe_xO_{3-δ} Mixed Conducting Oxides - a Case Study, *Adv. Energy Mater.*, 2011, **1**, 1184–1191.
- 9 S. B. Adler, X. Y. Chen and J. R. Wilson, Mechanisms and rate laws for oxygen exchange on mixed-conducting oxide surfaces, *J. Catal.*, 2007, **245**, 91–109.
- 10 Y. Cao, M. J. Gadre, A. T. Ngo, S. B. Adler and D. D. Morgan, Factors controlling surface oxygen exchange in oxides, *Nat. Commun.*, 2019, **10**, 1346.
- 11 M. Kubicek, Z. Cai, W. Ma, B. Yildiz, H. Hutter and J. Fleig, Tensile Lattice Strain Accelerates Oxygen Surface Exchange and Diffusion in La_{1-x}Sr_xCoO_{3-δ} Thin Films, *ACS Nano*, 2013, **7**, 3276–3286.
- 12 J. Kilner, R. De Souza and I. Fullerton, Surface exchange of oxygen in mixed conducting perovskite oxides, *Solid State Ionics*, 1996, **86**, 703–709.
- 13 R. De Souza and J. Kilner, Oxygen transport in La_{1-x}Sr_xMn_{1-y}Co_yO_{3±δ} perovskites: Part I. Oxygen tracer diffusion, *Solid State Ionics*, 1998, **106**, 175–187.
- 14 R. De Souza and J. Kilner, Oxygen transport in La_{1-x}Sr_xMn_{1-y}Co_yO_{3±δ} perovskites: Part II. Oxygen surface exchange, *Solid State Ionics*, 1999, **126**, 153–161.
- 15 R. Merkle and J. Maier, Oxygen incorporation into Fe-doped SrTiO₃: Mechanistic interpretation of the surface reaction, *Phys. Chem. Chem. Phys.*, 2002, **4**, 4140–4148.
- 16 Y.-L. Lee, J. Kleis, J. Rossmeisl, Y. Shao-Horn and D. Morgan, Prediction of solid oxide fuel cell cathode activity with first-principles descriptors, *Energy Environ. Sci.*, 2011, **4**, 3966–3970.
- 17 Y.-L. Lee, D. Lee, X. R. Wang, H. N. Lee, D. Morgan and Y. Shao-Horn, Kinetics of oxygen surface exchange on epitaxial Ruddlesden-Popper phases and correlations to



- first-principles descriptors, *J. Phys. Chem. Lett.*, 2016, **7**, 244–249.
- 18 H. J. Choi, K. Bae, S. Grieshammer, G. D. Han, S. W. Park, J. W. Kim, D. Y. Jang, J. Koo, J.-W. Son, M. Martin, *et al.*, Surface tuning of solid oxide fuel cell cathode by atomic layer deposition, *Adv. Energy Mater.*, 2018, **8**, 1802506.
- 19 M. Choi, I. A. Ibrahim, K. Kim, J. Y. Koo, S. J. Kim, J.-W. Son, J. W. Han and W. Lee, Engineering of charged defects at perovskite oxide surfaces for exceptionally stable solid oxide fuel cell electrodes, *ACS Appl. Mater. Interfaces*, 2020, **12**, 21494–21504.
- 20 C. Nicollet, C. Toparli, G. F. Harrington, T. Defferriere, B. Yildiz and H. L. Tuller, Acidity of surface-infiltrated binary oxides as a sensitive descriptor of oxygen exchange kinetics in mixed conducting oxides, *Nat. Catal.*, 2020, **3**, 913–920.
- 21 E. Mutoro, E. J. Crumlin, M. D. Biegalski, H. M. Christen and Y. Shao-Horn, Enhanced oxygen reduction activity on surface-decorated perovskite thin films for solid oxide fuel cells, *Energy Environ. Sci.*, 2011, **4**, 3689–3696.
- 22 D. Ding, X. Li, S. Y. Lai, K. Gerdes and M. Liu, Enhancing SOFC cathode performance by surface modification through infiltration, *Energy Environ. Sci.*, 2014, **7**, 552–575.
- 23 G. M. Rupp, A. K. Opitz, A. Nenning, A. Limbeck and J. Fleig, Real-time impedance monitoring of oxygen reduction during surface modification of thin film cathodes, *Nat. Mater.*, 2017, **16**, 640–645.
- 24 H. G. Seo, A. Staerz, D. S. Kim, J. M. LeBeau and H. L. Tuller, Tuning Surface Acidity of Mixed Conducting Electrodes: Recovery of Si-Induced Degradation of Oxygen Exchange Rate and Area Specific Resistance, *Adv. Mater.*, 2023, **35**, 2208182.
- 25 H. G. Seo, H. Kim, W. Jung and H. L. Tuller, Reversal of chronic surface degradation of Sr(Ti, Fe)O₃ perovskite-based fuel cell cathodes by surface acid/base engineering, *Appl. Catal. B Environ. Energy*, 2024, **355**, 124172.
- 26 M. Yasutake, H. G. Seo, Y. Nagatomo, R. Ozaki, J. Matsuda, K. Sasaki and H. L. Tuller, Degradation and recovery of La_{0.6}Sr_{0.4}Co_{0.2}Fe_{0.8}O_{3-δ}-based intermediate-temperature reversible solid oxide cells by controlled surface acidity, *J. Power Sources*, 2025, **632**, 236321.
- 27 A. Merieau, M. Siebenhofer, C. Boehme, M. Kubicek, O. Joubert, J. Fleig and C. Nicollet, Oxygen surface exchange kinetics of La_{1-x}Sr_xCoO_{3-δ} thin-films decorated with binary oxides: links between acidity, strontium doping, and reaction kinetics, *J. Mater. Chem. A*, 2024, **12**, 13960–13969.
- 28 M. Siebenhofer, A. Nenning, C. Rameshan, P. Blaha, J. Fleig and M. Kubicek, Engineering surface dipoles on mixed conducting oxides with ultra-thin oxide decoration layers, *Nat. Commun.*, 2024, **15**, 1730.
- 29 C. Riedl, M. Siebenhofer, A. Nenning, A. Schmid, M. Weiss, C. Rameshan, A. Limbeck, M. Kubicek, A. K. Opitz and J. Fleig, In situ techniques reveal the true capabilities of SOFC cathode materials and their sudden degradation due to omnipresent sulfur trace impurities, *J. Mater. Chem. A*, 2022, **10**, 14838–14848.
- 30 A. Schmid, G. M. Rupp and J. Fleig, How to get mechanistic information from partial pressure-dependent current-voltage measurements of oxygen exchange on mixed conducting electrodes, *Chem. Mater.*, 2018, **30**, 4242–4252.
- 31 R. A. De Souza, Limits to the rate of oxygen transport in mixed-conducting oxides, *J. Mater. Chem. A*, 2017, **5**, 20334–20350.
- 32 M. Mosleh, M. Søgaard and P. V. Hendriksen, Kinetics and mechanisms of oxygen surface exchange on La_{0.6}Sr_{0.4}FeO_{3-δ} thin films, *J. Electrochem. Soc.*, 2009, **156**, B441.
- 33 Y. Cheng, A. S. Raman, J. Paige, L. Zhang, D. Sun, M. U. Chen, A. Vojvodic, R. J. Gorte and J. M. Vohs, Enhancing oxygen exchange activity by tailoring perovskite surfaces, *J. Phys. Chem. Lett.*, 2019, **10**, 4082–4088.
- 34 W. T. Hong, M. Risch, K. A. Stoerzinger, A. Grimaud, J. Suntivich and Y. Shao-Horn, Toward the rational design of non-precious transition metal oxides for oxygen electrocatalysis, *Energy Environ. Sci.*, 2015, **8**, 1404–1427.
- 35 I. Koriba, B. Lagoun, A. Cheriet, A. Guibadj, S. Belhadj, A. Ameer, L. Aissani and A. Alhussein, Phase stability, mechanical and optoelectronic properties of lanthanum chromite-based perovskite oxide, *Appl. Phys. A: Mater. Sci. Process.*, 2022, **128**, 82.
- 36 S. Dabaghmanesh, N. Sarmadian, E. C. Neyts and B. Partoens, A first principles study of p-type defects in LaCrO₃, *Phys. Chem. Chem. Phys.*, 2017, **19**, 22870–22876.
- 37 T. Jia, Z. Zeng, H. Lin, Y. Duan and P. Ohodnicki, First-principles study on the electronic, optical and thermodynamic properties of ABO₃ (A= La, Sr, B= Fe, Co) perovskites, *RSC Adv.*, 2017, **7**, 38798–38804.
- 38 J. M. Rondinelli and N. A. Spaldin, Structural effects on the spin-state transition in epitaxially strained LaCoO₃ films, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 2009, **79**, 054409.
- 39 R. Hoffmann, *Solids and Surfaces: a Chemist's View of Bonding in Extended Structures*, John Wiley & Sons, 2021.
- 40 W. T. Hong, K. A. Stoerzinger, Y.-L. Lee, L. Giordano, A. Grimaud, A. M. Johnson, J. Hwang, E. J. Crumlin, W. Yang and Y. Shao-Horn, Charge-transfer-energy-dependent oxygen evolution reaction mechanisms for perovskite oxides, *Energy Environ. Sci.*, 2017, **10**, 2190–2200.
- 41 A. Bocquet, T. Mizokawa, T. Saitoh, H. Namatame and A. Fujimori, Electronic structure of 3d-transition-metal compounds by analysis of the 2p core-level photoemission spectra, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 1992, **46**, 3771.
- 42 S. D. Mürtz, J. Simböck, F. Zeng, M. Ghiasi, S. Schönebaum, U. Simon, F. M. de Groot and R. Palkovits, Elucidating the validity of electronic characteristics of transition metal perovskites as descriptors bridging electro- and chemocatalysis, *EES Catal.*, 2023, **1**, 961–971.
- 43 A. Klein, Energy band alignment at interfaces of semiconducting oxides: A review of experimental determination using photoelectron spectroscopy and comparison with theoretical predictions by the electron affinity rule, charge neutrality levels, and the common anion rule, *Thin Solid Films*, 2012, **520**, 3721–3728.

- 44 M. Riva, M. Kubicek, X. Hao, G. Franceschi, S. Gerhold, M. Schmid, H. Hutter, J. Fleig, C. Franchini, B. Yildiz, *et al.*, Influence of surface atomic structure demonstrated on oxygen incorporation mechanism at a model perovskite oxide, *Nat. Commun.*, 2018, **9**, 3710.
- 45 J. Heyd and G. E. Scuseria, Efficient hybrid density functional calculations in solids: Assessment of the Heyd-Scuseria-Ernzerhof screened Coulomb hybrid functional, *J. Chem. Phys.*, 2004, **121**, 1187–1192.
- 46 J. Fleig, A. Schmid, G. M. Rupp, C. Slouka, E. Navickas, L. Andrejs, H. Hutter, L. Volgger, A. Nanning and F. Juergen, The chemical capacitance as a fingerprint of defect chemistry in mixed conducting oxides, *Acta Chim. Slov.*, 2016, **63**, 509–518.
- 47 A. Schmid, G. M. Rupp and J. Fleig, Voltage and partial pressure dependent defect chemistry in (La, Sr) FeO_{3-δ} thin films investigated by chemical capacitance measurements, *Phys. Chem. Chem. Phys.*, 2018, **20**, 12016–12026.
- 48 A. M. Deml, A. M. Holder, R. P. O'Hayre, C. B. Musgrave and V. Stevanovic, Intrinsic material properties dictating oxygen vacancy formation energetics in metal oxides, *J. Phys. Chem. Lett.*, 2015, **6**, 1948–1953.
- 49 K. Maiti and D. Sarma, Electronic structure of La_{1-x}Sr_xCrO₃, *Phys. Rev. B:Condens. Matter Mater. Phys.*, 1996, **54**, 7816.
- 50 J. T. Mefford, X. Rong, A. M. Abakumov, W. G. Hardin, S. Dai, A. M. Kolpak, K. P. Johnston and K. J. Stevenson, Water electrolysis on La_{1-x}Sr_xCoO_{3-δ} perovskite electrocatalysts, *Nat. Commun.*, 2016, **7**, 11053.
- 51 T. D. K. Wungu, M. Sakaue, S. M. Aspera, T. L. P. Thuy, M. Alaydrus, H. Kasai and T. Ishihara, First principles study on the electronic structure and properties of Sr-and Mg-Doped LaGaO₃, *ECS Trans.*, 2013, **57**, 2715.
- 52 J. Mizusaki, Y. Mima, S. Yamauchi, K. Fueki and H. Tagawa, Nonstoichiometry of the perovskite-type oxides La_{1-x}Sr_xCoO_{3-δ}, *J. Solid State Chem.*, 1989, **80**, 102–111.
- 53 R. Jacobs, J. Hwang, Y. Shao-Horn and D. Morgan, Assessing correlations of perovskite catalytic performance with electronic structure descriptors, *Chem. Mater.*, 2019, **31**, 785–797.
- 54 J. Mizusaki, M. Yoshihiro, S. Yamauchi and K. Fueki, Nonstoichiometry and defect structure of the perovskite-type oxides La_{1-x}Sr_xFeO_{3-δ}, *J. Solid State Chem.*, 1985, **58**, 257–266.
- 55 M. Kuhn, S. Hashimoto, K. Sato, K. Yashiro and J. Mizusaki, Oxygen nonstoichiometry, thermo-chemical stability and lattice expansion of La_{0.6}Sr_{0.4}FeO_{3-δ}, *Solid State Ionics*, 2011, **195**, 7–15.
- 56 M. Kuhn, Y. Fukuda, S. Hashimoto, K. Sato, K. Yashiro and J. Mizusaki, Oxygen Nonstoichiometry and Thermo-Chemical Stability of Perovskite-Type La_{0.6}Sr_{0.4}Co_{1-y}Fe_yO_{3-δ} (y= 0, 0.2, 0.4, 0.5, 0.6, 0.8, 1) Materials, *J. Electrochem. Soc.*, 2012, **160**, F34.
- 57 R. Merkle, M. F. Hoedl, G. Raimondi, R. Zohourian and J. Maier, Oxides with mixed protonic and electronic conductivity, *Annu. Rev. Mater. Res.*, 2021, **51**, 461–493.
- 58 B. Hammer and J. K. Nørskov, Electronic factors determining the reactivity of metal surfaces, *Surf. Sci.*, 1995, **343**, 211–220.
- 59 B. Hammer and J. K. Nørskov, Why gold is the noblest of all the metals, *Nature*, 1995, **376**, 238–240.
- 60 B. Hammer and J. K. Nørskov, *Adv. Catal.*, 2000, 71–129.
- 61 L. Pan, J. F. Weaver and A. Asthagiri, First Principles Study of Molecular O₂ Adsorption on the PdO (101) Surface, *Top. Catal.*, 2017, **60**, 401–412.
- 62 O. Andersen, O. Jepsen and M. Sob, Linearized band structure methods, in *Electronic Band Structure and its Applications: Proceedings of the International School on Electronic Band Structure and its Applications Held at the Indian Institute of Technology, Kanpur, India*, 1987, pp. 1–57.
- 63 L. Lin, R. Jacobs, T. Ma, D. Chen, J. Booske and D. Morgan, Work function: Fundamentals, measurement, calculation, engineering, and applications, *Phys. Rev. Appl.*, 2023, **19**, 037001.
- 64 L. Giordano, K. Akkiraju, R. Jacobs, D. Vivona, D. Morgan and Y. Shao-Horn, Electronic structure-based descriptors for oxide properties and functions, *Acc. Chem. Res.*, 2022, **55**, 298–308.
- 65 E. J. Santos, J. K. Nørskov and A. Vojvodic, Screened Hybrid Exact Exchange Correction Scheme for Adsorption Energies on Perovskite Oxides, *J. Phys. Chem. C*, 2015, **119**, 17662–17666.
- 66 Y. Zhou, Z. Lü, B. Wei, S. Xu, D. Xu and Z. Yang, The comparative theoretical study of the LaBO₃ (001)(B= Mn, Fe, Co, and Ni) surface properties and oxygen adsorption mechanisms, *Ionics*, 2016, **22**, 1153–1158.
- 67 R. Jacobs, J. Booske and D. Morgan, Understanding and controlling the work function of perovskite oxides using density functional theory, *Adv. Funct. Mater.*, 2016, **26**, 5471–5482.
- 68 M. M. Montemore, M. A. van Spronsen, R. J. Madix and C. M. Friend, O₂ activation by metal surfaces: implications for bonding and reactivity on heterogeneous catalysts, *Chem. Rev.*, 2017, **118**, 2816–2862.
- 69 S. A. Wasileski and M. J. Janik, A first-principles study of molecular oxygen dissociation at an electrode surface: a comparison of potential variation and coadsorption effects, *Phys. Chem. Chem. Phys.*, 2008, **10**, 3613–3627.
- 70 C. Riedl, M. Siebenhofer, A. Nanning, G. E. Wilson, J. Kilner, C. Rameshan, A. Limbeck, A. K. Opitz, M. Kubicek and J. Fleig, Surface Decorations on Mixed Ionic and Electronic Conductors: Effects on Surface Potential, Defects, and the Oxygen Exchange Kinetics, *ACS Appl. Mater. Interfaces*, 2023, **15**(22), 26787–26798.
- 71 C. Nicollet and H. L. Tuller, Perspective on the relationship between the acidity of perovskite oxides and their oxygen surface exchange kinetics, *Chem. Mater.*, 2022, **34**, 991–997.
- 72 R. Jacobs, J. Liu, H. Abernathy and D. Morgan, Critical assessment of electronic structure descriptors for predicting perovskite catalytic properties, *ACS Appl. Energy Mater.*, 2024, **7**, 3366–3377.



- 73 A. Merieau, R. Jaouen, O. Joubert and C. Nicollet, Effect of Acidity and Electronic Conductivity of Mixed Conductors on Oxygen Exchange Kinetics and Their Sensitivity to Surface Impurities, *ACS Catal.*, 2025, **15**(16), 14414–14422.
- 74 E. Bucher, C. Gspan and W. Sitte, Degradation and regeneration of the SOFC cathode material $\text{La}_{0.6}\text{Sr}_{0.4}\text{CoO}_{3-\delta}$ in SO_2 -containing atmospheres, *Solid State Ionics*, 2015, **272**, 112–120.
- 75 M. Siebenhofer, A. Nenning, G. E. Wilson, J. A. Kilner, C. Rameshan, M. Kubicek, J. Fleig and P. Blaha, Electronic and ionic effects of sulphur and other acidic adsorbates on the surface of an SOFC cathode material, *J. Mater. Chem. A*, 2023, **11**, 7213–7226.
- 76 K. Li and D. Xue, Estimation of electronegativity values of elements in different valence states, *J. Phys. Chem. A*, 2006, **110**, 11332–11337.
- 77 R. D. Shannon, Revised effective ionic radii and systematic studies of interatomic distances in halides and chalcogenides, *Acta Crystallogr. Sect. A Cryst. Phys. Diffraction Theor. Gen. Crystallogr.*, 1976, **32**, 751–767.
- 78 A. Grimaud, K. J. May, C. E. Carlton, Y.-L. Lee, M. Risch, W. T. Hong, J. Zhou and Y. Shao-Horn, Double perovskites as a family of highly active catalysts for oxygen evolution in alkaline solution, *Nat. Commun.*, 2013, **4**, 2439.
- 79 G. M. Rupp, A. Schmid, A. Nenning and J. Fleig, The superior properties of $\text{La}_{0.6}\text{Ba}_{0.4}\text{CoO}_{3-\delta}$ thin film electrodes for oxygen exchange in comparison to $\text{La}_{0.6}\text{Sr}_{0.4}\text{CoO}_{3-\delta}$, *J. Electrochem. Soc.*, 2016, **163**, F564.
- 80 T. Mayeshiba and D. Morgan, Strain effects on oxygen vacancy formation energy in perovskites, *Solid State Ionics*, 2017, **311**, 105–117.
- 81 G. Kresse and J. Furthmüller, Efficiency of *ab initio* total energy calculations for metals and semiconductors using a plane-wave basis set, *Comput. Mater. Sci.*, 1996, **6**, 15–50.
- 82 G. Kresse and J. Furthmüller, Efficient iterative schemes for *ab initio* total-energy calculations using a plane-wave basis set, *Phys. Rev. B:Condens. Matter Mater. Phys.*, 1996, **54**, 11169.
- 83 G. Kresse and J. Hafner, Ab initio molecular dynamics for liquid metals, *Phys. Rev. B:Condens. Matter Mater. Phys.*, 1993, **47**, 558.
- 84 G. Kresse and J. Hafner, Ab initio molecular-dynamics simulation of the liquid-metal-amorphous-semiconductor transition in germanium, *Phys. Rev. B:Condens. Matter Mater. Phys.*, 1994, **49**, 14251.
- 85 J. Sun, A. Ruzsinszky and J. P. Perdew, Strongly constrained and appropriately normed semilocal density functional, *Phys. Rev. Lett.*, 2015, **115**, 036402.
- 86 A. V. Krukau, O. A. Vydrov, A. F. Izmaylov and G. E. Scuseria, Influence of the exchange screening parameter on the performance of screened hybrid functionals, *J. Chem. Phys.*, 2006, **125**, 224106.
- 87 P. E. Blöchl, O. Jepsen and O. K. Andersen, Improved tetrahedron method for Brillouin-zone integrations, *Phys. Rev. B:Condens. Matter Mater. Phys.*, 1994, **49**, 16223.