

Cite this: *Chem. Sci.*, 2023, 14, 310

All publication charges for this article have been paid for by the Royal Society of Chemistry

A crystal growth kinetics guided Cu aerogel for highly efficient CO₂ electrolysis to C₂₊ alcohols†

Pengsong Li,^a Jiahui Bi,^{ab} Jiyuan Liu,^{ab} Qinggong Zhu,^{ab} Chunjun Chen,^a Xiaofu Sun,^{ab} Jianling Zhang,^{ab} Zhimin Liu,^{ab} and Buxing Han^{abcd}

To realize commercial CO₂ electrochemical reduction to C₂₊ alcohols, the selectivity and production rate should be further improved. Establishing controllable surface sites with a favorable local environment is an interesting route to guide the C₂₊ pathway. Herein, we report a room-temperature one-step synthetic strategy to fabricate a highly stable Cu aerogel as an efficient CO₂ reduction electrocatalyst. Controlling crystal growth kinetics using different reductants is an efficient strategy to modulate the nucleation and growth rate of Cu aerogels, enabling the creation of efficient surface sites for the C₂₊ pathway. Over the Cu aerogel obtained by reducing Cu²⁺ using a weak reductant (NH₃·BH₃), the faradaic efficiency of C₂₊ products could reach 85.8% with the current density of 800 mA cm⁻² at the potential of -0.91 V vs. reversible hydrogen electrode, and the C₂₊ alcohol selectivity was 49.7% with a partial current density of 397.6 mA cm⁻², while the Cu aerogel prepared using a strong reductant (NaBH₄) was favorable to generating CO. Experimental and theoretical studies showed that the selectivity of the reaction depended strongly on the desorption and dimerization of *CO intermediates on the catalysts. The strong reductant induced a defective Cu surface that could facilitate the desorption of the *CO intermediate, subsequently producing CO, whereas the low defect Cu produced using a weak reductant could significantly enhance the selectivity for the C₂₊ product by improving *CO adsorption and the C-C coupling on the catalyst. This work opens a new way for constructing efficient electrocatalysts for CO₂ electroreduction to C₂₊ alcohols.

Received 6th September 2022
Accepted 5th December 2022

DOI: 10.1039/d2sc04961a

rsc.li/chemical-science

Introduction

Electrochemical conversion of CO₂ is a promising strategy to abate the consumption of fossil resources and close the carbon neutral energy cycle.^{1,2} The reduction products, such as high-energy density multi-carbon (C₂₊) alcohols, are of particular interest, as they have a correspondingly high market price consistent with global demands.³ To date, many electrocatalysts have been designed to improve the catalytic performance of the CO₂ reduction reaction (CO₂RR) to C₂₊ alcohols, such as FeTPP [Cl]/Cu (5,10,15,20-tetraphenyl-21H,23H-porphine iron(III) chloride/Cu),⁴ N-C/Cu (nitrogen-doped carbon layer on Cu),⁵

Cu-CuI,⁶ Cu₂S-Cu-vacancy⁷ and Ce(OH)_x/Cu.⁸ Remarkably, the CO₂RR to ethanol has been reported using an N-C/Cu catalyst with a faradaic efficiency (FE) of up to 53.7% with a partial current density of 161.1 mA cm⁻².⁵ Over the Cu-CuI catalyst, the optimum partial current density of C₂₊ alcohols could reach 299 mA cm⁻² with a moderate selectivity of 33.4%.⁶ Several catalyst design strategies have also been developed,⁹⁻¹¹ including precipitation, electrodeposition, sputtering, evaporation, defect engineering, hybridization, surface modifications and reconstructions. However, the CO₂ to C₂₊ alcohol electrocatalytic system still remains limited by the low productivity rates at high product selectivity, making it difficult to meet the commercial demand.^{12,13} This is due to the complex and uncontrollable reaction pathways during the CO₂ reduction.³ The binding environment of the *CO intermediate on the active sites determines the subsequent reaction paths.^{14,15} The *CO intermediate can either undergo desorption to release the CO product or dimerization to form *OCCO embarking on the C₂₊ pathway.¹⁶⁻¹⁹ Therefore, it is vital to develop highly active surface sites that improve the *CO adsorption properties and ultimately promote the C-C coupling to form C₂₊ alcohols.^{20,21}

Tuning the surface structure at the atomic level is of primary importance in the generation of efficient active sites for the CO₂RR.^{22,23} At the nanoscale, crystal defects largely influence the

^aBeijing National Laboratory for Molecular Sciences, CAS Key Laboratory of Colloid, Interface and Chemical Thermodynamics, CAS Research/Education Center for Excellence in Molecular Sciences, Institute of Chemistry, Chinese Academy of Sciences, Beijing 100190, P. R. China. E-mail: qgzhu@iccas.ac.cn; hanbx@iccas.ac.cn

^bUniversity of Chinese Academy of Sciences, Beijing 100049, P. R. China

^cShanghai Key Laboratory of Green Chemistry and Chemical Processes, School of Chemistry and Molecular Engineering, East China Normal University, Shanghai 200062, P. R. China

^dInstitute of Eco-Chongming, 20 Cuinia Road, Chenjia Town, Chongming District, Shanghai, 202162, P. R. China

† Electronic supplementary information (ESI) available. See DOI: <https://doi.org/10.1039/d2sc04961a>



properties and functionalities of catalysts.^{24–26} Specifically, each active site has its own features due to the unique local structural environment, and the catalytic activity towards the CO₂RR can be modified by the presence of surface defects.^{27,28} It has been reported that creating defects can enhance the CO₂RR performance, but the specific defect–activity relationships have not been fully elucidated.^{29,30} That is, structural disorder is not detrimental, but may not be all beneficial to the C₂₊ pathway. Considering the high complexity of CO₂ reduction toward C₂₊ products, the major bottleneck in the catalyst design lies in establishing controllable surface sites and, ultimately, guiding the reaction pathway.³¹

Here, we demonstrate a room-temperature one-step synthetic strategy to fabricate a highly stable Cu aerogel as an efficient CO₂RR electrocatalyst. Controlling crystal growth kinetics can efficiently modulate the nucleation and growth rate of Cu aerogels, enabling the creation of efficient surface sites for increasing C₂₊ product selectivity. Theoretical studies suggest that the adsorption strength of *CO intermediates on Cu sites depends strongly on the defects. By reducing the defect level on the Cu aerogel surface, the desorption and dimerization of *CO intermediates can be regulated to a preferable C₂₊ pathway. A strong reductant (sodium borohydride, NaBH₄) induces abundant irregular defects in the Cu aerogel to facilitate the desorption of the *CO intermediate, subsequently producing CO, while the low defect Cu produced under weak reducing conditions (borane ammonia complex, NH₃·BH₃) can easily facilitate the C–C coupling pathway, which leads to C₂₊ products. Remarkably, the Cu aerogel obtained by reducing Cu²⁺ using a weak reductant (NH₃·BH₃) can yield a C₂₊ FE of 85.8% at the current density of 800 mA cm^{−2} and the potential of −0.91 V vs. reversible hydrogen electrode (RHE), and the C₂₊ alcohol selectivity was 49.7% with a partial current density of 397.6 mA cm^{−2}.

Results and discussion

Our study focused on modulating the nucleation and growth rate of Cu to change the surface structure of Cu aerogels. In the chemical reduction process, Cu²⁺ in the solution was reduced to metallic Cu⁰ and then it agglomerated into clusters growing up into an aerogel at room temperature. We selected reductants with different reduction reactivities to control the crystal growth kinetics in the process. Using a strong reductant (NaBH₄), the Cu nucleation proceeds rapidly, leading to a small particle size and an irregular defect-rich surface, whereas the crystal nucleation rate in the weak reductant (NH₃·BH₃) solution is slower than that in the strong reductant solution, resulting in a larger particle size and low defects (Fig. 1a). The as-synthesized Cu aerogels are denoted as sr-Cu (strong reductant-induced Cu) and wr-Cu (weak reductant-induced Cu). In order to establish trends in crystal growth rates with respect to the defect level, we prepared a series of Cu aerogels using reductant mixtures of NaBH₄ and NH₃·BH₃ with different compositions (the molar ratios of NaBH₄ : NH₃·BH₃ = 5 : 1, 1 : 1 and 1 : 5).

Scanning electron microscopy (SEM) and transmission electron microscopy (TEM) images showed that both sr-Cu and

wr-Cu had a porous network structure self-assembled by nanoparticles (Fig. 1b, c, f and g) and demonstrated that the particle size of Cu became larger when applying a weaker reductant. Furthermore, the surface areas of sr-Cu and wr-Cu determined by the Brunauer–Emmett–Teller method were 10.53 and 5.75 m² g^{−1}, respectively. Fig. 1d and h show the selected area electron diffraction (SAED) patterns of sr-Cu and wr-Cu particles marked in Fig. 1c and g, respectively. They reveal that sr-Cu and wr-Cu had a well-defined cubic crystal phase with diffraction rings indexed to (111) and (200) lattices. High-resolution transmission electron microscopy (HRTEM) images confirmed that the lattice spacings of both sr-Cu and wr-Cu aerogels were 0.21 nm, corresponding to the lattice plane distance of the (111) plane of face-centered cubic metallic Cu. The main difference was that the wr-Cu crystal surface (Fig. 1i) was flatter than the sr-Cu crystal surface (Fig. 1e), which indicates lower defects in wr-Cu. The obvious trend of 5 : 1-Cu to 1 : 5-Cu further confirmed that a weak reductant could give rise to lower crystal surface defects than a strong reductant (Fig. S1–S3†). The electron energy loss spectra (EELS) of sr-Cu and wr-Cu were also recorded. As shown in Fig. 1j, it is observed that the two main features of these edges are the strong white-lines L₃ and L₂ separated by about 20 eV, which is attributed to the spin orbit splitting of the 2p core hole consistent with the metallic Cu.³² Furthermore, compared with wr-Cu, the Cu–L₃ edge of sr-Cu was shifted by 0.3 eV towards the higher energy region. The Cu K-edge X-ray absorption near edge structure (XANES) (Fig. 1k) clearly revealed that the Cu K edge position (8979.04 eV) of wr-Cu was similar to that of metallic Cu (8979.01 eV), while the Cu K-edge position of sr-Cu was located at a higher energy (8979.31 eV). The Fourier-transform extended X-ray absorption fine structure (EXAFS) spectrum can accurately reveal the local structure of a catalyst.³³ When comparing with Cu metal and wr-Cu, sr-Cu possessed a slightly longer first-shell Cu–Cu bond (Fig. 1l). In addition, the small angle X-ray scattering (SAXS) technique was employed to analyze the fractal structure. The surface fractal (*D_s*) values were obtained from the ln(*I*(*h*)) vs. ln(*h*) plots (Fig. S4†). It can be seen that the surface of sr-Cu (*D_s* = 3.97) was coarser than that of wr-Cu (*D_s* = 3.28), indicating the existence of more defects in the Cu catalyst obtained using a strong reductant.

Powder X-ray diffraction (XRD) data demonstrated the presence of metallic Cu (PDF#04-0836) in these Cu aerogels (Fig. S5†). Among them, sr-Cu had a weak-intensity (111) diffraction peak, indicating its low crystallinity. The elemental valence states and chemical composition of the Cu aerogel surfaces were also investigated by X-ray photoelectron spectroscopy (XPS). For all the Cu aerogels, two main peaks around 952.1 eV and 932.3 eV were observed (Fig. S6a†), corresponding to Cu 2p_{1/2} and Cu 2p_{3/2} peaks, respectively. Auger electron spectroscopy (AES) further confirmed that the Cu species were composed of Cu⁰ and Cu⁺ (Fig. S6b†) on the surface.³⁴ The peak located at 570 eV (Cu⁺) was attributed to the surface oxidation of metallic Cu in air after taking it out from the 1 M KOH electrolyte. The N 1s and B 1s spectra in Fig. S7† suggest that the aerogels were free from N and B elements. In addition, no N or B was detected in the inductively coupled plasma mass spectrometry





Fig. 1 (a) Schematic diagram of the formation of the Cu aerogels with high defects (sr-Cu) and low defects (wr-Cu) at room temperature. (b) SEM, (c) TEM, (d) SAED patterns and (e) HRTEM images of the sr-Cu aerogel. (f) SEM, (g) TEM, (h) SAED patterns and (i) HRTEM images of the wr-Cu aerogel. (j) The EELS profiles of the Cu-L_{2,3} edge recorded across the sr-Cu and wr-Cu aerogels. (k) The XANES spectra and (l) Fourier-transform Cu K-edge EXAFS spectra of sr-Cu, wr-Cu aerogels and Cu foil.

(ICP-MS) measurement over the wr-Cu and sr-Cu aerogels. Combining the above results, we can conclude that the as-synthesized aerogel catalysts are mainly metallic Cu.

The as-prepared Cu aerogels were used as electrocatalysts in a flow cell reactor using 1 M KOH solution as the electrolyte to evaluate the CO₂ electrochemical reduction performance. The wr-Cu catalyst resulted in a larger total current density at the same potential than the sr-Cu, 5:1-Cu, 1:1-Cu and 1:5-Cu catalysts with the CO₂ feed gas, suggesting its high electrocatalytic activity (Fig. S8 and S9[†]). Under the reaction conditions, the liquid products HCOOH, CH₃COOH, CH₃CH₂OH (EtOH), and CH₃CH₂CH₂OH (PrOH) were detected by ¹H nuclear magnetic resonance (¹H-NMR) (Fig. S10[†]), and H₂, CO, and C₂H₄ were the gaseous products determined using gas

chromatography. As displayed in Fig. 2a, b and S11,[†] all the Cu aerogels yielded products with a combined FE of around 100%. As the major C₁ product, the FE of CO was gradually suppressed with increasing current density, and the selectivity of C₂₊ products was enhanced simultaneously. Taking the electrolysis at 300 mA cm⁻² and 800 mA cm⁻² as examples, sr-Cu delivered the highest CO FE and wr-Cu exhibited the highest C₂₊ FE, suggesting that the *CO desorption occurred easily on the crystal surface of sr-Cu, but it was significantly suppressed on wr-Cu. The other catalysts had properties somewhat between sr-Cu and wr-Cu, and the CO selectivity followed an increasing sequence of wr-Cu < 1:5-Cu < 1:1-Cu < 5:1-Cu < sr-Cu. This phenomenon of increased FE of CO was also observed on the OD Cu catalyst with high roughness.³⁵ As expected, the FE






Fig. 2 FE for each CO₂RR product and H₂ on (a) sr-Cu and (b) wr-Cu at various current densities ranging from 300 to 1000 mA cm⁻². Error bars represent the standard deviations from multiple measurements. CO and C₂₊ FE values on different catalysts under the current densities of (c) 300 mA cm⁻² and (d) 800 mA cm⁻². (e) Plot of D_s values vs. FE of C₂₊ products over sr-Cu, 5:1-Cu, 1:1-Cu, 1:5-Cu and wr-Cu at the current density of 800 mA cm⁻². (f) FE and partial current density of C₂₊ alcohols on different catalysts at the current densities of 800 mA cm⁻².

values of C₂₊ products showed the opposite sequence (Fig. 2c and d). These differences suggest that the CO product formation was inhibited, and the generation of C₂₊ products was promoted by increasing the crystal surface defect of the Cu aerogel. We correlated the D_s values with the FE of C₂₊ products and found a linear relationship (Fig. 2e) indicating that the defect level in the catalysts is directly related to the performance of the electrochemical reduction of CO₂ to C₂₊ products. Especially, using wr-Cu as the catalyst, the FE of total C₂₊ products could be as high as 85.8% with the current density of 800 mA cm⁻² at a low applied potential of -0.91 V vs. RHE. The selectivity of C₂₊ alcohols (EtOH and PrOH) could reach 49.7% with a partial current density of 397.6 mA cm⁻² (Fig. 2f and S12[†]). Comparably, the FE of C₂₊ alcohols over sr-Cu was only 17.3%, and the main product was CO with an FE of 43.3%. Systematic comparisons to state-of-the-art catalysts reveal that the as-synthesized wr-Cu aerogel was a very efficient electrocatalyst for C₂₊ products, especially for the high rate production of C₂₊ alcohols (Table S1[†]). Furthermore, sr-Cu was annealed in a N₂ atmosphere at 400 °C for 2 h to obtain a flat crystal surface. Fig. S13[†] shows that the defects decreased after annealing. The FE of CO reduced and the FE of C₂₊ products enhanced (Fig. S14[†]), which also indicates that the C-C coupling process was favored after the defect level of the sr-Cu catalyst was reduced by annealing. The above results suggest that the selectivity differences were due to the relative amount of defects. The defects in the Cu catalysts were the active sites for the C₁ pathway, and the flat crystal surfaces were the active sites for C₂₊ products. In order to verify that the products were derived from CO₂, we used isotope labeled ¹³C CO₂ or Ar to replace CO₂ in the same set-up. From ¹H NMR spectra in Fig. S15,[†] we can see the H signals

of HCOOH, CH₃COOH, EtOH and PrOH, which split into two peaks by coupling with the ¹³C atom. These results confirm that the feed gas CO₂ was the only source of carbon in the reduction products.

We also determined the electrochemical double-layer capacitance (C_{dl}), which was calculated from cyclic voltammogram (CV) curves to obtain the electrochemical active surface area (ECSA) of the catalysts (Fig. S16a-e[†]).³⁶ The linear slopes in Fig. S16f[†] show that the C_{dl} value of sr-Cu was 23.5 mF cm⁻², which was higher than that of wr-Cu (7.4 mF cm⁻²). This is consistent with the TEM results that sr-Cu possessed a smaller particle size than wr-Cu. After normalizing the partial current density of C₂₊ to ECSA (Fig. S17[†]), wr-Cu still exhibited the largest current density in the potential range from -0.6 V to -1.2 V vs. RHE, which indicates that the superior intrinsic CO₂RR activity mainly originated from the surface modulation of the defect level. The results of long-term stability experiments (Fig. S18[†]) demonstrated that wr-Cu was stable at least for 15 h after the continuous CO₂ electrolysis, the morphology (Fig. S19[†]) and low defect crystal surface (Fig. S20[†]) of wr-Cu were well preserved. Moreover, the D_s value of wr-Cu was 3.25 after 15 h continuous electrolysis (Fig. S21[†]), which is very close to that of the initial wr-Cu ($D_s = 3.28$). This indicates that the Cu aerogel with porous network structures could be maintained at a high current density for long-term electrolysis due to the natural porous network structures and metallic state.

Further investigation of the kinetics of the C₁ and C₂₊ pathway on different Cu aerogels is very interesting. Therefore, an *in situ* Raman spectroscopy study was carried out over the sr-Cu and wr-Cu aerogels in a custom-built Raman setup



(Fig. S22†). We could monitor the formation and dimerization of *CO to study the pathway, because it is well known that the activity and selectivity of C_{2+} products in the CO_2RR are closely related to the formation of the *CO intermediate and subsequent dimerization on the catalyst surface.³⁷ As depicted in Fig. 3a and b, there are no peaks indexed to Cu_2O in the range of $400\text{--}650\text{ cm}^{-1}$, which indicated that there were no Cu^+ species on the surfaces of sr-Cu and wr-Cu at the reduction potentials.³⁸ As the applied potential shifted negatively, the peaks at 365 cm^{-1} and 1560 cm^{-1} became cognizable on both sr-Cu and wr-Cu, corresponding to the restricted rotation of $Cu\text{--}CO$ stretching and $O=C\text{--}C\text{--}OH$ vibration, respectively.^{39,40} The appearance of the $O=C\text{--}C\text{--}OH$ intermediate indicates that after *CO dimerization, the oxygen atom of the CO dimer was first hydrogenated and subsequently reduced to C_{2+} products. The decrease of *CO peak intensity at the potentials more negative than 0.1 or 0 V vs. RHE could be attributed to the C_{2+} product process.⁴¹ At more negative potentials (-0.5 and -0.6 V vs. RHE), the band of $Cu\text{--}CO$ disappeared over sr-Cu but it was still noticeable over wr-Cu, which indicates the stronger adsorption of *CO on the wr-Cu catalyst.⁴² Therefore, we can conclude that the wr-Cu aerogel can stabilize the *CO intermediate and promote C–C coupling for the C_{2+} pathway. Moreover, the gradual disappearance of Raman signals at more negative

potentials indicates that these intermediates undergo very fast CO_2 reduction kinetics, representing a faster reaction rate. In addition, we observed that the Raman peaks from both catalysts experienced a continuous red shift as the applied potential decreased, which could be explained by the electrochemical Stark effect, a phenomenon where the local electric field could regulate the interaction between the catalyst active centres and adsorbates, thus shifting the vibrational frequencies of intermediates.

To investigate the strength of CO binding on the different catalysts, we conducted further experiments. The electrochemical CO stripping voltammetry tests were performed to probe the CO desorption ability on the as-synthesized Cu aerogels.⁴³ As shown in Fig. 3c, a sharp CO stripping profile with a dominant peak appeared around 0.81 V vs. RHE for wr-Cu, whereas they were around 0.69 V and 0.75 V vs. RHE for sr-Cu and 1:1-Cu, respectively. The positive shift of the peak indicates that wr-Cu has stronger binding ability towards CO, leading to higher selectivity for C_{2+} products, which is consistent with the results in the *in situ* Raman spectra. In the context of these findings, we then conducted an in-depth study of the pathway. By modulating the nucleation and growth rate of Cu using different reductants, the defect level on the Cu aerogel crystal surface could be changed, and the desorption and



Fig. 3 The *in situ* Raman spectra for sr-Cu (a) and wr-Cu (b) aerogels at various potentials (vs. RHE) during the CO_2RR . OCV means open-circuit voltage. (c) The electrochemical CO stripping voltammetry test for sr-Cu, 1:1-Cu and wr-Cu aerogels in CO-saturated 0.1 M Na_2SO_4 solution. (d) Proposed structure-activity relationship diagram on different Cu aerogel surfaces: comparison of key steps in the C_1 and C_{2+} reaction pathways.



dimerization of *CO intermediates could be regulated to tune C_{2+} selectivity (Fig. 3d). Particularly, the strong reductant induced abundant defects in the Cu aerogel, which was beneficial to the desorption process of the *CO intermediate for the high FE of CO, whereas the low defect Cu formed with the weak reductant could not only enhance the adsorption strength of CO intermediates, but also made the adsorption direction orderly, efficiently promoting C–C coupling to C_{2+} products.

It is also interesting to study how the reaction pathway varies with surface structures. In this work, density functional theory (DFT) calculations were used to study the catalytic activity for C_{2+} products on these active sites. Considering that *CO was the crucial reaction intermediate, and its adsorption/desorption strength at active sites depended on the properties of Cu surfaces, four model structures including Cu(111)-pristine, Cu(111)-dislocation, Cu(111)-step and Cu(111)-dislocation/step were selected to carry out the theoretical simulations. As shown in Fig. 4a, we denote them as Cu-p, Cu-d, Cu-s and Cu-d/s, respectively. In the CO_2RR process, the *CO intermediate formation was subject to the hydrogenation of CO_2 molecule (*COOH) in the aqueous electrolyte (Fig. 4b). The irregular and defective Cu structures (Cu-d, Cu-s and Cu-d/s) could reduce the reaction energies for the CO_2 hydrogenation, which are beneficial to the subsequent formation of *CO intermediates. However, the energy for *CO desorption for CO formation was significantly reduced at the defective Cu structures, reaching 0.2 eV at the Cu-d/s (Fig. 4c). At the same time, the reaction energies associated with the dimerization of *CO intermediates toward *OCCO showed an upward trend over the defective Cu structures (Fig. S23 and S24[†]). We then calculated the reaction energy differences of *CO dimerization and *CO desorption over the different structures (Fig. 4d). The *CO dimerization was

much easier on the Cu-p surface, while the *CO desorption was easier on the Cu-d/s surface. This further indicates that compared to Cu-d, Cu-s and Cu-d/s, the Cu-p structure could improve C_{2+} selectivity. Ultimately, our results corroborated that the CO desorption/dimerization depended on the local geometry of the surface; the defect Cu-d, Cu-s and Cu-d/s sites were responsible for CO production, while Cu-p sites favoured C_{2+} product generation; due to the low defect the Cu surface could facilitate C–C coupling.

Conclusions

In summary, we found that crystal growth kinetics can guide the generation of efficient surface sites in Cu aerogels for increasing C_{2+} product selectivity using a room-temperature one-step synthetic strategy. The crystal growth rate is pivotal to rationalize the electrocatalytic properties of the catalysts. Using wr-Cu as the catalyst, the FE of C_{2+} products can reach 85.8% at the current density of 800 mA cm^{-2} and potential of -0.91 V vs. RHE , and the C_{2+} alcohol selectivity is 49.7% with a partial current density of 397.6 mA cm^{-2} . The adsorption of the important *CO intermediate is notably enhanced on wr-Cu, which offers abundant precursors for C–C coupling and further reduction. Theoretical studies further suggest that the CO adsorption strength on Cu sites depends on the nature of defects. A high defect structure is beneficial for reducing the desorption energy of the *CO intermediate to get the CO product, whereas the relatively flat Cu aerogel with low defects favors the C–C coupling pathway, which leads to a high selectivity of C_{2+} products. This work provides a new route to design efficient catalysts towards C_{2+} products in the CO_2RR , and brings new insights into the role of surface defects in electrochemistry.

Data availability

All experimental data is available in the ESI.[†]

Author contributions

P. S. L., Q. G. Z. and B. X. H. proposed the project, designed the experiments, and wrote the manuscript. P. S. L. performed the whole experiments. P. S. L., J. H. B., J. Y. L., C. J. C., X. F. S., J. L. Z. and Z. M. L. performed the analysis of experimental data. Q. G. Z. and B. X. H. co-supervised the whole project. All authors discussed the results and commented on the manuscript.

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

The authors thank the National Key Research and Development Program of China (2020YFA0710203), National Natural Science Foundation of China (22102192, 22022307, 22033009, 21890761, 21733011 and 22121002), China Postdoctoral Science Foundation (BX20200336 and 2020M680680), and Photon Science Center




Fig. 4 (a) DFT periodic slab models for Cu(111)-pristine, Cu(111)-dislocation, Cu(111)-step and Cu(111)-dislocation/step structures (denoted as Cu-p, Cu-d, Cu-s and Cu-ds, respectively). (b) Gibbs free-energy diagrams for the proposed steps of conversion of CO_2 to *CO intermediate. (c) Reaction energies for *CO desorption to CO and *CO coupling to *OCCO on Cu catalysts with various defects. (d) Differences in reaction energies for *CO coupling to *OCCO and *CO desorption to CO.



