Chemical Science



EDGE ARTICLE

View Article Online
View Journal | View Issue



Cite this: Chem. Sci., 2020, 11, 12807

d All publication charges for this article have been paid for by the Royal Society of Chemistry

Received 9th September 2020 Accepted 14th October 2020

DOI: 10.1039/d0sc04979d

rsc.li/chemical-science

H₂/CO₂ separations in multicomponent metaladeninate MOFs with multiple chemically distinct pore environments†

Zachary M. Schulte, D^a Yeon Hye Kwon, Yi Han, Chong Liu, D^a Lin Li, Yahui Yang, Austin Gamble Jarvi, Sunil Saxena, D^a Götz Veser, J. Karl Johnson D^b and Nathaniel L. Rosi D**

Metal-organic frameworks constructed from multiple (≥3) components often exhibit dramatically increased structural complexity compared to their 2 component (1 metal, 1 linker) counterparts, such as multiple chemically unique pore environments and a plurality of diverse molecular diffusion pathways. This inherent complexity can be advantageous for gas separation applications. Here, we report two isoreticular multicomponent MOFs, bMOF-200 (4 components; Cu, Zn, adeninate, pyrazolate) and bMOF-201 (3 components; Zn, adeninate, pyrazolate). We describe their structures, which contain 3 unique interconnected pore environments, and we use Kohn-Sham density functional theory (DFT) along with the climbing image nudged elastic band (CI-NEB) method to predict potential H₂/CO₂ separation ability of bMOF-200. We examine the H₂/CO₂ separation performance using both column breakthrough and membrane permeation studies. bMOF-200 membranes exhibit a H₂/CO₂ separation factor of 7.9. The pore space of bMOF-201 is significantly different than bMOF-200, and one molecular diffusion pathway is occluded by coordinating charge-balancing formate and acetate anions. A consequence of this structural difference is reduced permeability to both H2 and CO2 and a significantly improved H₂/CO₂ separation factor of 22.2 compared to bMOF-200, which makes bMOF-201 membranes competitive with some of the best performing MOF membranes in terms of H₂/CO₂ separations.

Introduction

The vast majority of metal-organic frameworks (MOFs) consist of two components: one metal ion/cluster and one organic linker. In general, such MOFs have uniform pores and channels, and from the point of view of a guest molecule, all the internal space and surfaces, apart from defects, would appear identical. For many target applications, such as gas storage or catalysis, uniform pore space may be ideal. However, MOFs having more complex labyrinths of pores and channels and multiple interior regions with distinct structure and chemical

functionality may lead to increasingly complex functions.^{7,8} For example, different cavities may each contain unique yet complementary reactive centres for multiple reaction steps, or different molecules may diffuse through different pathways, which could lead to improved molecular separations.

Achieving increased structural and functional complexity often involves incorporation of multiple components (i.e., metals + linkers ≥ 3) into the MOF material.^{9,10} These components may be partitioned into specific domains (e.g., coreshell11-15 and stratified MOFs16 or other MOF-on-MOF architectures¹⁷⁻¹⁹), or they may be distributed either randomly (e.g., multivariate MOFs^{20,21}) or periodically^{7,8,22-38} throughout a MOF lattice. Strategies for constructing MOFs with multiple periodically arranged components generally involve syntheses that (i) incorporate multiple linkers having different Lewis basic donor groups (e.g., metal-carboxylate 2-D grids pillared by N-donor linkers^{22,26,28} or metal-adeninate-carboxylate bio-MOFs^{24,29}); (ii) incorporate multiple linkers of different length and/or geometry having identical donor groups (e.g., MOFs with multiple different carboxylate linkers);7,23,25,27,34,35 (iii) incorporate heteromultitopic linkers such as (iso)nicotinate that preferentially coordinate different metal ions at either coordination sites;30-33,36 or (iv) use some combination of approaches i-iii

 $[^]a Department of Chemistry, \ University of Pittsburgh, Pittsburgh, PA 15260, \ USA. \ E-mail: nrosi@pitt.edu$

^bDepartment of Chemical and Petroleum Engineering, University of Pittsburgh, Pittsburgh, PA 15260, USA

^cU.S. Department of Energy, National Energy Technology Laboratory, Pittsburgh, PA 15236, USA

^dOak Ridge Institute for Science and Education, Pittsburgh, PA, 15236, USA

 $[\]dagger$ Electronic supplementary information (ESI) available: Experimental protocols, general procedures, compositional data and analysis, gas separation studies, crystallography data. CCDC 2027336 for bMOF-200, 2023790 for MeOH-bMOF-200 and 2023791 for bMOF-201. For ESI and crystallographic data in CIF or other electronic format see DOI: 10.1039/d0sc04979d

(e.g., mixing both pyrazolate and multicarboxylate linkers).^{8,38} Regardless of the approach, predicting the structural outcome of these syntheses is quite challenging and few examples of explicit structural design exist.^{33,35,36} Expanding the library of multicomponent MOFs is critical as it allows for identification of structural motifs and patterns that can then be used as input for reticular design.

Our foray into the design and construction of multicomponent MOFs began with exploration of three component metaladeninate-carboxylate frameworks. 24,39 These MOFs exhibit both zinc-adeninate and zinc-carboxylate motifs, providing some evidence that multiple linkers with different Lewis-basic donors could result in distinct structural motifs. Motivated by these findings and those of others, 8,30,31 we reasoned that combining two different Lewis basic donor sites onto one ligand may provide a facile means of installing multiple different structural and functional motifs into a MOF, provided that we consider the metal coordination preferences of the different donors. Accordingly, we used isonicotinate as a linker to design and construct MOFs with up to four distinct structural components (three different metal nodes and one linker).36 Here, we build upon these strategies for accessing multicomponent MOFs with multiple different structural motifs and explore the structural space that results from combining adenine with the heterobifunctional linker pyrazolate. Our efforts thus far afforded two isoreticular multicomponent MOFs that exhibit multiple structurally and chemically distinct cavities and numerous possible molecular diffusion pathways. During our development of this work, one of these MOFs was reported by Li and coworkers, who studied its application in ethane/ethylene separations.40 Here, we examine their structures and demonstrate, both computationally and experimentally, how their unusual pore space confers a benefit in terms of H₂/CO₂ separations compared to various canonical twocomponent MOF materials. Significantly, we fabricate membranes using these MOFs, we perform membrane permeation studies, and we show that a slight structural difference between the two isoreticular analogues leads to a significant improvement in the H₂/CO₂ separation factor.

Results and discussion

A solvothermal reaction of adenine, 4-pyrazolecarboxylic acid, and divalent Zn and Cu salts in dimethylformamide (DMF) afforded slightly yellow cubic crystals, which, according to single crystal X-ray diffraction (SC-XRD) studies (see ESI,† Section S7), adopt the cubic space group $Fm\bar{3}c$ with unit cell dimensions a=b=c=43.62 Å.† The structure consists of Zn-pyrazolate (**Zn-pyz**) cages interlinked by Cu-adeninate (**Cu-ad**) motifs. The **Zn-pyz** cages are constructed from **Zn-pyz** dimers (Fig. 1a) in which two tetrahedral Zn(π) are bridged by the N-N linkages of two **pyz**; the remaining two sites on each Zn(π) are occupied by a monodentate carboxylate from a **pyz** on a neighbouring **Zn-pyz** motif and either N1 or N7 from an **ad** in a neighbouring **Cu-ad** dimer. Twelve **Zn-pyz** dimers link together to form the **Zn-pyz** cages (Fig. 1b). We note that each individual **Zn-pyz** cage is chiral and alternating cages have

opposite chirality, resulting in an achiral crystal. The underlying net of the Zn-pyz cages is perhaps best simplified by treating each Zn-pyz dimer as a single point (purple sphere in Fig. 1c); connecting these points yields a cuboctahedron (Fig. 1c). The Cu-ad motifs consist of two planar Cu₂ad₂(DMF)₂ dimers stacked perpendicular to one another with an interplanar distance of \sim 3.4 Å (Fig. 1d and e). Each planar dimer is constructed from two Cu(1) bridged by two ad through N3 and N9; the Cu(I) are terminally coordinated to one DMF. The intercopper distance in each dimer is 2.86 Å, which is within the range of Cu(1)-Cu(1) bonding.24 Each stacked dimer has eight points of extension, two from each ad at N1 and N7. The stacked dimers link four Zn-pyz cages together, with two linkages to each cage. If we simplify each stacked dimer as a 4-connected planar structural motif and connect the corners to the centroid (purple sphere) of the Zn-pyz dimers, the net reduces to ftwa (Fig. 1f-h).25 The actual net, of course, is more complex, but visualization as ftw-a, we believe, is instructive. We name this material bio-MOF-200 (bMOF-200) and install it as another member of the metal-adeninate bio-MOF series. 24,39,41,42

The molecular formula of bMOF-200, Zn₂Cu₁(pyz)₂(ad) (DMF)·2DMF, H₂O, was determined through examination and comparison of SC-XRD, elemental analysis (EA), ¹H nuclear magnetic resonance (1H NMR) spectroscopy, and thermogravimetric analysis (TGA) data, collectively (see ESI for details; Fig. S1, S2 and Section S7†). It is known that Cu(II) can be reduced in situ during solvothermal reactions in DMF.36 Upon exposure to air, the crystals transition from colourless to light green, presumably due to $Cu(I) \rightarrow Cu(II)$ oxidation. Assignment of Cu(1) was verified in part based on X-ray photoelectron spectroscopy, which shows evidence of Cu(II) on the surface, but upon etching, Cu(I) in the bulk (Fig. S3†). Continuous wave electron pair resonance (CW-EPR) confirmed the presence of Cu(II) upon exposure of the material to atmosphere (Fig. S4†). The CW-EPR spectrum was simulated with two components, indicating two distinct Cu(II) coordination environments. One component was a broad, featureless signal, likely resulting from dipolar or exchange broadening which occurs when two or more Cu(II) ions are in close proximity.43 The second component had well resolved features from hyperfine interactions. The spectral parameters are available in the ESI.† These EPR parameters are consistent with four-coordinate square planar.44 Alternatively, the spectrum is also generally consistent with recorded threecoordinate Cu(II) species in T- and Y-shaped geometries. 45-47 These EPR findings support the expected geometry of the Cu(II) centre. The powder X-ray diffraction (PXRD) pattern (Fig. S5†) of as-synthesized bMOF-200 matches the pattern simulated from SC-XRD, confirming the phase purity of the product material.

bMOF-200 exhibits three distinct cavities, hereafter referred to as P1, P2, and P3 (Fig. 2a). P1 is within the **Zn-pyz** cage. P2 is the cubic cavity defined by eight **Zn-pyz** cages at the corners of a cube and six $\text{Cu}_2\text{ad}_2(\text{DMF})_2$ dimers on the faces. Both P1 and P2 measure $\sim 15.5 \text{ Å}$ in diameter. A triangular window ($\sim 2.1 \text{ Å}$) sitting on the triangular face of the **Zn-pyz** cage links P1 to P2. The square windows ($\sim 4.3 \text{ Å}$) on the square faces of the **Zn-pyz** cages open into the third pore space, P3, which sits between two adjacent **Zn-pyz** cages. P3 is a small prismatic cavity measuring




Fig. 1 Structure of bMOF-200. (a) Zn-pyz dimers interconnect to create (b) pseudo-spherical cages. Connecting points located at the centre of each dimer results in (c) cuboctahedra. (d) The second structural motif consists of Cu-ad dimers and coordinated solvent (coordinated solvent is reduced to a single oxygen for clarity). Two of these dimers stack perpendicularly to form (e) a $Cu_4(ad)_4(DMF)_4$ motif, which can be represented as (f) a square. (g) The bMOF-200 framework can thus be simplified to (h) the ftw-a net. Green, red, black, blue, and maroon spheres signify Zn, Cu, C, N, and O atoms, respectively. Purple spheres indicate the points of extension of the Zn-pyz cuboctahedra.

 \sim 7 Å in diameter and is decorated with four amino groups from the adeninates. P3 shares a rectangular pore window $(\sim 4.0 \times 2.6 \text{ Å})$ with P2, which, in the as-synthesized material, is obstructed by the coordinated DMF molecule. The connectivity of the pores and the resulting diffusive pathways of guest molecules along with pore windows are shown in Fig. 2b-d. The $P1 \rightarrow P2$ pathway requires passage through the triangular pore window, and would only be accessible to gases with exceptionally small kinetic diameters (Fig. 2b). In the second pathway (Fig. 2c), molecules would pass through the pore window connecting P2 and P3. The most accessible pathway is along P1 and P3, where molecules would pass through the comparatively larger square pore window connecting P1 and P3 (Fig. 2d). We recognize that the diffusive pathways shown in Fig. 2 represent only the simplest paths through a maximum of two types of pores. In reality, more complex diffusion paths are likely; however, these are much more difficult to conceptualize and model. Thus, we determined that limiting our investigation to the simplest pathways would provide sufficient molecular diffusion information through bMOF-200.

We conducted gas adsorption studies to determine the porosity of bMOF-200 and, more specifically, the accessible pore space given the limiting pore window diameters. Gas adsorption studies were performed on methanol-exchanged material, MeOH-bMOF-200† (see ESI† for experimental details and characterization including SC-XRD, PXRD, EA, NMR, Fourier transform infrared spectroscopy, and TGA, Fig. S6-S9† as well as sample activation procedures). We first collected N2 (kinetic diameter = 3.6 Å) isotherms at 77 K (Fig. S13†) from which we calculated a Brunauer-Emmett-Teller (BET) surface area of 1317 m² g⁻¹, which accounts for approximately 50% of the theoretical value of ~2400 m² g⁻¹ determined using Connolly surface area modelling. This possibly indicates that N₂ can only access P1 and P3 with only a small amount entering P2. Comparatively, the CO_2 (kinetic diameter = 3.3 Å) isotherm collected at 195 K yielded a BET surface area of 1741.37 $\text{m}^2\text{ g}^{-1}$, correlating to 74% of the corresponding theoretical surface area (Fig. S14†), indicating that CO₂ can access at least a portion of P2. These results, combined with the complex pore circuitry, suggest that molecular sieving is possible in bMOF-200.




Fig. 2 Potential diffusion pathways through bMOF-200. (a) bMOF-200 structure where blue spheres, yellow spheres, and red prisms correspond to P1, P2, and P3, respectively. Pore windows are indicated by dotted lines (right). (b) Pathway P1 \rightarrow P2 is limited by a triangular pore window (\sim 2.1 Å). (c) A rectangular window measuring (\sim 4.0 \times 2.6 Å) connects P2 and P3. (d) The largest aperture of \sim 4.3 Å is the square window between P1 and P3.

Empirical determination of candidate binary gas separations for a given MOF is time consuming and laborious. Due to their crystalline nature, MOFs are highly amenable to computational investigation. To identify a binary gas mixture that might be ideally separated into its individual components using bMOF-200, we used Kohn-Sham density functional theory (DFT) in conjunction with the climbing image nudged elastic band (CI-NEB) method^{48,49} to study the diffusion path of various gases through the square and triangular apertures of the isolated Znpyz cage (P1) (Fig. 3; see ESI† for details). We assigned the starting point as -9 Å, which corresponds to the centre of P1. Generally, there is an attractive interaction between the guest molecule and the atoms near the apertures (0 Å). This interaction is similar both in strength and distance to the calculated physisorption inside the MOF. In the case of H₂, the interaction is the strongest near the centre of the square aperture between P1 and P3, and there is only a slight barrier of 0.1 eV to travel across the smaller triangular aperture (P1 to P2). In contrast, the barrier is much higher (0.43 eV) for CO₂ to diffuse through the triangular opening into P2. Additionally, CO2 also has to overcome a barrier of 0.15 eV to move across the square opening. Overall, our calculations predict that CO₂ diffuses more slowly than H₂. More importantly, our calculations show that the diffusion path P1 → P2 through the triangular apertures is significantly more energetically accessible for H2 and hindered for CO₂. Therefore, if CO₂ were to enter into P2 it would have to occur through P3.

Further DFT studies were conducted to calculate binding energies of $\rm H_2$ and $\rm CO_2$ in bMOF-200 at various sites within a static framework model (Table S1†). The strength of interaction of both guest molecules with bMOF-200 falls within the range of physisorption, and no chemisorption or strong binding sites were found. Overall, bMOF-200 interacts more strongly with $\rm CO_2$ than $\rm H_2$ by approximately 0.1 eV. This value suggests that the first layer of physisorption is likely dominated by $\rm CO_2$ by roughly 50:1 at room temperature. Furthermore, the

distance for physisorption fell within a narrow window of 2.4 Å to 3.2 Å, which suggests that guest molecules likely travel in single file fashion through all apertures. Diffusion in this manner is likely to occur inside P3, where CO_2 interacts most strongly (0.3 eV) with the MOF (Fig. S15†). Four primary amines from four adeninates line P3 creating a Lewis basic environment that acts as a trap for CO_2 as they pass single file through the aperture between P1 and P3. In contrast, H_2 does not appear to experience strong local interactions at P3 and prefers to bind closer to the Cu sites. Thus, the diffusion through P3 to P2 is likely faster for H_2 than CO_2 . We predicted that the combination of slow diffusion of CO_2 through the MOF due to small pore windows and the strong adsorptive interactions with the amine functionalized P3 would make bMOF-200 an effective material




Fig. 3 Energy barrier calculations for the triangular (top) and square (bottom) pore windows of P1. The distance values of -9, 0, and 6 Å correspond to the centre of P1, the respective pore window, and the exterior of P1 (toward vacuum).

Edge Article Chemical Science




Fig. 4 (a) Variable column length breakthrough curves of bMOF-200 (red: 10 mm; black: 50 mm). (b) Breakthrough curves of bMOF-200 (black), HKUST-1 (green), UiO-66 (red), and ZIF-8 (blue) at constant column length of 50 mm. In both plots, dashed lines correspond to H₂ and solid lines correspond to CO₂. Vertical dotted lines correspond to the time at $C/C_0 = 0.01$ for CO_2 . Abrupt drops in C/C_0 correspond to switching to pure carrier gas.

for H₂/CO₂ separations. Pure H₂ is used heavily in chemical industries and is produced predominately by steam reforming of natural gas. 50 The main by-product of this process is CO2, which can be present in as high as 15% by mass before purification.51 Purification of gases in the production of chemical feedstock is typically done by cryogenic distillation, an expensive and energy intensive process.⁵² Sorbents, MOFs and ZIFs in particular, have been explored as attractive low-cost alternatives to distillation for H₂/CO₂ separations.⁵³⁻⁶⁴

To test the H₂/CO₂ separation capabilities of bMOF-200, we first conducted column breakthrough experiments. A feed gas ratio of 80: 20 H₂: CO₂ was selected as an approximate to the relative ratios after industrial scale water gas shift (WGS) reactions using methane as the feedstock. 65 Other gases such as N₂, CH₄, and CO, are only present in small amounts in the product stream of the WGS reaction. Two columns were packed with dried bMOF-200 to column lengths of 10 and 50 mm to study

the effect of column length. The feed gas was introduced to the packed columns at room temperature and the resulting breakthrough curves were collected (Fig. 4a). The H2 breakthrough time was consistent for both column lengths, indicating very weak interactions between bMOF-200 and H₂. However, the CO₂ breakthrough time is positively dependent on column length, where more bMOF-200 material leads to longer breakthrough times. Furthermore, a "roll-up", or overshoot, behaviour is observed in the H2 curves for longer column lengths, which corresponds to the displacement of adsorbed H₂ by CO₂, 66,67 in accordance with our computational studies. These results illustrate the promise of bMOF-200 as a solid sorbent for H₂/ CO₂ separation. Another series of breakthrough experiments were performed to compare bMOF-200 to canonical MOFs bearing similar features to bMOF-200: ZIF-8 68 because of its small pore windows; UiO-66 69 because of its multiple pore diameters; and HKUST-1 70 because of its unsaturated Cu(II) sites (see ESI for synthesis and characterization details; Fig. S16 and Table S2†). The breakthrough results for all four MOF materials of equivalent column lengths are shown in Fig. 4b. The vertical dotted lines correspond to the timepoint where the relative concentration, C/C_0 , of CO_2 in the effluent is equivalent to 0.01, which we designate as the breakthrough point. All four MOFs exhibit breakthrough times of approximately 2.5 min for H₂ due to weak adsorbate-adsorbent interactions and the small kinetic diameter of H₂ (2.9 Å) compared to the respective pore window diameters for each MOF. Of the four MOFs, bMOF-200 demonstrated the best H₂/CO₂ separation capability with a CO₂ breakthrough time of 15.5 min. The "roll-up" feature is again observed in the H₂ curve for bMOF-200 as well as HKUST-1. In each breakthrough experiment (Fig. 4), abrupt drops in C/C_0 correspond to switching to pure carrier gas once equilibrium was achieved. To summarize, bMOF-200 shows the strongest interactions with CO2 among the tested MOFs, a desirable property for H₂ purification applications.




Fig. 5 SEM images of top-view and cross-sectional view of bMOF-200 membrane (a and b) and bMOF-201 membrane (c and d). The membrane thicknesses are shown with arrows in (b and d).

Membrane technologies hold great promise for the chemical separations industry.⁵² Therefore, we fabricated membranes of bMOF-200 to further investigate its gas separation capabilities and to benchmark it against other MOF membranes for H₂/CO₂ separations. bMOF-200 membranes were grown solvothermally on α-alumina substrates using a seeded growth approach⁷¹⁻⁷⁴ (see ESI for details; Fig. S17†). Scanning electron microscopy (SEM) images of the membranes reveal intergrown cubic crystals of bMOF-200 (Fig. 5a). The average membrane thickness (\sim 37.3 \pm 4.3 μ m) was measured from images of fractured membranes acquired at 90° relative to the surface (Fig. 5b). We constructed our own binary gas permeation system for activating and testing membrane gas separations using flow controllers and a gas chromatograph with a thermal conductivity detector (Scheme S1†). For an equimolar H₂/CO₂ mixture, the average H_2 permeability was 5.51 \times 10⁻¹¹ \pm 6.66 \times 10^{-13} mol m (m² s Pa)⁻¹ (164 600 Barrer) with a H₂/CO₂ separation factor of 7.9 \pm 1.3 (Table S3†), which exceeds the corre-

Chemical Science

Small modifications to the bMOF-200 structure might lead to significant changes, and possible improvement, of its H₂/CO₂ separation ability. Given its complex structure, adjusting the metrics of bMOF-200 via typical MOF methods (e.g. lengthening linkers, etc.) was not straightforward. However, we reasoned that a more subtle change, such as replacing the Cu site with Zn(II) might be feasible. By slightly altering the synthetic conditions and removing the Cu source, we were able to synthesize the Zn only analogue, which we name bio-MOF-201 (bMOF-201). bMOF-201† is nearly identical to bMOF-200 (structure and composition data are available in the ESI; Fig. S10-S12 and Section S7†) in all aspects except the Cu-ad motif is now replaced by a Zn-ad motif. The consequences of this substitution stem from the tetrahedral geometry of the Zn(II) centres in **Zn-ad**. Whereas the N-Cu-N angle in bMOF-200 is 167°, the comparable N-Zn-N angle in bMOF-201 is 111° with the Zn(II) projecting into P2 (Fig. 6a). Therefore, based on

sponding Knudsen factor (4.7) and indicates molecular sieving.

analysis of the crystal structure, the size of P2 is reduced to \sim 12.2 Å in the desolvated MOF. The Zn(II) in **Zn-ad** is charge-balanced by one adeninate and a coordinated formate/acetate ion, the latter of which resides in the pore window between P2 and P3 (Fig. 6b). The resulting diameter of the pore window connecting P2 and P3 is decreased to \sim 0.9 Å. We postulate that the coordinated monocarboxylate will obstruct the P2/P3 window and hinder diffusion of both H₂ and CO₂, which could possibly affect the H₂/CO₂ separation factor.

Membranes of bMOF-201 were synthesized following a similar solvothermal procedure as for bMOF-200 (see ESI for details; Fig. S18†), and SEM images reveal well-intergrown crystals and a membrane thickness of \sim 62.7 \pm 3.2 μ m (Fig. 5c and d). The average permeability of H₂ through bMOF-201 membranes was 3.94 \pm 0.13 \times 10⁻¹¹ mol m (m² s Pa)⁻¹ (117 700 Barrer), which is a decrease of \sim 28% compared to bMOF-200. However, the CO₂ permeability decreased by \sim 68% in bMOF-201, resulting in a 3-fold increase in separation factor to 22.2 \pm 2.2 (Table S3†). We attribute these lower permeability values and the improved separation factor to the occlusion of the P3 \rightarrow P2 pore window. Further, in bMOF-201, the volume of P3 decreases by approximately 11% relative to bMOF-200, which may lead to stronger interactions between CO₂ and the Lewis basic amino groups from adeninate which line this cavity.

Our experimental and computational data indicate that both competitive adsorption and molecular sieving, two of the three mechanisms highlighted by Carreon, ⁷⁵ are responsible for the separation performance of bMOF-200 and bMOF-201 membranes, which exceed the 2008 Robeson upper bound for polymeric membranes (Fig. 7). ⁷⁶ The H₂/CO₂ separation factor of the bMOF-201 membrane is superior to other MOF membranes (HKUST-1, ⁵³ ZIF-69, ⁵⁴ ZIF-8, ⁶⁰ and ZIF-67 ⁶¹) for the same equimolar mixture and under the same testing conditions, while ZIF-100 membranes exhibit separation factors as high as 72, likely due to very efficient molecular sieving. ⁵⁸ The




Fig. 6 Fragments of bMOF-201 highlighting the structural differences to bMOF-200. (a) Two **Zn-pyz** cages bridged by four adeninates (grey) and one **Zn-ad** (yellow). (b) A magnified view of P3 reveals the bent nature of **Zn-ad** and the location of coordinated monocarboxylate ions (e.g., formate or acetate) within the P2 \rightarrow P3 pore window. Green, black, maroon, and pink atoms correspond to Zn, C, O, and H atoms, respectively.




Fig. 7 2008 Robeson plot for H_2/CO_2 separations using polymer membranes. Data for reported MOF membranes and bMOF-200 (filled red star) and bMOF-201 (empty red star) membranes are included for comparison. Data for other MOFs and ZIFs from ref. 53–64.

Edge Article Chemical Science

H₂ permeability of bMOF-200 and bMOF-201 are amongst the highest in the comparison group, rivalling those observed for HKUST-1 53 and NH₂-MIL-53.63 Large H₂ permeability values are desirable because they could ultimately reduce membrane area and make the entire gas separation module more compact. We attribute the high H₂ permeability to diffusive pathways that are exclusively available to H2. Since CO2 strongly adsorbs within P3, it limits diffusion along P1 \rightarrow P3 and along P3 \rightarrow P2. H₂, however, can also diffuse along P1 → P2, a pathway not available to CO2.

Conclusion

We have prepared two isoreticular multicomponent MOFs, bMOF-200 and 201, that each contain multiple pore environments and potential molecular diffusion pathways. Through DFT calculated physisorption energy and diffusion barriers, we predicted that bMOF-200 could perform well as a solid sorbent for H₂/CO₂ separations based on the respective diffusivities and adsorbate-adsorbent interactions for each gas. Column breakthrough and membrane permeation studies revealed efficient H₂/CO₂ separation using bMOF-200, with membranes exhibiting a H₂/CO₂ separation factor of 7.9. Replacing a planar Cu site in bMOF-200 with a tetrahedral Zn(II) in bMOF-201 leads to occlusion of one pore window and a decrease in the number of possible diffusion pathways for both H2 and CO2. A consequence of this structural change was significantly improved separation performance: the H₂/CO₂ separation factor for bMOF-201 membranes was 22.2, nearly three times greater than bMOF-200 membranes. bMOF-201 membranes outperform those of other reported MOFs when considering both H₂ permeability and H₂/CO₂ separation factor.

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

This project was funded in part by the Department of Energy, National Energy Technology Laboratory, an agency of the United States Government, under the Carbon Capture Field Work Proposal and in part through a support contract with Leidos Research Support Team (LRST, contract 89243318CFE000003) (NLR and YHK). Neither the United States Government nor any agency thereof, nor any of their employees, nor LRST, nor any of their employees, makes any warranty, expressed or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise, does not necessarily constitute or imply its endorsement, recommendation, or favouring by the United States Government or any agency thereof. The views and opinions of authors expressed herein do not necessarily state or

reflect those of the United States Government or any agency thereof. In addition, this project was supported in part by an appointment to the Research Participation Program at the National Energy Technology Laboratory, U.S. Environmental Protection Agency, administered by the Oak Ridge Institute for Science and Education through an interagency agreement between the U.S. Department of Energy and EPA (NLR). We acknowledge partial financial support of the U.S. Department of Energy, Office of Science, Office of Basic Energy Sciences as part of the Computational Chemical Sciences Program under award no. DE-SC0018331 (JKJ and LL). Additional research support was provided by the University of Pittsburgh. The authors also acknowledge instructors at the American Crystallography Association Summer Course for Crystallography for assistance with crystal structure refinement. This work was performed, in part, at the Nanoscale Fabrication and Characterization Facility, a laboratory of the Gertrude E. and John M. Petersen Institute of NanoScience and Engineering, housed at the University of Pittsburgh (PXRD and SEM Instrumentation). Calculations were performed at the University of Pittsburgh's Center for Research Computing. The authors also thank Xing Yee Gan for collecting XPS data and Yiwen He for help with membrane illustrations (TOC figure).

References

- 1 M. Eddaoudi, D. B. Moler, H. Li, B. Chen, T. M. Reineke, M. O'Keeffe and O. M. Yaghi, Acc. Chem. Res., 2001, 34, 319-330.
- 2 O. M. Yaghi, M. O'Keeffe, N. W. Ockwig, H. K. Chae, M. Eddaoudi and J. Kim, *Nature*, 2003, **423**, 705–714.
- 3 N. W. Ockwig, O. Delgado-Friedrichs, M. O'Keeffe and O. M. Yaghi, Acc. Chem. Res., 2005, 38, 176–182.
- 4 H. Furukawa, K. E. Cordova, M. O'Keeffe and O. M. Yaghi, Science, 2013, 341, 1230444.
- 5 J.-R. Li, R. J. Kuppler and H.-C. Zhou, Chem. Soc. Rev., 2009, 38, 1477-1504.
- 6 J. Lee, O. K. Farha, J. Roberts, K. A. Scheidt, S. T. Nguyen and J. T. Hupp, Chem. Soc. Rev., 2009, 38, 1450-1459.
- 7 L. Liu, K. Konstas, M. R. Hill and S. G. Telfer, J. Am. Chem. Soc., 2013, 135, 17731-17734.
- 8 B. Tu, Q. Pang, E. Ning, W. Yan, Y. Qi, D. Wu and Q. Li, J. Am. Chem. Soc., 2015, 137, 13456-13459.
- 9 Q. Pang, B. Tu and Q. Li, Coord. Chem. Rev., 2019, 388, 107-
- 10 L. Feng, K.-Y. Wang, G. S. Day and H.-C. Zhou, Chem. Soc. Rev., 2019, 48, 4823-4853.
- 11 K. Koh, A. G. Wong-Foy and A. J. Matzger, Chem. Commun., 2009, 6162-6164, DOI: 10.1039/B904526K.
- 12 S. Furukawa, K. Hirai, K. Nakagawa, Y. Takashima, R. Matsuda, T. Tsuruoka, M. Kondo, R. Haruki, D. Tanaka, H. Sakamoto, S. Shimomura, O. Sakata and S. Kitagawa, Angew. Chem., Int. Ed., 2009, 48, 1766-1770.
- 13 X. Song, T. K. Kim, H. Kim, D. Kim, S. Jeong, H. R. Moon and M. S. Lah, Chem. Mater., 2012, 24, 3065-3073.
- 14 T. Li, J. E. Sullivan and N. L. Rosi, J. Am. Chem. Soc., 2013, 135, 9984-9987.

15 O. Kwon, J. Y. Kim, S. Park, J. H. Lee, J. Ha, H. Park, H. R. Moon and J. Kim, *Nat. Commun.*, 2019, **10**, 3620.

Chemical Science

- 16 T.-Y. Luo, C. Liu, X. Y. Gan, P. F. Muldoon, N. A. Diemler, J. E. Millstone and N. L. Rosi, J. Am. Chem. Soc., 2019, 141, 2161–2168.
- 17 L. Feng, S. Yuan, J.-L. Li, K.-Y. Wang, G. S. Day, P. Zhang, Y. Wang and H.-C. Zhou, *ACS Cent. Sci.*, 2018, 4, 1719–1726.
- 18 D. Kim, G. Lee, S. Oh and M. Oh, *Chem. Commun.*, 2019, 55, 43–46.
- 19 F. Wang, S. He, H. Wang, S. Zhang, C. Wu, H. Huang, Y. Pang, C.-K. Tsung and T. Li, *Chem. Sci.*, 2019, **10**, 7755– 7761.
- 20 H. Deng, C. J. Doonan, H. Furukawa, R. B. Ferreira, J. Towne, C. B. Knobler, B. Wang and O. M. Yaghi, *Science*, 2010, 327, 846
- 21 Q. Liu, H. Cong and H. Deng, J. Am. Chem. Soc., 2016, 138, 13822–13825.
- 22 D. N. Dybtsev, H. Chun and K. Kim, *Angew. Chem., Int. Ed.*, 2004, **43**, 5033–5036.
- 23 K. Koh, A. G. Wong-Foy and A. J. Matzger, *Angew. Chem., Int. Ed.*, 2008, 47, 677–680.
- 24 J. An, S. J. Geib and N. L. Rosi, J. Am. Chem. Soc., 2009, 131, 8376–8377.
- 25 N. Klein, I. Senkovska, K. Gedrich, U. Stoeck, A. Henschel, U. Mueller and S. Kaskel, *Angew. Chem., Int. Ed.*, 2009, 48, 9954–9957.
- 26 T. Gadzikwa, O. K. Farha, C. D. Malliakas, M. G. Kanatzidis, J. T. Hupp and S. T. Nguyen, *J. Am. Chem. Soc.*, 2009, 131, 13613–13615.
- 27 H. Furukawa, N. Ko, Y. B. Go, N. Aratani, S. B. Choi, E. Choi, A. Ö. Yazaydin, R. Q. Snurr, M. O'Keeffe, J. Kim and O. M. Yaghi, *Science*, 2010, 329, 424.
- 28 B. J. Burnett, P. M. Barron, C. Hu and W. Choe, J. Am. Chem. Soc., 2011, 133, 9984–9987.
- 29 J. An, O. K. Farha, J. T. Hupp, E. Pohl, J. I. Yeh and N. L. Rosi, Nat. Commun., 2012, 3, 604.
- 30 S. K. Elsaidi, M. H. Mohamed, L. Wojtas, A. J. Cairns, M. Eddaoudi and M. J. Zaworotko, *Chem. Commun.*, 2013, 49, 8154–8156.
- 31 A. Schoedel, W. Boyette, L. Wojtas, M. Eddaoudi and M. J. Zaworotko, *J. Am. Chem. Soc.*, 2013, **135**, 14016–14019.
- 32 J. Qian, F. Jiang, K. Su, J. Pan, Z. Xue, L. Liang, P. P. Bag and M. Hong, *Chem. Commun.*, 2014, **50**, 15224–15227.
- 33 Y.-X. Tan, X. Yang, B.-B. Li and D. Yuan, *Chem. Commun.*, 2016, 52, 13671–13674.
- 34 C.-C. Liang, Z.-L. Shi, C.-T. He, J. Tan, H.-D. Zhou, H.-L. Zhou, Y. Lee and Y.-B. Zhang, *J. Am. Chem. Soc.*, 2017, **139**, 13300–13303.
- 35 H. Jiang, J. Jia, A. Shkurenko, Z. Chen, K. Adil, Y. Belmabkhout, L. J. Weselinski, A. H. Assen, D.-X. Xue, M. O'Keeffe and M. Eddaoudi, *J. Am. Chem. Soc.*, 2018, 140, 8858–8867.
- 36 P. F. Muldoon, C. Liu, C. C. Miller, S. B. Koby, A. Gamble Jarvi, T.-Y. Luo, S. Saxena, M. O'Keeffe and N. L. Rosi, *J. Am. Chem. Soc.*, 2018, **140**, 6194–6198.

- 37 S. Yuan, J.-S. Qin, J. Li, L. Huang, L. Feng, Y. Fang, C. Lollar, J. Pang, L. Zhang, D. Sun, A. Alsalme, T. Cagin and H.-C. Zhou, *Nat. Commun.*, 2018, 9, 808.
- 38 B. Tu, L. Diestel, Z.-L. Shi, W. R. L. N. Bandara, Y. Chen, W. Lin, Y.-B. Zhang, S. G. Telfer and Q. Li, *Angew. Chem.*, *Int. Ed.*, 2019, 58, 5348–5353.
- 39 J. An, O. K. Farha, J. T. Hupp, E. Pohl, J. I. Yeh and N. L. Rosi, *Nat. Commun.*, 2012, **3**, 604.
- 40 H. Zeng, X.-J. Xie, M. Xie, Y.-L. Huang, D. Luo, T. Wang, Y. Zhao, W. Lu and D. Li, *J. Am. Chem. Soc.*, 2019, 141, 20390–20396.
- 41 J. An, S. J. Geib and N. L. Rosi, *J. Am. Chem. Soc.*, 2010, **132**, 38–39.
- 42 T. Li, D.-L. Chen, J. E. Sullivan, M. T. Kozlowski, J. K. Johnson and N. L. Rosi, *Chem. Sci.*, 2013, 4, 1746–1755.
- 43 A. Bencini and D. Gatteschi, *EPR of Exchange Coupled Systems*, Dover Publications, 2012.
- 44 J. Peisach and W. E. Blumberg, *Arch. Biochem. Biophys.*, 1974, **165**, 691–708.
- 45 D. W. Randall, S. D. George, P. L. Holland, B. Hedman, K. O. Hodgson, W. B. Tolman and E. I. Solomon, *J. Am. Chem. Soc.*, 2000, 122, 11632–11648.
- 46 P. L. Holland and W. B. Tolman, J. Am. Chem. Soc., 1999, 121, 7270–7271.
- 47 S. Saito, K. Furukawa and A. Osuka, *Angew. Chem., Int. Ed.*, 2009, **48**, 8086–8089.
- 48 G. Henkelman and H. Jónsson, *J. Chem. Phys.*, 2000, **113**, 9978–9985.
- 49 G. Henkelman, B. P. Uberuaga and H. Jónsson, *J. Chem. Phys.*, 2000, **113**, 9901–9904.
- 50 S. Adhikari and S. Fernando, *Ind. Eng. Chem. Res.*, 2006, 45, 875–881.
- 51 K. Li, D. H. Olson, J. Seidel, T. J. Emge, H. Gong, H. Zeng and J. Li, J. Am. Chem. Soc., 2009, 131, 10368–10369.
- 52 D. S. Sholl and R. P. Lively, Nature, 2016, 532, 435-437.
- 53 H. Guo, G. Zhu, I. J. Hewitt and S. Qiu, *J. Am. Chem. Soc.*, 2009, **131**, 1646–1647.
- 54 Y. Liu, E. Hu, E. A. Khan and Z. Lai, *J. Membr. Sci.*, 2010, **353**, 36–40.
- 55 A. Huang and J. Caro, *Angew. Chem., Int. Ed.*, 2011, **50**, 4979–4982.
- 56 Y. Hu, X. Dong, J. Nan, W. Jin, X. Ren, N. Xu and Y. M. Lee, *Chem. Commun.*, 2011, 47, 737–739.
- 57 A. Huang, Y. Chen, N. Wang, Z. Hu, J. Jiang and J. Caro, *Chem. Commun.*, 2012, **48**, 10981–10983.
- 58 N. Wang, Y. Liu, Z. Qiao, L. Diestel, J. Zhou, A. Huang and J. Caro, *J. Mater. Chem. A*, 2015, 3, 4722–4728.
- 59 Y. Sun, C. Song, X. Guo and Y. Liu, *ACS Appl. Mater. Interfaces*, 2020, **12**, 4494–4500.
- 60 X. Zhang, Y. Liu, S. Li, L. Kong, H. Liu, Y. Li, W. Han, K. L. Yeung, W. Zhu, W. Yang and J. Qiu, *Chem. Mater.*, 2014, 26, 1975–1981.
- 61 P. Nian, Y. Li, X. Zhang, Y. Cao, H. Liu and X. Zhang, *ACS Appl. Mater. Interfaces*, 2018, **10**, 4151–4160.
- 62 N. Wang, A. Mundstock, Y. Liu, A. Huang and J. Caro, *Chem. Eng. Sci.*, 2015, **124**, 27–36.

63 F. Zhang, X. Zou, X. Gao, S. Fan, F. Sun, H. Ren and G. Zhu, *Adv. Funct. Mater.*, 2012, 22, 3583–3590.

Edge Article

- 64 X. Dong, K. Huang, S. Liu, R. Ren, W. Jin and Y. S. Lin, *J. Mater. Chem.*, 2012, 22, 19222–19227.
- 65 D. Mendes, A. Mendes, L. M. Madeira, A. Iulianelli, J. M. Sousa and A. Basile, *Asia-Pac. J. Chem. Eng.*, 2010, 5, 111–137.
- 66 J. W. Carter and H. Husain, *Chem. Eng. Sci.*, 1974, **29**, 267–273.
- 67 G. Li, P. Xiao, D. Xu and P. A. Webley, *Chem. Eng. Sci.*, 2011, **66**, 1825–1834.
- 68 K. S. Park, Z. Ni, A. P. Côté, J. Y. Choi, R. Huang, F. J. Uribe-Romo, H. K. Chae, M. O'Keeffe and O. M. Yaghi, *Proc. Natl. Acad. Sci. U. S. A.*, 2006, **103**, 10186.

- 69 J. H. Cavka, S. Jakobsen, U. Olsbye, N. Guillou, C. Lamberti, S. Bordiga and K. P. Lillerud, *J. Am. Chem. Soc.*, 2008, 130, 13850–13851.
- 70 S. S. Y. Chui, S. M. F. Lo, J. P. H. Charmant, A. G. Orpen and I. D. Williams, *Science*, 1999, 283, 1148.
- 71 R. Ranjan and M. Tsapatsis, *Chem. Mater.*, 2009, **21**, 4920–4924.
- 72 Y. Pan and Z. Lai, Chem. Commun., 2011, 47, 10275-10277.
- 73 Z. Xie, T. Li, N. L. Rosi and M. A. Carreon, *J. Mater. Chem. A*, 2014, 2, 1239–1241.
- 74 X. Ma, Y. Li and A. Huang, J. Membr. Sci., 2020, 597, 117629.
- 75 M. A. Carreon, Science, 2020, 367, 624.
- 76 L. M. Robeson, J. Membr. Sci., 2008, 320, 390-400.