

Journal of Materials Chemistry C

Materials for optical, magnetic and electronic devices

Accepted Manuscript

This article can be cited before page numbers have been issued, to do this please use: K. Gahlot, J. N. Kraft, M. Pérez-Escribano, R. Mehrabi Koushki, M. Ahmadi, E. Orti, B. J. Kooi, G. Portale, J. Calbo and L. Protesescu, *J. Mater. Chem. C*, 2024, DOI: 10.1039/D4TC02029D.



This is an Accepted Manuscript, which has been through the Royal Society of Chemistry peer review process and has been accepted for publication.

Accepted Manuscripts are published online shortly after acceptance, before technical editing, formatting and proof reading. Using this free service, authors can make their results available to the community, in citable form, before we publish the edited article. We will replace this Accepted Manuscript with the edited and formatted Advance Article as soon as it is available.

You can find more information about Accepted Manuscripts in the [Information for Authors](#).

Please note that technical editing may introduce minor changes to the text and/or graphics, which may alter content. The journal's standard [Terms & Conditions](#) and the [Ethical guidelines](#) still apply. In no event shall the Royal Society of Chemistry be held responsible for any errors or omissions in this Accepted Manuscript or any consequences arising from the use of any information it contains.

ARTICLE

Growth Mechanism of Oleylammonium-Based Tin and Lead Bromide Perovskite Nanostructures*Kushagra Gahlot^a, Julia N. Kraft^a, Manuel Pérez-Escribano^b, Razieh M. Koushki^a, Majid Ahmadi^a, Enrique Orti^b, Bart J. Kooi^a, Giuseppe Portale^a, Joaquín Calbo^b, Loredana Protesescu^{a,*}*Received 00th January 20xx,
Accepted 00th January 20xx

DOI: 10.1039/x0xx00000x

Metal halide perovskites, particularly using tin and lead as the bivalent cation, are well known for their synthetic versatility and ion mobility. These materials possess intriguing ionic properties that allow the formation of 2D Ruddlesden-Popper (RP) and 3D metal halide perovskite nanocrystals (NCs) under similar synthetic conditions. We studied the synthesis mechanism of oleylammonium-based Sn and Pb bromide perovskites 2D Ruddlesden-Popper (RP) in comparison with the 3D CsPbBr₃ and CsSnBr₃ NCs. Using experimental techniques in combination with theoretical calculations, we studied the interactions of the long-chain organic cations with the inorganic layers and between each other to assess their stability. Our findings suggest that tin bromide is more inclined toward forming higher-order RP phases or 3D NCs than lead bromide. Furthermore, we demonstrate the synthesis of precisely tuned CsSnBr₃ 3D NCs (7 and 10 nm) using standard surface ligands. When the 3D and 2D tin halide perovskite nanostructure coexist in suspension, the obtained drop-casted thin films showed the preferential positioning of residual RP nanostructures at the interface with the substrate. This study encourages further exploration of low-dimensional hybrid materials and emphasizes the need for understanding mechanisms to develop efficient synthetic routes for high-quality tin-halide perovskite NCs.

Introduction

Tin halide perovskites are emerging as one of the desirable lead-free perovskite materials for optoelectronic applications in the form of their 3D metal halide perovskite structure (ASnX₃), 2D Ruddlesden-Popper (RP) perovskite phases [R-NH₃]₂A_{n-1}Sn_nX_{3n+1} (n ≥ 1), or in the synergistic combination of both.¹⁻⁴ The 3D perovskite structure exhibits better charge transport, whereas 2D RP phases can impart stability and defect passivation.^{2, 5} Several reports in photovoltaic research have utilized the combination of 2D and 3D tin-halide perovskites to improve the performance as well as the long-term stability of the device.⁶⁻⁸ The limited number of synthetic reports on tin-halide perovskite nanocrystals (NCs) have majorly focused on iodide,⁹⁻¹¹ owing to its appealing band gap in the infrared range (1.3 eV, bulk phase).¹² On the other hand, CsSnBr₃, the lead-free counterpart of CsPbBr₃ NCs, has been researched primarily on bulk and thin-films for interesting phenomena like emphanisis,¹³ strong spin-orbit coupling,¹⁴ and for applications in optoelectronics.^{15, 16} Only a few reports on the colloidal synthesis of CsSnBr₃ NCs^{17, 18} highlighted the potential of the hot-injection method when synthesizing CsSnBr₃ and CsSnBr_{1-x}I_x NCs. Thus, it is desirable to thoroughly investigate and optimize the synthetic process to attain high-quality Sn-halide perovskite NCs.

From our previous studies,¹⁹ we learned the importance of employing the sub-stoichiometric ratio of ligands (Sn:Oleate:Oleyl ammonium = 1:1:1) and excess of SnI₂ precursor to achieve stable, monodisperse, and tunable optical properties for the tin-halide perovskite NCs using a hot-injection method.¹⁹ The structural dynamics in the tin-halide perovskite nanostructures have been showcased with the presence of 3D CsSnI₃ nanocuboids and 2D [R-NH₃]₂Cs_{n-1}Sn_nI_{3n+1} (n > 1) RP nanosheets.¹⁹ Directing the reaction towards a specific dimensionality in the presence of SnX₂ precursors and an ammonium ligand (oleylammonium) has posed an arduous challenge. Density Functional Theory (DFT) calculations demonstrated that, for Pb-halide-based perovskites,²⁰ the formation energies of these reduced dimensional structures are comparable to those of the 3D counterparts.

The synthesis of CsPbBr₃ or CsSnI₃ NCs, as documented in various references,^{17, 19, 21, 22} typically involves the solubilization of metal salts subsequent to an acid-base reaction between a carboxylate (oleate, OA, R-COO⁻, C₁₇H₃₃COO⁻) and an ammonium moiety (oleylammonium, OLA, R-NH₃⁺, C₁₈H₃₅NH₃⁺). These processes, where the Cs⁺ cation is intercalated at a specified temperature, serve as a foundational approach for synthesizing CsSnBr₃ NCs analogs. Given the distinct reactivities, solubilities, and complexation behaviors of PbBr₂ and SnBr₂, along with the potential for competitive formation of both 2D [R-NH₃]₂Cs_{n-1}Sn_nBr_{3n+1} (n ≥ 1) and 3D CsSnBr₃ nanostructures, the synthesis of CsSnBr₃ NCs remains a challenge.

In this work, we first investigated and compared the formation dynamics of oleyl ammonium-based tin- and lead-bromide 2D

^a Zernike Institute for Advanced Materials, University of Groningen, Nijenborgh 4, Groningen, 9747AG, The Netherlands. E-mail: l.protesescu@rug.nl

^b Instituto de Ciencia Molecular, Universitat de València, c/ Catedrático José Beltrán, 2, 46980, Paterna, Spain Address here.

Electronic Supplementary Information (ESI) available: [details of any supplementary information available should be included here]. See DOI: 10.1039/x0xx00000x



RP structures. We have observed that the $n = 1$ $[\text{R-NH}_3]_2\text{MBr}_4$ 2D RP structures exhibit different interlayer d-spacings in solution and thin-films due to the long organic chain flexibility and the weak non-covalent interactions, with minor chain-to-chain interdigitation. Energetically, these 2D RP structures are less likely to form in the case of SnBr_2 as compared to PbBr_2 or SnI_2 . We continued with the synthesis of 3D CsSnBr_3 NCs for which we optimized the reaction parameters and we isolated and investigated two different sizes with average edge lengths of ≈ 7 and 10 nm. The 7 nm CsSnBr_3 NCs solution showed an extended ordering up to a few microns with simple drop-casting. This research work aims to advance the understanding of dimensional dynamics in the colloidal chemistry of Sn and Pb perovskite NCs.

Results and discussion

Oleyl ammonium-based 2D RP Perovskite Structures ($n = 1$)

To address the synthetic challenges found in the design of low-dimensional tin-based perovskites, we first investigated the formation of the 2D RP perovskite nanostructures using Sn and Pb bromide salts (SnBr_2 , PbBr_2) as starting precursors. We already reported that SnI_2 ^{9, 10, 17, 19} and SnBr_2 ²³ can form a 2D RP perovskite phase ($[\text{R-NH}_3]_2\text{SnX}_4$) when complexed by the OLA (R-NH_3^+) and OA acid-base couple in a non-coordinated solvent (here octadecene, ODE) after a heating-cooling process (Figure 1a).^{19, 23} Therefore, we used the optimized precursor ratio¹⁹ $\text{MX}_2:\text{OLA}:\text{OA} = 1:1:1$ at a reaction concentration of 0.3 M (Figure 1) and 0.03 M (for Pb, see Figure S1). After the complete dissolution of MX_2 at 200 °C, we quenched the reaction mixture to room temperature to precipitate the 2D RP powders: $[\text{R-NH}_3]_2\text{SnBr}_4$ (bright yellow) and $[\text{R-NH}_3]_2\text{PbBr}_4$ (cool-white). Note

that we used the same precursor concentration as previously reported for the Sn halide perovskite synthesis (0.3 M, Figure 1), as it corresponds to the minimum concentration that can be used to yield thermodynamically stable Sn halide perovskite NCs. Still, we also tried 0.03 M (10 times diluted), the concentration typically used for Pb halide perovskite NCs^{21, 22, 24} (Figure S1). In both cases, the 2D RP perovskite structures were further purified and characterized. The low-angle X-ray diffraction (XRD) patterns recorded for thin films of $[\text{R-NH}_3]_2\text{SnBr}_4$ (Figure 1c, green plots) and $[\text{R-NH}_3]_2\text{PbBr}_4$ (Figure 1c, blue plots) drop-casted on Si-wafer showed diffraction peaks with a d-spacing of 4.1 nm for $[\text{R-NH}_3]_2\text{SnBr}_4$ and 4.25 nm for $[\text{R-NH}_3]_2\text{PbBr}_4$. To confirm this d-spacing in the colloidal suspension of 2D RP perovskites, we also measured their small-angle X-ray scattering (SAXS) profile, which yields a spacing between the inorganic layers of 4.3 nm for both $[\text{R-NH}_3]_2\text{SnBr}_4$ and $[\text{R-NH}_3]_2\text{PbBr}_4$ RP structures (Figure 1d).

As depicted in Figure 1e, the UV-visible absorbance and photoluminescence (PL) measurements demonstrated pronounced quantum confinement effects for both $[\text{R-NH}_3]_2\text{MBr}_4$ structures, featuring narrow excitonic signatures (2.74 eV for Sn and 3.1 eV for Pb) and PL peaks at 485 nm (2.56 eV) for Sn and at 405 nm (3.05 eV) for Pb, with a full width at half maximum (FWHM) of approximately 0.1 eV, in good agreement with previous reports.^{25, 26} We examined the morphological characteristics of the 2D RP $[\text{R-NH}_3]_2\text{MX}_4$ materials, revealing their presentation as nanosheets with an anticipated aspect ratio of $3:2$, as evidenced for $[\text{R-NH}_3]_2\text{SnBr}_4$ in Figure S2.

For the PbBr_2 salt, a similar reaction path to yield $[\text{R-NH}_3]_2\text{PbBr}_4$ structures was observed when the reaction was performed




Figure 1. (a) General reaction scheme for the synthesis of the ($n = 1$) $[\text{R-NH}_3]_2\text{MBr}_4$ RP perovskite phase prepared at 0.3 M. (b) Chemical structure representation of 2D $[\text{R-NH}_3]_2\text{MBr}_4$ RP perovskites ($n = 1$). (c) The low-angle XRD pattern showcases the periodic peaks for the higher order of reflections based on an interlayer d-spacing ranging from 4.1 to 4.25 nm. (d) Small-angle X-ray Scattering (SAXS) profiles for the 2D $[\text{R-NH}_3]_2\text{MBr}_4$ RP perovskites ($n = 1$) suspension in toluene show periodic peaks corresponding to a d-spacing of 4.3 nm. (e) UV-visible and photoluminescence spectroscopy for the 2D $[\text{R-NH}_3]_2\text{MBr}_4$ RP perovskites ($n=1$).



according to the procedure reported by Protesescu et al.²¹ (precursor concentration ~ 0.03 M). In this case, the formation of $[\text{R-NH}_3]_2\text{PbBr}_4$ 2D RP perovskite structures was also confirmed. **Figure S1a** highlights the low-angle XRD pattern with the 2θ periodicity corresponding to a d-spacing of 4.053 nm, slightly smaller than the values recorded for the concentrated system. The optical properties were not concentration-dependent, yielding similar UV-visible and PL spectra (**Figure S1b**). These 2D RP structures have low colloidal stability, so scattering effects are present in the absorption measurements. While the chemical reaction pathway was anticipated, we were intrigued by the considerable spacing variation between the inorganic layers in those $n = 1$ structures. Similar values were reported for $[\text{R-NH}_3]_2\text{SnI}_4$,^{19, 23} which are dependent on the solid (precipitated as powder) and colloidal state, as well as on the cooling rate during the quenching of the reaction. Shorter cations were reported for both Sn and Pb 2D RP $n = 1$ structures with more rigid chains (such as butylammonium, phenylethylammonium, and octylammonium) and interspacing values ranging from 1.9 to 2.3 nm.^{27, 28} Moreover, several reports described the high stability of those 2D structures with short ligands due to van der Waals interactions, making them energetically favorable over higher n values.^{20, 29, 30}

The $[\text{R-NH}_3]_2\text{MX}_4$ RP phases were investigated by means of a multilevel theoretical approach (see the Supporting Information for full details). First, the minimum-energy structures were calculated under the density functional theory (DFT) framework (PBEsol level of theory). Then, the extent of non-covalent interactions between the oleylammonium chains in the $[\text{R-NH}_3]_2\text{MX}_4$ phases was estimated through analysis of the non-covalent index (NCI),³¹ as implemented in the NCIPLOT code,³² and the interaction energy. Our calculations indicate an extended oleylammonium inter-chain region of weakly stabilizing non-covalent interactions (green surfaces in **Figure 2a**). Interaction energies predicted at the PBEsol level including vdW correction suggest a slightly larger chain-to-chain stabilization in $[\text{R-NH}_3]_2\text{SnBr}_4$ (-1.74 eV) compared to $[\text{R-NH}_3]_2\text{PbBr}_4$ (-1.66 eV) and $[\text{R-NH}_3]_2\text{SnI}_4$ (-1.44 eV). This trend correlates with the A-site size, and thus with the chain-to-chain distance, which is calculated shorter for Sn-Br (N...N average distance of 6.5 Å), than for Pb-Br (6.6 Å) and Sn-I (7.0 Å). In fact, we predict negligible lattice distortions with respect to the bulk 3D analogue in $[\text{R-NH}_3]_2\text{SnBr}_4$ compared to $[\text{R-NH}_3]_2\text{PbBr}_4$ and $[\text{R-NH}_3]_2\text{SnI}_4$ (see **Tables S1** and **S2**), indicative of optimal chain-to-chain separation in the former. On the other hand, the interaction energy between the perovskite MX_6 octahedra and the oleylammonium cation was computed to be -5.40 eV for $[\text{R-NH}_3]_2\text{SnBr}_4$, -5.76 eV for $[\text{R-NH}_3]_2\text{SnI}_4$, and -6.39 eV for $[\text{R-NH}_3]_2\text{PbBr}_4$ at the PBEsol/tier-2 level of theory. The cation-perovskite interaction is dominant compared to the chain-to-chain interaction, thus pointing to an easier desorption of the oleylammonium for $[\text{R-NH}_3]_2\text{SnBr}_4$, a process required to form higher-order 2D $[\text{R-NH}_3]_2\text{Cs}_{n-1}\text{M}_n\text{X}_{3n+1}$ ($n > 1$) or 3D CsMX_3 perov-




Figure 2. (a) Front (left) and diagonal (right) views of the NCI volumes (in green) indicating the weak but extended non-covalent forces governing the interaction between neighboring oleylammonium chains for $[\text{R-NH}_3]_2\text{MBr}_4$ RP perovskite ($n = 1$); rendering isovalue of 0.3 a.u. (b) d-spacing values calculated for the $[\text{R-NH}_3]_2\text{SnBr}_4$ RP perovskite ($n = 1$) at the static DFT-minimum energy structure (left) and after a long molecular dynamics at room temperature (right). The location of the perovskite monolayer (not included in these calculations) is displayed for representation clarity.

-skite phases. The formation of 2D RP with $n = 1$ is expected to be more favorable in $[\text{R-NH}_3]_2\text{SnI}_4$ than in the bromide analogue, which agrees with previous reports where tin-iodide 2D RP structures were synthesized and stabilized.¹⁹

To study the extent of intercalation between the oleylammonium chains and the effect of temperature and dynamic disorder on the interlayer d-spacing, classical molecular dynamics (MD) simulations were conducted on top of the DFT minimum-energy structure predicted for the $[\text{R-NH}_3]_2\text{SnBr}_4$ phase, as a representative example. A significant contraction of the oleylammonium chains was observed along the c -axis when the system was equilibrated and thermalized at 298 K. The interlayer d-spacing decreases from 4.7 to 3.9 nm along the dynamics, with a small intercalation of < 3 Å between the oleylammonium chains of neighboring layers (**Figure 2b**). These results remark the flexible character of the OLA cations, and could explain the discrepancy observed in the d-spacings for drop-casted thin films and suspensions of $[\text{R-NH}_3]_2\text{MX}_4$ RP structures. There is expected to be a decrease in the d-spacing variability when shortening the carbon chain length and rigidifying the structure of the organic cation.

Mechanistic studies for CsMBr_3 NCs ($M = \text{Pb}, \text{Sn}$)

To synthesize CsSnBr_3 NCs starting with the same precursor composition as for the 2D RP structures discussed above, we utilized the hot-injection of the Cs(Oleate) precursor into our main intermediates at 200 °C followed by subsequent quenching with ice-water. Figure 3a shows the structural and



optical characterization of the obtained CsSnBr₃ NCs in comparison to CsPbBr₃ NCs. Note that for this comparison, we used the 0.3 M concentration. Figure S3 displays the Sn-halide salt concentration-dependent optical stability of NCs, which shows the necessity of performing Sn-halide perovskite NCs synthesis at supersaturated concentrations (> 0.3 M) for longer stability of NCs.¹⁹ Thus, to make long-standing, colloidal stable NCs, the synthesis of Sn-halide perovskite NCs must be performed at a higher concentration of Sn while maintaining the sub-stoichiometric ratio of ligands (SnX₂:OLA:OA=1:1:1) with respect to Sn salt.³³

The XRD patterns recorded for both metal bromide perovskite cases are shown in **Figure 3b**. The presence of sharp periodic peaks at low 2θ angles confirms the formation of 2D RP perovskite structures, which may have discrete intercalation of Cs cations giving rise to different order of 2D structures. To study the relative stability of 2D RP [R-NH₃]₂Cs_{n-1}M_nX_{3n+1} structures with n > 1, DFT structural optimizations and formation energy estimations were conducted at the PBEsol level for M = Pb/Sn and X = Br, and n = 1–4. The values predicted for the formation energies, listed in **Table S4**, align well with the XRD findings since all high-order [R-NH₃]₂Cs_{n-1}M_nX_{3n+1} phases (n > 1) are stable and close in energy. However, at wider angles, the 3D crystal phase was observed with high FWHM, suggesting the formation of 3D NCs. CsSnBr₃ (green) and CsPbBr₃ (blue) NCs crystallize in the purely cubic (*Pm3m*) and orthorhombic (*Pnma*) crystal phase, respectively, as measured with the lab-scale powder X-ray diffractometer and compared with bulk references.^{12, 13, 34} For completeness, **Figure S4** shows the XRD pattern of CsSnI₃ NCs at low and high diffraction angles, which is similar to that of CsPbBr₃ with periodic 2θ peaks and orthorhombic (*Pnma*) crystal phase. When comparing these results, for OA and OLA acid-base couple reactions and with

high concentration of salts (0.3 M), a nearly complete conversion of precursors to 3D NCs was observed in the case of CsSnBr₃, in contrast to what is obtained for CsPbBr₃ or CsSnI₃ perovskite compositions. This observation can be rationalized by considering the smaller binding energy between the cation and the perovskite calculated for the 2D [R-NH₃]₂SnBr₄ phase (as described above), together with a smaller formation energy per formula unit (E_f = -0.175 eV) compared to [R-NH₃]₂PbBr₄ (E_f = -0.247 eV) and [R-NH₃]₂SnI₄ (E_f = -0.325 eV). However, upon increasing n, the formation energy rapidly becomes more favorable, especially for the tin-bromide composition (n ≥ 3, **Tables S3** and **S4**). The net stabilization between the 2D [R-NH₃]₂MX₄ phase and that for bulk, which for comparison is assumed to be that of n = 4, is calculated larger for [R-NH₃]₂SnBr₄ (0.79 eV) than for [R-NH₃]₂PbBr₄ (0.68 eV) and [R-NH₃]₂SnI₄ (0.50 eV). The formation of CsSnBr₃ NCs is therefore highly likely to be in a more phase-pure tin-bromide perovskite 3D structure, compared to the other metal halide perovskite NCs, which agrees with that observed experimentally.

Figure 3c exemplifies the quantum confinement effect through absorbance and PL spectra of 3D CsSnBr₃ and CsPbBr₃ NCs with the residual presence of [R-NH₃]₂Cs_{n-1}Sn_nBr_{3n+1} and 2D [R-NH₃]₂Cs_{n-1}Pb_nBr_{3n+1} with n ≥ 1. Cuboidal 10 nm 3D CsSnBr₃ NCs showed a broad excitonic peak (600 nm) and a PL peak centered at 665 nm (FWHM ~ 0.18 eV), whereas narrower excitonic peaks were observed for orthorhombic 3D CsPbBr₃ NCs (458 and 500 nm, respectively) with main emission peak at 503 nm (FWHM ~ 0.12 eV).

In order to further explore and rationalize the synthesis of 3D Sn and Pb halide perovskites NCs in the absence of 2D RP structures, one could decrease the oleylammonium cation concentration or utilize a weaker and sterically hindered protic




Figure 3 (a) General reaction scheme for the metal bromide case when Cs(OI) is injected. (b) XRD pattern of 3D CsSnBr₃ and CsPbBr₃ NCs showcasing the residual presence of 2D [R-NH₃]₂Cs_{n-1}Sn_nBr_{3n+1} and [R-NH₃]₂Cs_{n-1}Pb_nBr_{3n+1} with n ≥ 1. (c) UV-visible and PL spectroscopy of 3D CsSnBr₃ and CsPbBr₃ NCs showing red-shift from their respective n = 1 2D [R-NH₃]₂MX₄ RD perovskites shown in Figure 1. The black dotted line plots the Reitveld refined XRD data for respective crystal phases.



acid. Thus, we used diisooctylphosphinic acid (DOPA) as an acid and surfactant for this reaction instead of OA. When the MX_2 salts were dissolved in the presence of the DOPA and OLA couple, the formation of clean 2D $[\text{R-NH}_3]_2\text{PbBr}_4$, $[\text{R-NH}_3]_2\text{SnBr}_4$, and $[\text{R-NH}_3]_2\text{SnI}_4$ 2D RP perovskite structures was observed (**Figure S5a**). It is assumed that the reaction intermediates are potentially the same as in the case of the OA/OLA couple. We then proceeded with the addition of the Cs cation as Cs-DOPA. For PbBr_2 , this addition leads to the formation of stable phase-pure orthorhombic CsPbBr_3 NCs as characterized *via* XRD pattern and presented in **Figure S5b**. In stark contrast, the Sn-halide perovskite NCs degraded very quickly during the cooling process, and no CsSnBr_3 or CsSnI_3 NCs could be identified. The degradation products of these reactions, when analyzed, and the XRD patterns showed the presence of mainly 2D RP $[\text{R-NH}_3]_2\text{Cs}_{n-1}\text{Sn}_n\text{Br}_{3n+1}$ structures ($n \geq 1$) for SnBr_2 and a mixture of 2D RP $[\text{R-NH}_3]_2\text{Cs}_{n-1}\text{Sn}_n\text{I}_{3n+1}$ structures ($n \geq 1$) and CsI (cubic, $Pm\bar{3}m$) for SnI_2 (**Figure S5b**). Our results thus prove that DOPA, being a weakly binding ligand, is unable to stabilize the 3D perovskite structure for the Sn-halide perovskite NCs but can do so for Pb-halide perovskite NCs in the presence of OLA. For Sn-halide perovskite NCs, we have observed that, in the presence of only DOPA, uncontrolled nucleation and growth yields bulk 3D Sn-halide perovskites (**Figure S6**).

Structural, morphological and optical characterization of CsSnBr_3 NCs

Thus far, our understanding has been advanced through both experimental and theoretical investigations into the reactivity of precursors and the mechanisms dictating the transformation from 2D RP structures to 3D CsSnBr_3 NCs, particularly in comparison to analogous lead-based compounds and other halides. In light of this consideration, CsSnBr_3 NCs were synthesized and their distinctive characteristics are here following further discussed.

In the bulk, CsSnBr_3 exists in the symmetrical cubic $Pm\bar{3}m$ crystal phase at room temperature with a band gap of 1.75 eV (~ 700 nm). This crystal phase undergoes a transformation to a tetragonal $P4/m\bar{b}m$ phase around 286 K, which then shows a continuous transition to an orthorhombic $Pnma$ phase around 250 K.¹³ Our synthesized CsSnBr_3 NCs also showed $Pm\bar{3}m$ crystal phase, highly monodisperse NCs in cuboidal shape with an average edge length of 7 and 10 nm as shown in **Figure 4**. **Figure S7 a-d** provides the scanning transmission electron microscopy (STEM) images at different magnifications for 7 and 10 nm CsSnBr_3 NCs, corroborating their monodispersity with size histograms (**Figure S7e** and **S7f**). This crystal phase is further confirmed with the high-resolution STEM (HR-STEM) analysis, demonstrating a d-spacing of 5.8 Å corresponding to the [100] planes, see also the fast-Fourier transform (FFT) pattern presented in the inset of **Figure 4c**. STEM Energy Dispersive X-ray Spectroscopy (EDXS) elemental mapping performed on the 10 nm CsSnBr_3 NCs sample shows an even distribution of Cs, Sn, and Br over the NCs with atomic percentages in the ratio 1:1.3:3, respectively, establishing the correct stoichiometry of

the NC system (**Figure 4d-g**). **Table S1** tabulates the elemental analysis results acquired by STEM-EDXS and inductively coupled Plasma-Mass Spectrometry (ICP-MS) for 7 and 10 nm CsSnBr_3 NCs. The XRD pattern measured with lab instrumentation shown in **Figure 4i** exhibits CsSnBr_3 cubic $Pm\bar{3}m$ perovskite crystal phase with the apparent change in the FWHM for the two different sizes of CsSnBr_3 NCs. UV-visible and steady-state PL spectra for different sizes are plotted in **Figure 4j**, showing the emission peaks at 638 nm for 7 nm (FWHM = 0.18 eV) and at 665 nm for 10 nm (FWHM = 0.19 eV) CsSnBr_3 NCs with the visible light photographs of colloidal NCs suspensions (**Figure 4k**). To confirm the interaction of ligands with perovskite NC surface, we performed the Fourier Transform-Infrared (FT-IR) Spectroscopy showing the disappearance C=O stretching frequency (≈ 1700 cm^{-1}) in NCs which is present in the free oleic acid ligand (**Figure S8**).

We further explored the variation in the synthetic parameters. For the lower (Cs:Sn < 1:3) and higher cation (Cs:Sn > 1:3) ratios, the mixture of 2D $[\text{R-NH}_3]_2\text{Cs}_{n-1}\text{Sn}_n\text{Br}_{3n+1}$ RP perovskite and 3D CsSnBr_3 NCs was obtained (**Figure S9**), with an extra excitonic peak observed at 526 nm (2.36 eV) with emission at 540 nm (FWHM = 0.19 eV) for Cs:Sn = 1:6, and a broadening of the excitonic peak with a shoulder emission towards lower wavelength at 542 nm (FWHM = 0.18 eV) for Cs:Sn = 1:2. Thus, the cation ratio of Cs:Sn = 1:3 seems ideal, which also correlates well with our previous report on CsSnI_3 NCs.¹⁹ Furthermore, the reactions performed at lower temperatures (from 100 to 160 °C) lead to the preferential formation of 2D RP structures rather than 3D perovskites. As discussed above, DFT calculations predict that the formation of 3D metal halide perovskites is energetically favored compared to 2D RP perovskite structures, leading to the formation and stabilization of the 3D perovskite structure. When probing various kinetic parameters, the injection temperature has a notable effect on the formation of the 3D or 2D RP structures. **Figure S10a** shows the XRD pattern of the CsSnBr_3 NCs synthesized at 100 °C in comparison with those formed at 200 °C. At the low angles, sharp periodic peaks are observed with d-spacing of ~ 4.4 nm, which suggests the formation of higher order $n > 1$ $[\text{R-NH}_3]_2\text{Cs}_{n-1}\text{Sn}_n\text{Br}_{3n+1}$ RP structures in combination with 3D perovskite NCs. The blue shift in the absorbance and PL peak maxima shown in **Figure S10b** confirms the confinement effects arising from the dimensionality reduction. **Figure S11** shows scanning electron microscopy (SEM) images in transmission mode for the reaction performed at 100 °C, indicating the co-existence of 3D CsSnBr_3 NCs and 2D nanosheets. Since it is difficult to stabilize the discrete higher-order $n > 1$ $[\text{R-NH}_3]_2\text{Cs}_{n-1}\text{Sn}_n\text{Br}_{3n+1}$ RP perovskites, it is not possible to assign the n precisely. It is also clear from the literature that as n becomes higher, the isolation and stabilization of the RP structure becomes equally difficult.²⁰ These observations suggest that at low temperatures the crystallization of 2D RP structures is preferred rather than 3D perovskites, and depending on the concentration of the inorganic cation (Cs^+) intercalation (value of n) can vary to a different extent.






Figure 4. (a) and (b) STEM images of 7 and 10 nm CsSnBr_3 NCs, respectively. (c) High-resolution STEM showing lattice parameter of 5.8 Å corresponding to [100] planes for a 10 nm CsSnBr_3 NC. Inset: cubic FFT pattern for the CsSnBr_3 NC shown in (c). (d-g) STEM-energy dispersive X-ray (EDX) elemental mapping for the image area depicted in (d) with the distribution of Cs (red) (e), Sn (green) (f), and Br (blue) (g). (h) Schematic of CsSnBr_3 NCs with average sizes of 7 and 10 nm. (i) XRD pattern of CsSnBr_3 NCs with average size of 7 nm (green) and 10 nm (dark grey) plotted with cubic $\text{Pm}\bar{3}\text{m}$ bulk reference (black). (j) UV-Visible and steady-state PL spectra of 7 nm (green) and 10 nm (dark grey) CsSnBr_3 NCs. (k) Photographs of 7 nm (top) and 10 nm (bottom) CsSnBr_3 colloidal NCs dispersed in toluene in the visible light. The black dotted line plots the Reitveld refined XRD data for respective crystal phases.

The change in the reaction medium to a more volatile, non-polar, non-coordinating solvent (*i.e.* mesitylene) was performed to disrupt the ligand-solvent interactions and facilitate the post-synthetic treatment of the NCs. The reactions with mesitylene were performed under similar precursor ratios but at lower temperatures (from 70 to 150 °C), which resulted in products containing 3D CsSnBr_3 NCs with PL emission ranging from 603 to 652 nm (Figure S12). Upon lowering the temperature (< 150 °C), 2D $[\text{R-NH}_3]_2\text{Cs}_{n-1}\text{Sn}_n\text{Br}_{3n+1}$ RP perovskites were obtained together with 3D CsSnBr_3 NCs (Figure S12), and a blue shift of the optical characteristics with excitonic peak at 555 nm and an emission peak at 605 nm was observed. The change in solvent also corroborates the fact that the reaction performed at lower temperatures (≤ 150 °C) is likely to form 2D RP structures rather

than 3D NCs. Figure S13 compares the optical properties of the 2D and 3D tin-halide perovskite materials.

CsSnBr_3 NCs thin films

We further analyzed the self-assembly behavior of the CsSnBr_3 NCs and the impact of the 2D $[\text{R-NH}_3]_2\text{Cs}_{n-1}\text{Sn}_n\text{Br}_{3n+1}$ RP structures on the in-plane and out-of-plane extended ordering. We selected the smaller NCs for this since we expected the co-presence of some 2D crystallites, as visible in XRD (Figure 5a). The average size of the size-selected CsSnBr_3 NCs was investigated by suspension SAXS, which shows a dominant diffuse intensity modulation generated by the presence of particles with 7 +/- 1 nm diameter, in close agreement with the






Figure 5. (a) XRD of 7 nm CsSnBr_3 NCs. (b) Solution SAXS profile of 7 nm CsSnBr_3 NCs together with the best fit using a mixed ensemble of spheroidal particles and 2D colloidal crystallites. (c) and (d) SEM images of the 7 nm CsSnBr_3 NCs showing extended ordering characteristics. (e) and (f) GIXS images on a drop-casted thin-film of 7 nm CsSnBr_3 NCs and 2D $[\text{R-NH}_3]_2\text{SnBr}_4$ $n = 1$ RP structures at the low (~ 10 nm) and high (~ 200 nm) penetration depth, respectively, together the schematic representation. (g) GIXS vertical profiles on drop-casted thin-film of 7 nm CsSnBr_3 NCs at the low (~ 10 nm) and high (~ 200 nm) depth, respectively. The black dotted line plots the Reitveld refined XRD data for respective crystal phases.

TEM results, together with a minor fraction of the 2D crystallites (Figure 5b). The nanocubes show a remarkable tendency to form long-range ordered structures, namely superlattices, which can be easily obtained using a facile drop-casted thin-film technique (concentration of NCs ~ 20 mg mL^{-1}). These superlattices show order above $1 \mu\text{m}$ when imagined by SEM (Figure 5c,d). To probe the superlattice formation at a large length scale, grazing incidence X-ray scattering (GIXS) patterns were acquired, illuminating mm^2 of the thin NCs films deposited on a silicon substrate. The GIXS patterns reveal the co-assembly of the cubic NCs and the layered 2D crystallites, both showing degree of particle alignment (Figure 5e,f).

To learn about the vertical distribution of the co-assembled 3D CsSnBr_3 NCs and 2D $[\text{R-NH}_3]_2\text{SnBr}_4$ $n = 1$ RP structure, GIXS measurements at two different incident angles (0.2° and 1.8°) have been performed, probing the films at different depths (~ 10 nm and ~ 200 nm, respectively) Figures 5e and 5f show the GIXS vertical profiles for a drop-casted film using the suspension of 7 nm CsSnBr_3 NCs at the ~ 10 and ~ 200 nm depths, respectively. As marked on the figure, both profiles show evidence of the 3D and 2D superlattices. For the 3D superstructure, the first peak is the 100 peak for the 3D

cubic superstructure located at 0.6 nm^{-1} that is a lattice dimension of 9 nm, in line with the 7 nm NC dimension and 2 nm of organic ligand. For the 2D phase, the 001 peak gives a d -spacing of ~ 4.3 nm, in agreement with what observed above in Figure 1 by XRD and SAXS. By comparing the profiles obtained from the GIXS patterns acquired at the two different incident angles, the presence of 2D $[\text{R-NH}_3]_2\text{SnBr}_4$ can be observed more at a higher X-ray penetration depth than near the surface, suggesting that 2D RP crystallites are preferentially present at the bulk of the thin film rather than on the surface.

Experimental

Materials

Cesium carbonate (sigma, metals basis, 99.9%), tin (II) bromide (TCI Europe, 99%), tin (II) iodide (sigma, anhydrous beads, 99.99%), octadecene (ODE, sigma, Tech. grade, 90%), oleic acid (OA, sigma, tech. grade, 90%), oleyl amine (OLA, sigma, tech. grade, 70%), diisocetylphosphinic acid (DOPA, sigma, 90%), toluene (acros, extra dry, 99.85%).



Synthesis of Cs-precursors

Cesium Oleate (0.222 M) - Cs_2CO_3 (1.630 g, 5 mmol), OA (5 ml, 16 mmol), and ODE (40 ml) were loaded into a 100 ml 3-neck round-bottom flask and vigorously stirred under vacuum for one hour at 120 °C. Additionally, the reaction mixture was heated up to 150 °C under N_2 flow to assure the complete conversion of cesium carbonate into cesium oleate. The obtained cesium oleate solution was stored under an N_2 atmosphere and heated up to 100 °C before being used.

Cesium Diisooctyl Phosphinate (0.25 M) - Cs-DOPA was prepared by modified procedure from Shynkarenko *et al.*³⁵ Cesium carbonate (0.40 g, 1.25 mmol), DOPA (2 mL, 6.4 mmol), and ODE (8 ml) were loaded into a 25 ml 3-neck round-bottom flask and vigorously stirred under vacuum for one hour at 120 °C. The reaction mixture turns and stored at room temperature under inert atmosphere (N_2).

Synthesis of 2D RP Structures. $[\text{R-NH}_3]_2\text{MX}_4$ (R-Oleyl)

2 mmol of MX_2 (SnBr_2 - 0.558 g; PbBr_2 - 0.73 g; SnI_2 - 0.75 g) along with 2 mmol of dried acids (OA - 0.63 mL; DOPA - 0.63 mL), 2 mmol of OLA (0.66 mL), and ODE (5 mL) were loaded into a 25 mL 3-neck flask inside a N_2 glovebox. The reaction mixture was carefully transferred to a Schlenk line and stirred under vacuum for 10 minutes at room temperature, after which the temperature was increased to 105 °C and vigorously stirred for 45 minutes. The temperature was further increased to 200 °C under N_2 flow, the reaction was then quenched to room temperature using an ice-water bath after 5 seconds. The reaction flask was carefully transferred to the glovebox for the purification step. The crude solution was equally divided into two centrifuge tubes and centrifuged at 5000 rpm (7081 rcf) for 3 minutes. The supernatant was discarded, and the precipitate was re-dispersed in toluene (5 mL) followed by centrifugation at 13000 rpm (18412 rcf) for 5 minutes. The supernatant was discarded and the colloidal yellow precipitate was stored in 5 mL toluene in the glovebox for further measurements.

Synthesis of CsSnBr_3 NCs using OA and OLA

SnBr_2 (2 mmol, 0.558 g) along with dried oleic acid (OA, 0.63 mL, 2 mmol), oleylamine (OLA, 0.66 mL, 2 mmol), and octadecene (ODE, 5 mL) were loaded into a 25 mL 3-neck flask inside a N_2 glovebox. The reaction mixture was carefully transferred to a Schlenk line and stirred under vacuum for 10 minutes at room temperature, after which the temperature was increased to 105 °C and vigorously stirred for 45 minutes. The temperature was further increased to 200 °C under N_2 flow, and 2.8 mL (0.622 mmol) cesium oleate (0.222 M) was swiftly injected. The reaction was stopped after 5 seconds by quickly immersing the reaction flask into an ice-water bath. The reaction flask was carefully transferred to the glovebox for the purification step. The crude solution was equally divided into two centrifuge tubes. *Size selection for the 7 nm CsSnBr_3 NCs:* Reaction mixture was centrifuged at 13000 rpm (18412 rcf) for 5 minutes. The

supernatant was discarded, and the precipitate was re-dispersed in toluene (5 mL) followed by centrifugation at 3000 rpm (4248 rcf) for 3 minutes. The supernatant was separated out carefully and stored in the glovebox for further measurements. The precipitate was discarded. The supernatant can be further centrifuged following day at 3000 rpm (4248 rcf) for 3 minutes to attain superior monodispersity. This supernatant was used for making superlattices. *Size selection for the 10 nm CsSnBr_3 NCs:* Reaction mixture was centrifuged at 5000 rpm (7081 rcf) for 3 minutes. The supernatant was discarded, and the precipitate was re-dispersed in toluene (5 mL) followed by centrifugation at 13000 rpm (18412 rcf) for 5 minutes. The supernatant was discarded and the precipitate was re-dispersed in 5 mL toluene, stored in the glovebox for further measurements.

Synthesis of CsMX_3 NCs using DOPA and OLA

2 mmol of MX_2 (SnBr_2 - 0.558 g; PbBr_2 - 0.73 g; SnI_2 - 0.75 g), 2 mmol of dried acids (OA - 0.63 mL; DOPA - 0.63 mL), 2 mmol of OLA (0.66 mL), and ODE (5 mL) were loaded into a 25 mL 3-neck flask inside a N_2 glovebox. The reaction mixture was carefully transferred to a Schlenk line and stirred under vacuum for 10 minutes at room temperature, after which the temperature was increased to 105 °C and vigorously stirred for 45 minutes. The temperature was further increased to 200 °C under N_2 flow, and Cs-DOPA (2.8 mL, 0.67 mmol) was quickly injected. The reaction was stopped after 5 seconds by quickly immersing the reaction flask into an ice-water bath. The reaction flask was carefully transferred to the glovebox for the purification step. The crude solution was equally divided into two centrifuge tubes and centrifuged at 13000 rpm (18412 rcf) for 5 minutes. For SnBr_2 and SnI_2 , the precipitate turns pale white in colour from dark brown while supernatant becomes transparent in the washing process. For PbBr_2 , the supernatant was discarded, and the precipitate was re-dispersed in toluene (5 mL) followed by centrifugation at 3000 rpm (4248 rcf) for 3 minutes. The supernatant was separated out carefully and stored in the glovebox for further measurements.

Synthesis of CsMX_3 NCs using only DOPA

2 mmol of MX_2 (SnBr_2 - 0.558 g; PbBr_2 - 0.73 g; SnI_2 - 0.75 g), were mixed with dried DOPA (0.63 mL, 2 mmol), and ODE (5 mL) were loaded into a 25 mL 3-neck flask inside a N_2 glovebox. The reaction mixture was carefully transferred to a Schlenk line and stirred under vacuum for 10 minutes at room temperature, after which the temperature was increased to 105 °C and vigorously stirred for 45 minutes. The temperature was further increased to 200 °C under N_2 flow, the dissolution of SnBr_2 and SnI_2 salts was observed while PbBr_2 remains insoluble. For without Cs cation, the reaction was then quenched to room temperature using an ice-water bath after 10 seconds to obtain a complexation product. With Cs cation, a Cs-DOPA (2.8 mL, 0.67 mmol) was swiftly injected which lead to dark brown/black color solution in case of SnBr_2 and SnI_2 , the reaction is then quenched to room temperature using an ice-water bath after 10 seconds. The reaction flask was carefully transferred to the



glovebox for the purification step. The crude solution was equally divided into two centrifuge tubes and centrifuged at 5000 rpm (7081 rcf) for 3 minutes. The supernatant was discarded, and the precipitate was re-dispersed in toluene (5 mL) followed by centrifugation at 13000 rpm (18412 rcf) for 5 minutes. The supernatant was discarded and the colloidal unstable white precipitate was stored in 5 mL toluene in the glovebox for further measurements.

Dropcasted Thin-film of 7 nm CsSnBr₃ NCs

10 mm × 10 mm soda-lime glass substrates were cleaned with soap water and washed by distilled water. The substrates were then subjected to sonication for 15 min in ethanol, dried, and sonicated another 15 min in acetone, followed by drying with a strong airflow. The cleaned substrates are transferred to the glove box. 20 μL of 7 nm CsSnBr₃ NCs solution with concentration ≈25 mg/ml was drop-casted on the glass substrate and kept under vacuum in the antechamber of glove box for 15 minutes. This drop-casted thin-film was utilized for further characterization.

Characterization

XRD. For sample preparation, a concentrated solution of sample was drop-casted on a Si-wafer in inert dome sample holder and the measurement was on a Bruker D8 Advanced diffractometer aligned in Bragg-Brentano geometry using Cu Kα radiation ($\lambda = 1.54 \text{ \AA}$) and a Lynxeye detector.

STEM. The samples were prepared on an ultrathin grid with 400 mesh, Cu (Ted Pella, Inc. 01822-F) which was wrapped with graphene on one side. The Sample was then drop-casted on the graphene side of the grid which is then sandwiched between two graphene layers using the other grid. The TEM grid was dried overnight in the antechamber of the glove box. The measurements were performed on a Thermo Fisher Themis Z STEM operating at 300 kV.

SEM. The Sample was prepared by drop-casting dilute sample solution onto an ultrathin grid with 400 mesh, Cu (Ted Pella, Inc. 01822-F). The measurements were performed via a FEI Helios G4 CX electron microscope in scanning transmission mode operated at 18 kV.

Steady-state PL spectroscopy. Samples were prepared in a quartz cuvette loaded and sealed in the glove-box with samples dissolved in toluene (O.D ~ 0.2-0.8). The measurements were performed on a Horiba Scientific Jobin Yvon spectrometer equipped with a PMT detector.

UV-Visible absorbance spectroscopy. Samples were prepared in a quartz cuvette loaded and sealed in the glove-box with samples dissolved in toluene (O.D ~ 0.2-0.8). The measurements were performed on a Table-top Avantes UV-Vis spectrophotometer using a tungsten and halogen filament lamp as the excitation source.

SAXS/GIXS. Solution SAXS experiments have been performed at the Multipurpose X-ray Instrument for Nanostructural Characterization (MINA) at the University of Groningen. The instrument is built on a high-intensity Cu rotating anode X-ray source, providing a parallel collimated X-ray beam with a

photon wavelength of $\lambda = 0.1543 \text{ nm}$. The scattering patterns were collected using a 2D Vantec detector from Bruker. In order to explore a very broad q -range ($0.05 - 8 \text{ nm}^{-1}$, where q is the modulus of the scattering vector $1 = 4\pi\sin\theta/\lambda$), the SAXS data were acquired using two different sample-to-detector distances of 3 m and 0.24 m. The colloidal suspensions were contained in a quartz capillary of 1.5 mm outer diameter with 0.01 mm wall thickness. After subtracting the scattering signal from the solvent background and radial integration from 2D patterns to 2D intensity profiles, the two data sets were merged to generate the final $I(q)$ vs. q SAXS curve. The sample-to-detector distance and the beam center position were calibrated using the scattered rings from a standard silver behenate powder sample. The sample with ~5 mg/mL concentration was employed for the measurements loaded and sealed in the capillary in the glove box. The SAXS profile reported in **Figure 5b** for the CsSnBr₃ NCs solution has been modeled using a curve composed by the sum of two components. One describing the scattering of the nanocubes, using the analytical expression for an ensemble of diluted spherical particles with a Gaussian distribution $D(R)$ of the particle with average radius R

$$I(q,R) = K \int_0^{\infty} D(R)P(q,R)dR$$

where K is a scaling constant (depending on the incoming beam flux, the particle concentration and the particle contrast), $P(q,R)$ is the form factor for a spherical object.^{3, 4} The assumption of spherical shape is plausible here, as in solution the cubes have all possible orientations and resample to spherical objects. The best fit gave NC dimensions of $7 \pm 1 \text{ nm}$. The scattering from the colloidal 2D RP crystallites has been modelled using the expression for thin 2D slabs with a certain lateral dimension L and thickness t , vertically stacked at a distance d . [refs from our previous publication] The best fit gave a value of $d = 4.3 \text{ nm}$, $L = 10 \text{ nm}$ and $t = 1 \text{ nm}$. An average of $N = 6$ stacked slabs was obtained.

DFT calculations. Periodic boundary conditions were imposed and tier-2 numerical atom-centered orbitals (NAO) basis functions were used in conjunction with the GGA PBEsol functional,³⁶ as implemented in the FHI-aims code.³⁷ Relativistic effects were considered through the use of the scalar ZORA scheme. The initial structures for the bulk CsMX₃ phases were obtained from the Materials Project database,³⁸ considering γ -orthorhombic phases for CsPbBr₃ and CsSnI₃ (code references *mp-567629* and *mp-568570*, respectively) and the α -cubic phase for CsSnBr₃ (code reference *mp-27214*). Further details can be found in the supporting information.

Conclusions

In summary, our extensive investigation has provided significant insights into the synthesis, characterization, and properties of 2D Ruddlesden-Popper (RP) perovskite structures using tin (Sn) and lead (Pb) bromide salts as starting materials. Building upon prior research, we have effectively synthesized and refined 2D RP $[\text{R-NH}_3]_2\text{SnBr}_4$ and $[\text{R-NH}_3]_2\text{PbBr}_4$ structures employing controlled heating and cooling techniques, in conjunction with complexation involving the OLA and OA acid-base couple within a non-coordinated solvent (ODE). Our



analysis has unveiled pronounced quantum confinement effects in both $n = 1$ structures, as corroborated by UV-visible absorbance and PL measurements. Morphological examinations have substantiated the formation of nanosheets displaying anticipated aspect ratios, indicative of their inherent 2D nature.

Leveraging DFT calculations and MD simulations, we have elucidated the underlying mechanisms dictating the formation and behavior of 2D RP perovskite structures. Our simulations have provided valuable insights into the influence of temperature, dynamic ordering, and intermolecular interactions on the observed variations in d-spacing values within these structures. A comprehensive investigation into CsSnBr₃ NCs and their thin film processing has further clarified the assembly behavior, demonstrating capabilities of co-assembly to form long-range ordered superstructures.

Our findings significantly contribute to elucidating synthetic methodologies for engineering metal-halide perovskite nanostructures with tailored properties. Moreover, we provide a framework for investigating other novel materials such as germanium, bismuth halides, and metal-chalcogenide perovskite nanostructures, thus advancing the frontiers of materials science research.

Author Contributions

The manuscript was written through contributions of all authors. All authors have given approval to the final version of the manuscript. KG performed the experiments and analysis and wrote the manuscript. JNK performed the experiments and analysis. MPE, EO and JC performed the DFT calculations and reviewed and edited the manuscript. RMK & GP performed the SAXS/GIWAXS measurements and analysis. MA and BJK performed the electron microscopy measurements. LP designed and supervised the full project and wrote the manuscript.

Data availability

The data supporting this article have been included as part as ESI.

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

This work was financially supported by the Dutch Research Council (NWO), via VENI grant number VI.Veni.192.048, the Advanced Materials research program of the Zernike National Research Centre, under the Bonus Incentive Scheme of the Dutch Ministry for Education, Culture and Science, the MCIN/AEI of Spain (projects PID2020-119748GA-I00, PID2021-128569NB-I00, TED2021-131255B-C44, and CEX2019-000919-M, funded by MCIN/AEI/10.13039/501100011033 and by "ERDF A way of making Europe"), and the Generalitat

Valenciana (PROMETEO/2020/077 and MFA/2022/017). The MFA/2022/017 project is a part of the Advanced Materials programme supported by the MCIN with funding from the European Union NextGenerationEU (PRTR-C17.11) and by Generalitat Valenciana. The authors acknowledge the technical support from P. Bramwell, G.H. ten Brink, J. Baas, A. Kamp, and T. Zaharia. M.P.-E. acknowledges the PRE2021-097082 grant funded by MCIN/AEI and 'ESF Investing in your future'.

References

- M. Pitaro, E. K. Tekelenburg, S. Shao and M. A. Loi, *Adv. Mater.*, 2022, **34**, 2105844.
- I. Metcalf, S. Sidhik, H. Zhang, A. Agrawal, J. Persaud, J. Hou, J. Even and A. D. Mohite, *Chem. Rev.*, 2023, **123**, 9565-9652.
- J. Cao and F. Yan, *Energy Environ. Sci.*, 2021, **14**, 1286-1325.
- M. M. Byranvand, W. Zuo, R. Imani, M. Pazoki and M. Saliba, *Chem. Sci.*, 2022, **13**, 6766-6781.
- J. Zhao, Z. Zhang, G. Li, M. H. Aldamasy, M. Li and A. Abate, *Adv. Energy Mater.*, 2023, **13**, 2204233.
- F. Wang, X. Jiang, H. Chen, Y. Shang, H. Liu, J. Wei, W. Zhou, H. He, W. Liu and Z. Ning, *Joule*, 2018, **2**, 2732-2743.
- S. Shao, J. Liu, G. Portale, H.-H. Fang, G. R. Blake, G. H. ten Brink, L. J. A. Koster and M. A. Loi, *Adv. Energy Mater.*, 2018, **8**, 1702019.
- B. Chang, L. Wang, H. Li, L. Pan, Y. Wu, Z. Liu, Y.-N. Zhang, E. Guo and L. Yin, *ACS Energy Lett.*, 2024, **9**, 363-372.
- Q. Liu, J. Yin, B.-B. Zhang, J.-K. Chen, Y. Zhou, L.-M. Zhang, L.-M. Wang, Q. Zhao, J. Hou, J. Shu, B. Song, N. Shirahata, O. M. Bakr, O. F. Mohammed and H.-T. Sun, *J. Am. Chem. Soc.*, 2021, **143**, 5470-5480.
- Y. Li, D. Wang, Y. Yang, C. Ding, Y. Hu, F. Liu, Y. Wei, D. Liu, H. Li, G. Shi, S. Chen, H. Li, A. Fuchimoto, K. Tosa, U. Hiroki, S. Hayase, H. Wei and Q. Shen, *J. Am. Chem. Soc.*, 2024, **146**, 3094-3101.
- B.-B. Zhang, J.-K. Chen, C. Zhang, N. Shirahata and H.-T. Sun, *ACS Mater. Lett.*, 2023, **5**, 1954-1961.
- I. Chung, J.-H. Song, J. Im, J. Androulakis, C. D. Malliakas, H. Li, A. J. Freeman, J. T. Kenney and M. G. Kanatzidis, *J. Am. Chem. Soc.*, 2012, **134**, 8579-8587.
- D. H. Fabini, G. Laurita, J. S. Bechtel, C. C. Stoumpos, H. A. Evans, A. G. Kontos, Y. S. Raptis, P. Falaras, A. Van der Ven, M. G. Kanatzidis and R. Seshadri, *Journal of the American Chemical Society*, 2016, **138**, 11820-11832.
- W. Liang, Y. Li, D. Xiang, Y. Han, Q. Jiang, W. Zhang and K. Wu, *ACS Energy Lett.*, 2021, **6**, 1670-1676.
- B. Li, R. Long, Y. Xia and Q. Mi, *Angew. Chem. Int. Ed.*, 2018, **57**, 13154-13158.
- J.-M. Heo, H. Cho, S.-C. Lee, M.-H. Park, J. S. Kim, H. Kim, J. Park, Y.-H. Kim, H. J. Yun, E. Yoon, D.-H. Kim, S. Ahn, S.-J. Kwon, C.-Y. Park and T.-W. Lee, *ACS Energy Lett.*, 2022, **7**, 2807-2815.
- T. C. Jellicoe, J. M. Richter, H. F. J. Glass, M. Tabachnyk, R. Brady, S. E. Dutton, A. Rao, R. H. Friend, D. Credgington, N. C. Greenham and M. L. Böhm, *J. Am. Chem. Soc.*, 2016, **138**, 2941-2944.
- F. Liu, J. Jiang, T. Toyoda, M. A. Kamarudin, S. Hayase, R. Wang, S. Tao and Q. Shen, *ACS Applied Nano Materials*, 2021, **4**, 3958-3968.



19. K. Gahlot, S. de Graaf, H. Duim, G. Nedelcu, R. M. Koushki, M. Ahmadi, D. Gavhane, A. Lasorsa, O. De Luca, P. Rudolf, P. C. A. van der Wel, M. A. Loi, B. J. Kooi, G. Portale, J. Calbo and L. Protesescu, *Adv. Mater.*, 2022, **34**, 2201353.
20. L. N. Quan, M. Yuan, R. Comin, O. Voznyy, E. M. Beauregard, S. Hoogland, A. Buin, A. R. Kirmani, K. Zhao, A. Amassian, D. H. Kim and E. H. Sargent, *J. Am. Chem. Soc.*, 2016, **138**, 2649-2655.
21. L. Protesescu, S. Yakunin, M. I. Bodnarchuk, F. Krieg, R. Caputo, C. H. Hendon, R. X. Yang, A. Walsh and M. V. Kovalenko, *Nano Lett.*, 2015, **15**, 3692-3696.
22. A. Dey, J. Ye, A. De, E. Debroye, S. K. Ha, E. Bladt, A. S. Kshirsagar, Z. Wang, J. Yin, Y. Wang, L. N. Quan, F. Yan, M. Gao, X. Li, J. Shamsi, T. Debnath, M. Cao, M. A. Scheel, S. Kumar, J. A. Steele, M. Gerhard, L. Chouhan, K. Xu, X.-g. Wu, Y. Li, Y. Zhang, A. Dutta, C. Han, I. Vincon, A. L. Rogach, A. Nag, A. Samanta, B. A. Korgel, C.-J. Shih, D. R. Gamelin, D. H. Son, H. Zeng, H. Zhong, H. Sun, H. V. Demir, I. G. Scheblykin, I. Mora-Seró, J. K. Stolarczyk, J. Z. Zhang, J. Feldmann, J. Hofkens, J. M. Luther, J. Pérez-Prieto, L. Li, L. Manna, M. I. Bodnarchuk, M. V. Kovalenko, M. B. J. Roeffaers, N. Pradhan, O. F. Mohammed, O. M. Bakr, P. Yang, P. Müller-Buschbaum, P. V. Kamat, Q. Bao, Q. Zhang, R. Krahn, R. E. Galian, S. D. Stranks, S. Bals, V. Biju, W. A. Tisdale, Y. Yan, R. L. Z. Hoyer and L. Polavarapu, *ACS Nano*, 2021, DOI: 10.1021/acsnano.0c08903.
23. L. Protesescu, K. Gahlot and J. Meijer, *Nanoscale*, 2024, DOI: 10.1039/D3NR06075F.
24. L. Protesescu, S. Yakunin, S. Kumar, J. Bär, F. Bertolotti, N. Masciocchi, A. Guagliardi, M. Grotevent, I. Shorubalko, M. I. Bodnarchuk, C.-J. Shih and M. V. Kovalenko, *ACS Nano*, 2017, **11**, 3119-3134.
25. C. M. M. Soe, G. P. Nagabhushana, R. Shivaramaiah, H. Tsai, W. Nie, J.-C. Blancon, F. Melkonyan, D. H. Cao, B. Traoré, L. Pedesseau, M. Kepenekian, C. Katan, J. Even, T. J. Marks, A. Navrotsky, A. D. Mohite, C. C. Stoumpos and M. G. Kanatzidis, *Proc. Natl. Acad. Sci. U.S.A.*, 2019, **116**, 58-66.
26. S. Ghimire and C. Klinke, *Nanoscale*, 2021, **13**, 12394-12422.
27. W. Paritmongkol, N. S. Dahod, A. Stollmann, N. Mao, C. Settens, S.-L. Zheng and W. A. Tisdale, *Chem. Mater.*, 2019, **31**, 5592-5607.
28. S. Ghimire, K. Oldenburg, S. Bartling, R. Lesyuk and C. Klinke, *ACS Energy Lett.*, 2022, **7**, 975-983.
29. C. M. M. Soe, G. P. Nagabhushana, R. Shivaramaiah, H. Tsai, W. Nie, J.-C. Blancon, F. Melkonyan, D. H. Cao, B. Traoré, L. Pedesseau, M. Kepenekian, C. Katan, J. Even, T. J. Marks, A. Navrotsky, A. D. Mohite, C. C. Stoumpos and M. G. Kanatzidis, *Proceedings of the National Academy of Sciences*, 2019, **116**, 58-66.
30. L. Liang, H. Luo, J. Hu, H. Li and P. Gao, *Advanced Energy Materials*, 2020, **10**, 2000197.
31. E. R. Johnson, S. Keinan, P. Mori-Sánchez, J. Contreras-García, A. J. Cohen and W. Yang, *J. Am. Chem. Soc.*, 2010, **132**, 6498-6506.
32. J. Contreras-García, E. R. Johnson, S. Keinan, R. Chaudret, J.-P. Piquemal, D. N. Beratan and W. Yang, *J. Chem. Theory Comput.*, 2011, **7**, 625-632.
33. G. Nedelcu, L. Protesescu, S. Yakunin, M. I. Bodnarchuk, M. J. Grotevent and M. V. Kovalenko, *Nano Lett.*, 2015, **15**, 5635-5640.
34. C. C. Stoumpos, C. D. Malliakas, J. A. Peters, Z. Liu, M. Sebastian, J. Im, T. C. Chasapis, A. C. Wibowo, D. Y. Chung, A. J. Freeman, B. W. Wessels and M. G. Kanatzidis, *Crystal Growth & Design*, 2013, **13**, 2722-2727.
35. Y. Shynkarenko, M. I. Bodnarchuk, C. Bernasconi, Y. Berezovska, V. Verteletskyi, S. T. Ochsenbein and M. V. Kovalenko, *ACS Energy Letters*, 2019, **4**, 2703-2711.
36. J. P. Perdew, A. Ruzsinszky, G. I. Csonka, O. A. Vydrov, G. E. Scuseria, L. A. Constantin, X. Zhou and K. Burke, *Phys. Rev. Lett.*, 2008, **100**, 136406.
37. V. Blum, R. Gehrke, F. Hanke, P. Havu, V. Havu, X. Ren, K. Reuter and M. Scheffler, *Comput. Phys. Commun.*, 2009, **180**, 2175-2196.
38. A. Jain, S. P. Ong, G. Hautier, W. Chen, W. D. Richards, S. Dacek, S. Cholia, D. Gunter, D. Skinner, G. Ceder and K. A. Persson, *APL Mater.*, 2013, **1**, 011002.



university of
 groningenFaculty of science
 and engineeringZernike Institute for
 Advanced Materials

17.07.2024

Loredana Protesescu

Manuscript ID: TC-ART-05-2024-002029

TITLE: Growth Mechanism of Oleylammonium-Based Tin
 and Lead Bromide Perovskite NanostructuresDr. Loredana Protesescu
 University of Groningen
 Assistant professor of Nanomaterials
 Chemistry Zernike Institute for
 Advanced Materials
 T + 31(0)50 3637798
 Email: l.protesescu@rug.nlNijenborgh 4
 9747 AG Groningen
 P. O. Box 221
 9700 AE Groningen
 The Netherlands

Dear Dr. Matthew Blow,

I am providing the data availability statement for our manuscript titled **Growth Mechanism of Oleylammonium-Based Tin and Lead Bromide Perovskite Nanostructures** by Kushagra Gahlot, Julia N. Kraft, Manuel Pérez-Escribano, Razieh M. Koushki, Majid Ahmadi, Enrique Ortí, Bart J. Kooi, Giuseppe Portale, Joaquín Calbo, and Loredana Protesescu (corresponding author) for which we submitted the corrections.

The data supporting the findings of our study have been included as part of the Supplementary Information accompanying the manuscript. These supplementary files contain all relevant data sets, including detailed descriptions, experimental results, and any additional information necessary to reproduce the results presented in our article.

Thank you for your giving us the opportunity to revise our manuscript.

Yours sincerely,
 Loredana Protesescu,
 l.protesescu@rug.nl

