

Cite this: *Chem. Sci.*, 2020, 11, 10844

All publication charges for this article have been paid for by the Royal Society of Chemistry

Carbonization of single polyacrylonitrile chains in coordination nanopspaces†

Xiyuan Zhang,^a Takashi Kitao,^{ab} Daniele Piga,^c Ryoto Hongu,^d Silvia Bracco,^c Angiolina Comotti,^c Piero Sozzani^c and Takashi Uemura^{ab*}

It has been over half a century since polyacrylonitrile (PAN)-based carbon fibers were first developed. However, the mechanism of the carbonization reaction remains largely unknown. Structural evolution of PAN during the preoxidation reaction, a stabilization reaction, is one of the most complicated stages because many chemical reactions, including cyclization, dehydration, and cross-linking reactions, simultaneously take place. Here, we report the stabilization reaction of single PAN chains within the one-dimensional nanochannels of metal–organic frameworks (MOFs) to study an effect of interchain interactions on the stabilization process as well as the structure of the resulting ladder polymer (LP). The stabilization reaction of PAN within the MOFs could suppress the rapid generation of heat that initiates the self-catalyzed reaction and inevitably provokes many side-reactions and scission of PAN chains in the bulk state. Consequently, LP prepared within the MOFs had a more extended conjugated backbone than the bulk condition.

Received 11th April 2020

Accepted 4th June 2020

DOI: 10.1039/d0sc02048f

rsc.li/chemical-science

Introduction

Carbon fibers are extensively used in industrial fields because of their outstanding physical properties, low weight, and high chemical resistance.¹ As the most vital precursor of carbon fibers, polyacrylonitrile (PAN) and its thermal transformation have been of great interest for many researchers in the past decades.^{2–7} Among several processes, stabilization is the most complicated and time-consuming step in the preparation of carbon fibers.^{8,9} The basic forms of stabilization reactions of PAN are illustrated in Fig. 1a, where PAN transforms to ladder polymer (LP) through intrachain cyclization and dehydration reactions. However, the actual structure is more complex and consists of cross-linking, aliphatic carbon, and carbonyl groups, as confirmed by a variety of characterization methods.^{10–12} The structural relationship between LP and resulting carbon fibers has been largely unexplored; hence, it is crucial to understand the mechanism of the stabilization process and control the

structure of LP.^{13,14} However, in the bulk state, both intra- and interchain reactions proceed at the same time. Furthermore, the stabilization reaction is an exothermic process with the rapid evolution of heat, which provokes unfavorable side-reactions and scission of the polymer chains; thus, the process of stabilization is difficult to control in the bulk state.¹⁵

Confinement of polymer chains in porous materials is a feasible method to prevent the entanglement and conformational disorder occurring in bulk polymers, allowing regulation of their assembly structures.^{16–19} The stabilization reaction of PAN chains within well-defined nanopspaces should provide



Fig. 1 (a) Scheme of chemical reaction for carbon fibers and proposed structure of LP. (b) Schematic image for the stabilization reaction of single PAN chains inside the nanochannels of MOF.

^aDepartment of Advanced Materials Science, Graduate School of Frontier Sciences, The University of Tokyo, 5-1-5 Kashiwanoha, Kashiwa, Chiba 277-8561, Japan. E-mail: t-uemura@k.u-tokyo.ac.jp

^bDepartment of Applied Chemistry, Graduate School of Engineering, The University of Tokyo, 7-3-1 Hongo, Bunkyo-ku, Tokyo 113-8656, Japan

^cDepartment of Material Science, University of Milano Bicocca, Via R. Cozzi 55, 20125 Milan, Italy

^dDepartment of Synthetic Chemistry and Biological Chemistry, Graduate School of Engineering, Kyoto University, Katsura, Nishikyo-ku, Kyoto 615-8510, Japan

^eCREST, Japan Science and Technology Agency (JST), 4-1-8 Honcho, Kawaguchi, Saitama 332-0012, Japan

† Electronic supplementary information (ESI) available. See DOI: 10.1039/d0sc02048f



insight into the effect of aggregation structures of PAN on their stabilization process and the structure of LP. For this purpose, we employed metal-organic frameworks (MOFs) prepared by self-assembly of metal ions and organic ligands, which offer a wide range of applications, such as gas storage and separation, catalysis, sensing, and drug delivery.^{20–27} The characteristic features of MOFs are their high regularity, robustness, and tunable channel structures at the molecular level. Taking advantage of these features, we can attain well-defined assemblies of polymer chains within the nanochannels, where the number, orientation, and environment of polymer chains are precisely controlled.^{28–34}

Remarkable numbers of carbon materials have so far been fabricated by pyrolysis of MOFs themselves, in which micro- and nanometer-scale structural information of MOFs is transferred to the resulting carbon materials.^{35,36} The use of MOF channels as a nanosized reactor can offer opportunities to control structures of carbon materials at the molecular level, however, it has remained rare.³⁷ Here, we encapsulated PAN in the one-dimensional (1-D) nanochannels of the MOFs by *in situ* polymerization, and subsequently performed the stabilization reaction (Fig. 1b). PAN was accommodated in the nanochannels of the MOFs in a single-chain manner, allowing investigation of how the interchain interactions affect their stabilization process and the structure of the LP. Note that rapid heat release, a fatal problem for the fabrication of carbon fibers, could be suppressed within the MOFs during the stabilization reaction, leading to the formation of LP with a more extended conjugated backbone than the bulk condition.

Results and discussion

Encapsulation of PAN into MOFs

Here, we employed MOF $[\text{Al}(\text{OH})(\text{L})]_n$ (**1**; L = dicarboxylate; Fig. 2) with 1-D nanochannels as a host material because the precise control of pore size at the molecular level can be attained by changing the dicarboxylate ligands, L.³⁸ In addition, $[\text{Al}(\text{OH})(\text{L})]_n$ is highly tolerant of heat treatment at high temperature. In this work, we fabricated host-guest adducts using two MOFs with distinct channel sizes to investigate the effect of pore size on the stabilization reaction of single PAN chains. Considering the size of PAN, $[\text{Al}(\text{OH})(4,4'$ -




Fig. 2 Schematic image for the crystal structure of **1** (Al, blue; O, red; C, gray; **1a**, L = 4,4'-biphenyldicarboxylate; **1b**, L = 2,6-naphthalenedicarboxylate).

biphenyldicarboxylate)]_n (**1a**, pore size = 11.1 × 11.1 Å²) and $[\text{Al}(\text{OH})(2,6\text{-naphthalenedicarboxylate})]_n$ (**1b**, pore size = 8.5 × 8.5 Å²) can accommodate the PAN chains in a single-chain manner (Fig. 2 and S1†).

The activated MOFs were soaked in acrylonitrile monomer in the presence of azobisisobutyronitrile as an initiator followed by removal of excess monomer under reduced pressure to give the monomer adducts. Radical polymerization was then carried out at 100 °C for 24 h, affording **1** and PAN composites (**1**⊃PAN). Formation of the composites was confirmed by powder X-ray diffraction (PXRD). Despite its atactic stereoisomerism, PAN contains a partially crystalline region, where the helical polymer chains pack in a pseudo-hexagonal cell.³⁹ The diffraction patterns of **1**⊃PAN did not contain a peak ascribable to crystalline PAN (Fig. 3a). No change in the peak positions, corresponding to **1**, was observed after the polymerization. Scanning electron microscopy (SEM) showed that the morphology of the particles of **1** remained unchanged during the polymerization (Fig. S2†). In addition, the N₂ adsorption isotherms of **1**⊃PAN exhibited a decrease in the adsorption capacity compared with that of **1** (Fig. 3b and c). The overall characterizations of **1**⊃PAN confirmed that polymerization proceeded only inside the nanochannels with maintaining the framework structures.⁴⁰

PAN could be thoroughly analyzed once it was liberated from the hosts using aqueous sodium ethylenediaminetetraacetate (NaEDTA) solution. ¹H NMR and gel-permeation chromatography measurements presented the typical characteristics of



Fig. 3 (a) PXRD patterns of PAN, **1**, **1**⊃PAN, and **1**⊃LP. (b and c) N₂ adsorption isotherms of (b) **1a**, **1a**⊃PAN, **1a**⊃LP, (c) **1b**, **1b**⊃PAN, and **1b**⊃LP.



PAN without any impurities (PAN from **1a**, $M_n = 40\,000$, $M_w/M_n = 1.5$; PAN from **1b**, $M_n = 20\,000$, $M_w/M_n = 1.5$; Fig. S3–S5†). The stereoisomerism of PAN was atactic regardless of the pore size of the hosts. Based on the mass of the recovered PAN, the molar ratios between the host ligand and the monomer unit of PAN were 1 : 1.2 and 1 : 1.0 for **1a**⊃PAN and **1b**⊃PAN, respectively. This result ensures that PAN does not exceed the amount necessary to fill the nanochannels.

Stabilization reaction of PAN within **1**

The stabilization reaction of PAN proceeds around 280 °C in the bulk state, in which linear polymeric structure converts to an aromatic ladder structure. Since oxygen can facilitate the dehydration reaction along the backbone, resulting in the highly stabilized aromatic ladder structure,¹⁰ **1**⊃PAN was thermally treated at 280 °C for 24 h in air. The color of the composites of **1** including PAN was drastically changed from white to dark brown during the heating treatment. Indeed, UV-vis spectra of **1**⊃LP exhibited red-shifted absorption extending into the visible region with respect to **1**⊃PAN (Fig. S6†). Because the absorption band of LP, corresponding to $n-\pi^*$ and $\pi-\pi^*$ transitions, lies in the visible light region, this suggested the formation of LP in **1** (**1**⊃LP).⁴¹ PXRD, SEM, and N_2 adsorption measurements confirmed that the stabilization reaction proceeded within the hosts.^{29,32} The nanovessels retained their crystalline structure, as demonstrated by PXRD of **1**⊃LP (Fig. 3a). SEM showed that the morphology (size, shape, and surface) of the particles of **1** remained unchanged (Fig. S2†). The lower N_2 adsorption capacity of **1**⊃LP than that of **1** alone was indicative of the encapsulation of LP in the nanochannels (Fig. 3b and c). However, the adsorption amounts of the composites slightly increased after the transformation to LP in **1**, which would be attributed to a decrease in occupied volumes of the guest polymers through the formation of planar ladder structures.

1⊃LP was then treated with an aqueous solution of NaEDTA to decompose the hosts, providing LP as a dark brown powder. The complete removal of the hosts was confirmed using SEM-energy dispersive X-ray analysis (Fig. S7†). We first characterized the chemical structures of LP using FT-IR spectroscopy measurements. The thermal stabilization process involves the transformation of the $C\equiv N$ group into $C=N$ by cyclization process and $C=C$ unsaturation of the polymer main chain. The intensity of the $C\equiv N$ absorption band at 2241 cm^{-1} decreased while a new peak of $C=N$ and $C=C$ stretching mode around 1590 cm^{-1} , appeared (Fig. 4). This indicated that the cyclization and dehydration reactions took place within the nanochannels of **1** as is the case with the bulk condition.

The stabilization process of the neat PAN involves competitive thermal reactions, including not only cyclization and dehydration but also chain scission and cross-linking, leading to the formation of the complex structure (Fig. 1a).¹⁰

Solid-state NMR is one of the most powerful techniques for detailed structural analysis, which allowed us to explore even the complex molecular structure of LP. In the case of LP prepared from neat PAN, formation of the aromatic ladder



Fig. 4 IR spectra of neat PAN (black), LP liberated from **1a** (red) and **1b** (blue), and LP prepared from neat PAN (green).

structure was demonstrated in ^{13}C NMR by peaks around 100–160 ppm and the occurrence of oxidative reactions were detected by $C=O$ carbon resonances at about 176 ppm (Fig. 5). However, the spectra revealed that LP had an incompletely stabilized structure, as shown by an intense peak around 29 ppm, assignable to aliphatic carbons (Fig. 5 and 1b). The recovered LP from **1** also showed peaks for aromatic carbons; whereas note that almost no peak for the aliphatic carbons was observed, which highly contrasted with the neat system. These obtained results were indicative of the formation of LP with a highly conjugated ladder structure within the nanochannels of **1**. This was supported by the analysis of their microstructures using PXRD measurements. The recovered LP from **1** had a rigid backbone and showed a clear diffraction peak around 27° 2theta, corresponding to the inter-chain stacking (Fig. 6).⁴² In contrast, LP synthesized under the neat condition presented a broad peak ranging from 10° to 30° 2theta, which could be attributed to the aliphatic backbone as well as cross-linking that hindered interchain stacking. Owing to the effective interchain packing, the density of LP from **1b** was determined to be



Fig. 5 Solid-state ^{13}C NMR spectra of LP prepared from neat PAN (black) and liberated from **1a** (red) and **1b** (blue).



Conclusion

Chemical reaction pathways of PAN during the stabilization reaction have been studied theoretically and experimentally over the past few decades. However, the reaction mechanism of the stabilization reaction has remained unclear because intra- and interchain reactions take place simultaneously in the bulk state. The characteristic feature of MOFs is their tunable surface functionality at the molecular level, which enables us to control the environments of polymer chains. In this work, we have demonstrated a facile methodology for the isolation of PAN chains in a single-chain manner using the MOFs as a host, allowing investigation of how the interchain interactions affect the stabilization reaction. Isolation of PAN chains in the nanochannels achieved suppression of rapid heat generation during the stabilization reaction. As a result, we obtained LP that had a more extended conjugated system with smaller amounts of aliphatic carbons than the bulk condition. We believe that these findings could provide further insight into the transformation reaction from LP to carbon fibers to enhance their properties. Because of the regulated and extended conjugated backbone with heteroatom doped structure, the formation of LP in the MOF nanochannels would represent unique electronic and magnetic properties. We expect that LP will provide opportunities for various applications, including optoelectronic nanodevices, batteries, catalysts, electrode materials with high energy storage density.^{49–53}

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

This work was supported by the JST-CREST program (JPMJCR1321 and JPMJCR19T6), and a Grant-in-Aid for Science Research on Innovative Area “Coordination Asymmetry” (JP16H06517) and Young Scientists (JP19K15374) from the Ministry of Education, Culture, Sports, Science and Technology, Government of Japan. Financial support from the Italian Ministry of University and Research (MIUR) through the grant “Dipartimenti di Eccellenza-2017 “Materials For Energy” is gratefully acknowledged. This research was funded by the PRIN-2015CTEBBA-003 and PRIN-20173L7W8K grants.

Notes and references

- S. Chand, *J. Mater. Sci.*, 2000, **35**, 1303–1313.
- M. S. A. Rahaman, A. F. Ismail and A. Mustafa, *Polym. Degrad. Stab.*, 2007, **92**, 1421–1432.
- E. Zussman, X. Chen, W. Ding, L. Calabri, D. A. Dikin, J. P. Quintana and R. S. Ruoff, *Carbon*, 2005, **43**, 2175–2185.
- X. Liao, M. Dulle, J. M. de Souza e Silva, R. B. Wehrspohn, S. Agarwal, S. Foerster, H. Hou, P. Smith and A. Greiner, *Science*, 2019, **366**, 1376–1379.
- M. Kopeć, M. Lamson, R. Yuan, C. Tang, M. Kruk, M. Zhong, K. Matyjaszewski and T. Kowalewski, *Prog. Polym. Sci.*, 2019, **92**, 89–134.
- M. Kopeć, R. Yuan, E. Gottlieb, C. M. R. Abreu, Y. Song, Z. Wang, J. F. J. Coelho, K. Matyjaszewski and T. Kowalewski, *Macromolecules*, 2017, **50**, 2759–2767.
- B. Kumar, M. Asadi, D. Pisasale, S. Sinha-Ray, B. A. Rosen, R. Haasch, J. Abiade, A. L. Yarin and A. Salehi-Khojin, *Nat. Commun.*, 2013, **4**, 2819.
- M. Zhong, E. K. Kim, J. P. McGann, S.-E. Chun, J. F. Whitacre, M. Jaroniec, K. Matyjaszewski and T. Kowalewski, *J. Am. Chem. Soc.*, 2012, **134**, 14846–14857.
- H. Kakida and K. Tashiro, *Polym. J.*, 1997, **29**, 353–357.
- X. Liu, Y. Makita, Y.-I. Hong, Y. Nishiyama and T. Miyoshi, *Macromolecules*, 2017, **50**, 244–253.
- R. V. Ghorpade, D. W. Cho and S. C. Hong, *Carbon*, 2017, **121**, 502–511.
- N. U. Nguyen-Thai and S. C. Hong, *Macromolecules*, 2013, **46**, 5882–5889.
- E. Fitzer, W. Frohs and M. Heine, *Carbon*, 1986, **24**, 387–395.
- S. Park, S. H. Yoo, H. R. Kang, S. M. Jo, H.-I. Joh and S. Lee, *Sci. Rep.*, 2016, **6**, 27330.
- W. X. Zhang, J. Liu and G. Wu, *Carbon*, 2003, **41**, 2805–2812.
- C.-G. Wu and T. Bein, *Science*, 1994, 1013–1015.
- T. Q. Nguyen, J. J. Wu, V. Doan, B. J. Schwartz and S. H. Tolbert, *Science*, 2000, **288**, 652–656.
- P. Sozzani, S. Bracco, A. Comotti, R. Simonutti, P. Valsesia, Y. Sakamoto and O. Terasaki, *Nat. Mater.*, 2006, **5**, 545–551.
- G. Distefano, A. Comotti, S. Bracco, M. Beretta and P. Sozzani, *Angew. Chem., Int. Ed.*, 2012, **51**, 9258–9262.
- H. Furukawa, K. E. Cordova, M. O’Keeffe and O. M. Yaghi, *Science*, 2013, **341**, 1230444.
- S. Kitagawa, R. Kitaura and S. i. Noro, *Angew. Chem., Int. Ed.*, 2004, **43**, 2334–2375.
- G. Férey, C. Serre, T. Devic, G. Maurin, H. Jobic, P. L. Llewellyn, G. De Weireld, A. Vimont, M. Daturi and J. S. Chang, *Chem. Soc. Rev.*, 2011, **40**, 550–562.
- J.-R. Li, R. J. Kuppler and H.-C. Zhou, *Chem. Soc. Rev.*, 2009, **38**, 1477–1504.
- K. Sumida, D. L. Rogow, J. A. Mason, T. M. McDonald, E. D. Bloch, Z. R. Herm, T. H. Bae and J. R. Long, *Chem. Rev.*, 2012, **112**, 724–781.
- L. E. Kreno, K. Leong, O. K. Farha, M. Allendorf, R. P. Van Duyne and J. T. Hupp, *Chem. Rev.*, 2012, **112**, 1105–1125.
- C. He, D. Liu and W. Lin, *Chem. Rev.*, 2015, **115**, 11079–11108.
- R. J. Comito, Z. Wu, G. Zhang, J. A. Lawrence III, M. D. Korzyński, J. A. Kehl, J. T. Miller and M. Dincă, *Angew. Chem., Int. Ed.*, 2018, **57**, 8135–8139.
- B. V. K. J. Schmidt, *Macromol. Rapid Commun.*, 2020, **41**, 1900333.
- H.-C. Lee, J. Hwang, U. Schilde, M. Antonietti, K. Matyjaszewski and B. V. K. J. Schmidt, *Chem. Mater.*, 2018, **30**, 2983–2994.
- T. Kitao, Y. Zhang, S. Kitagawa, B. Wang and T. Uemura, *Chem. Soc. Rev.*, 2017, **46**, 3108–3133.



- 31 T. S. Wang, M. Farajollahi, S. Henke, T. T. Zhu, S. R. Bajpe, S. J. Sun, J. S. Barnard, J. S. Lee, J. D. W. Madden, A. K. Cheetham and S. K. Smoukov, *Mater. Horiz.*, 2017, **4**, 64–71.
- 32 N. Ding, H. Li, X. Feng, Q. Wang, S. Wang, L. Ma, J. Zhou and B. Wang, *J. Am. Chem. Soc.*, 2016, **138**, 10100–10103.
- 33 M. Kalaj, K. C. Bentz, S. Ayala, J. M. Palomba, K. S. Barcus, Y. Katayama and S. M. Cohen, *Chem. Rev.*, 2020, DOI: 10.1021/acs.chemrev.9b00575.
- 34 P. Duan, J. C. Moreton, S. R. Tavares, R. Semino, G. Maurin, S. M. Cohen and K. Schmidt-Rohr, *J. Am. Chem. Soc.*, 2019, **141**, 7589–7595.
- 35 F. Marpaung, M. Kim, J. H. Khan, K. Konstantinov, Y. Yamauchi, M. S. A. Hossain, J. Na and J. Kim, *Chem.–Asian J.*, 2019, **14**, 1331–1343.
- 36 H.-F. Wang, L. Chen, H. Pang, S. Kaskel and Q. Xu, *Chem. Soc. Rev.*, 2020, **49**, 1414–1448.
- 37 T. Kitao, M. W. A. MacLean, K. Nakata, M. Takayanagi, M. Nagaoka and T. Uemura, *J. Am. Chem. Soc.*, 2020, **142**, 5509–5514.
- 38 I. Senkovska, F. Hoffmann, M. Fröba, J. Getzschmann, W. Böhlmann and S. Kaskel, *Microporous Mesoporous Mater.*, 2009, **122**, 93–98.
- 39 X. D. Liu and W. Ruland, *Macromolecules*, 1993, **26**, 3030–3036.
- 40 J. Hwang, H. C. Lee, M. Antonietti and B. V. K. J. Schmidt, *Polym. Chem.*, 2017, **8**, 6204–6208.
- 41 T. Sun, Y. Hou and H. Wang, *J. Appl. Polym. Sci.*, 2010, **118**, 462–468.
- 42 J. Liu, P. Zhou, L. Zhang, Z. Ma, J. Liang and H. Fong, *Carbon*, 2009, **47**, 1087–1095.
- 43 Y. Wang, L. Xu, M. Wang, W. Pang and X. Ge, *Macromolecules*, 2014, **47**, 3901–3908.
- 44 J. Wang, L. Y. Hu, C. L. Yang, W. Z. Zhao and Y. G. Lu, *RSC Adv.*, 2016, **6**, 73404–73411.
- 45 T. Usami, T. Itoh, H. Ohtani and S. Tsuge, *Macromolecules*, 1990, **23**, 2460–2465.
- 46 A. Comotti, S. Bracco, M. Beretta, J. Perego, M. Gemmi and P. Sozzani, *Chem.–Eur. J.*, 2015, **21**, 18209–18217.
- 47 A. Comotti, S. Bracco, M. Mauri, S. Mottadelli, T. Ben, S. Qiu and P. Sozzani, *Angew. Chem., Int. Ed.*, 2012, **51**, 10136–10140.
- 48 B. L. Huang, A. J. H. McGaughey and M. Kaviani, *Int. J. Heat Mass Transfer*, 2007, **50**, 393–404.
- 49 S. Wei, L. Ma, K. E. Hendrickson, Z. Tu and L. A. Archer, *J. Am. Chem. Soc.*, 2015, **137**, 12143–12152.
- 50 X. J. Liao, Y. C. Ding, L. L. Chen, W. Ye, J. Zhu, H. Fang and H. Q. Hou, *Chem. Commun.*, 2015, **51**, 10127–10130.
- 51 J. L. Wang, J. Yang, C. R. Wan, K. Du, J. Y. Xie and N. X. Xu, *Adv. Funct. Mater.*, 2003, **13**, 487–492.
- 52 P. Ruffieux, S. Wang, B. Yang, C. Sánchez-Sánchez, J. Liu, T. Dienel, L. Talirz, P. Shinde, C. A. Pignedoli, D. Passerone, T. Dumsclaff, X. Feng, K. Müllen and R. Fasel, *Nature*, 2016, **531**, 489–492.
- 53 D. Guo, R. Shibuya, C. Akiba, S. Saji, T. Kondo and J. Nakamura, *Science*, 2016, **351**, 361–365.

