


# Nanoscale Advances

[rsc.li/nanoscale-advances](http://rsc.li/nanoscale-advances)



ISSN 2516-0230

## MINIREVIEW

Cheng-Yu Wang, Tomoyuki Kurioka, Yung-Jung Hsu *et al.*  
Manipulation of interfacial charge dynamics for metal-organic frameworks toward advanced photocatalytic applications



Cite this: *Nanoscale Adv.*, 2024, **6**, 1039

## Manipulation of interfacial charge dynamics for metal–organic frameworks toward advanced photocatalytic applications

Chien-Yi Wang,<sup>†a</sup> Huai-En Chang,<sup>†a</sup> Cheng-Yu Wang,<sup>ID \*a</sup> Tomoyuki Kurioka,<sup>\*b</sup> Chun-Yi Chen,<sup>ID b</sup> Tso-Fu Mark Chang,<sup>b</sup> Masato Sone<sup>b</sup> and Yung-Jung Hsu<sup>ID \*acd</sup>

Compared to other known materials, metal–organic frameworks (MOFs) have the highest surface area and the lowest densities; as a result, MOFs are advantageous in numerous technological applications, especially in the area of photocatalysis. Photocatalysis shows tantalizing potential to fulfill global energy demands, reduce greenhouse effects, and resolve environmental contamination problems. To exploit highly active photocatalysts, it is important to determine the fate of photoexcited charge carriers and identify the most decisive charge transfer pathway. Methods to modulate charge dynamics and manipulate carrier behaviors may pave a new avenue for the intelligent design of MOF-based photocatalysts for widespread applications. By summarizing the recent developments in the modulation of interfacial charge dynamics for MOF-based photocatalysts, this minireview can deliver inspiring insights to help researchers harness the merits of MOFs and create versatile photocatalytic systems.

Received 29th September 2023  
Accepted 15th November 2023

DOI: 10.1039/d3na00837a  
[rsc.li/nanoscale-advances](http://rsc.li/nanoscale-advances)

### 1. Introduction

Metal–organic frameworks (MOFs) have drawn attention as promising photocatalysts due to their unique properties, including adjustable light-harvesting over a broad range, intrinsically pronounced charge separation favorable for photoelectric conversion, and high surface area enabling easy accessibility to reactants.<sup>1–4</sup> By combining the advantages of organic and inorganic properties, MOFs introduce themselves as an excellent platform for photocatalysis. The metal nodes occupied by coordinated organic linkers are generally less

<sup>a</sup>Department of Materials Science and Engineering, National Yang Ming Chiao Tung University, Hsinchu 300093, Taiwan. E-mail: chengyuwang@nycu.edu.tw; yhsu@nycu.edu.tw; yhsu@cc.nctu.edu.tw

<sup>b</sup>Institute of Innovative Research, Tokyo Institute of Technology, Kanagawa 226-8503, Japan. E-mail: kurioka.t.aa@m.titech.ac.jp

<sup>c</sup>Center for Emergent Functional Matter Science, National Yang Ming Chiao Tung University, Hsinchu 300093, Taiwan

<sup>d</sup>International Research Frontiers Initiative, Institute of Innovative Research, Tokyo Institute of Technology, Kanagawa 226-8503, Japan

† These authors contributed equally.



Chien-Yi Wang

Chien-Yi Wang received his bachelor's degree in Industrial Engineering and Management from National Yang Ming Chiao Tung University, Taiwan, in 2020. He is presently a PhD student in Department of Materials Science and Engineering at National Yang Ming Chiao Tung University under the supervision of Professor Yung-Jung Hsu. He is currently working on the research topics of metal–organic frameworks and their heterostructures for applications in photocatalysis and electrocatalysis.



Huai-En Chang

Huai-En Chang received his bachelor's degree in Materials Science and Engineering from National Yang Ming Chiao Tung University, Taiwan, in 2019. Currently, he is pursuing his PhD degree under the supervision of Prof. Yung-Jung Hsu in the Department of Materials Science and Engineering at National Yang Ming Chiao Tung University. He specializes in the synthesis and characterizations of core–shell and yolk–shell nanostructures comprising metal core/yolk and semiconductor shell, as well as the applications in the field of photocatalysis and environmental purification.



active,<sup>5,6</sup> and can be engineered to render functional sites by defect introduction. In this regard, a workable method to supply more exposed active metal sites in MOFs is to incorporate coordinatively unsaturated open metal sites, which can effectively improve the photocatalytic performance of MOFs.<sup>7,8</sup> Moreover, maneuvering the organic linkers can consolidate the utility of MOFs as photocatalysts; research has demonstrated that this is a reliable approach to tailoring the photocatalytic properties. For example, functionalization of organic linkers can adjust the band structure of MOFs, expanding the light absorption range to enable broadband photon harvesting. The introduction of specific functional groups can also affect the excited state dynamics of MOFs to modulate charge transfer dynamics, offering new opportunities to tailor the photocatalytic properties.<sup>9</sup>



Cheng-Yu Wang

National Chiao Tung University and started an independent academic career in 2017. His research mainly involves metal-organic framework and its applications in hydrogen storage, including room-temperature adsorption and hydride dehydrogenation, CO<sub>2</sub> capture, and CO<sub>2</sub> reduction.



Chun-Yi Chen

2015 to 2023, she was a Specially Appointed Assistant Professor with Precision and Intelligence Laboratory in Tokyo Institute of Technology. Since 2023, she has been a Specially Appointed Lecturer in Tokyo Institute of Technology.

*Cheng-Yu Wang is the Associate Professor at the Department of Materials Science and Engineering, National Yang Ming Chiao Tung University, Taiwan. He received a bachelor's degree in Chemical Engineering and a master's degree in Materials Science and Engineering from National Taiwan University, Taiwan, and a PhD degree in Energy and Mineral Engineering from Pennsylvania State University, USA. He joined*

As a potential candidate for photocatalysts, MOFs possess an intriguing mechanism associated with charge carrier generation and migration. Typically, the organic linkers of MOFs act as an antenna to absorb the photon energy, producing electron-hole pairs on the lowest unoccupied molecular orbital (LUMO) and the highest occupied molecular orbital (HOMO).<sup>10</sup> The photoexcited charge carriers can be separated through a ligand-to-metal charge transfer (LMCT) pathway for further participation in desired catalytic reactions.<sup>11,12</sup> The efficiency of MOFs as photocatalysts depends on the electronic properties of the metal nodes and the organic ligands, which determine the light absorption range, the redox potential, and the dynamics of charge separation and transfer. By careful design and functionalization, MOFs can be tailored to optimize these properties, thus enhancing their photocatalytic performance for a wide range of applications, including dye degradation,<sup>13</sup> water



Tomoyuki Kurioka

*Tomoyuki Kurioka was born in 1993 in Shimane, Japan. He received his bachelor's degree in March 2017 and his PhD in March 2022 from Tokyo Institute of Technology, Japan. From April 2022, he joined Professor Masato Sone and Professor Tso-Fu Mark Chang's research group, and started to work as an Assistant Professor at Institute of Innovative Research, Tokyo Institute of Technology, Japan. His research interests include*


*fabrication of hybrid materials composed of  $\pi$ -conjugated polymers and various materials, mechanism studies on the dynamics of their electron transfer behaviors, and their catalytic applications toward environmentally friendly chemical reactions.*



Tso-Fu Mark Chang

*Tso-Fu Mark Chang received B.A.Sc. degree in chemical engineering and applied chemistry from the University of Toronto in 2004, M.Eng. degree in chemical engineering from National Tsing Hua University in 2007, and M.Eng. and PhD degrees in materials sciences and engineering from Tokyo Institute of Technology in 2011 and 2012, respectively. From 2007 to 2009, he was an Engineer with DuPont Taiwan. From 2012 to 2016, he was an Assistant Professor with Precision and Intelligence Laboratory in Tokyo Institute of Technology. Since 2021, he has been an Associate Professor with Institute of Innovative Research in Tokyo Institute of Technology.*





Scheme 1 Schematic illustration for engineering, photocatalysis and charge dynamics of MOF-based photocatalysts.

splitting,<sup>14</sup> CO<sub>2</sub> reduction,<sup>15</sup> and N<sub>2</sub> reduction.<sup>16</sup> Interfacial charge dynamics are particularly important to the utility of MOFs as photocatalysts because they dictate charge transfer and carrier utilization, the two key processes associated with photocatalytic reactions. After light irradiation, the

photoexcited charge carriers can migrate from the interior of photocatalysts to the surface and participate in redox reactions. However, considerable charge recombination, inherently competes with charge transfer processes, endangering charge carrier utilization and lowering photocatalytic activity. It is



Masato Sone

*Masato Sone received his doctor degree of engineering at Tokyo Institute of Technology in 1996. He worked as a Researcher in Nippon Oil Company from 1996–2000. He was an Assistant Professor and then a Research Associate Professor at Tokyo University of Agriculture & Technology from 2000 to 2005. In 2005, he was an Associate Professor at Tokyo Institute of Technology, and he was promoted to Professor in 2017.*

*His recent research topics include development of novel electro-deposition process towards the application of MEMS technology and the evaluation method of physical properties of the electro-deposited materials.*



Yung-Jung Hsu

*Yung-Jung Hsu is a Professor at Department of Materials Science and Engineering, National Yang Ming Chiao Tung University, Taiwan. He also serves as a Specially Appointed Professor at Institute of Innovative Research, Tokyo Institute of Technology, Japan. He received bachelor's degree and PhD degree in Chemical Engineering from National Tsing Hua University in Taiwan. After working as a postdoctoral fellow*

*at National Tsing Hua University, he joined National Chiao Tung University and started an independent research career in 2007. His research interests include design of advanced nanostructures, investigation of interfacial charge carrier dynamics, and development of renewable energy technology.*

crucial to comprehend how these charge carriers are transported, trapped, and recombined to optimize the resultant photocatalytic properties.<sup>17</sup> Knowing the fate of photoexcited charge carriers and identifying the most decisive charge transfer pathway can therefore provide critical insights into exploiting MOF-based nanostructures as photocatalysts. Methods to modulate charge dynamics and even manipulate carrier behaviors may provide new opportunities for the intelligent design of MOF-based photocatalysts for advanced applications. However, knowledge and methods to manipulate interfacial charge dynamics for MOF-based photocatalysts remain in their infancy. In pursuit of intelligent design of MOF-based photocatalysts, a comprehensive overview of research advances in this topic is necessary.

In the last three years, many reviews have been published on topics associated with MOF-based photocatalysts. These reviews mainly presented a summary of synthetic approaches,<sup>18–21</sup> highlights of specific photocatalytic applications,<sup>14,16,22–24</sup> and comprehensive strategies for improving photocatalytic activity.<sup>25–31</sup> The role of interfacial charge dynamics for MOFs in photocatalytic reactions has only been highlighted in two relevant reviews, which were published in 2020.<sup>32,33</sup> Reviews summarizing the recent developments in the modulation of the interfacial charge dynamics of MOF-based photocatalysts for activity optimization remain scarce. As depicted in Scheme 1, this minireview aims to recapitulate the recent developments in strategies and approaches that can be used to modulate the interfacial charge dynamics of MOF-based photocatalysts and optimize photocatalytic efficiency. Section 2 of this minireview introduces the fundamental principles that underlie ultrafast laser spectroscopic techniques, including time-resolved photoluminescence (PL) and transient absorption (TA) spectroscopy, to identify interfacial charge dynamics of semiconductor nanostructures. Section 3 highlights how the composition of metal ions and organic linkers affect the charge transfer dynamics of MOFs along with their implications for photocatalytic properties. Section 4 discusses approaches used to introduce heterojunctions into MOFs to modulate interfacial charge dynamics and optimize photocatalytic performance. Section 5 further highlights photocatalytic studies on covalent organic frameworks (COFs), which are analogous to MOFs except for the composition of metal nodes, to convey inspirational information. This minireview ends with new insights into tactics used to manipulate the interfacial charge dynamics of MOFs, which may help shape the future of MOF-based photocatalysts.

## 2. Principles of time-resolved PL and TA

Ultrafast laser spectroscopic techniques have been intensively employed to inspect interfacial charge dynamics for semiconductor nanostructures, especially those used for photocatalytic reactions.<sup>17,34</sup> By interrogating time-resolved PL and TA data as a function of time and wavelength, dynamics can be elucidated for the excited states of samples. For time-resolved

PL spectroscopic measurements, the samples are usually excited by a pulsed laser of picosecond widths. The emitted photons at a selected wavelength are detected and counted as a sequence of detection events in a single-photon counting configuration. A histogram of the detection events is then established by recording the time between the excitation pulse and arriving photons, from which the time-domain PL decay data can be obtained. Because the emitted photons originate from the recombination of photoexcited electrons and holes, the kinetics of the recorded PL decay describe the lifespan of the photoexcited charge carriers. These data can be further analysed with a pseudo-first-order kinetics model to obtain a lifetime component characteristic for the fate of charge carriers that occur in the excited state before relaxing to the ground state. Due to the pseudo-first-order kinetics consideration, the reciprocal of the lifetime component equates to the rate constant in a specific carrier relaxation pathway. By analysing the time-resolved PL data, a quantitative examination of the specific charge transfer pathway can be readily carried out.<sup>35,36</sup> However, most semiconductor nanostructures have low PL quantum yields. The quality of the recorded time-resolved PL data is therefore low; thus, further data analysis and interpretation is difficult.

In addition to time-resolved PL, TA spectroscopy also adds itself into the toolbox of inspecting charge transfer dynamics for semiconductor nanostructures. The TA technique uses a pump laser of short pulses (femtosecond to nanosecond) to excite charge carriers of the samples. After a certain delay, an additional probe laser is employed to monitor the fate of these charge carriers. By varying the delay between the probe and the pump laser, the optical absorption change ( $\Delta A$ ) in the sample as a function of time and wavelength can be received. The  $\Delta A$  profile at a specific wavelength contains dynamic information on the deactivation processes for the excited state. By carefully analyzing the  $\Delta A$  profile with a delicate kinetics model, the potentially involved carrier relaxation event can be interrogated to convey quantitative information. Compared with time-resolved PL, TA can better identify specific carrier relaxation processes, especially those involving nonradiative pathways. This feature is particularly important when investigating interfacial charge dynamics for semiconductor photocatalysts because interfacial charge transfer pathways are intrinsically nonradiative. In the following sections, we summarize various approaches that have been adopted to modulate the interfacial charge dynamics of MOF-based photocatalysts. With the use of time-resolved PL and TA spectroscopy, the charge transfer dynamics of the samples can be quantitatively described to offer global feedback for further performance optimization.

## 3. Effect of composition

MOFs consist of metal nodes coordinated with organic linkers. By varying the metal and organic composition, the interfacial charge dynamics of MOFs can be modulated to tailor the resultant photocatalytic properties. Various modification approaches have been employed to generate MOFs with varied compositions, such as substituting central metal,<sup>37–39</sup> replacing



organic linkers,<sup>40,41</sup> and inducing unsaturated, defective sites.<sup>42,43</sup> We introduce several representative works in this section to emphasize the importance of the composition effect on the interfacial charge dynamics for MOF-based photocatalysts.

### 3.1 Engineering of metal nodes

Engineering metallic sites are the perfect starting point to create MOFs with a variety of functionalities due to their modular architecture and flexibility. Introducing specific metal sites can not only facilitate interfacial charge transfer dynamics for MOFs but also endow MOFs with enriched catalytically active centres. Jiang and coworkers designed dual metal sites for MOFs composed of  $[\text{Sr}(\text{NH}_2\text{-BDC})(\text{DMF})]_n$  for applications in photocatalytic  $\text{NH}_3$  synthesis.<sup>37</sup> Photocatalytic  $\text{NH}_3$  synthesis from  $\text{N}_2$  is a carbon-neutral strategy, although its efficiency is impeded by the activation of inert triple bonds. In  $\text{N}_2$  activation, the mechanism can be divided into two processes. The empty d orbital of the metal accepts one electron from the  $\sigma_g$  bonding orbital of  $\text{N}_2$ . Afterward, the occupied d orbital back-donates another electron to the  $\pi_g^*$  antibonding orbital of  $\text{N}_2$ . Strong electron acceptance and active sites with donation capacity are needed to coordinate these two processes. The ionization potential (IP) can be viewed as a descriptor of electron acceptance and donation capacity.<sup>44</sup> According to the theory of hard and soft acids and bases (HSAB),<sup>45</sup> the hard acid with a high IP value possesses strong electron acceptability, while the soft acid with a low IP value prefers to donate electrons. Therefore, to enhance  $\text{N}_2$  activation, a promising strategy could involve the deliberate design of bimetallic active sites within a MOF-based photocatalyst. These bimetallic sites should exhibit distinct electron acceptability, featuring one metal with strong electron-accepting properties and another with weaker electron acceptability. This approach aims to uncouple the processes of electron acceptance and donation during the  $\pi$  back-donation procedure, potentially leading to more efficient  $\text{N}_2$  activation. The metals in the active state are screened by the IP in the order of  $\text{Ba}^+ < \text{Sr}^+ < \text{Co}^+ < \text{Zn}^+ < \text{Ru}^{2+} < \text{Fe}^{2+}$ , classified into soft acids, borderline acids, and hard acids. In this regard, bimetallic organic framework (BMOF) combinations with gradient IP values are selected for study.

A typical scanning electron microscopy (SEM) image in Fig. 1a shows that BMOF(Sr)-0.2Fe forms a well-defined crystalline structure and exhibits a prism morphology with clear edges. The crystalline structure is well maintained, as shown by the high-resolution transmission electron microscopy (HRTEM) image in Fig. 1b. As shown in Fig. 1c, different bimetallic combinations of soft and hard acids distinctly impact the  $\text{NH}_3$  evolution rate. BMOF(Sr)-0.2Fe, BMOF(Sr)-0.2Co, BMOF(Sr)-0.2Ba, BMOF(Ru)-0.2Fe, BMOF(Co)-0.2Fe, and BMOF(Co)-0.2Zn can produce 780, 659, 292, 55, 517, and 172  $\mu\text{mol g}^{-1} \text{h}^{-1}$   $\text{NH}_3$ , respectively. The BMOF samples that simultaneously contain two metal nodes with evident differences in hardness, such as BMOF(Sr)-0.2Fe, BMOF(Sr)-0.2Co, and BMOF(Co)-0.2Fe, exhibit much better photocatalytic activity than those constructed by two metal nodes with similar hardness. It can be

found that the bimetal synergistic effect emerges only when an electron acceptability difference is large enough between the two kinds of metal nodes, which can be quantified by the ionization potential difference ( $\Delta\text{IP}$ ).

Time-resolved PL analysis was conducted to explore the charge transfer behavior of BMOFs. According to the PL decay curves shown in Fig. 1d, the average PL lifetimes of MOF(Sr), BMOF(Sr)-0.05Fe, BMOF(Sr)-0.1Fe, BMOF(Sr)-0.15Fe, BMOF(Sr)-0.2Fe, and BMOF(Sr)-0.25Fe were 2.26, 3.02, 4.96, 6.68, 6.92, and 2.20 ns, respectively. This result indicated that an appropriate content of hard acid metal can lengthen the photoexcited carrier lifetime. Furthermore, the excess incorporation may form an electron trap and decrease the separation efficiency of the photoexcited charge carriers. Importantly, the  $\Delta\text{IP}$  value between the bimetal nodes greatly influenced the photoexcited carrier lifetime. The large  $\Delta\text{IP}$  value may have a positive effect on suppressing carrier recombination, resulting in a prolonged carrier lifetime. As shown in Fig. 1e, BMOF(Sr)-0.2Fe (soft and hard acid) exhibited a longer carrier lifetime than that of BMOF(Sr)-0.2Co (soft and borderline acid) and BMOF(Sr)-0.2Ba (soft and soft acid). The very prolonged carrier lifetime for BMOF(Sr)-0.2Fe accounted for its superior performance in photocatalytic  $\text{NH}_3$  synthesis.

Liu *et al.* proposed a two-step self-assembly process that is simple and effective to functionalize UiO-67(bpydc) with Ru-based photosensitizers and Co catalytic sites.<sup>38</sup> The resulting  $(\text{Co}/\text{Ru})_n\text{-UiO-67(bpydc)}$  provided a molecular platform to enable fast multielectron injection from photosensitizers through the basal MOFs; in addition, the platform provides catalytic centres, achieving efficient syngas production from photocatalytic  $\text{CO}_2$  reduction with a yield of 13 600  $\mu\text{mol g}^{-1}$




Fig. 1 (a) SEM and (b) HRTEM images for BMOF(Sr)-0.2Fe. (c) Results of photocatalytic  $\text{NH}_3$  synthesis under white light illumination on various BMOFs samples. (d) Time-resolved PL data of MOF(Sr) and various BMOF(Sr) samples. (e) Time-resolved PL data of BMOF(Sr)-0.2Fe, BMOF(Sr)-0.2Co and BMOF(Sr)-0.2Ba. Reproduced with permission from ref. 37. Copyright 2021, American Chemical Society.






Fig. 2 (a) Results of photocatalytic  $\text{CO}_2$  reduction under visible light illumination over  $(\text{Co/Ru})_{2.4}\text{-UiO-67}(\text{bpydc})$  and the corresponding homogeneous counterparts. (b) Time-resolved PL spectra of  $(\text{Co/Ru})_{2.4}\text{-UiO-67}(\text{bpydc})$  and  $\text{Ru}_{0.3}\text{-UiO-67}(\text{bpydc})$ . Excitation and emission wavelength were 450 nm and 700 nm, respectively. (c) Proposed mechanism of interfacial charge transfer. Reproduced with permission from ref. 38. Copyright 2019, Elsevier.

( $\text{H}_2 : \text{CO} = 2 : 1$ ) in 16 h. This performance was almost 30- and 20-fold higher than that of the homogeneous counterparts of  $\text{Co}^{2+}/[\text{Ru}(\text{bpy})_3]^{2+}$  and  $\text{Co}(\text{bpy})/[\text{Ru}(\text{bpy})_3]^{2+}$ , respectively. The results of the microstructural investigation suggested that Ru, Zr, and Co elements were uniformly distributed in the modified MOFs. The ratio of Co/Ru significantly influenced the ratio of the produced  $\text{H}_2/\text{CO}$ , which can be systematically adjusted from 3.0 to 1.9. Compared to  $(\text{Co/Ru})_{2.4}\text{-UiO-67}(\text{bpydc})$ , the homogeneous counterparts, *i.e.*,  $\text{Co}^{2+}/[\text{Ru}(\text{bpy})_3]^{2+}$  and  $\text{Co}(\text{bpy})/[\text{Ru}(\text{bpy})_3]^{2+}$ , exhibited much lower yields of  $\text{CO}/\text{H}_2$  production (Fig. 2a). Time-resolved PL data confirm that the introduced Co sites can accelerate the PL decay of the excited states of Ru-UiO-67(bpy)<sub>3</sub>, shortening its carrier lifetime from 25.4 ns to 13.1 ns (Fig. 2b). This observation confirmed that efficient electron transfer occurred from the Ru-based photosensitizers to the Co catalytic sites (Fig. 2c), which can account for the greatly enhanced photocatalytic activity of  $(\text{Co/Ru})_{2.4}\text{-UiO-67}(\text{bpydc})$ .

In the other study by Lin *et al.*,<sup>39</sup> a  $\text{FeNi}_x$  BMOF composed of Prussian blue analogs (PBA) was synthesized to perform photocatalytic  $\text{CO}_2$  reduction. A trade-off effect from the synergy of the two metal sites was demonstrated to optimize the performance of  $\text{CO}_2$  reduction. The synergy is based on the distinct functionalities of Fe and Ni. Fe functions as a mediator to promote interfacial electron transfer, while Ni works as the active site to enable  $\text{CO}_2$  adsorption and reduction. Time-resolved PL data suggested enhanced charge transfer from photosensitizer to  $\text{FeNi}_x$ -PBA with increasing Fe content. By delicately adjusting the number of Fe and Ni sites in MOFs, a high CO yield along with a nearly 100% CO selectivity can be achieved.

### 3.2 Modification of organic linkers

By altering the composition of organic linkers, the bandgap of MOFs can be reduced to harvest an increased number of photons from the solar spectrum; this method was demonstrated to be an efficient strategy to tailor the photocatalytic properties of MOFs.<sup>46</sup> This approach further gestates a conception involving the selection of specific substituent groups to

modify the organic linkers of MOFs; thus, a capacity for visible light absorption is achieved. The successful substituent groups include  $-\text{NH}_2$ ,  $-\text{OH}$ ,  $-\text{SH}$ , and  $-\text{NO}_2$ .<sup>47-49</sup> On the other hand, modification of organic linkers can tailor the band structure of MOFs to modulate interfacial charge transfer dynamics. This strategy also offers an effective route for optimizing the photocatalytic properties of MOFs. In Chen's study,<sup>40</sup> two linkers,  $\text{H}_2\text{BDC-(SCH}_3)_2$  and  $\text{H}_2\text{BDC-(SOCH}_3)_2$ , with different ratios were introduced to UiO-66 (Zr) through post-oxidation and direct synthesis, producing mixed-linker UiO-66-( $\text{SCH}_3$ )<sub>2-x</sub> ( $x = 4, 9, 12$ , representing post-oxidation hours) and UiO-66-( $\text{SOCH}_3$ )<sub>x</sub>-( $\text{SCH}_3$ )<sub>2-x</sub>, respectively. Pt was photodeposited on these MOFs to serve as a cocatalyst for photocatalytic  $\text{H}_2$  production (Fig. 3a). In Fig. 3b, the photocatalytic  $\text{H}_2$  production of the three mixed-linker Pt/UiO-66-( $\text{SCH}_3$ )<sub>2-x</sub> and single-linker Pt/UiO-66-( $\text{SCH}_3$ )<sub>2</sub> was compared. Pt/UiO-66-( $\text{SCH}_3$ )<sub>2</sub> exhibited the maximum rate of  $\text{H}_2$  production, which was approximately 4.8 times that of Pt/UiO-66-( $\text{SCH}_3$ )<sub>2</sub>. On the other hand, compared to the single-linker UiO-66-( $\text{SOCH}_3$ ) and UiO-66-( $\text{SCH}_3$ ), UiO-66-( $\text{SOCH}_3$ )<sub>x</sub>( $\text{SCH}_3$ )<sub>2-x</sub> ( $x = 0.4, 0.6$ ) exhibited markedly improved photocatalytic abilities (Fig. 3c). Notably, the percentage of BDC-( $\text{SOCH}_3$ )<sub>2</sub> (23.9%) in UiO-66-( $\text{SOCH}_3$ )<sub>0.4</sub>( $\text{SCH}_3$ )<sub>1.6</sub> is almost identical to that of BDC-( $\text{SOCH}_3$ )<sub>2</sub> (24.4%) in UiO-66-( $\text{SCH}_3$ )<sub>2</sub>-9h. However, the photocatalytic  $\text{H}_2$  evolution rate of UiO-66-( $\text{SOCH}_3$ )<sub>0.4</sub>( $\text{SCH}_3$ )<sub>1.6</sub> is half of that of UiO-66-( $\text{SCH}_3$ )<sub>2</sub>-9h. The performance difference between these two isostructural complexes further reveals the fundamentally different charge transfer dynamics involved.




Fig. 3 (a) HRTEM image of Pt/UiO-66-( $\text{SCH}_3$ )<sub>2</sub>-9h deposited with Pt. Results of photocatalytic  $\text{H}_2$  production under visible light illumination over (b) Pt/UiO-66-( $\text{SCH}_3$ )<sub>2</sub> and Pt/UiO-66-( $\text{SCH}_3$ )<sub>2-x</sub>, (c) Pt/UiO-66-( $\text{SOCH}_3$ )<sub>x</sub>( $\text{SCH}_3$ )<sub>2-x</sub> ( $x = 0, 0.4, 0.6, 2$ ). (d) TA spectra at various probe delays and wavelengths for UiO-66-( $\text{SCH}_3$ )<sub>2</sub>, UiO-66-( $\text{SOCH}_3$ )<sub>0.4</sub>( $\text{SCH}_3$ )<sub>1.6</sub>, and UiO-66-( $\text{SCH}_3$ )<sub>2</sub>-9h. (e) Corresponding kinetic traces at 640 nm. The pump wavelength was 400 nm. (f) Proposed mechanism of interfacial charge transfer for UiO-66-( $\text{SCH}_3$ )<sub>2-x</sub>h. Reproduced with permission from ref. 40. Copyright 2021, American Chemical Society.



This marked difference was ascribed to the distinctive molecular structure at the MOF surface. During the post-oxidation process for  $\text{UiO-66-(SCH}_3)_2\text{-xh}$ , the  $-\text{SCH}_3$  groups on the MOF surface were preferentially oxidized. The resulting  $-\text{SOCH}_3$  groups were concentrated on the surface of  $\text{UiO-66-(SCH}_3)_2\text{-9h}$ , which differs from the uniform distribution of  $-\text{SOCH}_3$  in the whole structure of  $\text{UiO-66-(SOCH}_3)_{0.4}(\text{SCH}_3)_{1.6}$ . The former localized molecular structure was feasible for reactant access and charge transfer. Hence, the  $\text{H}_2$  generation rate of  $\text{UiO-66-(SCH}_3)_2\text{-9h}$  was much higher than that of  $\text{UiO-66-(SOCH}_3)_{0.4}(\text{SCH}_3)_{1.6}$ , although they bear almost the same  $\text{BDC-(SOCH}_3)_2$  ratio. To gain a deeper knowledge of the interfacial charge dynamics, fs-TA spectroscopy measurements were carried out on three representative samples. Fig. 3d shows the TA spectra for  $\text{UiO-66-(SCH}_3)_2$ ,  $\text{UiO-66-(SOCH}_3)_{0.4}(\text{SCH}_3)_{1.6}$ , and  $\text{UiO-66-(SCH}_3)_2\text{-9h}$  as a function of probe delay time and wavelength. An intense excited state absorption band centered at approximately 640 nm was recorded. The kinetic traces at 640 nm were fitted with a multiexponential function, generating average lifetimes of 4411, 3384, and 2964 ps for  $\text{UiO-66-(SCH}_3)_2$ ,  $\text{UiO-66-(SOCH}_3)_{0.4}(\text{SCH}_3)_{1.6}$ , and  $\text{UiO-66-(SCH}_3)_2\text{-9h}$ , respectively (Fig. 3e). Here, the shortest lifetime of  $\text{UiO-66-(SCH}_3)_2\text{-9h}$  indicated the fastest charge relaxation process results from the best charge separation efficiency, consistent with the trend in photocatalytic activity. A charge transfer mechanism based on type-II band alignment was considered for  $\text{UiO-66-(SCH}_3)_2\text{-xh}$  (Fig. 3f). In this mechanism, the two linkers were incorporated in the distinct region of the MOFs, forming a homojunction composed of  $\text{MOF-BDC-(SOCH}_3)_2$  and  $\text{MOF-BDC-(SCH}_3)_2$ . Under light illumination, the photoexcited electrons were most likely transferred from the conduction band of  $\text{MOF-BDC-(SOCH}_3)_2$  to that of  $\text{MOF-BDC-(SCH}_3)_2$ , whereas the photo-generated holes were transported in the opposite direction. The spatially separated electrons and holes can then participate in

proton reduction and scavenger oxidation, respectively, leading to pronounced photocatalytic activity.

In the other study led by Wang *et al.*,<sup>41</sup> the band structure was tuned by modifying  $\text{MIL-125-NH}_2$  with viologen molecules ( $\text{RV}^{2+}$ ); thus, the photocatalytic performance was improved. The morphology of  $\text{MIL-125-RV}^{2+}$  was essentially identical to that of  $\text{MIL-125-NH}_2$ , revealing the structural integrity of the MOF skeleton upon modification (Fig. 4a). The band structures of  $\text{MIL-125-NH}_2$  and  $\text{MIL-125-RV}^{2+}$  were determined from Mott-Schottky measurements (Fig. 4b). Upon  $\text{RV}^{2+}$  modification, the conduction band level of MOFs was cathodically shifted by 0.23 V, which was beneficial for carrying out photocatalytic  $\text{CO}_2$  reduction to efficiently produce  $\text{HCOOH}$ . After 10 h of photocatalytic operation, the yield of  $\text{HCOOH}$  for  $\text{MIL-125-RV}^{2+}$  was 12.13 mmol, substantially higher than that of  $\text{MIL-125-NH}_2$  (7.31 mmol) (Fig. 4c). Time-resolved PL spectra further showed that the carrier lifetime of  $\text{MIL-125-RV}^{2+}$  was significantly longer than that of  $\text{MIL-125-NH}_2$ . This observation indicated that the introduced  $\text{RV}^{2+}$  can coordinate interfacial charge transfer for MOFs to prolong the carrier lifetime (Fig. 4d). For  $\text{MIL-125-NH}_2$ , the  $\text{Ti}^{4+}$  ions in the Ti-oxo clusters served as traps for photoexcited electrons, prohibiting their further participation in  $\text{CO}_2$  reduction. After  $\text{RV}^{2+}$  was introduced, the electron trapping at  $\text{Ti}^{4+}$  could be mitigated, which facilitated further relaxation of photoexcited electrons to the surface-adsorbed  $\text{CO}_2$ . Under this situation, the photoexcited electrons of  $\text{MIL-125-RV}^{2+}$  had more opportunities to participate in  $\text{CO}_2$  reduction, leading to the enhanced performance of  $\text{HCOOH}$  production.

### 3.3 Introduction of defects

Defects in MOFs have been characterized as local sites breaking the periodical arrangement of atoms in the crystalline framework. The missing organic linkers and missing metal clusters




Fig. 4 (a) SEM image of  $\text{MIL-125-RV}^{2+}$ . (b) Band structure of  $\text{MIL-125-NH}_2$  and  $\text{MIL-125-RV}^{2+}$  concerning the redox potential of  $\text{CO}_2/\text{HCOOH}$  at  $\text{pH} = 7$ . (c) Results of photocatalytic  $\text{CO}_2$  reduction under visible light illumination over  $\text{MIL-125-NH}_2$  and  $\text{MIL-125-RV}^{2+}$ . (d) Time-resolved PL spectra of  $\text{MIL-125-NH}_2$  and  $\text{MIL-125-RV}^{2+}$ . Reproduced with permission from ref. 41. Copyright 2022, Royal Society of Chemistry.




Fig. 5 (a) SEM images of MET-Cu-D and MET-Cu (inset). (b) Results of photocatalytic  $\text{H}_2$  production under visible light illumination over the three samples under different conditions. (c) Time-resolved PL spectra of EY in the presence of the three samples. (d) Proposed mechanism of interfacial charge transfer for MET-Cu-D. Reproduced with permission from ref. 42. Copyright 2021, Elsevier.



account for major defect types of MOFs. By introducing these point defects, the physical and chemical properties of MOFs can be tailored, providing another strategic maneuver to consolidate their utility in photocatalysis.<sup>50,51</sup> The attributes of defective MOFs as photocatalysts include enriched active sites,<sup>52,53</sup> optimized acidity and basicity,<sup>54,55</sup> modified band structure<sup>56,57</sup> and additional pore space.<sup>58,59</sup> Zang *et al.* used a competitive coordination method to introduce ligand defects into Cu-triazolate frameworks (MET-Cu).<sup>42</sup> During the synthesis of MET-Cu, adding *N,N*-diethylformamide can prohibit the coordination of Cu with triazole ligands. This would create abundant ligand vacancies (approximately 8%), producing an appreciable amount of unsaturated Cu sites that can function as active sites for photocatalytic reactions. In practice, the Cu centres of MET-Cu were coordinated with six triazole linkers, forming a well-defined octahedral morphology with a solid skeleton structure. After ligand vacancies were introduced, the defective MET-Cu (MET-Cu-D) contained an agglomeration of irregular small particles (Fig. 5a). For comparison purposes, the repaired sample (MET-Cu-R) was also prepared by passivating the linker vacancies of MET-Cu-D through recoordinating triazole linkers. The photocatalytic efficiency of H<sub>2</sub> production for the three samples, *i.e.*, MET-Cu, MET-Cu-D, and MET-Cu-R, was then explored. In addition to the use of MOFs, eosin Y (EY) as a photosensitizer and triethylamine (TEA) as a hole scavenger were employed to conduct photocatalytic H<sub>2</sub> production. As shown in Fig. 5b, MET-Cu exhibited negligible activity because it did not possess open Cu centres that can serve as active sites for proton reduction. In contrast, MET-Cu-D displayed outstanding activity for H<sub>2</sub> production, presumably due to the beneficial effect associated with the unsaturated Cu sites. In comparison with MET-Cu-D, the activity of MET-Cu-R was substantially reduced, suggesting that H<sub>2</sub> production deteriorated due to the passivation of linker vacancies. This comparison further revealed the importance of introducing unsaturated Cu centres as active sites for facilitating photocatalytic reactions.

Time-resolved PL measurements were further conducted to study the influence of unsaturated Cu sites on the interfacial charge dynamics of MET-Cu. Fig. 5c shows the time-resolved PL spectra of EY in the presence of the three samples. For pure EY, the recorded PL lifetime was 3.05 ns. When MET-Cu, MET-Cu-R, and MET-Cu-D were dispersed in EY, the PL lifetime of EY was reduced to 3.00, 2.96, and 2.87 ns, respectively. This phenomenon indicated that the photoexcited electrons of EY were injected into MOFs, suppressing charge recombination for EY to reduce the PL lifetime. Significantly, the presence of defective MET-Cu-D caused the largest decrease in PL lifetime for EA, suggesting that the unsaturated Cu sites in MET-Cu-D can most effectively coordinate charge transfer dynamics for the injected electrons. Based on these observations, a plausible mechanism was proposed to account for the superior photocatalytic activity of MET-Cu-D, as shown in Fig. 5d. Under visible light illumination, EY was excited to generate singlet-state EY<sup>1\*</sup>, followed by fast relaxation to form triplet-state EY<sup>3\*</sup>. Subsequently, EY<sup>3\*</sup> was reduced by the hole scavenger and formed EY<sup>·-</sup>. Further injecting electrons into MET-Cu-D recovered the ground-state

EY. In addition, the injected electrons presumably transferred to the unsaturated Cu centres, reacting with the adsorbed protons to evolve H<sub>2</sub>. For defective MET-Cu-D, the unsaturated Cu centres can function as active sites for H<sub>2</sub> production and charge transfer mediators for the injected electrons. Due to the improved reaction kinetics and enhanced interfacial charge dynamics, MET-Cu-D exhibited superior photocatalytic activity towards H<sub>2</sub> production.

He and coworkers used a similar approach to introduce missing linkers to UiO-66(Zr) by adding an acetic acid (HAc) modulator during the synthesis.<sup>43</sup> The defective UiO-66(Zr) not only became visible light responsive but also possessed frustrated Lewis pairs, Zr<sup>3+</sup>-OH, which were conductive to photocatalytic CO<sub>2</sub> reduction. As shown in the SEM images in Fig. 6a, noticeable morphological changes were observed in UiO-66(Zr) upon the introduction of missing ligands. Fig. 6b compares the photocatalytic efficiency of non-defective UiO-66-0 and that of four defective UiO-66-X (X = 2, 4, 6, 8) prepared with increasing amounts of HAc. For non-defective UiO-66-0, its large bandgap (3.92 eV) prohibited effective CO<sub>2</sub> reduction under visible light illumination; as a result, nearly inactive performance was observed. For the four defective UiO-66-X, a volcano-type activity trend was found, in which UiO-66-6 showed the largest yield of CO. This result indicated that an optimal content of missing linkers generated the best photocatalytic activity for UiO-66-X.

To determine what generates the optimal content of missing linkers, time-resolved PL analysis was performed to determine the carrier lifetime. As displayed in Fig. 6c and d, the four defective UiO-66-X samples all exhibited faster PL decay kinetics than that of nondefective UIO-66-0. The computed average lifetimes were 3.71, 3.34, 2.66, 2.12, and 2.29 ns for UIO-66-0, UIO-66-2, UIO-66-4, UIO-66-6, and UIO-66-8, respectively. This feature implied that missing linkers may improve charge separation efficiency by accepting photoexcited electrons from MOFs. Among the four defective MOFs, UiO-66-8 had the shortest PL lifetime, implying that the fastest carrier relaxation dynamics occur within UiO-66-8. The highest carrier mobility




Fig. 6 (a) SEM images of UiO-66-6 and UiO-66-0 (inset). (b) Results of CO production from photocatalytic CO<sub>2</sub> production under visible light illumination over various UiO-66-X. (c and d) Time-resolved PL spectra of various UiO-66-X. (e) Proposed mechanism of the energetic state of missing ligands and derived band structure for various UiO-66-X (X = 0, 2, 4, 6, 8). Reproduced with permission from ref. 43. Copyright 2022, American Chemical Society.



along with the most enhanced charge separation was therefore expected for  $\text{UiO-66-8}$ , which can account for the best  $\text{CO}$  yield observed. Note that a similar quantitative effect on interfacial charge dynamics has been widely reported in semiconductor heterostructure systems,<sup>17</sup> which is decisive to the resultant photocatalytic performance. Fig. 6e depicts a possible mechanism that explains the role of missing ligands in mediating interfacial charge dynamics for defective  $\text{UiO-66-X}$ . Analogous to the creation of oxygen vacancies in oxide semiconductors, introducing missing ligands in MOFs generates a positively charged state termed  $\text{V}_\text{L}^+$  located within the bandgap. Upon bandgap excitation,  $\text{V}_\text{L}^+$  can capture electrons and form neutral  $\text{V}_\text{L}^0$ . The electrons of  $\text{V}_\text{L}^0$  can then be excited to the conduction band by irradiation with energy lower than the bandgap, forming photoexcited electrons. Subsequently, the metal  $\text{Zr}$  centres captured the photoexcited electrons to form a single negative state  $\text{Zr}^{3+}$ , in which the  $\text{CO}_2$  reduction reaction can readily occur. The additional absorption band observed for  $\text{UiO-66-X}$  in the longer wavelength region validated the above contentions. The band structure derived from the Mott-Schottky analysis further supported this argument. After missing ligands were introduced, the whole band structure of MOFs was lifted to a more cathodic level, which can increase the reducing power of the photoexcited electrons to facilitate the  $\text{CO}_2$  reduction reaction.

## 4. Incorporation of heterojunction

The incorporation of heterojunctions that combine the desirable properties of individual constituents into an integrated whole was a significant step in achieving advanced photocatalysis for semiconductor nanostructures.<sup>60,61</sup> Four types of heterojunctions have been incorporated to design sophisticated photocatalysts,<sup>17,60-62</sup> including metal–semiconductor, graphene–semiconductor, semiconductor–semiconductor, and Z-scheme (or S-scheme) heterojunctions. Metal–semiconductor heterojunctions are characteristic of pronounced charge separation and peculiar plasmonic effect. Metal can function as electron acceptors, prohibiting charge recombination to improve charge separation.<sup>63-67</sup> Some metals exhibit localized surface plasmon resonance (LSPR),<sup>68-71</sup> amplifying light absorption and thus, increasing photocatalytic activity. However, only certain wavelengths can be harnessed due to the narrow bandwidth of LSPR. Semiconductor–semiconductor heterojunctions comprise either a type-I,<sup>72</sup> a type-II<sup>73-78</sup> or a p–n interface.<sup>79</sup> Interfacial charge transfer can be manipulated to allow effective carrier utilization, thereby increasing the photocatalytic performance. Merging semiconductors with divergent bandgaps enables the capture of a broader light spectrum. Nevertheless, the band edges must align properly for efficient charge transfer, limiting the available semiconductor combinations. The charge carriers may also be trapped at the interface, leading to reduced photocatalytic efficiency.

Graphene–semiconductor heterojunctions function on principles similar to metal–semiconductor heterojunctions.<sup>80-83</sup> Because of the superior electron mobility, graphene acts as an electron acceptor for semiconductors, thereby reducing charge recombination. Furthermore, graphene provides a protective

layer against the photocorrosion of semiconductors, proven to be a solution to resolve instability issues. However, ensuring a robust interface between graphene and semiconductors is challenging. Excessive graphene layers may obstruct light penetration to the underlying semiconductor, compromising overall photocatalytic efficiency. Z-scheme heterojunctions display a vectorial charge transfer mechanism mimicking natural photosynthetic processes.<sup>84,85</sup> The separate charge carriers possess substantially high redox powers to ensure superior activity. Z-scheme heterojunctions can also incorporate semiconductors with diverse bandgaps for expanded light absorption. However, creating an efficient Z-scheme system necessitates a comprehensive understanding of the band structure of the semiconductor. Occasionally, an additional electron mediator, composed of metals<sup>86-88</sup> or graphene,<sup>89</sup> is indispensable to realize vectorial charge transfer, complicating the configuration.

The approach of heterojunction incorporation has also been widely adopted to construct sophisticated photocatalytic systems based on MOFs. Compared with traditional semiconductor-based heterojunctions, MOF-based heterojunctions exhibit more favorable synergistic features by virtue of the easily tailorable material properties, which are generated by engineering metal clusters and organic ligands.<sup>90,91</sup> Several advantages associated with photocatalytic applications, including extended light harvesting, pronounced charge separation, enriched active sites and improved photostability, can be obtained by incorporating heterojunctions in MOFs. Successful examples involve semiconductor coupling,<sup>92-96</sup> metal confinement,<sup>97,98</sup> the introduction of another MOF,<sup>99,100</sup> and the addition of graphene.<sup>101</sup> The promise of heterojunction incorporation for MOFs in photocatalytic applications from the perspective of interfacial charge dynamics will be highlighted in this section.

### 4.1 Semiconductor coupling

Compared with semiconductor nanostructures, MOFs have received more fundamental and technological interest in




Fig. 7 (a) SEM and (b) TEM images of  $\text{CdS}/\text{UiO-66(10)}$ . (c) Results of photocatalytic  $\text{H}_2$  production under visible light illumination over five relevant samples. TA spectra of (d) pure  $\text{CdS}$ . (e) Comparison of kinetics profiles probed at 650 nm among pure  $\text{CdS}$  and the three  $\text{CdS}/\text{UiO-66}$ . (f) Proposed mechanism of interfacial charge transfer for  $\text{CdS}/\text{UiO-66}$ . Reproduced with permission from ref. 92. Copyright 2019, American Chemical Society.



photocatalysis due to their high tailorability and versatility in property design. By coupling with a semiconductor possessing suitable band alignment, the photocatalytic properties of MOF-based heterojunctions can be substantially improved. In Xu's study,<sup>92</sup> a stable MOF, UiO-66, was employed as a support to deposit CdS nanoparticles in a controllable content (from 10 to 40 wt%), forming CdS/UiO-66 heterojunctions. When the CdS content was 10 wt%, UiO-66 was found to induce uniform growth of small CdS nanoparticles (Fig. 7a and b). Further increasing the CdS content to 20 and 40 wt% led to significant aggregation of the deposited CdS. Fig. 7c compares the photocatalytic activity of H<sub>2</sub> production among relevant samples under visible light illumination. Pure UiO-66 did not produce H<sub>2</sub> because of its large bandgap (4.1 eV). Pure CdS, on the other hand, produced a small amount of H<sub>2</sub> due to its inadequate capability as a single material. For CdS/UiO-66, the amount of H<sub>2</sub> produced was largely increased, suggesting that the interplay between UiO-66 and CdS can promote photocatalytic performance. Among the three CdS/UiO-66 samples, the sample with 10 wt% CdS showed the highest H<sub>2</sub> production activity, exceeding eight times the performance of pure CdS. The decreased activity for CdS/UiO-66 with CdS contents of 20 and 40 wt% was attributed to the significant aggregation of the decorated CdS, which may reduce the exposed active sites to deteriorate the photocatalytic activity.

To examine the interfacial charge dynamics for CdS/UiO-66 heterojunctions, fs-TA spectroscopic measurements were conducted by pumping the samples at 400 nm and probing them from 450 to 750 nm. As displayed in Fig. 7d, pure CdS showed three noticeable features at 460 nm, 500 nm, and the region beyond 600 nm. The negative absorption band at 500 nm was assigned to the 1S exciton bleach of CdS resulting from the state filling of the 1S(e) level at the conduction band.<sup>102</sup> The positive absorption band at 460 nm was associated with the photoinduced absorption of the 1S exciton.<sup>103</sup> The broad bleaching band at approximately 650 nm was related to the signal of photoexcited electrons, which resulted from accelerated quenching in the presence of an electron scavenger. The kinetics of the bleach recovery at 650 nm were further examined to investigate the fate of the photoexcited electrons. As compared in Fig. 7e, the three CdS/UiO-66 samples exhibited much faster bleach recovery than that of pure CdS, suggesting the prevalence of an additional electron relaxation pathway at the CdS/UiO-66 heterojunctions. Mott–Schottky analytical results further revealed a type-II band alignment for CdS/UiO-66 (Fig. 7f). Under this situation, the photoexcited electrons of CdS preferentially transferred to UiO-66, thereby accelerating the bleach recovery processes of electrons probed at 650 nm. Significantly, the trend in bleach recovery kinetics for the three CdS/UiO-66 samples was consistent with the variation in the corresponding photocatalytic activity, *i.e.*, the sample with the fastest bleach recovery kinetics had the highest photocatalytic activity. This consistency illustrated that UiO-66 can facilitate charge carrier separation for CdS to optimize H<sub>2</sub> production activity. The findings from this work also highlight the unique features of MOFs in promoting the structural dispersion of the coupled semiconductor, securing surface active sites to ensure

utility in photocatalysis. A similar approach has been adopted to couple UiO-66 with g-C<sub>3</sub>N<sub>4</sub> for enhanced photocatalytic H<sub>2</sub> production.<sup>95</sup> The shortened PL lifetime of heterojunction reflected efficient photoexcited electron transfer from g-C<sub>3</sub>N<sub>4</sub> to UiO-66 through a type-II pathway. The separated electrons can readily participate in the H<sub>2</sub> production reaction.

The location of the coupled semiconductors at the specific site of MOFs also significantly impacted the effectiveness of interfacial charge transfer for MOF/semiconductor heterojunctions, which is an adoptable route to optimize photocatalytic efficiency. In Ghosh's study, CdS was introduced to Zr<sup>4+</sup>-based MOF-808 at two distinct locations, *i.e.*, inside the cavities of MOF-808 (denoted as CdS<sub>4</sub>@MOF-808) and outside the surface of MOF-808 (denoted as CdS/MOF-808-cys), creating two analogous heterojunctions.<sup>93</sup> As displayed in Fig. 8a and b, the TME analytical results confirmed the microstructural




Fig. 8 TEM images of (a) CdS<sub>4</sub>@MOF-808, (b) CdS/MOF-808-cys. (c) Results of photocatalytic H<sub>2</sub> production under visible light illumination over the two samples. (d) Comparison of kinetics profiles probed around 480 nm between the two samples. (e) Proposed mechanism of interfacial charge transfer for CdS and MOF-808. Reproduced with permission from ref. 93. Copyright 2019, Royal Society of Chemistry.



features of  $\text{CdS}_4@\text{MOF-808}$  and  $\text{CdS}/\text{MOF-808-cys}$ , in which the confinement of  $\text{CdS}$  nanoparticles inside the pores of  $\text{MOF-808}$  and the presence of  $\text{CdS}$  nanoparticles on the external surface of  $\text{MOF-808}$  can be identified. Note that the content of the coupled  $\text{CdS}$  was fixed so that photocatalytic  $\text{H}_2$  production could be equitably compared. As revealed in Fig. 8c,  $\text{CdS}_4@\text{MOF-808}$  had a substantially higher  $\text{H}_2$  yield than  $\text{CdS}/\text{MOF-808-cys}$ , suggesting that introducing  $\text{CdS}$  inside the cavities of  $\text{MOF-808}$  can achieve better photocatalytic performance due to the confinement effect. To understand this confinement effect from the charge dynamics point of view, TA measurements were conducted by pumping the samples at 400 nm and probing them from 420 to 650 nm. The two heterojunction samples share similar spectral features associated with  $\text{CdS}$ , *i.e.*, one positive absorption band below 440 nm, one primary negative bleach band at approximately 480 nm, and another broad negative bleach band from 500 to 650 nm. The bleach recovery at approximately 480 nm reflected the depletion of the photoexcited electrons at the conduction band of  $\text{CdS}$ , which was further traced in Fig. 8d to interrogate the fate of the photoexcited electrons. The kinetics profile of  $\text{CdS}/\text{MOF-808-cys}$  comprised three time constants of 0.83 ps (33%), 21 ps (53%), and 3.12 ns (14%). The two fast recovery components were related to the trapping of the photoexcited electrons at the defect states, in which the relatively slow component was associated with the recombination of the photoexcited electrons with the trapped holes. Compared with  $\text{CdS}/\text{MOF-808-cys}$ ,  $\text{CdS}_4@\text{MOF-808}$  displayed faster kinetics of bleach recovery, showing three time constants of 0.22 ps (44%), 13.2 ps (31%), and 384 ps (25%). This outcome suggested that the photoexcited electrons of  $\text{CdS}$  can be more easily delocalized in  $\text{CdS}_4@\text{MOF-808}$ . The separated photoexcited electrons can then readily participate in photocatalytic  $\text{H}_2$  production. As shown in Fig. 8e, density functional theory (DFT) calculations revealed an interfacial electron transfer pathway from  $\text{CdS}$  to the  $\text{Zr}^{4+}$  sites of  $\text{MOF-808}$ . For  $\text{CdS}_4@\text{MOF-808}$ , because  $\text{CdS}$  was confined in close proximity to the  $\text{Zr}^{4+}$  sites of  $\text{MOF-808}$ , a shorter electron transfer path from  $\text{CdS}$  to  $\text{MOF-808}$  was considered. This spatial confinement may promote more effective charge separation and increase the photocatalytic activity of  $\text{CdS}_4@\text{MOF-808}$  as observed.

In addition to enhancing charge separation, MOFs can improve photostability for coupled semiconductors, which is an effective strategy to increase the durability of those suffering from photocorrosion issues. In Deng's study,  $\text{Cu}_3(\text{BTC})_2$  was employed as the MOF model to protect  $\text{Cu}_2\text{O}$  photocathodes from photocorrosion during the  $\text{CO}_2$  reduction process.<sup>94</sup> As displayed in Fig. 9a and b,  $\text{Cu}_3(\text{BTC})_2$  with a protruding columnar morphology was grown on the surface of the  $\text{Cu}_2\text{O}$  thin films. The performance of  $\text{Cu}_3(\text{BTC})_2/\text{Cu}_2\text{O}$  in photoelectrochemical (PEC)  $\text{CO}_2$  reduction under visible light illumination was examined. Fig. 9c compares the production yield of  $\text{CO}$  between  $\text{Cu}_3(\text{BTC})_2/\text{Cu}_2\text{O}$  and pristine  $\text{Cu}_2\text{O}$  under different conditions. In darkness,  $\text{Cu}_3(\text{BTC})_2/\text{Cu}_2\text{O}$  showed a  $\text{CO}$  yield that was 2 times higher than that of pristine  $\text{Cu}_2\text{O}$ . This result signified that the Cu atoms of the deposited  $\text{Cu}_3(\text{BTC})_2$  supplied incremental active sites for facilitating  $\text{CO}$  production




Fig. 9 (a) Top-view and (b) cross-section SEM images of  $\text{Cu}_3(\text{BTC})_2/\text{Cu}_2\text{O}$ . (c) Results of  $\text{CO}$  production from PEC  $\text{CO}_2$  production under visible light illumination over pristine  $\text{Cu}_2\text{O}$  and  $\text{Cu}_3(\text{BTC})_2/\text{Cu}_2\text{O}$ . (d) Corresponding photocurrent generation for an extended period. (e) Comparison of kinetics profiles probed at 630 nm between pristine  $\text{Cu}_2\text{O}$  and  $\text{Cu}_3(\text{BTC})_2/\text{Cu}_2\text{O}$ . (f) Proposed mechanism of interfacial charge transfer for  $\text{Cu}_3(\text{BTC})_2/\text{Cu}_2\text{O}$ . Reproduced with permission from ref. 94. Copyright 2018, Wiley.

from  $\text{CO}_2$  reduction. Under visible light illumination,  $\text{Cu}_3(\text{BTC})_2/\text{Cu}_2\text{O}$  exhibited a threefold increase in  $\text{CO}$  yield relative to pristine  $\text{Cu}_2\text{O}$ . The increasing activity enhancement suggested that the deposited  $\text{Cu}_3(\text{BTC})_2$  promoted effective charge separation for  $\text{Cu}_2\text{O}$  by accepting the photoelectrons from  $\text{Cu}_2\text{O}$ . The delocalized electrons can then readily participate in  $\text{CO}_2$  reduction. During PEC operation, pristine  $\text{Cu}_2\text{O}$  tended to undergo oxidative photocorrosion, which can consume photoexcited electrons to compromise the effectiveness of  $\text{CO}_2$  reduction. In Fig. 9d, the unstable, declining photocurrent generation of pristine  $\text{Cu}_2\text{O}$  was characteristic of serious photocorrosion.  $\text{Cu}_3(\text{BTC})_2/\text{Cu}_2\text{O}$ , however, exhibited stable and constant photocurrent generation, suggesting that the deposited  $\text{Cu}_3(\text{BTC})_2$  can protect the underlying  $\text{Cu}_2\text{O}$  from photocorrosion. Due to this protection, both the faradaic efficiency and solar-to- $\text{CO}_2$  conversion efficiency were substantially enhanced.

A type-II band alignment was also considered for  $\text{Cu}_3(\text{BTC})_2/\text{Cu}_2\text{O}$  heterojunctions. Under light illumination, the photoexcited electrons of  $\text{Cu}_2\text{O}$  preferentially transferred to  $\text{Cu}_3(\text{BTC})_2$  and participated in  $\text{CO}_2$  reduction. To probe this process, TA measurements were conducted by pumping the samples at 480 nm. Fig. 9e compares the kinetics profiles of the photoinduced absorption decay between pristine  $\text{Cu}_2\text{O}$  and  $\text{Cu}_3(\text{BTC})_2/\text{Cu}_2\text{O}$ . Pristine  $\text{Cu}_2\text{O}$  showed biexponential decay kinetics with two lifetime constants of 1 ps and 560 ps. As depicted in Fig. 9f, the fast decay was assigned to the electron relaxation within the conduction band of  $\text{Cu}_2\text{O}$ , whereas the slow decay was ascribed to the subsequent electron-hole recombination. Upon the deposition of  $\text{Cu}_3(\text{BTC})_2$ , only the fast decay component with a lifetime of 8 ps was observed. Because  $\text{Cu}_3(\text{BTC})_2$  attracted photoexcited electrons from  $\text{Cu}_2\text{O}$ , the intrinsically slow electron-hole recombination was prohibited. This interfacial electron can accelerate excited state deactivation, resulting in the quicker kinetics of photoinduced absorption decay observed for  $\text{Cu}_3(\text{BTC})_2/\text{Cu}_2\text{O}$ . This study revealed that  $\text{Cu}_3(\text{BTC})_2$  plays



multiple roles in enhancing the  $\text{CO}_2$  reduction performance of  $\text{Cu}_2\text{O}$  photocathodes, including roles as a photocorrosion inhibitor, active site provider, and charge separation enhancer.

On the other hand, the Z-scheme mechanism can be attained by coupling MOFs with a semiconductor that can induce vectorial charge transfer. Kong's group reported the synthesis of  $\text{UiO-66-(COOH)}_2/\text{ZnIn}_2\text{S}_4$  hybrid photocatalysts for applications in  $\text{H}_2$  production and  $\text{Cr}^{5+}$  reduction.<sup>96</sup> Because of the band alignment at the interface, the photoexcited electrons of  $\text{UiO-66-(COOH)}_2$  were recombined with the photogenerated holes of  $\text{ZnIn}_2\text{S}_4$ . This vectorial charge transfer led to the accumulation of photoexcited electrons at  $\text{ZnIn}_2\text{S}_4$  and the concentration of photogenerated holes at  $\text{UiO-66-(COOH)}_2$ , realizing the Z-scheme mechanism. The observed prolonged PL lifetime for  $\text{UiO-66-(COOH)}_2/\text{ZnIn}_2\text{S}_4$  suggested the prevalence of charge carrier recombination at the interface. By virtue of the Z-scheme mechanism,  $\text{UiO-66-(COOH)}_2/\text{ZnIn}_2\text{S}_4$  photocatalysts possessed enhanced reducing and oxidizing powers, thus exhibiting superior activity toward  $\text{H}_2$  reduction and  $\text{Cr}^{5+}$  reduction.

## 4.2 Metal confinement

The profitable features of noble metal nanoparticles, including their unique electronic structure and peculiar optical properties, have been utilized in semiconductor photocatalysis.<sup>17,60,61</sup> It is therefore not surprising to see the entry of metal nanoparticles in the MOF-based photocatalytic systems.<sup>97,98</sup> Due to the porous nature and robust structure of MOFs, they are ideal supports for metal nanoparticles. In particular, the uniform nanopores in MOFs can provide confined environments to enable size control over the target metals and can simultaneously guarantee that the reactant molecules are accessible to the active metal sites. This feature is especially important for maximizing the utilization of surface active sites in metals since metal nanoclusters or even metal single atoms can be incorporated. Furthermore, organic ligands can function as anchors to stabilize tethered metals, ensuring their long-term effectiveness in heterogeneous catalysis. Jiang's group utilized the confined cavities of MOFs to enable the intercalation of single Pt atoms.<sup>97</sup> An Al-based porphyrinic MOF, termed Al-TCPP, which has four pyrrolic N sites, was employed. As Fig. 10a shows, because of the strong interaction with the pyrrolic N




Fig. 10 (a) Schematic illustration for the intercalation of single Pt atoms in the confined cavity of Al-TCPP. (b) Comparison of kinetics profiles probed at 540 nm among the three samples. Reproduced with permission from ref. 97. Copyright 2020, Royal Society of Chemistry.

atoms, single Pt atoms can be stabilized in the square-planar cavities of the porphyrin struts in Al-TCPP. The resultant single Pt atom-loaded Al-TCPP (denoted as Al-TCPP-0.1Pt, Pt content = 0.1 wt%) showed a major Pt size distribution between 0.1 and 0.2 nm. On the other hand, Pt nanoparticles 3 nm in size were prepared in advance and introduced to the external surface of Al-TCPP. This Pt-mixed Al-TCPP (denoted as Al-TCPP-PtNPs) served as a control sample so that the performance in photocatalytic  $\text{H}_2$  production could be compared. The comparative results showed that pristine Al-TCPP was nearly inactive towards  $\text{H}_2$  production under visible light illumination, which was ascribable to the pronounced charge recombination. Al-TCPP-0.1Pt and Al-TCPP-PtNPs were considerably active due to the enhanced charge separation rendered by Pt. Noticeably, Al-TCPP-0.1Pt exhibited a turnover frequency that was 30 times higher than that of Al-TCPP-PtNPs, indicating that loading Pt in the cavities of Al-TCPP was more effective in promoting photocatalytic performance.

To gain more insights into the cause, TA analysis was conducted to investigate the interfacial charge carrier dynamics. The samples were pumped at 400 nm and probed between 520 and 640 nm, a spectral region associated with the trap states of photoexcited electrons. Fig. 10c shows the resultant kinetics traces for the photoinduced absorption signals at 540 nm. Pristine Al-TCPP featured a slow decay process with a lifetime component longer than 4 ns. This feature suggested that the photoexcited electrons were stably trapped and hardly utilized for  $\text{H}_2$  production. An evident acceleration of decay kinetics was




Fig. 11 (a) Schematic illustration for three distinct scenarios of incorporating Pt nanoparticles in  $\text{NH}_2\text{-UiO-68}$ . (b) Results of CO production from photocatalytic  $\text{CO}_2$  reduction under visible light illumination over relevant samples. (c) Time-resolved PL spectra of pristine  $\text{NH}_2\text{-UiO-68}$  and various Pt-incorporated  $\text{NH}_2\text{-UiO-68}$ . Excitation and emission wavelength were 360 nm and 475 nm, respectively. Reproduced with permission from ref. 98. Copyright 2016, Wiley.



observed for Al-TCPP-PtNPs, showing a dominant lifetime of  $861 \pm 103$  ps. The acceleration in kinetics occurred because an additional electron transfer pathway from Al-TCPP to Pt nanoparticles emerged. This may accelerate the removal of the trapped electrons and allow them to participate in H<sub>2</sub> production. As a result, Al-TCPP-PtNPs exhibited noticeable photocatalytic activity. The acceleration of decay kinetics became more pronounced for Al-TCPP-0.1Pt, showing two lifetime components of  $2.2 \pm 0.2$  ps (50%) and  $200 \pm 8$  ps (50%). This outcome signified that loading a small content of single Pt atoms in the cavities of Al-TCPP can maximize the effectiveness of interfacial charge transfer, leading to very enhanced photocatalytic activity, as observed. This study delivers an innovative yet reliable approach for the stabilization of single metal atoms by exploiting the microstructural characteristics of MOFs, which provides new opportunities for using MOF-based heterojunctions for advanced photocatalytic applications.

The benefits of loading metals precisely in the cavities of MOFs in photocatalysis were highlighted in Guo's study.<sup>98</sup> As illustrated in Fig. 11a, the following scenarios for the incorporation of Pt nanoparticles in Zr-MOF and NH<sub>2</sub>-UiO-68 were systematically compared: (A) Pt was embedded outside the cavities of NH<sub>2</sub>-UiO-68 (denoted as Pt/NH<sub>2</sub>-UiO-68); (B and C) Pt was embedded inside the cavities of NH<sub>2</sub>-UiO-68 (denoted as Pt@NH<sub>2</sub>-UiO-68); and (D) Pt was embedded outside and inside the cavities of NH<sub>2</sub>-UiO-68 (denoted as Pt-NH<sub>2</sub>-UiO-68). These Pt-loaded NH<sub>2</sub>-UiO-68 samples were used as photocatalysts to perform CO<sub>2</sub> reduction under visible light illumination. Fig. 11b shows the comparative results obtained for CO yields, from which several important points can be summarized. First, the presence of Pt enhanced the CO production yield of NH<sub>2</sub>-UiO-68 regardless of the scenario of Pt incorporation. This outcome revealed the necessity of incorporating metals to enhance the photocatalytic activity of MOFs. Second, among all the Pt-incorporated NH<sub>2</sub>-UiO-68 samples, Pt(2)@NH<sub>2</sub>-UiO-68 (Pt content = 2 wt%) generated the highest CO yield, approximately three and two times the performance of Pt(2)/NH<sub>2</sub>-UiO-68 and Pt(4)-NH<sub>2</sub>-UiO-68, respectively. The performance of Pt(2)@NH<sub>2</sub>-UiO-68 was also better than that of Pt-mixed NH<sub>2</sub>-UiO-68 (denoted as Pt(2) + NH<sub>2</sub>-UiO-68). The superior activity of Pt(2)@NH<sub>2</sub>-UiO-68 disclosed the advantageous feature of loading metals inside the MOFs for achieving superb photocatalytic performance. This feature was further examined by looking into the interfacial charge dynamics of the samples using time-resolved PL spectroscopy. As shown in Fig. 11c, the PL lifetime of NH<sub>2</sub>-UiO-68 was largely reduced after Pt was incorporated. The occurrence of photoexcited electron transfer from NH<sub>2</sub>-UiO-68 to Pt accounted for the observed reduced lifetime, which can explain the enhanced photocatalytic activity. Among all the Pt-incorporated NH<sub>2</sub>-UiO-68 samples, Pt(2)@NH<sub>2</sub>-UiO-68 displayed the shortest PL lifetime. This result suggested that the effectiveness of interfacial electron transfer can be greatly enhanced by loading Pt inside NH<sub>2</sub>-UiO-68. In this situation, the incorporated Pt was in close contact with NH<sub>2</sub>-UiO-68, which can facilitate interfacial electron transfer to maximize the photocatalytic performance. Another important point noticed from Fig. 11b was the performance comparison with the

analogous MOF with shorter linkers, NH<sub>2</sub>-UiO-66. Inferior performance of CO production occurred because shorter organic linkers endow MOFs with a weaker CO<sub>2</sub> adsorption capacity. This outcome also emphasized the significance of engineering organic ligands to tailor the material properties of MOFs to optimize photocatalytic efficiency.

#### 4.3 Another MOF introduction

Due to the presence of independent active sites, merging two MOFs into a whole may generate multiple synergies and diversified configurations that can provide a robust and flexible foundation for photocatalysis.<sup>99,100</sup> For instance, the mixed metallic active sites in the merged MOFs can work together to achieve intermediate interaction strengths with reactant molecules, improving activity and selectivity. The inclusion of multiple types of organic ligands may also equip the merged MOFs with multifunctional surface moieties, increasing their adaptability in complex reaction environments. One MOF has been modified with the other MOF to expand the heterojunction family for advanced photocatalysis. In Huang's study, a hierarchical core@shell MOF@MOF heterojunction was proposed by depositing UiO-67-NH<sub>2</sub> on the first-grown PCN-222-Ni.<sup>99</sup> Based on the results of radial spin-trapping experiments, a Z-scheme band alignment was considered for the resulting core@shell PCN-222-Ni@UiO-67-NH<sub>2</sub> heterojunctions (denoted as P@U). As displayed in Fig. 12a, under light illumination, the photo-excited electrons of UiO-67-NH<sub>2</sub> recombined with the photo-generated holes of PCN-222-Ni. This would lead to the accumulation of photoexcited electrons at PCN-222-Ni, which had a higher conduction band level, and the concentration of




Fig. 12 (a) Proposed Z-scheme charge transfer mechanism for P@U. Results of (b) HCOOH, (c) CO and CH<sub>4</sub> production from photocatalytic CO<sub>2</sub> production under visible light illumination over relevant samples. (d) Time-resolved PL spectra of relevant samples. The excitation wavelength was 375 nm; emission wavelength was 475, 500, and 480 nm for pure PCN-222-Ni, pure UIO-67-NH<sub>2</sub>, and P@U, respectively. Reproduced with permission from ref. 99. Copyright 2022, Royal Society of Chemistry.

photogenerated holes at  $\text{UiO-67-NH}_2$ , which had a low valence band level. Because the electrons and holes were situated at energetic levels with high redox potentials, remarkable photocatalytic efficiency was expected for  $\text{P@U}$ . Fig. 12b and c summarize the results obtained for photocatalytic  $\text{CO}_2$  reduction. Compared with pure  $\text{PCN-222-Ni}$  and pure  $\text{UiO-67-NH}_2$ ,  $\text{P@U}$  displayed substantially higher yields of liquid ( $\text{HCOOH}$ ) and gaseous products ( $\text{CO}$ ,  $\text{CH}_4$ ). Further insights into the interfacial charge dynamics at the Z-scheme heterojunction of  $\text{P@U}$  can be acquired from the time-resolved PL data in Fig. 12d. Both  $\text{PCN-222-Ni}$  and  $\text{UiO-67-NH}_2$  components exhibited well-defined PL emission bands in response to pronounced electron–hole recombination, showing PL lifetimes of 1.81 and 1.77 ns, respectively. Upon the formation of the core@shell heterojunction, the PL emission was largely quenched along with a greatly reduced lifetime of 0.76 ns. These data supported the Z-scheme charge transfer mechanism, which further accounted for the observed superior photocatalytic performance of  $\text{P@U}$ .

On top of the enhanced activity, the selectivity of a target product can also be improved by employing core@shell MOF@MOF heterojunctions. Shi's group reported the synthesis of core@shell  $\text{Fe-MOF@Ni-MOF}$  heterojunctions (denoted as  $\text{Fe/Ni-TX}$ , where  $X$  = reaction temperature in  $^{\circ}\text{C}$ ) for applications in photocatalytic  $\text{CO}_2$  reduction.<sup>100</sup> Note that the photocatalytic experiments were carried out by adding  $[\text{Ru}(\text{bpy})_3]^{2+}$  as a photosensitizer, triethanolamine (TEOA) as a sacrificial reagent and acetonitrile as a solubility enhancer of  $\text{CO}_2$ . Fig. 13a and b summarize the comparative results. Under optimal synthetic conditions, the core@shell heterojunction, *i.e.*,  $\text{Fe/Ni-T120}$ , exhibited a considerably higher yield of  $\text{CO}$  than that of its pure counterparts. This superiority was ascribed to the

prevalence of interfacial charge transfer and effective charge separation, as derived from the much faster PL decay kinetics observed in Fig. 13c. Much significantly,  $\text{Fe/Ni-T120}$  achieved a remarkable 92.1% selectivity of  $\text{CO}$  from  $\text{CO}_2$  reduction. This value surpassed the performance of most state-of-the-art photocatalysts reported, highlighting the capability of core@shell MOF@MOF heterojunctions with bimetallic active sites for mediating the reaction pathways of  $\text{CO}_2$  reduction. Fig. 13d shows a plausible mechanism that accounts for  $\text{CO}$  production from photocatalytic  $\text{CO}_2$  reduction over  $\text{Fe/Ni-T120}$ . Under visible light illumination,  $\text{Fe/Ni-T120}$  can be sensitized by  $[\text{Ru}(\text{bpy})_3]^{2+}$  and excited by incident light, producing photoexcited electrons to manage the production of  $\text{CO}$ . As a sacrificial reagent, TEOA can reduce  $[\text{Ru}(\text{bpy})_3]^{3+}$  to recover its original state. Meanwhile,  $\text{H}_2\text{O}$  can consume photogenerated holes to complete the whole reaction. This study features an innovative bimetallic organic skeleton for core@shell MOF@MOF heterojunctions, in which the two metals can work together to manage  $\text{CO}_2$  reduction.

## 5. COFs as an analogue

The photocatalytic activity of MOFs is accentuated by their unique porous structures with various dimensions. However, most of these structures are unstable in water or solvents with highly coordinating reagents, which prevents the repeated use of MOFs as photocatalysts.<sup>104–106</sup> COF-based photocatalysts are potentially preferable to MOF-based photocatalysts. As an analog of MOFs, COFs share many similar characteristics with MOFs. The most significant difference between COFs and MOFs is how their two-dimensional (2D) or three-dimensional (3D) porous frameworks are constructed. MOFs are connected by coordination bonds between metal ions and coordinative organic linkers. In contrast, COFs are connected by covalent bonds between rigid organic motifs (knots) and linkers composed of light elements (*e.g.*, B, C, N, and O). As covalent bonds are more robust than coordination bonds, COFs exhibit better chemical and thermal stability than MOFs. Photoactive units in COFs can be installed into robust frameworks through strong covalent bonds, suppressing their photocorrosion and enabling long-term use.<sup>107,108</sup> In addition, the mass density of COFs is generally lower than that of MOFs due to the absence of metal ions. Therefore, COFs are expected to exhibit greater adsorption capacity than that of MOFs.<sup>109,110</sup>

The first synthesis of COFs<sup>111</sup> was ten years after that of MOFs.<sup>112</sup> Therefore, compared with MOF-based photocatalysts, the research field of COF-based photocatalysts is in the early stage. On the other hand, various photocatalytic reactions, such as water splitting,  $\text{CO}_2$  reductions, photodegradation of organic dyes, and photocatalytic transformation of organic compounds, achieved by MOF-based photocatalysts can also be realized by COF-based photocatalysts, indicating that COFs photocatalysts are promising photocatalysts.<sup>18</sup> In this section, we will briefly introduce COF-based photocatalysts as an analog of MOF-based photocatalysts. The main focus will be on how the chemical structures of COFs affect their photocatalytic activities because their chemical structures are strongly related to their electronic properties, such as bandgap and charge carrier mobility.




Fig. 13 (a and b) Results of  $\text{CO}$  and  $\text{H}_2$  production from photocatalytic  $\text{CO}_2$  production under visible light illumination over relevant samples. (c) Time-resolved PL spectra of relevant samples. (d) Proposed mechanism of photocatalytic  $\text{CO}_2$  reduction on  $\text{Fe/Ni-T120}$ . Reproduced with permission from ref. 100. Copyright 2012, American Chemical Society.



## 5.1 $\pi$ -Conjugated structures

In general, a narrow bandgap improves the efficiency of solar energy harvesting, which enhances photocatalytic activities. One approach used to manipulate the bandgap of COFs is designing extended  $\pi$ -conjugated moieties in-plane and in the layer stacking direction. Through extended  $\pi$ -conjugated moieties, photoexcited charge carriers can be transported through the whole COF network for delocalization, which not only narrows the bandgap of COFs but also reduces the possibility of charge carrier recombination. Upon the extension of the  $\pi$ -conjugated moieties, the absorption range of organic molecules with  $\pi$ -conjugated moieties in their skeletons can be shifted to longer wavelengths. To design fully  $sp^2$ -carbon-linked COFs, poly(*p*-phenylene) linkers are often chosen first. The optical properties of COFs and their pore size are easily controlled by changing the number of repeating units of poly(*p*-phenylene) linkers. Zhang's group synthesized fully  $sp^2$ -carbon-linked COFs that contain polyphenylene linkers with different lengths and investigated how the length of the polyphenylene linkers affects the optical properties and photocatalytic performance.<sup>113,114</sup> They demonstrated that an increase in the repeating units of poly(*p*-phenylene) linkers was found to enhance the light-harvesting ability of the synthesized COFs, which increased the activity for photocatalytic  $H_2$  production under visible light irradiation. However, increasing the length of poly(*p*-phenylene) linkers installed into fully  $sp^2$ -carbon-linked COFs does not always improve photocatalytic performance. Meier and coworkers prepared covalent triazine-based frameworks composed of triazine rings as knots and different poly(*p*-phenylene) spacers as linkers *via* acid-catalyzed cyclotrimerization (CTF-*n*, *n* = 1–4).<sup>115</sup> Fig. 14a shows the corresponding molecular structure of CTF-*n*. The light absorption characteristics of CTF-*n* can be readily tuned by changing the phenylene units. As displayed in Fig. 14b, the bandgap of CTF-*n* gradually decreased from 2.95 to 2.48 eV as the number of repeating phenylene units increased from 1 to 4, suggesting




Fig. 14 (a) Synthesis of CTF-*n* via acid-catalyzed cyclotrimerization. (b) Corresponding absorption spectra. (c) Calculated reducing (EA, IP\*) and oxidizing potentials (IP, EA\*) for CTF-3. (d) Relationship between  $H_2$  yield and number of repeating phenylene units for CTF-*n*. Reproduced with permission from ref. 115. Copyright 2017, Elsevier.

that the light-harvesting efficiency improved. On the other hand, DFT calculations showed that the redox powers of CTF-*n* also varied with phenylene units. As Fig. 14c summarizes, the oxidizing power of CTF-*n* decreased as the phenylene units increased, while the reducing power of CTF-*n* remained nearly unchanged. The compromise between improved light harvesting and decreased oxidizing power led to the highest photocatalytic activity of  $H_2$  production observed for CTF-2 (Fig. 14d). These studies highlight how the photocatalytic activity of COFs can be controlled by tuning the structural features.

## 5.2 Donor-acceptor (D-A) units

Another approach used to tune the bandgap of COFs is installing D-A components into their frameworks. The introduced donor and acceptor units strongly interact with each other, which results in the hybridization of the energy levels of the donor and acceptor units to form the HOMO and the LUMO for the D-A components. As illustrated in Fig. 15a, the new hybridized HOMO has a higher energy level than the donor units, whereas the new hybridized LUMO has a lower energy level than the acceptor units, which narrows the bandgap. In addition, D-A components facilitate electron transfer from donor units to acceptor units, which reduces the recombination of photoexcited electron-hole pairs. Wang and coworkers demonstrated that an  $sp^2$ -carbon-based COF with D-A components showed a higher photocatalytic  $H_2$  production activity than that of its analogs without D-A components.<sup>116</sup> Three vinylene-linked two-dimensional COFs (BTH-1, BTH-2, and BTH-3) containing benzobisthiazole (BTH) units were synthesized using different  $C_3$  symmetrical aldehydes (TA, TP, and TS) (Fig. 15b). Among the three synthesized COFs, BTH-3 composed of BTH and TS showed the narrowest bandgap (1.42 eV) because the donor-acceptor interactions between the electron-donating




Fig. 15 (a) Diagram of molecular orbital interaction between donor and acceptor moieties and the formation of a new bandgap in D-A components. (b) Synthetic procedures of BTH-1, BTH-2, BTH-3. (c) Corresponding absorption spectra. (d) Results of photocatalytic  $H_2$  production under visible light illumination over the three samples. Reproduced with permission from ref. 116. Copyright 2022, Springer Nature.

benzotriithiophene units and the cyano-vinylene linkages connecting the electron-deficient benzobisthiazole units were strong (Fig. 15c). The results obtained from photocurrent measurements and electrochemical impedance spectroscopy suggested that BTH-3 exhibited better charge separation and transport properties than BTH-1 and BTH-2. This was because of the introduced D-A components into the frameworks of BTH-3. With these beneficial features, BTH-3 showed much higher photocatalytic activity than that of BTH-1 and BTH-2 (Fig. 15d).

### 5.3 Pros and cons

2D or 3D porous structures inherent to COFs are theoretically limitless, owing to the vast array of knot and linker units that can be synthesized through organic synthetic protocols. The versatility of these building blocks allows for the precise design and customization of COFs, leading to an expansive diversity of structures with tailor-made pore sizes, geometries, and functionalities. This adaptability makes COFs highly suitable for a range of catalytic applications. The synthesis of crystalline COFs necessitates the incorporation of specific functional groups, which often involves complex multi-step synthetic procedures.<sup>117</sup> This can elevate the production costs due to the laborious nature of these processes. Additionally, the polycondensation reactions used to link monomer units into COFs demand extensive optimization, further contributing to the complexity and expense of COF development.<sup>118</sup> While COFs are regarded as chemically more stable than MOFs due to the nature of their reversible covalent bonds, this reversibility can present a conundrum. There is a compromise between the crystallinity and stability of COFs. Achieving high crystallinity in COFs may lead to a reduction in their stability, and enhancing stability could result in lower crystallinity of COF.<sup>117,119</sup>

Many COFs are synthesized as nanocrystalline samples, which imposes additional challenges for structural characterization.<sup>120</sup>

This complexity obscures the clear elucidation of the photocatalytic mechanisms tied to their well-ordered structures. In contrast, MOFs boast well-defined and tailorabile porous structures with high crystallinity, which can be more straightforwardly assessed through crystallographic techniques. This clarity in structural definition aids in the exploration of the interplay between the microstructure of MOFs and their photocatalytic properties.<sup>121</sup> Moreover, the metal centers within MOFs serve as catalytic sites for a multitude of complex reactions,<sup>122</sup> underscoring the multifunctionality of MOFs in photocatalytic applications. This versatility, combined with the more accessible structural analysis, positions MOFs as more feasible candidates for photocatalyst applications compared to COFs. Despite the promising attributes of COFs, MOFs currently stand out as the more practical option for photocatalysis owing to their well-characterized structures and versatile catalytic capabilities.

## 6. Summary and perspectives

As summarized in Table 1, manipulating the charge transfer dynamics of MOFs through composition engineering and heterojunction incorporation can provide a concise picture and knowledge for the creation of robust photocatalytic systems for desired usage based on MOFs. As highlighted in this minireview, considerable efforts have been dedicated to modulating the interfacial charge dynamics of MOF-based photocatalysts for performance optimization. Other approaches that have been adapted in semiconductor-based photocatalytic systems can also be applied to tailor the photocatalytic properties of MOFs. For example, by maneuvering electric and magnetic fields,<sup>123–127</sup> the behavior of charge transfer of MOFs can also be managed to enable activity maximization. Considering these advancements, certain measures must be taken to overcome challenges currently facing MOF-based photocatalysts in order to

**Table 1** Summary of the composition of the introduced MOFs, the approach of modification, the photocatalytic reaction scenario and the resultant behavior of charge transfer dynamics

| MOFs   | Modification                                | Photocatalytic application                             | Charge dynamics  | Reference |
|--|---|--|--|-----------|
| [Sr(NH <sub>2</sub> -BDC)(DMF)] <sub>n</sub> | Sr/Fe                                       | N <sub>2</sub> reduction                               | Prolonged PL lifetime for long-lived carriers                            | 37        |
| UiO-67(bpydc)                                | Co/Ru                                       | CO <sub>2</sub> reduction                              | Shortened PL lifetime for efficient electron transfer                    | 38        |
| PBA  | FeNi <sub>x</sub>                           | CO <sub>2</sub> reduction                              | Shortened PL lifetime for efficient electron transfer                    | 39        |
| UiO-66                                       | -SCH <sub>3</sub> & -SOCH <sub>3</sub>      | H <sub>2</sub> production                              | Shortened TA lifetime for fast charge relaxation                         | 40        |
| MIL-125-NH <sub>2</sub>                      | RV <sup>2+</sup>                            | CO <sub>2</sub> reduction                              | Prolonged PL lifetime for mitigated electron trapping                    | 41        |
| MET-Cu                                       | Linker vacancies                            | H <sub>2</sub> production                              | Shortened PL lifetime for efficient electron transfer                    | 42        |
| UiO-66                                       | Linker vacancies                            | CO <sub>2</sub> reduction                              | Shortened PL lifetime for efficient electron transfer                    | 43        |
| UiO-66                                       | CdS (type-II)                               | H <sub>2</sub> production                              | Shortened TA lifetime for efficient electron transfer                    | 92        |
| MOF-808                                      | CdS (type-II)                               | H <sub>2</sub> production                              | Shortened TA lifetime for efficient electron transfer                    | 93        |
| Cu <sub>3</sub> (BTC) <sub>2</sub>           | Cu <sub>2</sub> O (type-II)                 | CO <sub>2</sub> reduction                              | Shortened TA lifetime for efficient electron transfer                    | 94        |
| UiO-66                                       | g-C <sub>3</sub> N <sub>4</sub> (type-II)   | H <sub>2</sub> production                              | Shortened PL lifetime for efficient electron transfer                    | 95        |
| UiO-66-(COOH) <sub>2</sub>                   | ZnIn <sub>2</sub> S <sub>4</sub> (Z-scheme) | H <sub>2</sub> production & Cr <sup>6+</sup> reduction | Prolonged PL lifetime for prevalence of interfacial charge recombination | 96        |
| Al-TCPP                                      | Pt single metal                             | H <sub>2</sub> production                              | Shortened TA lifetime for efficient electron transfer                    | 97        |
| UiO-68-NH <sub>2</sub>                       | Pt metal                                    | CO <sub>2</sub> reduction                              | Shortened PL lifetime for efficient electron transfer                    | 98        |
| PCN-222-Ni                                   | UiO-67-NH <sub>2</sub> (Z-scheme)           | CO <sub>2</sub> reduction                              | Shortened PL lifetime for efficient electron transfer                    | 99        |
| Fe-MOF                                       | Ni-MOF                                      | CO <sub>2</sub> reduction                              | Shortened PL lifetime for efficient electron transfer                    | 100       |



accelerate their widespread application. First, a comprehensive understanding of the charge transfer pathways involved in the whole photocatalytic process is indispensable, especially for those containing parallel and sequential reaction steps.<sup>128,129</sup> Monitoring individual charge transfer pathways and piecing together the chain of events is important for establishing a veritable working mechanism. How to design experimental procedures to identify the spectral signatures of specific charge transfer pathways is essential for clarifying the charge transfer scenario. In this regard, adding suitable scavengers to determine the signals of associated species can provide an intelligent approach to directly probe the dynamics of the species of interest.<sup>130,131</sup> However, the produced data can be complex and challenging to interpret. Advanced data analysis with the aid of models and algorithms may be necessary to extract meaningful information.<sup>132</sup> Besides time-resolved PL and TA, transient surface photovoltage also offers a valuable tool for studying the charge transfer and separation efficiency of photocatalysts.<sup>133</sup> This technique involves monitoring the change in the surface potential of a photocatalyst upon exposure to light. When charge carriers reach the surface of the photocatalyst, they induce a change in the local electric field, which in turn affects the surface potential. The separation of charges creates a spatial charge distribution that can be detected as a transient surface photovoltage. By analyzing these signals, the effectiveness of charge carrier generation, separation, and transportation can be inferred, providing crucial information for understanding interfacial charge dynamics of a photocatalyst. On the other hand, real-time observations of the charge transfer dynamics of MOF-based photocatalysts under working conditions are important for elucidating the intricate mechanistic details. Specifically, the influence of external factors, such as the presence of reactants and electrolytes and changes in pH and temperature, must be assessed. While the *in situ* time-resolved PL and TA studies can offer invaluable insights, the challenges associated with experimental complexity, sample preparation, and data analysis need to be addressed. Other real-time analytical techniques, such as *in situ* X-ray photoelectron spectroscopy<sup>134,135</sup> and operando Raman spectroscopy,<sup>136,137</sup> can provide complementary information to the establishment of a veritable working mechanism.

Furthermore, similar to the future blueprint in other photocatalyst categories,<sup>61,138,139</sup> near-infrared responsive MOFs are urgently needed and are necessary for realizing wide-spectrum-driven photocatalysis. The answer to this problem may involve introducing organic linkers with intrinsic near-infrared absorption. Successful examples have included large  $\pi$ -conjugated porphyrin linkers<sup>128</sup> and ruthenium complexes with  $\pi$ -conjugation ligands.<sup>140</sup> Due to the prevalence of ligand-to-cluster or ligand-to-ligand charge transfer, photoexcited charge carriers can be secured to carry out efficient photocatalytic reactions. An additional approach to the development of near-infrared responsive MOFs can also be realized by means of upconversion nanoparticle integration.<sup>141,142</sup> By maneuvering the untapped near-infrared energy to harness the entire solar spectrum, the photocatalytic performance of MOFs can be increased to an advanced level. When exploiting near-infrared

responsive MOFs, conventional trial-and-error attempts in materials synthesis should be avoided. In this sense, a paradigm shift in the design of next-generation photocatalysts has occurred with data-driven materials and methods to search and screen through machine learning<sup>143,144</sup> Due to the advancement in mathematical algorithms, large-scale data analysis can be managed to accelerate the identification of the target MOFs. The concurrent examination of interfacial charge dynamics for the developed near-infrared responsive MOFs is also essential for bridging the gap between fundamental knowledge and practical applications. However, accessing state-of-the-art instrumentation that enables probing charge transfer processes in near-infrared spectral regions is technically challenging, which can be a barrier for researchers from other disciplines. Addressing these challenges will be the principal for pushing forward the blossoming development of near-infrared responsive MOFs in photocatalysis. Overall, by linking interfacial charge dynamics to photocatalytic performance, this mini review establishes the design rules and principles for engineering MOFs with superior capabilities and widens the horizon of possibilities for continuously using MOFs in advanced photocatalytic reactions.

## Author contributions

Chien-Yi Wang: conceptualization, investigation, writing – original draft; Huai-En Chang: conceptualization, investigation, writing-original draft; Cheng-Yu Wang: conceptualization, project administration, supervision, writing – review & editing; Tomoyuki Kurioka: conceptualization, project administration, supervision, writing – review & editing; Chun-Yi Chen: conceptualization, investigation; Tso-Fu Mark Chang: conceptualization, investigation; Masato Sone: conceptualization, investigation; Yung-Jung Hsu: conceptualization, funding acquisition, project administration, supervision, writing – review & editing.

## Conflicts of interest

There are no conflicts to declare.

## Acknowledgements

This work is financially supported by the National Science and Technology Council, Taiwan under grants NSTC 111-2113-M-A49-038, NSTC 112-2113-M-A49-024, MOST 111-2628-E-A49-001-MY3, NSTC 112-2221-E-A49-035-MY2, and NSTC 112-2218-E-008-014, and by JSPS KAKENHI with Grant Numbers JP22K20475 and JP23K13557. This work is also supported by the Center for Emergent Functional Matter Science of National Yang Ming Chiao Tung University from The Featured Areas Research Center Program within the framework of the Higher Education Sprout Project by the Ministry of Education (MOE) in Taiwan. This work is supported in part by the World Research Hub (WRH) Program of the International Research Frontiers Initiative, Tokyo Institute of Technology.



## Notes and references

1 G. L. Yang, X. J. Che, S. L. Hou, C. S. Cao and B. Zhao, *Inorg. Chem.*, 2021, **60**, 1922–1929.

2 S. Kampouri, F. M. Ebrahim, M. Fumanal, M. Nord, P. A. Schouwink, R. Elzein, R. Addou, G. S. Herman, B. Smit, C. P. Ireland and K. C. Stylianou, *ACS Appl. Mater. Interfaces*, 2021, **13**, 14239–14247.

3 Z. Wang, L. Zeng, C. He and C. Duan, *ACS Appl. Mater. Interfaces*, 2021, **13**, 25898–25905.

4 S. Fu, S. Yao, S. Guo, G. C. Guo, W. Yuan, T. B. Lu and Z. M. Zhang, *J. Am. Chem. Soc.*, 2021, **143**, 20792–20801.

5 J. Tang and J. Wang, *Environ. Sci. Technol.*, 2018, **52**, 5367–5377.

6 J. Liu, L. Chen, H. Cui, J. Zhang, L. Zhang and C. Y. Su, *Chem. Soc. Rev.*, 2014, **43**, 6011–6061.

7 X. Feng, J. Hajek, H. S. Jena, G. Wang, S. K. P. Veerapandian, R. Morent, N. DeGeyter, K. Leyssens, A. E. J. Hoffman, V. Meynen, C. Marquez, D. E. DeVos, V. VanSpeybroeck, K. Leus and P. V. DerVoort, *J. Am. Chem. Soc.*, 2020, **142**, 3174–3183.

8 F. G. Cirujano and F. X. Xamena, *J. Phys. Chem. Lett.*, 2020, **11**, 4879–4890.

9 L. T. Guo, Y. Y. Cai, J. M. Ge, Y. N. Zhang, L. H. Gong, X. H. Li, K. X. Wang, Q. Z. Ren, J. Su and J. S. Chen, *ACS Catal.*, 2015, **5**, 388–392.

10 H. J. Son, S. Jin, S. Patwardhan, S. J. Wezenberg, N. C. Jeong, M. So, C. E. Wilmer, A. A. Sarjeant, G. C. Schatz, R. Q. Snurr, O. K. Farha, G. P. Wiederrecht and J. T. Hupp, *J. Am. Chem. Soc.*, 2013, **135**, 862–869.

11 L. Liu, S. Du, X. Guo, Y. Xiao, Z. Yin, N. Yang, Y. Bao, X. Zhu, S. Jin, Z. Feng and F. Zhang, *J. Am. Chem. Soc.*, 2022, **144**, 2747–2754.

12 J. Long, S. Wang, Z. Ding, S. Wang, Y. Zhou, L. Huang and X. Wang, *Chem. Commun.*, 2012, **48**, 11656–11658.

13 X. Zhang, J. Wang, X. X. Dong and Y. K. Lv, *Chemosphere*, 2020, **242**, 125144.

14 S. Liu, C. Zhang, Y. Sun, Q. Chen, L. He, K. Zhang, J. Zhang, B. Liu and L. F. Chen, *Coord. Chem. Rev.*, 2020, **413**, 213266.

15 R. Li, W. Zhang and K. Zhou, *Adv. Mater.*, 2018, **30**, 1705512.

16 L. Fan, Q. Yu, J. Chen, U. Khan, X. Wang and J. Gao, *Catalysts*, 2022, **12**, 1005.

17 C. W. Tsao, M. J. Fang and Y. J. Hsu, *Coord. Chem. Rev.*, 2021, **438**, 213876.

18 Y. L. Liu, X. Y. Liu, L. Feng, L. X. Shao, S. J. Li, J. Tang, H. Cheng, Z. Chen, R. Huang, H. C. Xu and J. L. Zhuang, *ChemSusChem*, 2022, **15**, e202102603.

19 S. Subudhi, S. P. Tripathy and K. Parida, *Inorg. Chem. Front.*, 2021, **8**, 1619–1636.

20 J. Guo, Y. Wan, Y. Zhu, M. Zhao and Z. Tang, *Nano Res.*, 2021, **14**, 2037–2052.

21 C. W. Huang, V. H. Nguyen, S. R. Zhou, S. Y. Hsu, J. X. Tan and K. C. W. Wu, *Sustainable Energy Fuels*, 2020, **4**, 504–521.

22 C. Cai, G. Fan, B. Du, Z. Chen, J. Lin, S. Yang, X. Lin and X. Li, *Catal. Sci. Technol.*, 2022, **12**, 3767–3777.

23 D. Li, M. Kassymova, X. Cai, S. Q. Zang and H. L. Jiang, *Coord. Chem. Rev.*, 2020, **412**, 213262.

24 G. Lu, F. Chu, X. Huang, Y. Li, K. Liang and G. Wang, *Coord. Chem. Rev.*, 2022, **450**, 214240.

25 É. Whelan, F. W. Steuber, T. Gunnlaugsson and W. Schmitt, *Coord. Chem. Rev.*, 2021, **437**, 213757.

26 J. Cao, Z. Yang, W. Xiong, Y. Zhou, Y. Wu, M. Jia, C. Zhou and Z. Xu, *Coord. Chem. Rev.*, 2021, **439**, 213924.

27 C. I. Ezugwu, S. Liu, C. Li, S. Zhuiykov, S. Roy and F. Verpoort, *Coord. Chem. Rev.*, 2022, **450**, 214245.

28 N. Kolobov, M. G. Goesten and J. Gascon, *Angew. Chem., Int. Ed.*, 2021, **60**, 26038–26052.

29 R. Jaryal, R. Kumar and S. Khullar, *Coord. Chem. Rev.*, 2022, **464**, 214542.

30 H. Liu, M. Cheng, Y. Liu, J. Wang, G. Zhang, L. Li, L. Du, G. Wang, S. Yang and X. Wang, *Energy Environ. Sci.*, 2022, **15**, 3722–3749.

31 H. Lin, Y. Xu, B. Wang, D. S. Li, T. Zhou and J. Zhang, *Small Struct.*, 2022, **3**, 2100176.

32 X. Li, S. Surendran Rajasree, J. Yu and P. Deria, *Dalton Trans.*, 2020, **49**, 12892–12917.

33 M. R. diNunzio, E. C. Mancebo, B. Cohen and A. Douhal, *J. Photochem. Photobiol. C*, 2020, **44**, 100355.

34 T. H. Lai, K. I. Katsumata and Y. J. Hsu, *Nanophotonics*, 2020, **10**, 777–795.

35 J. Hu, C. Chen, H. Yang, F. Yang, J. Qu, X. Yang, W. Sun, L. Dai and C. M. Li, *Appl. Catal., B*, 2022, **317**, 121723.

36 X. Li, J. Hu, T. Yang, X. Yang, J. Qu and C. M. Li, *Nano Energy*, 2022, **92**, 106714.

37 Z. Zhao, H. Ren, D. Yang, Y. Han, J. Shi, K. An, Y. Chen, Y. Shi, W. Wang, J. Tan, X. Xin, Y. Zhang and Z. Jiang, *ACS Catal.*, 2021, **11**, 9986–9995.

38 M. Liu, Y. F. Mu, S. Yao, S. Guo, X. W. Guo, Z. M. Zhang and T. B. Lu, *Appl. Catal., B*, 2019, **245**, 496–501.

39 M. Lin, Y. Luo, T. Zhang, X. Shen, Z. Zhuang and Y. Yu, *ACS Appl. Mater. Interfaces*, 2022, **14**, 52868–52876.

40 T. F. Chen, L. Y. Wang, Y. F. Wang, H. Gao, J. He, G. Wang, X. F. Meng, Y. S. Wu, Y. H. Deng and C. Q. Wan, *ACS Appl. Mater. Interfaces*, 2021, **13**, 20897–20905.

41 T. Wang, L. Zhang, J. Liu, X. X. Li, L. Yuan, S. L. Li and Y. Q. Lan, *Chem. Commun.*, 2022, **58**, 7507–7510.

42 Z. D. Wang, Y. Zang, Z. J. Liu, P. Peng, R. Wang and S. Q. Zang, *Appl. Catal., B*, 2021, **288**, 119941.

43 Y. He, C. Li, X. B. Chen, Z. Shi and S. Feng, *ACS Appl. Mater. Interfaces*, 2022, **14**, 28977–28984.

44 X. You, H. Wu, R. Zhang, Y. Su, L. Cao, Q. Yu, J. Yuan, K. Xiao, M. He and Z. Jiang, *Nat. Commun.*, 2019, **10**, 4160.

45 R. G. Pearson, *J. Am. Chem. Soc.*, 1963, **85**, 3533–3539.

46 C. H. Hendon, D. Tiana, M. Fontecave, C. Sanchez, L. D'Arras, C. Sassoye, L. Rozes, C. M. Draznieks and A. Walsh, *J. Am. Chem. Soc.*, 2013, **135**, 10942–10945.

47 T. F. Chen, S. Y. Han, Z. P. Wang, H. Gao, L. Y. Wang, Y. H. Deng, C. Q. Wan, Y. Tian, Q. Wang, G. Wang and G. S. Li, *Appl. Catal., B*, 2019, **259**, 118047.

48 S. Y. Han, D. L. Pan, H. Chen, X. B. Bu, Y. X. Gao, H. Gao, Y. Tian, G. S. Li, G. Wang, S. L. Cao, C. Q. Wan and G. C. Guo, *Angew. Chem.*, 2018, **130**, 10012–10017.



49 K. Hendrickx, D. E. P. Vanpoucke, K. Leus, K. Lejaeghere, A. V. D. Deyne, V. VanSpeybroeck, P. Van DerVoort and K. Hemelsoet, *Inorg. Chem.*, 2015, **54**, 10701–10710.

50 W. Xiang, Y. Zhang, Y. Chen, C. J. Liu and X. Tu, *J. Mater. Chem. A*, 2020, **8**, 21526–21546.

51 Z. Fang, B. Bueken, D. E. DeVos and R. A. Fischer, *Angew. Chem., Int. Ed.*, 2015, **54**, 7234–7254.

52 W. Xu, Y. Zhang, J. Wang, Y. Xu, L. Bian, Q. Ju, Y. Wang and Z. Fang, *Nat. Commun.*, 2022, **13**, 2068.

53 W. Wang, T. Sheng, S. Chen, Z. Xiang, F. Zhou, W. Zhu and H. Wang, *Chem. Eng. J.*, 2023, **453**, 139711.

54 C. A. Suárez, S. P. Beltran, G. E. R. Caballero and P. B. Balbuena, *Catal. Sci. Technol.*, 2018, **8**, 847–857.

55 C. Montoro, P. Ocón, F. Zamora and J. A. R. Navarro, *Chem. – Eur. J.*, 2016, **22**, 1646–1651.

56 M. Taddei, G. M. Schukraft, M. E. A. Warwick, D. Tiana, M. J. McPherson, D. R. Jones and C. Petit, *J. Mater. Chem. A*, 2019, **7**, 23781–23786.

57 I. A. Lázaro, H. Szalad, P. Valiente, J. Albero, H. García and C. M. Gastaldo, *ACS Appl. Mater. Interfaces*, 2022, **14**, 21007–21017.

58 I. Abánades Lázaro, C. J. R. Wells and R. S. Forgan, *Angew. Chem., Int. Ed.*, 2020, **59**, 5211–5217.

59 G. Cai and H. L. Jiang, *Angew. Chem., Int. Ed.*, 2017, **56**, 563–567.

60 Y. A. Chen, Y. T. Wang, H. S. Moon, K. Yong and Y. J. Hsu, *RSC Adv.*, 2021, **11**, 12288–12305.

61 M. J. Fang, C. W. Tsao and Y. J. Hsu, *J. Phys. D Appl. Phys.*, 2020, **53**, 143001.

62 F. Yang, J. Qu, Y. Zheng, Y. Cai, X. Yang, C. M. Li and J. Hu, *Nanoscale*, 2022, **14**, 15217–15241.

63 M. Y. Kuo, C. F. Hsiao, Y. H. Chiu, T. H. Lai, M. J. Fang, J. Y. Wu, J. W. Chen, C. L. Wu, K. H. Wei, H. C. Lin and Y. J. Hsu, *Appl. Catal., B*, 2019, **242**, 499–506.

64 Y. C. Pu, W. T. Chen, M. J. Fang, Y. L. Chen, K. A. Tsai, W. H. Lin and Y. J. Hsu, *J. Mater. Chem. A*, 2018, **6**, 17503–17513.

65 W. H. Lin, Y. H. Chiu, P. W. Shao and Y. J. Hsu, *ACS Appl. Mater. Interfaces*, 2016, **8**, 32754–32763.

66 Y. H. Hsu, A. T. Nguyen, Y. H. Chiu, J. M. Li and Y. J. Hsu, *Appl. Catal., B*, 2016, **185**, 133–140.

67 W. T. Chen, Y. K. Lin, T. T. Yang, Y. C. Pu and Y. J. Hsu, *Chem. Commun.*, 2013, **49**, 8486–8488.

68 T. H. Lai, C. W. Tsao, M. J. Fang, J. Y. Wu, Y. P. Chang, Y. H. Chiu, P. Y. Hsieh, M. Y. Kuo, K. D. Chang and Y. J. Hsu, *ACS Appl. Mater. Interfaces*, 2022, **14**, 40771–40783.

69 Y. H. Chiu, S. B. Naghadeh, S. A. Lindley, T. H. Lai, M. Y. Kuo, K. D. Chang, J. Z. Zhang and Y. J. Hsu, *Nano Energy*, 2019, **62**, 289–298.

70 Y. H. Chiu, K. D. Chang and Y. J. Hsu, *J. Mater. Chem. A*, 2018, **6**, 4286–4296.

71 Y. C. Pu, G. Wang, K. D. Chang, Y. Ling, Y. K. Lin, B. C. Fitzmorris, C. M. Liu, X. Lu, Y. Tong, J. Z. Zhang, Y. J. Hsu and Y. Li, *Nano Lett.*, 2013, **13**, 3817–3823.

72 T. Yang, Y. Shao, J. Hu, J. Qu, X. Yang, F. Yang and C. Ming Li, *Chem. Eng. J.*, 2022, **448**, 137613.

73 M. Wang, Y. S. Chang, C. W. Tsao, M. J. Fang, Y. J. Hsu and K. L. Choy, *Chem. Commun.*, 2019, **55**, 2465–2468.

74 P. Y. Hsieh, Y. H. Chiu, T. H. Lai, M. J. Fang, Y. T. Wang and Y. J. Hsu, *ACS Appl. Mater. Interfaces*, 2019, **11**, 3006–3015.

75 Y. S. Chang, M. Choi, M. Baek, P. Y. Hsieh, K. Yong and Y. J. Hsu, *Appl. Catal., B*, 2018, **225**, 379–385.

76 M. Y. Chen and Y. J. Hsu, *Nanoscale*, 2013, **5**, 363–368.

77 Y. F. Lin and Y. J. Hsu, *Appl. Catal., B*, 2013, **130–131**, 93–98.

78 Y. C. Chen, Y. C. Pu and Y. J. Hsu, *J. Phys. Chem. C*, 2012, **116**, 2967–2975.

79 Y. H. Chiu and Y. J. Hsu, *Nano Energy*, 2017, **31**, 286–295.

80 W. C. Hu, Y. A. Chen, P. Y. Hsieh, C. W. Tsao, Y. H. Chiu, T. F. M. Chang, C. Y. Chen, M. Sone and Y. J. Hsu, *J. Taiwan Inst. Chem. Eng.*, 2020, **112**, 337–344.

81 Y. C. Pu, H. Y. Chou, W. S. Kuo, K. H. Wei and Y. J. Hsu, *Appl. Catal., B*, 2017, **204**, 21–32.

82 K. A. Tsai and Y. J. Hsu, *Appl. Catal., B*, 2015, **164**, 271–278.

83 Y. C. Chen, K. Katsumata, Y. H. Chiu, K. Okada, N. Matsushita and Y. J. Hsu, *Appl. Catal., A*, 2015, **490**, 1–9.

84 J. M. Li, C. W. Tsao, M. J. Fang, C. C. Chen, C. W. Liu and Y. J. Hsu, *ACS Appl. Nano Mater.*, 2018, **1**, 6843–6853.

85 J. Hu, C. Chen, Y. Zheng, G. Zhang, C. Guo and C. M. Li, *Small*, 2020, **16**, 2002988.

86 I. Hong, Y. A. Chen, Y. J. Hsu and K. Yong, *ACS Appl. Mater. Interfaces*, 2021, **13**, 52670–52680.

87 J. M. Li, H. Y. Cheng, Y. H. Chiu and Y. J. Hsu, *Nanoscale*, 2016, **8**, 15720–15729.

88 Y. C. Pu, W. H. Lin and Y. J. Hsu, *Appl. Catal., B*, 2015, **163**, 343–351.

89 A. Iwase, Y. H. Ng, Y. Ishiguro, A. Kudo and R. Amal, *J. Am. Chem. Soc.*, 2011, **133**, 11054–11057.

90 G. E. M. Schukraft, B. Moss, A. G. Kafizas and C. Petit, *ACS Appl. Mater. Interfaces*, 2022, **14**, 19342–19352.

91 M. Liu, Z. Xing, Z. Li and W. Zhou, *Coord. Chem. Rev.*, 2021, **446**, 214123.

92 H. Q. Xu, S. Yang, X. Ma, J. Huang and H. L. Jiang, *ACS Catal.*, 2018, **8**, 11615–11621.

93 A. Ghosh, S. Karmakar, F. A. Rahimi, R. S. Roy, S. Nath, U. K. Gautam and T. K. Maji, *ACS Appl. Mater. Interfaces*, 2022, **14**, 25220–25231.

94 X. Deng, R. Li, S. Wu, L. Wang, J. Hu, J. Ma, W. Jiang, N. Zhang, X. Zheng, C. Gao, L. Wang, Q. Zhang, J. Zhu and Y. Xiong, *J. Am. Chem. Soc.*, 2019, **141**, 10924–10929.

95 R. Wang, L. Gu, J. Zhou, X. Liu, F. Teng, C. Li, Y. Shen and Y. Yuan, *Adv. Mater. Interfaces*, 2015, **2**, 1500037.

96 F. Mu, Q. Cai, H. Hu, J. Wang, Y. Wang, S. Zhou and Y. Kong, *Chem. Eng. J.*, 2020, **384**, 123352.

97 X. Fang, Q. Shang, Y. Wang, L. Jiao, T. Yao, Y. Li, Q. Zhang, Y. Luo and H. L. Jiang, *Adv. Mater.*, 2018, **30**, 1705112.

98 F. Guo, Y. P. Wei, S. Q. Wang, X. Y. Zhang, F. M. Wang and W. Y. Sun, *J. Mater. Chem. A*, 2019, **7**, 26490–26495.

99 H. B. Huang, Z. B. Fang, R. Wang, L. Li, M. Khanpour, T. F. Liu and R. Cao, *Small*, 2022, **18**, 2200407.

100 L. Gu, G. Deng, R. Huang and X. Shi, *Nanoscale*, 2022, **14**, 15821–15831.

101 Y. Wang, Y. Yu, R. Li, H. Liu, W. Zhang, L. Ling, W. Duan and B. Liu, *J. Mater. Chem. A*, 2017, **5**, 20136–20140.



102 K. Wu, H. Zhu, Z. Liu, W. R. Córdoba and T. Lian, *J. Am. Chem. Soc.*, 2012, **134**, 10337–10340.

103 H. Zhu, N. Song and T. Lian, *J. Am. Chem. Soc.*, 2010, **132**, 15038–15045.

104 A. Dhakshinamoorthy, A. M. Asiri and H. García, *Angew. Chem., Int. Ed.*, 2016, **55**, 5414–5445.

105 D. Jiang, P. Xu, H. Wang, G. Zeng, D. Huang, M. Chen, C. Lai, C. Zhang, J. Wan and W. Xue, *Coord. Chem. Rev.*, 2018, **376**, 449–466.

106 K. Sun, Y. Qian and H. L. Jiang, *Angew. Chem., Int. Ed.*, 2023, **62**, e202217565.

107 Y. Zhang, H. Liu, F. Gao, X. Tan, Y. Cai, B. Hu, Q. Huang, M. Fang and X. Wang, *EnergyChem*, 2022, **4**, 100078.

108 K. Geng, T. He, R. Liu, S. Dalapati, K. T. Tan, Z. Li, S. Tao, Y. Gong, Q. Jiang and D. Jiang, *Chem. Rev.*, 2020, **120**, 8814–8933.

109 J. Wang and S. Zhuang, *Coord. Chem. Rev.*, 2019, **400**, 213046.

110 X. Liu, H. Pang, X. Liu, Q. Li, N. Zhang, L. Mao, M. Qiu, B. Hu, H. Yang and X. Wang, *Innovation*, 2021, **2**, 100076.

111 A. P. Côté, A. I. Benin, N. W. Ockwig, M. O'Keeffe, A. J. Matzger and O. M. Yaghi, *Science*, 2005, **310**, 1166–1170.

112 O. M. Yaghi, G. Li and H. Li, *Nature*, 1995, **378**, 703–706.

113 S. Bi, Z. A. Lan, S. Paasch, W. Zhang, Y. He, C. Zhang, F. Liu, D. Wu, X. Zhuang, E. Brunner, X. Wang and F. Zhang, *Adv. Funct. Mater.*, 2017, **27**, 1703146.

114 S. Bi, C. Yang, W. Zhang, J. Xu, L. Liu, D. Wu, X. Wang, Y. Han, Q. Liang and F. Zhang, *Nat. Commun.*, 2019, **10**, 2467.

115 C. B. Meier, R. S. Sprick, A. Monti, P. Guiglion, J. S. M. Lee, M. A. Zwijnenburg and A. I. Cooper, *Polymer*, 2017, **126**, 283–290.

116 Y. Wang, W. Hao, H. Liu, R. Chen, Q. Pan, Z. Li and Y. Zhao, *Nat. Commun.*, 2022, **13**, 100.

117 F. Haase and B. V. Lotsch, *Chem. Soc. Rev.*, 2020, **49**, 8469–8500.

118 R. Freund, O. Zaremba, G. Arnauts, R. Ameloot, G. Skorupskii, M. Dincă, A. Bavykina, J. Gascon, A. Ejsmont, J. Goscińska, M. Kalmutzki, U. Lächelt, E. Ploetz, C. S. Diercks and S. Wuttke, *Angew. Chem., Int. Ed.*, 2021, **60**, 23975–24001.

119 F. Haase, E. Troschke, G. Savascı, T. Banerjee, V. Duppel, S. Dörfler, M. M. J. Grunlei, A. M. Burow, C. Ochsenfeld, S. Kaskel and B. V. Lotsch, *Nat. Commun.*, 2018, **9**, 2600.

120 A. L. Magano, A. J. Almarza, J. Alemán and R. M. Ballesté, *Catalysts*, 2020, **10**, 120.

121 J. D. Xiao and H. L. Jiang, *Acc. Chem. Res.*, 2019, **52**, 356–366.

122 A. Dhakshinamoorthy, Z. Li and H. García, *Chem. Soc. Rev.*, 2018, **47**, 8134–8172.

123 B. Dai, G. M. Biesold, M. Zhang, H. Zou, Y. Ding, Z. L. Wang and Z. Lin, *Chem. Soc. Rev.*, 2021, **50**, 13646–13691.

124 B. Dai, J. Guo, C. Gao, H. Yin, Y. Xie and Z. Lin, *Adv. Mater.*, 2023, **35**, 2210914.

125 B. Dai, J. Fang, Y. Yu, M. Sun, H. Huang, C. Lu, J. Kou, Y. Zhao and Z. Xu, *Adv. Mater.*, 2020, **32**, 1906361.

126 B. Dai, Y. Zhou, X. Xiao, Y. Chen, J. Guo, C. Gao, Y. Xie and J. Chen, *Adv. Sci.*, 2022, **9**, 2203057.

127 B. Dai, H. Feng, Z. Li and Y. Xie, *Sci. Bull.*, 2022, **67**, 779–783.

128 J. Y. Zeng, X. S. Wang, B. R. Xie, Q. R. Li and X. Z. Zhang, *J. Am. Chem. Soc.*, 2022, **144**, 1218–1231.

129 A. G. Sánchez, M. G. Mendoza, M. Barawi, I. J. V. García, M. Liras, F. Gándara and V. A. dela Peña O'Shea, *J. Am. Chem. Soc.*, 2020, **142**, 318–326.

130 J. G. Santaclara, A. I. O. Suarez, I. duFossé, A. Houtepen, J. Hunger, F. Kapteijn, J. Gascon and M. A. van der Veen, *Faraday Discuss.*, 2017, **201**, 71–86.

131 Z. Lian, Z. Li, F. Wu, Y. Zhong, Y. Liu, W. Wang, J. Zi and W. Yang, *Commun. Chem.*, 2022, **5**, 93.

132 M. Y. Kuo, N. Spitha, M. P. Hautzinger, P. L. Hsieh, J. Li, D. Pan, Y. Zhao, L. J. Chen, M. H. Huang, S. Jin, Y. J. Hsu and J. C. Wright, *J. Am. Chem. Soc.*, 2021, **143**, 4969–4978.

133 J. Hu, X. Li, J. Qu, X. Yang, Y. Cai, T. Yang, F. Yang and C. M. Li, *Chem. Eng. J.*, 2023, **453**, 139957.

134 Z. Jin and X. Wang, *Mater. Today Energy*, 2022, **30**, 101164.

135 Y. Zhang, J. Zhao, H. Wang, B. Xiao, W. Zhang, X. Zhao, T. Lv, M. Thangamuthu, J. Zhang, Y. Guo, J. Ma, L. Lin, J. Tang, R. Huang and Q. Liu, *Nat. Commun.*, 2022, **13**, 58.

136 J. J. Liu, Z. W. Jiang and S. W. Hsu, *ACS Appl. Mater. Interfaces*, 2023, **15**, 6716–6725.

137 T. G. Vo, G. S. Tran, C. L. Chiang, Y. G. Lin, H. E. Chang, H. H. Kuo, C. Y. Chiang and Y. J. Hsu, *Adv. Funct. Mater.*, 2023, **33**, 2209386.

138 P. Y. Hsieh, J. Y. Wu, T. F. M. Chang, C. Y. Chen, M. Sone and Y. J. Hsu, *Arabian J. Chem.*, 2020, **13**, 8372–8387.

139 Y. H. Chiu, T. H. Lai, M. Y. Kuo, P. Y. Hsieh and Y. J. Hsu, *APL Mater.*, 2019, **7**, 080901.

140 J. H. Tang, G. Han, G. Li, K. Yan and Y. Sun, *iScience*, 2022, **25**, 104064.

141 D. Li, S. H. Yu and H. L. Jiang, *Adv. Mater.*, 2018, **30**, 1707377.

142 M. Li, Z. Zheng, Y. Zheng, C. Cui, C. Li and Z. Li, *ACS Appl. Mater. Interfaces*, 2017, **9**, 2899–2905.

143 H. Mai, T. C. Le, D. Chen, D. A. Winkler and R. A. Caruso, *Chem. Rev.*, 2022, **122**, 13478–13515.

144 J. Xie, Y. Su, D. Xue, X. Jiang, H. Fu and H. Huang, *Acta Metall. Sin.*, 2021, **57**, 1343–1361.

