Chemical Science



EDGE ARTICLE

View Article Online
View Journal | View Issue



Cite this: Chem. Sci., 2015, 6, 3430

Received 17th March 2015 Accepted 14th April 2015

DOI: 10.1039/c5sc00961h

www.rsc.org/chemicalscience

An extended Tolerance Factor approach for organic-inorganic perovskites†

Gregor Kieslich,* Shijing Sun and Anthony K. Cheetham*

Goldschmidt's concept of ionic Tolerance Factors was recently shown to be a valuable guideline for the preparation of new compounds within the field of organic-inorganic perovskites. Here, we extend this approach and calculate Tolerance Factors for over 2500 amine-metal-anion permutations of the periodic table. The results suggest the potential existence of more than 600 undiscovered hybrid perovskites including alkaline earth metal and lanthanide based materials.

The large family of solid state perovskites with general formula ABX₃ covers a wide range of fascinating properties, which include both application-oriented phenomena and fundamental physics and chemistry.¹ One of the key aspects that make perovskites so successful is the adaptability of this structure type towards A, B or X site substitution, which allows for tailoring of properties to meet particular requirements.²

During recent years a structurally related family, today known as organic-inorganic hybrid perovskites, has attracted a great deal of attention.3,4 In this relatively young family the perovskite architecture is essentially maintained, while at least one ion - usually A or X - is substituted by an organic ion which makes the perovskite a hybrid. Today, research in this emerging field is largely driven by the intriguing properties of the hybrid perovskite [CH₃NH₃]PbI₃ in thin film solar cell devices.^{5,6} However, other hybrid perovskites, e.g. the family of perovskitelike metal formates AB(HCOO)₃ (A = protonated amine, B = divalent metal),7,8 also show interesting properties such as multiferroic9 behaviour tuneable mechanical and properties.10,11

Recently, Goldschmidt's Tolerance Factor (TF) concept, which has been a central mantra in the development of solid state perovskites for decades, was extended to the emerging field of organic-inorganic perovskites. ¹² Similar to Goldschmidt's initial approach, ¹³ TFs of hybrid perovskites can be obtained by treating all ions as hard spheres or cylinders in the case of certain molecular anions. The definition of an ionic radius of organic ions is challenging, ¹⁴ but under the assumption of rotational freedom around the centre of mass and using given crystallographic data, a semi-empirical approach leads to

tion of rotational freedom around the centre of mass and using given crystallographic data, a semi-empirical approach leads to

Department of Materials Science and Metallurgy, University of Cambridge, 27 Charles

Babbage Road, Cambridge CB3 0FS, UK. E-mail: gk354@cam.ac.uk; akc30@cam.ac.

† Electronic supplementary information (ESI) available: SI-Table 1, shows all 2352 calculated Tolerance Factors. SI-Fig. 1–6, show plots similar to Fig. 1 for fluoride, chloride, bromide, cyanide, borohydride and azide based permutations. See DOI: 10.1039/c5sc00961h

a consistent set of effective ionic radii for organic ions.12 The concept of describing protonated amines in a perovskite structure as hard spheres is supported by microwave, 14N NMR and diffraction studies, as well as theoretical work. This reveals the highly dynamical nature of protonated amines within the perovskite cavity. 15-18 Following this concept, TFs of lead halide, divalent metal formate, and tetrahydroborate based perovskites have been calculated and very good agreement between experimental observations and theory was found. 12,19,20 For example, the TF concept has been successfully used as a guide in the synthesis of complex hydride perovskite-type materials, including the system [CH₃NH₃]Ca(BH₄)₃.19 According to the current state of knowledge, hybrid perovskites are expected to form for TFs between 0.8 and 1, as in the case of solid state perovskites. This finding also includes hybrid formates with an anti-anti formate connectivity; however, for syn-anti bridged formates, the size of the ReO3-like cavity is reduced and even TFs below 0.8 lead to a perovskite-like architecture.²¹

The TF concept can also help to explain the existence of lowdimensional materials with perovskite-like building motifs. The sole usage of amines that do not fit into the ReO₃ cavity (TFs > 1) leads to low dimensional compounds, e.g. [NC₄H₈]CdCl₃, [C₇H₇]-PbI₃ and [(CH₃CH₂)NH₃]PbI₃.²²⁻²⁴ In such compounds 1D chains of face-sharing octahedra are separated by protonated amines. A change in stoichiometry consequently leads to a different class of 2D materials such as [C₂H₅NH₃]₂CuCl₄, [CH₃NH₃]₂FeCl₄ and [C₄H₉NH₃]₂MnCl₄,²⁵ where single layers of corner sharing MX₆-octehedra are separated by large protonated amines. The partial substitution of the large amine with a smaller amine then leads to compounds such as ((C₄H₉)NH₃)₂(CH₃NH₃)₂Sn₃I₇ and (NH₂CNH₂)₂(CH₃NH₃)₂Sn₂I₈. In these Ruddlesden-Popper type phases, perovskite-layers with TFs between 0.8 and 1.0 containing the smaller amine are separated by larger protonated amines that do not fit into the ReO3-like cavity.4

Motivated by the latest developments in this fast moving field, we have calculated Tolerance Factors for a wide range of possible amine-metal-anion permutations in the periodic table and shown that a vast number of hybrid perovskites remain to be discovered.

Approach and discussion

Similar to Goldschmidt's initial approach, (effective) ionic radii are used for calculating Tolerance Factors of hybrid perovskites. Protonated amines are treated as spheres with an effective radius $r_{A.eff.}$, and organic ions as cylinders with effective height $h_{\rm X,eff.}$ and effective radius $r_{\rm X,eff.}$ of the cylinder, respectively. A detailed description of how to obtain effective ionic radii of organic ions is given in ref. 12. TFs of hybrid perovskites were calculated according to Goldschmidt's equation, TF = $(r_{A,eff.} + r_X)/\sqrt{2}(r_B + r_X)$ with TF being the Tolerance Factor, $r_{A.eff.}$, the effective ionic radius of the protonated amine A, r_X the ionic radius of the anion X, and r_B the ionic radius of the divalent metal ion B in a perovskite with the general formula ABX₃. TFs of the hybrids with molecular (organic) anions were calculated using the modified Goldschmidt's equation TF = $(r_{A,eff.} + r_{X,eff.})/\sqrt{2}(r_B + 0.5h_{X,eff.})$. The effective radii and heights of molecular anions were calculated according to our previous publication.12 The ionic radii from Shannon14 were used for the divalent metal cations Be²⁺, Mg²⁺, Ca²⁺, Sr²⁺, Ba²⁺, Mn^{2+} , Fe^{2+} , Co^{2+} , Ni^{2+} , Pd^{2+} , Pt^{2+} , Cu^{2+} , Zn^{2+} , Cd^{2+} , Hg^{2+} , Ge^{2+} , Sn²⁺, Pb²⁺, Eu²⁺, Tm²⁺, Yb²⁺ and the halides, F⁻, Cl⁻, Br⁻, I⁻. For BH₄ we used a radius of 203 pm. ²⁷ Divalent metal cations were selected according to the stability of the divalent oxidation state in coordination compounds. The effective radii of the protonated amines [NH₄]⁺ (ammonium, 146 pm), [NH₃OH]⁺ (hydroxylammonium, 216 pm), [CH₃NH₃]⁺ (methylammonium, 217 pm), [NH₃NH₂]⁺ (hydrazinium, 217 pm), [(CH₂)₃NH₂]⁺ (azetidinium, 250 pm), $[CH(NH_2)_2]^+$ (formamidinium, 253 pm), $[(C_3N_2H_5]^+$ (imidazolium, 258 pm), [(CH₃)₂NH₂]⁺ (dimethylammonium, 272 pm), [(CH₃CH₂)NH₃]⁺ (ethylammonium, 274 pm), $[(NH_2)_3C]^+$ (guanidinium, 278 pm) and $[(CH_3)_4N]^+$ (tetramethylammonium, 292 pm) were used from ref. 12. The effective radii of $[C_3H_4NS]^+$ (thiazolium, 320 pm) and $[NC_4H_8]^+$ (3-pyrollinium, 272 pm) were obtained following the procedure described in previous work. 12,22,23 For [C₇H₇]⁺ (tropylium), a radius of 333 pm was used which was calculated by using an ionic radius of 177 pm for C.12,23,28 Following our recent publication, the errors of obtained Tolerance Factors are estimated at round 6%. An overview of the applied procedure and the ions used is given in Fig. 1.

The permutations of 13 different protonated amines, 8 different anionic species and 21 divalent metal ions lead to 2352 TFs. A full list of all calculated TFs is given in the ESI (Table SI-1†). Out of 2352 calculated TFs, 742 show TFs between 0.8 and 1.0 that include approximately 140 known materials, such as the well characterized hybrid perovskites [CH₃NH₃]PbI₃ (TF = 0.912), [CH₃NH₃]SnI₃ (TF = 0.922), [CH₃NH₃]EuI₃ (TF = 0.917), the series of [AmH]M(HCOO)₃ ($4^{12} \cdot 6^3$ topology and antianti formate bridges) and [AmH]M(N₃)₃, and metastable compounds, [NH₄]CaCl₃ (TF = 0.823).^{5,7,26,29,30} To the best of our knowledge, only a few formate based compounds are known where TFs considerations lead to wrong conclusions, although preliminary DFT results suggest the existence of polymorphism





Fig. 1 Overview of the general approach applied in this work. In all, 2352 TFs were calculated, of which 742 (562 organic anion based, 180 halide based) lie in the range 0.8 < TF < 1.

in some of these frameworks. $e.g.~[\mathrm{NH_3NH_2}]\mathrm{Mg(HCOO)_3}$ (TF = 0.845, a $4^9 \cdot 6^6$ metal-formate framework with chiral hexagonal channels). The TF considerations discussed above predict around 600 hypothetical organic–inorganic perovskites that have not yet been reported. Clearly, it is not expected that all of the 600 hypothetical compounds can be made, nor that they will be stable under ambient conditions, but the experience to date with TFs points to the likelihood that many of these compounds will indeed be discovered. The strength of this semi-empirical approach in comparison with more accurate, modern computational techniques lies in its simplicity, 32 making it a powerful and rapid tool for experimental scientists.

The influence of the size and anisotropy of the linking anion on the TFs is highlighted in Fig. 2 for iodides and formates, while the S.I. contain plots for all other halides, cyanides, azides and borohydrides. Comparing iodides ($r_{\rm X}=220$ pm) and anti–anti formates ($r_{\rm X,eff.}=136$ pm, $h_{\rm X,eff.}=447$ pm), the anisotropy of the organic formate together with its smaller $r_{\rm X,eff.}$ leads to a larger ReO₃-like cavity so that amines with larger effective radii can be incorporated into the framework. At the same time, the incorporation of small protonated amines would lead to a reduced packing density (TF < 0.8). Consequently, for a fixed divalent metal the size-range of protonated amines that fit in the cavity is shifted to higher values. For example, for B = Cd²⁺ ($r_{\rm B}=95$ pm), TFs between 0.8 and 1.0 can be found for $r_{\rm A,eff.}$ (A-CdI₃) = 146–217 pm and $r_{\rm A,eff.}$ (A-Cd(HCOO)₃) = 250–292 pm (anti–anti connectivity of the formate).

Today, promising synthetic approaches towards hybrid perovskite frameworks include solid–solid diffusion-based reactions and solution chemistry methods. For example, a simple diffusion based solid-state reaction at $100-200\,^{\circ}\text{C}$ can be used for the preparation of $\text{CH}_3\text{NH}_3\text{PbI}_3$ and $\text{CH}_3\text{NH}_3\text{EuI}_3$ starting from MI_2 (M = Pb^{2+} , Eu^{2+}) and $\text{CH}_3\text{NH}_3\text{L}^{29,33}$ This reaction scheme looks very comprehensive for the preparation of halide-based hybrids and could potentially be applied to most of the metal cations considered in this work. However, not all protonated amines, *e.g.* azetidinium, hydrazinium and hydroxylammonium, are stable at the required temperatures

Chemical Science Edge Article






Fig. 2 Plotted are the effective radii of protonated amines $r_{A,eff.}$ vs. ionic radii of the divalent metals r_{B} of hypothetical compositions. The figure shows (a) iodide based and (b) formate based permutations with TFs between 0.8 and 1.0. The plots highlight the influence of the linking anion on the size-ranges of protonated amines and divalent metals where a hybrid perovskite structure is expected to form. The anisotropy of the anti–anti bridged formate and the associated smaller effective radius ($r_{X,eff.}$) leads to a larger ReO₃-like cavity, so that larger protonated amines can fit within the cavity for a fixed divalent metal. In the case of formates with a $4^{12} \cdot 6^3$ topology and syn–anti connectivity, the size of the ReO₃ cavity is reduced and even smaller protonated amines lead to a perovskite-like architecture, as recently shown for $[NH_4]Cd(HCOOH)_3.^{21}$

and new synthetic procedures must be developed. For molecular anion based hybrids, solution chemistry approaches provide a powerful method in many cases.^{34,35}

The wide applicability of TFs for hybrid perovskites suggests that the packing density is a crucial factor for the formation of a 3D hybrid perovskite framework. Within hybrid frameworks, the complexity of the bonding allows for tuning different properties over a wide range, *e.g.* band-gap engineering due to B or X site substitution in halide based compounds or altering magnetic properties in azido-bridged frameworks. Hydrogen bonding interactions between the protonated amine and the cavity have been shown to have a large impact on the materials' properties. For instance, in iodide and formate based frameworks, bonding interactions between amines and the frameworks influence the mechanical properties and are responsible for temperature-driven order–disorder transitions. 15-17,32,37

In conclusion we calculated Tolerance Factors for over 2300 hypothetical amine–metal–anion permutations based on halides and molecular (organic) anions such as (HCOO) $^-$, (CN) $^-$ and (N₃) $^-$. Of these, 742 show TFs between 0.8 and 1 are predicted to adopt the perovskite structure. To our knowledge, the group of 742 compounds includes about 140 known examples

and more than 600 unknown hypothetical compounds. Interestingly, the doping of $[CH_3NH_3]PbI_3$ on the lead site with Ca^{2+} , Sr2+ and Cd2+ was recently reported and is encouraging for further research.38 However, most of the predicted compounds herein, e.g. [CH₃NH₃]SrI₃ and [CH₃NH₃]CaI₃, are not expected to be good electrical conductors. More likely, related to their hybrid nature, they may show ferroelectric and ferroelastic properties which are of great importance for switching devices and sensor applications. In this context, alkaline earth and first row transition metal based hybrids are of particular interest due to their high abundance.³⁹ Other compounds, such as lanthanide based hybrids, are expected to show interesting optical properties. Together with the large tuning adaptability of the perovskite structure, we expect that the family of hybrid perovskites will have a prominent influence on materials science in the future.

Acknowledgements

GK is the holder of a postdoctoral fellowship granted by the Deutsche Forschungsgemeinschaft (http://www.dfg.de/en), KI1879. SS is supported by Cambridge Overseas Trust and AKC wishes to thank the European Research Council for an Advanced Investigator Award.

References

- (a) M. A. Peña and J. L. G. Fierro, Chem. Rev., 2001, 101, 1981–2018;
 (b) A. M. Glazer, Acta Crystallogr., Sect. B: Struct. Crystallogr. Cryst. Chem., 1972, 28, 3384–3392.
- (a) D. Neagu, G. Tsekouras, D. N. Miller, H. Ménard and J. T. S. Irvine, *Nat. Chem.*, 2013, 5, 916–923; (b) P. Davies, H. Wu, A. Borisevich, I. Molodetsky and L. Farber, *Annu. Rev. Mater. Res.*, 2008, 38, 369–401; (c) N. Zhang, H. Yokota, A. M. Glazer, Z. Ren, D. A. Keen, D. S. Keeble, P. A. Thomas and Z.-G. Ye, *Nat. Commun.*, 2014, 5, 5231; (d) Y. Kobayashi, M. Tian, M. Eguchi and T. E. Mallouk, *J. Am. Chem. Soc.*, 2009, 131, 9849–9855.
- 3 A. K. Cheetham and C. N. R. Rao, Science, 2007, 318, 58-59.
- 4 D. B. Mitzi, J. Chem. Soc., Dalton Trans., 2001, 1-12.
- 5 D. Weber, Z. Naturforsch., 1978, 1443–1445.
- 6 (a) A. Kojima, K. Teshima, Y. Shirai and T. Miyasaka, J. Am. Chem. Soc., 2009, 131, 6050-6051; (b) M. Liu, M. B. Johnston and H. J. Snaith, Nature, 2013, 501, 395-398; (c) M. D. McGehee, Nature, 2013, 501, 323-325.
- 7 Z. Wang, B. Zhang, T. Otsuka, K. Inoue, H. Kobayashi and M. Kurmoo, *Dalton Trans.*, 2004, 2209.
- 8 (a) Z. Wang, K. Hu, S. Gao and H. Kobayashi, Adv. Mater., 2010, 22, 1526–1533; (b) R. Shang, S. Chen, K.-L. Hu, Z.-C. Jiang, B.-W. Wang, M. Kurmoo, Z.-M. Wang and S. Gao, APL Mater., 2014, 2, 124104.
- 9 (a) M. Sánchez-Andújar, L. C. Gómez-Aguirre, B. Pato Doldán, S. Yáñez-Vilar, R. Artiaga, A. L. Llamas-Saiz, S. Manna, F. Schnelle, M. Lang, F. Ritter, A. Haghighirad and M. Α. Señarís-Rodríguez, CrystEngComm, 2014, 16, 3558; (b) P. V. Ramachandran, R. J. Clark, H. D. Zhou, B. H. Toby,

- N. S. Dalal, H. W. Kroto and A. K. Cheetham, J. Am. Chem. Soc., 2009, 131, 13625-13627; (c) W. Li, Z. Zhang, E. G. Bithell, A. S. Batsanov, P. T. Barton, P. J. Saines, P. Jain, C. J. Howard, M. A. Carpenter and A. K. Cheetham, Acta Mater., 2013, 61, 4928-4938.
- 10 W. Li, A. Thirumurugan, P. T. Barton, Z. Lin, S. Henke, H. H.-M. Yeung, M. T. Wharmby, E. G. Bithell, C. J. Howard and A. K. Cheetham, J. Am. Chem. Soc., 2014, **136**, 7801-7804.
- 11 J.-C. Tan, P. Jain and A. K. Cheetham, Dalton Trans., 2012, 3949.
- 12 G. Kieslich, S. Sun and A. K. Cheetham, Chem. Sci., 2014, 5, 4712-4715.
- 13 V. M. Goldschmidt, Naturwissenschaften, 1926, 14, 477-485.
- 14 R. D. Shannon, Acta Crystallogr., Sect. A: Cryst. Phys., Diffr., Theor. Gen. Crystallogr., 1976, 32, 751-767.
- 15 A. Poglitsch and D. Weber, J. Chem. Phys., 1987, 87, 6373.
- 16 R. Wasylishen, O. Knop and J. Macdonald, Solid State Commun., 1985, 56, 581-582.
- 17 M. T. Weller, P. Henry, O. Weber, A. Di Pumpo and T. Hansen, Chem. Commun., 2015, 51, 4180-4183.
- 18 A. Walsh, J. Phys. Chem. C, 2015, 119, 5755-5760.
- 19 P. Schouwink, M. B. Ley, A. Tissot, H. Hagemann, T. R. Jensen, L. Smrčok and R. Černý, Nat. Commun., 2014, **5**, 5706.
- 20 (a) M. R. Filip, G. E. Eperon, H. J. Snaith and F. Giustino, Nat. Commun., 2014, 5, 5757; (b) C. H. Hendon, R. X. Yang, L. A. Burton and A. Walsh, J. Mater. Chem. A, 2015, DOI: 10.1039/C4TA05284F.
- 21 L. C. Gómez-Aguirre, B. Pato-Doldán, A. Stroppa, S. Yáñez-Vilar, L. Bayarjargal, B. Winkler, S. Castro-García, J. Mira, M. Sánchez-Andújar and M. A. Señarís-Rodríguez, Inorg. Chem., 2015, 54, 2109-2116.
- 22 H.-Y. Ye, Y. Zhang, D.-W. Fu and R.-G. Xiong, Angew. Chem., Int. Ed., 2014, 53, 11242-11247.
- 23 A. E. Maughan, J. A. Kurzman and J. R. Neilson, Inorg. Chem., 2015, 54, 370-378.
- 24 J.-H. Im, J. Chung, S.-J. Kim and N.-G. Park, Nanoscale Res. Lett., 2012, 7, 353.
- 25 (a) J. Steadman and R. Willett, Inorg. Chim. Acta, 1970, 4, 367-371; (b) H. Arend, W. Huber, F. Mischgofsky and G. Richter-Van Leeuwen, J. Cryst. Growth, 1978, 43, 213-223; (c) W. Zhang and R.-G. Xiong, Chem. Rev., 2012, 112, 1163-1195; (d) J. Han, S. Nishihara, K. Inoue and M. Kurmoo, Inorg. Chem., 2014, 53, 2068-2075.

- 26 D. B. Mitzi, C. A. Feild, W. T. A. Harrison and A. M. Guloy, Nature, 1994, 369, 467-469.
- 27 C. W. F. T. Pistorius, Z. Phys. Chem., 1974, 88, 253-263.
- 28 A. I. Kitaigorodskii, Y. T. Struchkov, T. L. Khotsyanova, M. E. Vol'pin and D. N. Kursanov, Russ. Chem. Bull., 1960, 9. 32-36.
- 29 K. Liang and D. B. Mitzi, U.S. patent no. 5,882,548 A, 1997.
- 30 (a) F. A. Mautner, R. Cortés, L. Lezama and T. Rojo, Angew. Chem., Int. Ed. Engl., 1996, 35, 78-80; (b) A. Nägele, K. Gibson, J. Glaser and H.-J. Meyer, Z. Anorg. Allg. Chem., 1999, 625, 1940-1943.
- 31 (a) S. Chen, R. Shang, K.-L. Hu, Z.-M. Wang and S. Gao, Inorg. Chem. Front., 2014, 1, 83; (b) G.-C. Xu, W. Zhang, X.-M. Ma, Y.-H. Chen, L. Zhang, H.-L. Cai, Z.-M. Wang, R.-G. Xiong and S. Gao, J. Am. Chem. Soc., 2011, 133, 14948-14951.
- 32 (a) A. Amat, E. Mosconi, E. Ronca, C. Quarti, P. Umari, M. K. Nazeeruddin, M. Grätzel and F. de Angelis, Nano Lett., 2014, 14, 3608-3616; (b) R. Gautier, X. Zhang, L. Hu, L. Yu, Y. Lin, T. O. L. Sunde, D. Chon, K. R. Poeppelmeier and A. Zunger, Nat. Chem., 2015, 7, 308-316.
- 33 C. C. Stoumpos, C. D. Malliakas and M. G. Kanatzidis, Inorg. Chem., 2013, 52, 9019-9038.
- 34 X.-H. Zhao, X.-C. Huang, S.-L. Zhang, D. Shao, H.-Y. Wei and X.-Y. Wang, J. Am. Chem. Soc., 2013, 135, 16006-16009.
- 35 (a) M. Mączka, A. Ciupa, A. Gągor, A. Sieradzki, A. Pikul, B. Macalik and M. Drozd, Inorg. Chem., 2014, 53, 5260-5268; (b) W. Zhang, H.-Y. Ye, R. Graf, H. W. Spiess, Y.-F. Yao, R.-Q. Zhu and R.-G. Xiong, J. Am. Chem. Soc., 2013, 135, 5230-5233.
- 36 (a) F. Hao, C. C. Stoumpos, D. H. Cao, R. P. H. Chang and M. G. Kanatzidis, *Nat. Photonics*, 2014, **8**, 489–494; (b) E. T. Hoke, D. J. Slotcavage, E. R. Dohner, A. R. Bowring, H. I. Karunadasa and M. D. McGehee, Chem. Sci., 2015, 6, 613-617.
- 37 (a) T. Besara, P. Jain, N. S. Dalal, P. L. Kuhns, A. P. Reyes, H. W. Kroto and A. K. Cheetham, Proc. Natl. Acad. Sci. U. S. A., 2011, 108, 6828-6832; (b) J.-H. Lee, N. C. Bristowe, P. D. Bristowe and A. K. Cheetham, Chem. Commun., 2015, **51**, 6434.
- 38 J. Navas, A. Sanchez-Coronilla, J. J. Gallardo, N. Cruz Hernández, J. C. Pinero, R. Alcántara, C. Fernández-Lorenzo, D. M. de los Santos, T. Aguilar and J. Martín-Calleja, Nanoscale, 2015, 7, 6216.
- 39 M. W. Gaultois, T. D. Sparks, C. K. H. Borg, R. Seshadri, W. D. Bonificio and D. R. Clarke, Chem. Mater., 2013, 25, 2911-2920.