Chemical Science



EDGE ARTICLE

View Article Online
View Journal | View Issue



Cite this: Chem. Sci., 2018, 9, 1375

Extraction of nickel from NiFe-LDH into Ni₂P@NiFe hydroxide as a bifunctional electrocatalyst for efficient overall water splitting†

Fang-Shuai Zhang,‡^a Jia-Wei Wang, (10 ‡^a Jun Luo, b Rui-Rui Liu, b Zhi-Ming Zhang, (10 *b Chun-Ting He*a and Tong-Bu Lu (10 *b*ab)

The development of highly efficient, low-cost and stable electrocatalysts for overall water splitting is highly desirable for the storage of intermittent solar energy and wind energy sources. Herein, we show for the first time that nickel can be extracted from NiFe-layered double hydroxide (NiFe-LDH) to generate an Ni₂P@FePO_x heterostructure. The Ni₂P@FePO_x heterostructure was converted to an Ni₂P@NiFe hydroxide heterostructure (P-NiFe) during water splitting, which displays high electrocatalytic performance for both the hydrogen evolution reaction (HER) and oxygen evolution reaction (OER) in 1.0 M KOH solution, with an overpotential of 75 mV at 10 mA cm⁻² for HER, and overpotentials of 205, 230 and 430 mV at 10, 100 and 1000 mA cm⁻² for OER, respectively. Moreover, it could afford a stable current density of 10 mA cm⁻² for overall water splitting at 1.51 V in 1.0 M KOH with long-term durability (100 h). This cell voltage is among the best reported values for bifunctional electrocatalysts. The results of theoretical calculations demonstrate that P-NiFe displays optimized adsorption energies for both HER and OER intermediates at the nickel active sites, thus dramatically enhancing its electrocatalytic activity.

Received 23rd October 2017 Accepted 21st December 2017

DOI: 10.1039/c7sc04569g

rsc.li/chemical-science

Introduction

To address energy and environmental problems, hydrogen fuel has been regarded as a promising alternative to fossil fuels for its high energy density and cleanness.1 Electrochemical water splitting has been regarded as a promising method for the production of hydrogen, using electric energy coming from intermittent solar energy and wind energy sources.2 However, water splitting is a thermodynamically uphill process, accompanied by high overpotentials (η) for both HER and OER, which requires efficient and stable electrocatalysts to significantly reduce the overpotentials.3 As is well known, Pt-based materials and iridium oxides are the state-of-the-art electrocatalysts for HER and OER, respectively,4 while their high cost and scarcity seriously limit their large-scale application. Therefore, there has been growing interest in developing earth-abundant and cheap electrocatalysts for water splitting, and great progress has been achieved over past years. It has been found that transition-metal sulfides,⁵ carbides,⁶ selenides⁷ and phosphides8

Previous studies have revealed that binary/ternary metal hydroxides/oxides exhibit higher electrocatalytic performance for OER than their unary counterparts, 11 possibly due to the optimized binding energies for OER intermediates (*OH, *O, and *OOH) on the catalyst surface, 9c and/or enhanced charge transferability of the catalysts in the presence of doping elements. NiFe-layered double hydroxide (NiFe-LDH) based nanomaterials, with binary metal centers evenly mixed on a molecular level, have shown high performance on OER, with low overpotentials of 210–350 mV at 10 mA cm⁻². 9a,10e,12 However, when they were used as a bifunctional electrocatalyst

dramatically reduce the overpotentials for HER in acidic media, and the transition-metal oxides/hydroxides9 exhibit remarkable electrocatalytic activity for OER in alkaline solution. However, it remains a great challenge to pair the HER and OER electrocatalysts in an integrated electrolyzer for efficient overall water splitting, due to the mismatch between their best working conditions. Bifunctional electrocatalysts to facilitate both HER and OER in the same electrolyte are highly appealing, as this can lower the total cost by avoiding the preparation of different catalysts, and make water splitting feasible for practical use.3b,4a,10 Nonetheless, only a few bifunctional electrocatalysts display competitive catalytic activity to that of a Pt-IrO_x-coupled electrolyzer that can reduce the overall water splitting cell voltage to near 1.5 V at a current density of 103b,4a,10c, or 20 mA cm⁻².10e In this context, the design and synthesis of efficient bifunctional electrocatalysts for overall water splitting in the same electrolyte still remain a great challenge.

^aMOE Key Laboratory of Bioinorganic and Synthetic Chemistry, School of Chemistry, Sun Yat-Sen University, Guangzhou 510275, China. E-mail: hechunt@mail2.sysu.edu.cn; lutongbu@mail.sysu.edu.cn

^bInstitute of New Energy Materials & Low Carbon Technology, School of Material Science & Engineering, Tianjin University of Technology, Tianjin 300384, China. E-mail: zmzhang@email.tjut.edu.cn

[†] Electronic supplementary information (ESI) available: Experimental and computational details and additional data. See DOI: 10.1039/c7sc04569g

 $[\]ddagger$ F. S. Zhang and J. W. Wang contributed equally to this work.

Chemical Science Edge Article

for overall water splitting, the cell voltage was as high as 1.7 V at a current density of 10 mA cm⁻² in 1.0 M KOH, 12b due to their higher overpotential for HER. Accordingly, decreasing the overpotential for HER will make NiFe-LDH into an efficient bifunctional electrocatalyst for overall water splitting.

Recently, transition-metal phosphides have also been demonstrated as efficient electrocatalysts for HER in an alkaline medium, 8h,8i,13 besides their high HER catalytic activity in acidic media.8a,8d,8g,14 In addition, it has been demonstrated that bimetallic phosphide NiCoP displays higher HER activity than monometallic phosphide Ni₂P, due to its optimized H binding energy of nearly zero (close to that of Pt) on the surface of NiCoP, which is beneficial for the reversible adsorption and desorption of H.13a We presume that the HER activity could be improved by the phosphorization of NiFe-LDH to get a bimetallic phosphide NiFeP, and combine it with a highly efficient NiFe-LDH OER electrocatalyst to construct an NiFeP/NiFe-LDHcoupled electrolyzer, when the cell voltage would be dramatically decreased. Unexpectedly, an Ni₂P@FePO_x heterostructure was obtained during the phosphorization of NiFe-LDH, in which Ni was selectively phosphorized and extracted from NiFe-LDH. Ni₂P@FePO_r further evolved to Ni₂P@NiFe hydroxide (P-NiFe) during water splitting, which shows a much lower overpotential of 75 mV than that of 230 mV for NiFe-LDH at 10 mA cm⁻² for HER in 1.0 M KOH solution. More interestingly, P-NiFe also shows a better OER performance than NiFe-LDH in 1.0 M KOH solution, with overpotentials of 205, 230 and 430 mV at current densities of 10, 100 and 1000 mA cm⁻², respectively, much lower than the corresponding values of 250, 280, and 560 mV for NiFe-LDH at current densities of 10, 100 and 1000 mA cm⁻², respectively. Therefore, a P-NiFe heterostructure can serve as an efficient bifunctional electrocatalyst for an alkaline electrolyzer, generating a cell voltage of only 1.51 V at 10 mA cm⁻² in 1.0 M KOH solution, even better than the combination of the state-of-the-art IrO2 and Pt/C as benchmark electrocatalysts. Though a number of NiFe-based metal hydroxides/ oxides9a,12b-f,12h and transition-metal phosphides8a,8e,8f,8i,15 have been reported as electrocatalysts for OER and HER, to our knowledge, the selective extraction and phosphorization of a single metal from mixed metal hydroxides/oxides to form a heterostructure has not been documented so far. The in situ transformed Ni₂P@NiFe hydroxide heterostructure not only enhances its conductivity due to the existence of metallic Ni₂P, but also optimizes the adsorption energies for both HER and OER intermediates at the nickel active sites on its surface, thus dramatically enhancing its electrocatalytic activity for both OER and HER.

Experimental section

Materials

 $Ni(NO_3)_2 \cdot 6H_2O$ (99.9985% metals basis, Alfa), $Fe(NO_3)_3 \cdot 9H_2O$, (98+% metals basis, Alfa), urea (99.999%, Aladdin), NaH₂PO₂ (99.0%, Aladdin), IrO2 (99.99% metals basis, Alfa), 20% Pt on Vulcan XC72 (20% Pt/C, Sigma-Aldrich), Nafion (5 wt%, Sigma-Aldrich), nickel foam (>99.5%, 1.0 mm thick, Taiyuan Yingze Lizhiyuan Battery) and other materials were obtained from commercial suppliers and used without further purification, unless otherwise noted.

Characterization

Scanning electron microscopy (SEM) and energy dispersive Xray spectroscopy (EDS) results were collected by a field emission scanning electron microscope (FEI, Quanta 400). Highresolution transmission electron microscope (HRTEM) images, quantitative EDS data and electron energy loss spectroscopy (EELS) elemental mapping were taken on an aberration-corrected scanning transmission electron microscope (STEM, FEI Titan Cubed Themis G2 300 at 200 and 300 kV). The powder X-ray diffraction measurements were performed on a D8 ADVANCE X-ray Diffractometer. The X-ray photoelectron spectroscopy (XPS) data was collected on an ESCA Lab250 instrument. Raman spectra were carried out on a Renishaw in Via Laser Micro-Raman Spectrometer (Horiba-Jobin-Yvon T64000 instrument) using a 514 nm laser. Electrocatalytic properties were studied with a standard three-electrode system controlled by a CHI760E electrochemical workstation. An Ag/AgCl (in 3 M KCl solution) electrode and a carbon rod were used as the reference electrode and the counter electrode, respectively. The linear sweep voltammetry curves were recorded at a scan rate of 5 mV s⁻¹ in 1.0 M KOH solution. The electrochemical impedance spectroscopy (EIS) measurements were conducted over a frequency range from 10 kHz to 100 kHz. The analysis of the gas product was operated on a gas chromatograph (Agilent 7820A-GC, molecular sieve columns, thermal-conductivity detector, TCD).

Preparation

Preparation of NiFe-LDH@NF. The NiFe-LDH was prepared according to a modified literature method. 12b Ni(NO3)2·6H2O (0.5 mmol), $Fe(NO_3)_3 \cdot 9H_2O$ (0.5 mmol) and urea (2.5 mmol)were mixed in 40 mL of deionized water. The resulting solution was poured into a 50 mL autoclave with a piece of 1×2 cm NF leaning against the wall. The growth was carried out at 120 °C in an electric oven for 12 h. After natural cooling to room temperature, the NiFe-LDH sample coated on NF was collected, washed with deionized water, and then blown dry under a stream of compressed air.

Preparation of Ni(OH)2@NF. Ni(OH)2@NF was prepared by a similar procedure to the synthesis of NiFe-LDH@NF without adding Fe(NO₃)₃·9H₂O, and 1 mmol Ni(NO₃)₂·6H₂O was used in the synthesis process.

Preparation of P-NiFe@NF and P-Ni@NF. 250 mg of NaH_2PO_2 was placed at the upstream side of a tube furnace and one piece of 1 \times 2 cm NiFe-LDH@NF was located at the downstream side of the furnace. Then, the furnace was heated to 573 K with a heating rate of 2 K min⁻¹ under an Ar flow, and maintained at 573 K for 3 h. After natural cooling to room temperature, Ni₂P@FePO_x was obtained, which was in situ transformed to Ni₂P@NiFe hydroxide (P-NiFe@NF electrode) during water splitting. The Ni₂P@Ni(OH)₂ (P-Ni@NF) was prepared by a similar procedure with P-NiFe/NF using Ni(OH)2@NF instead of NiFe-LDH@NF. The amount of Edge Article Chemical Science

 ${
m Ni_2P@FePO_x}$ or ${
m Ni_2P}$ loading on NF, which was determined by the weight difference of NF before and after material growth, is approximately 1.0 mg cm⁻².

Preparation of 20% Pt/C@NF and IrO₂@NF. 10 mg of 20% Pt/C (or IrO₂) and 50 μ L of Nafion (5 wt%) were dispersed in 1 mL of ethanol with sonication for at least 30 min to generate a homogeneous ink. Then 150 μ L of the ink was drop-casted onto a NF, and the solvent was evaporated at room temperature overnight. The amount of loading is approximately 1.0 mg cm⁻².

Estimation of effective electro-chemical surface area (ECSA)

To evaluate the ECSA, cyclic voltammetry (CV) was carried out to probe the electrochemical double-layer capacitance ($C_{\rm dl}$) of various samples in the non-faradaic region from CV in a quiescent solution. This non-faradaic region is typically a 0.1 V window with the open circuit potential as the middle point. All measured current in this region is assumed to be due to double-layer charging. By plotting the current density at 0.92 V ν s. RHE against the scan rate, a linear trend was observed. The linear slope, equivalent to twice of the double-layer capacitance $C_{\rm dl}$, was used to represent the ECSA.

Estimation of Faraday efficiency

The detection of hydrogen and oxygen was performed in a one-compartment, two-electrode cell with stirring. Two P-NiFe@NF electrodes (1 \times 1 cm) were used as the working electrode and the counter electrode, respectively. Before the detection of the gas product, the cell was firmly sealed to be gas-tight and subsequently purged with argon for 20 min. Before and after the electrolysis at a current density of 10 mA cm $^{-2}$, the gas products were analyzed by gas chromatography.

DFT calculation

According to previous studies, ¹⁶ the Gibbs free energy of each elementary step of OER or HER were calculated as follows:

$$\Delta G = \Delta E + \Delta Z PE - T \Delta S$$

where ΔE is the reaction energy calculated by using the spin polarization density functional theory (DFT) method. ΔZ PE and ΔS are the changes in zero point energies and entropy during the reaction, respectively. In the case of HER calculations, as the vibrational entropy of H* in the adsorbed state is small, the entropy of adsorption of $1/2H_2$ is $\Delta S_H \approx -0.5S_{0H_2}$, where S_{0H_2} is the entropy of H₂ in the gas phase under the standard conditions. Therefore the overall corrections were taken as in¹⁷

$$\Delta G_{\mathrm{H}^*} = \Delta E_{\mathrm{H}^*} + 0.24 \text{ eV}$$


Based on the structural characterizations, the periodical surface models of the heterostructures were constructed by using the crystal structures of Ni₂P (inner layer) and Ni/Fe hydroxide (outer layer), and the latter were all set to be charge neutral by tuning the numbers of H atoms on the oxygen. The

higher index $(1\overline{12})$ facet of Fe/Ni(OH)_x, containing undercoordinated metal sites similar to a step or edge, was adopted as it possesses higher OER activity. A vacuum slab of 15 Å is used to separate the layer from its periodic images. All the geometrical optimizations and energy calculations were performed by the Dmol³ module in Materials Studio 5.5. The widely used generalized gradient approximation (GGA) with the Perdew–Burke–Ernzerhof (PBE) function and the double numerical plus polarization (DNP) basis set were used for all the non-metal atoms. An accurate DFT semi-core pseudopots (DSPP) was employed for metal atoms, and thermal smearing was applied to the orbital occupation to speed up convergence. For all the DFT calculations, the energy, gradient and displacement convergence criteria were set at 2×10^{-5} Ha, 4×10^{-3} Å and 5×10^{-3} Å, respectively.

Results and discussion

Synthesis and characterization

The Ni₂P@FePO_x heterostructure was prepared by the phosphorization of highly dense, vertically aligned NiFe-LDH nanosheets on an NF (nickel foam) substrate (Scheme 1). At first, the vertically aligned NiFe-LDH nanosheets were uniformly grown on the NF substrate by a hydrothermal method, as observed by SEM (Fig. S1†), and its phase purity was confirmed by the X-ray diffraction (XRD) measurement (Fig. S2†). Subsequently, the NiFe-LDH nanosheets were phosphorized using NaH₂PO₂ as a P source. With plenty of parallel experiments, it was found that the phosphorization temperature plays a key role during the formation of Ni₂P@FePO_x nanosheets. Based on the decomposition temperature of NaH₂PO₂ (above 473 K), 19 the phosphorization temperatures were selected from 473 to 773 K, with a controlled reaction time scale of 3 h. As shown in Fig. S3a,† the morphology of the sample prepared at 473 K barely changed compared to that of the original NiFe-LDH nanosheets, and a large amount of NaH₂PO₂ was found to be unreacted, suggesting that the phosphorization temperature of 473 K is too low. The nanosheet-like morphology of the sample obtained at 573 K can be retained, though the sheet edges become thicker compared to those of the original NiFe-LDH nanosheets (Fig. S3b†). Further increasing the phosphorization temperatures to 673 and 773 K will destroy the morphology of the nanosheets



Scheme 1 The procedure for the synthesis of ${\rm Ni_2P@FePO}_{\rm X}$ nanosheets.

(Fig. S3c and d†). On the other hand, the phosphorization time was also found to play an important role during the formation of Ni₂P@FePO_x nanosheets, and 3 h was found to be an ideal phosphorization time for the preparation of Ni₂P@FePO_x nanosheets (Fig. S4b†). Further increasing the phosphorization time will destroy the morphology of the nanosheets (Fig. S4c†). Therefore, the optimized phosphorization temperature and time are 573 K and 3 h, respectively, and the Ni₂P@FePO_x nanosheets synthesized under such optimized conditions were used as an electrocatalyst for further investigation (see Scheme 1). The direct integration of an Ni₂P@FePO_r electrocatalyst on NF not only provides conductive support and a 3D macroporous feature which can be used directly as an electrode, but also avoids the use of expensive electrodes and the requirement for extra glues to stick the catalysts onto the surface of such electrodes, which is beneficial for a commercial water electrolyzer.

X-ray photoelectron spectroscopy (XPS) was used to determine the chemical composition on the surface of Ni₂P@FePO_x. As shown in Fig. 1a, the XPS of as-prepared Ni₂P@FePO_x material exhibits a binding energy peak at 853.5 eV, and this peak is absent in the XPS pattern of NiFe-LDH, which can be attributed to metallic nickel in the nickel phosphide (Ni₂P).^{15b} The presence of Ni₂P in the Ni₂P@FePO_x sample can be further confirmed by the X-ray diffraction (XRD) measurements, which show the characteristic diffraction peaks of Ni₂P (Fig. S5†). The XPS patterns also display the binding energies of Ni 2p_{3/2} and Ni 2p_{1/2} peaks located at 857.2 and 875.2 eV, respectively (Fig. 1a). These values are in good agreement with those of Ni²⁺ in NiFe-LDH and other nickel oxides or phosphates, 8f,15a which can be attributed to the surface oxidation of Ni₂P. The peaks of Fe 2p_{3/2} and Fe 2p_{1/2} in the P-NiFe sample appear at 712.5 and 725.5 eV, respectively (Fig. 1b), demonstrating the presence of the Fe³⁺ state.14 In addition, the XPS pattern of P 2p shows the existence of both metal phosphide (129.7 eV)8e,15c and metal phosphate (134.3 eV, Fig. 1c). 13b,15c The binding energy of 853.5 eV is slightly higher than that of metallic Ni (852.6 eV),20 while the binding energy of 129.7 eV is slightly lower than that of elemental P (130.0 eV), 20 indicating that the Ni and P are partially positive and negatively charged in Ni₂P, respectively. All the above results indicate the co-existence of Ni₂P, Ni²⁺, Fe³⁺ and metal phosphate species in the Ni₂P@FePO_x sample.

To further analyze the morphology and composition of the as-prepared $Ni_2P@FePO_x$ sample, a scanning transmission electron microscope (STEM) with a high-angle annular dark field (HAADF) mode was utilized. As shown in Fig. 2a and S6,†




Fig. 1 The XPS patterns of as-prepared $Ni_2P@FePO_x$ sample, showing the signals of (a) Ni 2p, (b) Fe 2p and (c) P 2p.




Fig. 2 (a) TEM image, (b) HRTEM image, (c) HAADF-STEM image and EDS elemental mapping images for the $Ni_2P@FePO_x$ sample.

the high-resolution transmission electron microscope (HRTEM) images show crystalline nanoparticles (10-20 nm) embedded in an amorphous substrate. The lattice fringes of the crystalline nanoparticles can be clearly observed (Fig. 2b), where the (200) crystal facet with a d-spacing of 0.197 nm is in agreement with the crystal phase of Ni₂P (JCPDS no. 74-1385), further demonstrating the formation of crystalline Ni₂P nanoparticles in Ni₂-P@FePO_x. In the substrate, no lattice fringes can be observed, suggesting the amorphous nature of the substrate. As shown in the energy dispersive X-ray spectroscopy (EDS) elemental mapping images (Fig. 2c), the majority of the Ni element is distributed in the crystalline Ni₂P nanoparticles, while the Fe and O elements are mainly dispersed in the amorphous substrate. Additionally, the P element is distributed over the Ni₂P@FePO_x sample homogeneously. These observations indicate that the crystalline nanoparticles are mainly comprised of Ni₂P, and the amorphous substrate is most likely to be iron phosphate (FePO_x). The presence of Fe₂O₃ species in the amorphous substrate can be excluded by comparison of the results of electron energy loss spectroscopy (EELS) for P-NiFe with those of the Fe₂O₃ sample (Fig. S7†).²¹ The results of EDS measurement for the Ni₂P@FePO_x sample reveal that the ratio of Ni:P:Fe:O is approximately 2:2:1:4 (Fig. S8†), indicating that the ratio of Ni₂P and FePO_x ($x \approx 4$)²² in Ni₂P@FePO_x is approximately 1:1. All the above observations clearly demonstrate that the Ni₂P@FePO_x sample consists of crystalline Ni₂P nanoparticles embedded in amorphous iron phosphate, forming an Ni₂P@FePO_x heterostructure. The formation of Ni₂P nanoparticles suggests that Ni was selectively

Edge Article Chemical Science

phosphorized and extracted from NiFe-LDH during the phosphorization process. This is possibly because the Ni $^{2+}$ in NiO and Ni(OH) $_2$ could be easily phosphorized to form Ni $_2$ P by substantial substitution of O atoms by P atoms. Fi In contrast, the iron hydroxide was transformed to iron phosphate rather than iron phosphide, presumably due to the high affinity of Fe $^{3+}$ towards O, which may hinder the substitution of O atoms by P atoms. The extraction of Ni from NiFe-LDH during the phosphorization process will produce a large amount of defects in the synthesized Ni $_2$ P@FePO $_x$ heterostructure, which will provide more active sites for HER and OER, giving rise to enhanced HER and OER activity.

Electrocatalytic HER

The electrocatalytic activity of as-prepared Ni₂P@FePO_x for HER was investigated in 1.0 M KOH aqueous solution, and the results indicate that Ni₂P@FePO_x was converted to Ni₂P@NiFe hydroxide (P-NiFe) during HER as a real electrocatalyst (see below). For comparison, the electrocatalytic performances of NiFe-LDH, P-Ni (obtained by phosphorization of nickel hydroxides) and commercial 20% Pt/C coated on NF were also investigated under the same conditions. It is exciting to note that P-NiFe exhibits high catalytic activity for HER in alkaline aqueous solution, with an overpotential of 75 mV at 10 mA cm $^{-2}$ (Fig. 3a). This value is much lower than those of P-Ni (190 mV) and NiFe-LDH (230 mV) under the same conditions, and is comparable to that of commercial 20% Pt/C (45 mV). Moreover, the Tafel slope of P-NiFe (67 mV dec⁻¹) is also lower than those of P-Ni (107 mV dec^{-1}) and NiFe-LDH (264 mV dec^{-1} ; Fig. 3b), indicating the rapid HER catalytic rate of P-NiFe. Besides the high catalytic efficiency for HER, the P-NiFe catalyst also exhibits impressive robustness during a 25 h controlled-current




Fig. 3 (a) IR-corrected linear sweep voltammetry (LSV) curves, with a scan rate of 5 mV s $^{-1}$. (b) Tafel plots and (c) current density traces of CCE at 10 mA cm $^{-2}$ for HER in 1.0 M KOH. (d) LSV curves for P-NiFe before (black line) and after (red line) CCE for HER at 10 mA cm $^{-2}$ for 25 h. Catalysts: P-NiFe (black), NiFe-LDH (red), P-Ni (blue) and 20% Pt/C (green).

electrolysis (CCE) at 10 mA cm⁻², with a stable overpotential of 75 mV (Fig. 3c). Meanwhile, the LSV curves before and after 25 h of CCE further confirm its high stability during the HER (Fig. 3d). The bare NF shows poorer activity for HER than that of P-NiFe under identical conditions (Fig. S9a†).

After the CCE for HER at 10 mA cm⁻² for 25 h, HRTEM (Fig. S10†) and elemental mapping images (Fig. S11†) of the generated sample indicate that there was no obvious change in the morphology of the crystalline Ni₂P nanoparticles, while the amorphous iron phosphate was transformed to crystalline Fe(OH)₃ in 1.0 M KOH, and this was confirmed by XRD measurement (Fig. S12†), which demonstrates that both crystalline Ni₂P and Fe(OH)₃ coexist in P-NiFe after the CCE for HER. However, the low-energy peaks of 853.5 and 129.7 eV belonging to Ni₂P disappeared in the XPS patterns for the P-NiFe sample after CCE (Fig. S13†), and only the peaks (857.1 and 875.2 eV) attributed to Ni2+ were observed, indicating that the surface of Ni₂P was oxidized into Ni(OH)₂ in alkaline solution, and the Ni(OH)₂ formed in situ at the surface of the Ni₂P nanoparticles prevents further oxidation of Ni₂P. However, the peak of 133.2 eV belonging to P 2p can be observed (Fig. S13c†), indicating that the Ni(OH)2 layer formed in situ at the surface of the Ni₂P is very thin. The XPS patterns for the P-NiFe sample after the LSV measurement and before CCE (Fig. S14†) is similar to those after CCE, indicating that the surface oxidation of Ni₂P into Ni(OH)₂ occurs rapidly in solution. The surface oxidation of Ni₂P into Ni(OH)₂ and the transformation of amorphous iron phosphate into Fe(OH)₃ in Ni₂P@FePO_r after CCE were further confirmed by the results of Raman spectra measurements (Fig. S15†), which show very weak characteristic peaks of NiFe hydroxide, indicating the presence of trace amounts of NiFe hydroxide on the surface of the Ni₂P nanoparticles. 13c,23 The results of electrochemical impedance spectroscopy (EIS) measurements indicate that the conductivity of P-NiFe after HER is dramatically increased compared to that of NiFe-LDH after HER (Fig. S16a†), which can be attributed to the existence of highly conductive metallic Ni₂P nanoparticles in P-NiFe. The results of effective electro-chemical surface area (ECSA) measurements (Fig. S17a†) indicate that number of active sites in P-NiFe after CCE for HER (29.1 mF cm⁻²) is 17fold higher than those of NiFe-LDH after CCE for HER (1.7 mF cm⁻²). The increased number of active sites in P-NiFe could be ascribed to the extraction of Ni from NiFe-LDH during the phosphorization process, which generates a large amount of defects to act as catalytically active sites. Indeed, the surface of P-NiFe after HER becomes rougher compared with that of assynthesized Ni₂P@FePO_x (Fig. S18†), indicating that more active sites were exposed.

To reveal the origin of the enhanced HER activity of the P-NiFe, density functional theory (DFT) calculations were carried out. Generally, hydrogen evolution activity is closely related with the Gibbs free energy of hydrogen adsorption (ΔG_{H^*}) on the surfaces of catalysts in both acid and alkaline conditions, so $|\Delta G_{\mathrm{H}^*}|$ is one of the key catalytic descriptors for theoretical prediction of HER activity, which is usually proposed as having an optimal value close to zero.²⁴ In this context, we investigated seven model structures by the calculation of the

Chemical Science Edge Article

free energies for H adsorption on the surfaces of different catalytic sites of Ni₂P, Ni(OH)₂, FeO(OH), Ni₂P@Ni(OH)₂, Ni₂-P@FeO(OH), NiFeO(OH)₃ (corresponding to NiFe-LDH), and Ni₂P@NiFeO(OH)₃ (corresponding to P-NiFe) (Fig. S19†), and the lowest free energy for each structure is given in Fig. 4. From Fig. 4 it can be found that the single-metal LDH of Ni(OH)₂ and FeO(OH) have the largest ΔG_{H^*} of over 0.60 eV. After doping with Fe, the ΔG_{H^*} of the mixed-metal NiFeO(OH)₃ is reduced to 0.49 eV. By compositing with Ni₂P, all the $|\Delta G_{H^*}|$ values of the LDH species can be greatly decreased, which is consistent with our experimental results, demonstrating the formation of a heterostructure of LDH and that Ni₂P can really boost the hydrogen evolution activity. Among them, the mixed-metal heterostructure of Ni₂P@NiFeO(OH)₃ exhibits the lowest ΔG_{H^*} value of 0.06 eV at the catalytic site of Ni (Fig. S19†), being closer to the ideal value of zero. Thus, it shows that the highest HER performance benefits from the synergistic electron effect after the formation of the Ni₂P@NiFeO(OH)₃ heterostructure.

Electrocatalytic OER

Electrocatalytic performance of the Ni₂P@FePO_x catalyst for OER was also evaluated in 1.0 M KOH solution at a scan rate of 5 mV s⁻¹, and the results indicate that Ni₂P@FePO_x was also converted to Ni₂P@NiFe hydroxide (P-NiFe) during OER as a real electrocatalyst (see below). For comparison, the electrocatalytic performances of NiFe-LDH, P-Ni and commercial IrO₂ coated on NF were also investigated under the same conditions. As shown in Fig. 5a, P-NiFe exhibits a much higher current density at a given potential of 1.45 V in comparison to those of other catalysts. To avoid the interference of Ni^{III/II} oxidation waves at approximately 1.4 V, CCE was used to determine the overpotentials for OER of these catalysts at a current density of 10 mA cm⁻². As shown in Fig. 5c, P-NiFe displays a stable overpotential of 205 mV at 10 mA cm⁻² during a 25 h CCE. This value is much lower than those of NiFe-LDH (250 mV), P-Ni (290 mV) and IrO₂ (320 mV), indicating that the OER catalytic activity is also enhanced after the formation of a P-NiFe heterostructure. In addition, the Tafel slope of P-NiFe (32 mV dec⁻¹) is smaller than those of NiFe-LDH (70 mV dec⁻¹), P-Ni (105 mV dec⁻¹) and IrO₂ (230 mV dec⁻¹, see Fig. 5b), indicating its fast




Fig. 4 Free energy of H* adsorption on different catalysts by DFT calculations.




Fig. 5 (a) IR-corrected LSV curves, with a scan rate of 5 mV s $^{-1}$. (b) Tafel plots for OER in 1.0 M KOH and (c) current density traces of CCE at 10 mA cm $^{-2}$ (as well as 100 and 1000 mA cm $^{-2}$ for P-NiFe, dashed line). (d) LSV curves of P-NiFe before (black square) and after (red circle) CCE for OER at 10 mA cm $^{-2}$ for 25 h. Catalysts: P-NiFe (black), NiFe-LDH (red), P-Ni (blue) and IrO₂ (orange).

catalytic rate and favorable OER kinetics. The high stable catalytic performance of P-NiFe was further confirmed by the LSV measurements, in which the LSV curves before and after 25 h of CCE at 10 mA cm⁻² are almost identical (Fig. 5d).

For commercial hydrogen production by electrocatalytic water splitting, the development of non-precious OER electrocatalysts that can work with long-term stability at large current densities and low overpotentials is highly desirable. For the P-NiFe electrocatalyst, it only requires very low OER overpotentials of 230 and 430 mV to achieve large current densities of 100 and 1000 mA cm⁻², respectively, and P-NiFe exhibits impressive robustness for at least 25 h during CCE at a large current density of 1000 mA cm⁻² in 1.0 M KOH solution (Fig. 5c), which exhibits much better performance than NiFe-LDH, in which NiFe-LDH shows an overpotential of 550 mV to achieve a current density of 1000 mA cm⁻², with the overpotential increasing to 650 mV after 25 h of CCE (Fig. S20†). To our knowledge, these values are among the lowest overpotentials of reported OER electrocatalysts for the corresponding current densities (see Table S1†). It should be mentioned that bare NF shows much lower activity for OER than that of P-NiFe under the same conditions (Fig. S9b†), indicating that the high OER activity originates from the P-NiFe catalyst rather than from the NF.

All the above results reveal that the OER catalytic activity of P-NiFe is also much enhanced compared to that of NiFe-LDH. In order to gain an in-depth understanding of the origin of the high catalytic activity of P-NiFe, a series of characterizations were performed on the P-NiFe catalyst after 25 h of CCE for OER. HRTEM (Fig. S21†) and elemental mapping images (Fig. S22†) indicate that the original amorphous iron phosphate in Ni₂-P@FePO_x also transformed into crystalline Fe(OH)₃ during CCE

Edge Article

in basic solution, while the Ni₂P nanoparticles still exist in the heterostructure. These results are further confirmed by the XRD measurements, where the characteristic diffraction peaks of Ni₂P and Fe(OH)₃ were all detected (Fig. S23†). However, the XPS results show the disappearance of the peaks of P and the low-energy peak of nickel (853.5 eV), as well as a shift toward higher binding energy for Ni (from 857.2 to 857.8 eV) in P-NiFe after CCE (Fig. S24†), indicating the surface oxidation of Ni₂P to form nickel hydroxide during OER. 8f,15a,15b The XPS patterns for the P-NiFe sample after the LSV measurement and before CCE (Fig. S25†) are similar to those after CCE, indicating that the surface oxidation of Ni₂P into Ni(OH)₂ occurs rapidly during OER in solution. Furthermore, after the CCE, new peaks corresponding to the NiFe hydroxide appeared in the Raman spectroscopy of P-NiFe (Fig. S15†), while no obvious peaks were observed in the Raman spectroscopy of as-synthesized Ni2-P@FePO_x. These observations indicate that the NiFe hydroxide formed on the surface of P-NiFe during the OER to serve as a real catalyst for OER, 10b,13c,23 which also acts as a protective layer to prevent the further corrosion of Ni₂P.^{15a}

Overall, the above results demonstrate that, during the CCE for OER, the as-prepared Ni₂P@FePO_x heterostructure was transformed into a new heterostructure comprised of NiFe hydroxide around the inner Ni₂P nanoparticles. Such a transformation can be regarded as a self-optimization of Ni2-P@FePO_r during the electrocatalytic process to form a more stable and more efficient catalyst of P-NiFe for OER. Similar to P-NiFe for HER, the inner Ni₂P in P-NiFe for OER can also serve as a highly conductive, metallic support to provide a fast electron transfer pathway, 13a,25 and this was confirmed by the results of EIS measurements, in which P-NiFe shows a smaller charge transfer impedance than that of NiFe-LDH after 25 h of CCE for OER (Fig. S16b†). In addition, the results of ECSA measurements indicate that P-NiFe possesses 5-fold more active sites than NiFe-LDH (Fig. S17b†), which can be attributed to the extraction of Ni from NiFe-LDH and the increased surface roughness of P-NiFe after CCE (Fig. S26†), resulting in more active sites and enhanced OER activity.

To further understand the origin of the enhanced OER activity of the P-NiFe, DFT calculations were performed. The results of previous DFT calculations have already demonstrated that the OER activity of WOCs based on transition metal materials is mainly driven by the energetics of the OER intermediates (*OH, *O, and *OOH, * being the adsorption site) on the catalyst surfaces, and the adsorption energy difference between O and OH is the main descriptor that affects the trends in OER activity among these materials. In this context, we investigated seven model structures to simulate the overpotentials for oxygen evolution on the surfaces of Ni₂P, Ni(OH)₂, FeO(OH), Ni₂P@Ni(OH)₂, Ni₂P@FeO(OH), NiFeO(OH)₃ (corresponding to NiFe-LDH), and Ni₂P@NiFeO(OH)₃ (corresponding to P-NiFe), respectively, on the basis of the following OER mechanism: 8i,17a,26

$$OH^- \rightarrow *OH + e^- \tag{1}$$

$$OH^- + *OH \rightarrow *O + H_2O + e^-$$
 (2)

$$OH^{-} + *O \rightarrow *OOH + e^{-}$$
 (3)

$$OH^- + *OOH \rightarrow O_2 + H_2O + e^-$$
 (4)

$$\eta = \max \{ \Delta G_1, \Delta G_2, \Delta G_3, \Delta G_4 \} / e - 1.23 V$$
(5)

The free energies of the reactions (1) to (4) are denoted as ΔG_1 to ΔG_4 , respectively, and the overpotential η is defined in eqn (5). As is known, the rate-limiting step during OER for a given catalyst is the step with maximum ΔG value among ΔG_1 to ΔG_4 , the lower rate-limiting energy barrier will lead to the smaller overpotential η (eqn (5)) and subsequently lead to higher OER activity.

The optimized structures of the intermediates in the freeenergy landscape are shown in Fig. S27.† From Fig. S27† it can be found that Ni₂P@NiFeO(OH)₃ displays the lowest ratelimiting energy barrier of 1.722 eV (ΔG_1), with the smallest calculated η value of 0.49 V. For Ni₂P, the calculated results show that the rate-limiting step is the formation of *OOH (reaction (3)) in an ideal Ni₂P surface, with a very large overpotential ($\eta = 1.08 \text{ V}$), due to its largest binding energy of O as well as the relatively smaller binding energy of OOH (Fig. 6a), and the larger binding energies of Ni₂P towards OH and O may be attributed to the metallic nature of Ni. For the surfaceoxidized Ni₂P@Ni(OH)₂ heterostructure, the rate-limiting step is the formation of *O (reaction (2)), with a smaller η value of 0.62 V compared to that of pure Ni(OH)₂ ($\eta = 0.80$ V), this is because the relatively smaller binding energy of O on Ni(OH)₂ has remarkably increased after combining with inner Ni₂P in the Ni₂P@Ni(OH)₂ heterostructure (see Fig. S27†), as Ni₂P possesses the largest binding energies towards O (Fig. 6a), which is favorable for reaction (2), and consequently improves the energetics for OER.9c For the bimetal systems of NiFeO(OH)3 and Ni₂P@NiFeO(OH)₃, the preferential acitive sites are Ni rather than Fe, as the binding energies of Fe to the OER intermediates (*OH, *O, and *OOH) are too strong to the disadvantage of the desorption (Fig. 6a). Nevertheless, the binding energy of O and OOH on the Fe-doped NiFeO(OH)₃ can also be enhanced compared to the pure Ni(OH)2 and result in higher OER activity, being similar to that of the Ni₂P@Ni(OH)₂ heterostructure. More interestingly, after introducing both the heterostructure and Fe doping, the binding energies of OH and O on the Ni₂P@NiFeO(OH)₃ with Ni active sites are further optimized to get the lowest rate-limiting energy barrier of 1.722 eV (Fig. S27†), with the smallest calculated η value of 0.49 V compared with those of NiFeO(OH)₃ ($\eta = 0.59$ V) and the hypothetical Fe-covered Ni₂P@FeO(OH) system ($\eta = 0.73$ V). Interestingly, if $\Delta E_{\rm OH}$ - $\Delta E_{\rm O}$ (the difference in binding energy between OH and O) is adopted as the descriptor, a volcanoshaped plot containing the calculated overpotential versus $(\Delta E_{\rm OH} - \Delta E_{\rm O})$ can be established (Fig. 6b), in which the overpotential of each model system follows the trend from our experiments, with the optimal $(\Delta E_{OH} - \Delta E_{O})$ value around 0.4 eV. Undoubtedly, too low and too high values of $(\Delta E_{OH} - \Delta E_O)$ signify too strong binding energies of OH and O (or too weak binding energies of O and OH), being unfavorable to the formation of *O respectively. mixed-metal and *OH, Actually, the

Chemical Science

(a) Ni₂P Ni(OH)₂ FeO(OH)

FeO(OH)

300




Fig. 6 (a) Calculated binding energies of the OER intermediates, and (b) volcano-shaped plot of calculated overpotential *versus* the differences in binding energies between OH and O on the simulated surfaces of different catalysts. NiFeO(OH) $_3$ -Ni and Ni $_2$ -P@NiFeO(OH) $_3$ -Ni represent the catalytic active sites for Ni, while NiFeO(OH) $_3$ -Fe and Ni $_2$ P@NiFeO(OH) $_3$ -Fe represent the catalytic active sites for Fe.

 $(\Delta E_{OH} - \Delta E_{O})$ (eV)

 ${\rm Ni_2P@NiFeO(OH)_3}$ heterostructure is located closer to the volcano summit, revealing that the heterostructure as well as the Fe-incorporation can effectively modulate the binding energies of the intermediates towards optimal values for enhancing its catalytic performance for OER.

Electrocatalytic overall water splitting

Based on the above results, it can be seen that P-NiFe exhibits high electrocatalytic efficiency for both HER and OER. Accordingly, two P-NiFe-based NF electrodes were utilized to construct an electrolyzer for overall water splitting. The LSV and CCE measurements indicate that it only requires a cell voltage of 1.51 V to afford a 10 mA cm $^{-2}$ current density in 1.0 M KOH aqueous solution (Fig. 7). This performance for overall water splitting is better than those of commercial benchmarks of $\rm IrO_2$ and $\rm Pt/C$ on NF (1.58 V) and NiFe-LDH on NF (1.72 V). The value of 1.58 V at 10 mA cm $^{-2}$ for an electrolyzer consisting of $\rm IrO_2$ and $\rm Pt/C$ is in agreement with the reported value, 3b,4a,10a,10b which validates our electrochemical measurement. To our knowledge, the facilely prepared, earth-abundant P-NiFe electrocatalyst exhibits the best catalytic performance for overall water splitting among the reported non-noble electrocatalysts




Fig. 7 (a) LSV curves of P-NiFe (black) and NiFe-LDH (red) as HER and OER bifunctional catalysts in 1.0 M KOH solution for overall water splitting. IrO $_2$ and Pt/C as OER and HER benchmarks were measured for comparison (blue). (b) Current density traces of CCE at 10 mA cm $^{-2}$ for overall water splitting in 1.0 M KOH for P-NiFe (black), NiFe-LDH (red), and commercial benchmarks of IrO $_2$ and 20% Pt/C (blue).

(including those on nickel foam substrates) in basic electrolyte (Table S2†). In addition, as shown in Fig. 7b, the P-NiFe-based electrolyzer also exhibits remarkable stability, with negligible deactivation within 100 h of CCE at 10 mA cm $^{-2}$, and no significant change was observed in the LSV curves for overall water splitting before and after CCE (Fig. S28†). Moreover, the Faraday efficiency of the electrolyzer for overall water splitting at 10 mA cm $^{-2}$ within 1 h was determined to be 97 \pm 5% (93.1 \pm 4.5 μ mol) for H2 and 99 \pm 5% (46.6 \pm 2.3 μ mol) for O2, respectively, confirming the high electrocatalytic stability and efficiency of P-NiFe nanosheets. Furthermore, the above asestablished electrolyzer could continuously release H2 and O2 bubbles with a single-cell AAA battery of 1.5 V (see video in the ESI†).

Conclusion

Our studies have revealed that the nickel element in NiFe-LDH can be selectively phosphorized and extracted into Ni₂P nanoparticles to generate an Ni₂P@FePO_x heterostructure, which is further transformed into a new heterostructure of P-NiFe comprised of NiFe hydroxide around the inner Ni₂P nanoparticles through a self-optimization of the Ni₂P@FePO_x during the electrocatalytic process. The *in situ* formed P-NiFe electrocatalyst exhibits high electrocatalytic activity and stability for both HER and OER in 1.0 M KOH, and can be used as a bifunctional electrocatalyst for overall water-splitting, with a cell voltage of only 1.51 V at a current density of 10 mA cm⁻². Its electrocatalytic activity is among the most active earthabundant bifunctional electrocatalysts reported to date, and is

even superior to the state-of-the-art noble-metal coupled electrocatalysts of IrO₂ and Pt/C on NF (1.58 V at 10 mA cm⁻²). The results of theoretical calculations suggest that the *in situ* formed P-NiFe heterostructure could optimize the adsorption energies for both HER and OER intermediates, thus dramatically enhancing its electrocatalytic activity. This facile and efficient strategy will open up new avenues for the construction of high-

performance and low-cost electrocatalysts for overall water

splitting to store intermittent solar energy and wind energy

Conflicts of interest

sources into hydrogen fuel.

Edge Article

There are no conflicts to declare.

Acknowledgements

This work was supported by the NSFC (21331007, 21790052 and 21671032), the 973 Project of China (2014CB845602), the NSF of Guangdong Province (S2012030006240), and the National Postdoctoral Program for Innovative Talents (BX201600195).

Notes and references

- (a) Y.-N. Gong, T. Ouyang, C.-T. He and T.-B. Lu, *Chem. Sci.*, 2016, 7, 1070–1075; (b) Z. Lai, Y. Chen, C. Tan, X. Zhang and H. Zhang, *Chem*, 2016, 1, 59–77; (c) C. Tan, X. Cao, X. J. Wu, Q. He, J. Yang, X. Zhang, J. Chen, W. Zhao, S. Han, G. H. Nam, M. Sindoro and H. Zhang, *Chem. Rev.*, 2017, 117, 6225–6331.
- 2 (a) J.-W. Wang, P. Sahoo and T.-B. Lu, ACS Catal., 2016, 6, 5062-5068; (b) H. Yan, C. Tian, L. Wang, A. Wu, M. Meng, L. Zhao and H. Fu, Angew. Chem., Int. Ed., 2015, 54, 6325-6329; (c) Y. Jiao, Y. Zheng, K. Davey and S.-Z. Qiao, Nat. Energy, 2016, 1, 16130; (d) Y. Liu, Q. Li, R. Si, G. D. Li, W. Li, D. P. Liu, D. Wang, L. Sun, Y. Zhang and X. Zou, Adv. Mater., 2017, 29, 1606200; (e) X. Zou and Y. Zhang, Chem. Soc. Rev., 2015, 44, 5148-5180.
- 3 (a) M. Zhang, M. T. Zhang, C. Hou, Z. F. Ke and T. B. Lu, Angew. Chem., Int. Ed., 2014, 53, 13042–13048; (b) Y. Jin, H. Wang, J. Li, X. Yue, Y. Han, P. K. Shen and Y. Cui, Adv. Mater., 2016, 28, 3785–3790; (c) R. Liu, Y. Wang, D. Liu, Y. Zou and S. Wang, Adv. Mater., 2017, 29, 1701546; (d) S. Dou, C.-L. Dong, Z. Hu, Y.-C. Huang, J.-l. Chen, L. Tao, D. Yan, D. Chen, S. Shen, S. Chou and S. Wang, Adv. Funct. Mater., 2017, 27, 1702546.
- 4 (a) H. Wang, H. W. Lee, Y. Deng, Z. Lu, P. C. Hsu, Y. Liu,
 D. Lin and Y. Cui, Nat. Commun., 2015, 6, 7261; (b)
 P. Wang, X. Zhang, J. Zhang, S. Wan, S. Guo, G. Lu, J. Yao and X. Huang, Nat. Commun., 2017, 8, 14580.
- 5 (a) C. G. Morales-Guio and X. Hu, Acc. Chem. Res., 2014, 47, 2671–2681; (b) M. R. Gao, J. X. Liang, Y. R. Zheng, Y. F. Xu, J. Jiang, Q. Gao, J. Li and S. H. Yu, Nat. Commun., 2015, 6, 5982; (c) X. Long, G. Li, Z. Wang, H. Zhu, T. Zhang, S. Xiao, W. Guo and S. Yang, J. Am. Chem. Soc., 2015, 137, 11900–11903; (d) X. Y. Yu, Y. Feng, Y. Jeon, B. Guan, X. W. Lou and U. Paik, Adv. Mater., 2016, 28, 9006–9011.

- 6 (a) Y. J. Tang, M. R. Gao, C. H. Liu, S. L. Li, H. L. Jiang, Y. Q. Lan, M. Han and S. H. Yu, Angew. Chem., Int. Ed., 2015, 54, 12928–12932; (b) J. S. Li, Y. Wang, C. H. Liu, S. L. Li, Y. G. Wang, L. Z. Dong, Z. H. Dai, Y. F. Li and Y. Q. Lan, Nat. Commun., 2016, 7, 11204.
- 7 F. Wang, Y. Li, T. A. Shifa, K. Liu, F. Wang, Z. Wang, P. Xu, Q. Wang and J. He, *Angew. Chem., Int. Ed.*, 2016, 55, 6919–6924.
- 8 (a) A. B. Laursen, K. R. Patraju, M. J. Whitaker, M. Retuerto, T. Sarkar, N. Yao, K. V. Ramanujachary, M. Greenblatt and G. C. Dismukes, Energy Environ. Sci., 2015, 8, 1027-1034; (b) Y. Shi and B. Zhang, Chem. Soc. Rev., 2016, 45, 1529-1541; (c) J. F. Callejas, C. G. Read, C. W. Roske, N. S. Lewis and R. E. Schaak, Chem. Mater., 2016, 28, 6017-6044; (d) E. J. Popczun, J. R. McKone, C. G. Read, A. J. Biacchi, A. M. Wiltrout, N. S. Lewis and R. E. Schaak, J. Am. Chem. Soc., 2013, 135, 9267-9270; (e) X. Wang, W. Li, D. Xiong, D. Y. Petrovykh and L. Liu, Adv. Funct. Mater., 2016, 26, 4067-4077; (f) B. You, N. Jiang, M. L. Sheng, M. W. Bhushan and Y. J. Sun, ACS Catal., 2016, 6, 714-721; (g) D. Y. Chung, S. W. Jun, G. Yoon, H. Kim, J. M. Yoo, K. S. Lee, T. Kim, H. Shin, A. K. Sinha, S. G. Kwon, K. Kang, T. Hyeon and Y. E. Sung, J. Am. Chem. Soc., 2017, 139, 6669-6674; (h) C. Tang, R. Zhang, W. Lu, L. He, X. Jiang, A. M. Asiri and X. Sun, Adv. Mater., 2017, 29, 1602441; (i) X. Xiao, C.-T. He, S. Zhao, J. Li, W. Lin, Z. Yuan, Q. Zhang, S. Wang, L. Dai and D. Yu, Energy Environ. Sci., 2017, 10, 893-899.
- 9 (a) M. Gong and H. Dai, Nano Res., 2014, 8, 23–39; (b) Y. Liang, Y. Li, H. Wang, J. Zhou, J. Wang, T. Regier and H. Dai, Nat. Mater., 2011, 10, 780–786; (c) B. Zhang, X. Zheng, O. Voznyy, R. Comin, M. Bajdich, M. Garcia-Melchor, L. Han, J. Xu, M. Liu, L. Zheng, F. P. Garcia de Arquer, C. T. Dinh, F. Fan, M. Yuan, E. Yassitepe, N. Chen, T. Regier, P. Liu, Y. Li, P. De Luna, A. Janmohamed, H. L. Xin, H. Yang, A. Vojvodic and E. H. Sargent, Science, 2016, 352, 333–337.
- 10 (a) N. Jiang, B. You, M. Sheng and Y. Sun, Angew. Chem., Int. Ed., 2015, 54, 6251-6254; (b) C. Tang, N. Cheng, Z. Pu, W. Xing and X. Sun, Angew. Chem., Int. Ed., 2015, 54, 9351-9355; (c) J. Duan, S. Chen, A. Vasileff and S. Z. Qiao, ACS Nano, 2016, 10, 8738-8745; (d) L. Jiao, Y.-X. Zhou and H.-L. Jiang, Chem. Sci., 2016, 7, 1690-1695; (e) Y. Jia, L. Zhang, G. Gao, H. Chen, B. Wang, J. Zhou, M. T. Soo, M. Hong, X. Yan, G. Qian, J. Zou, A. Du and X. Yao, Adv. Mater., 2017, 29, 1700017.
- 11 (a) J. Bao, X. Zhang, B. Fan, J. Zhang, M. Zhou, W. Yang, X. Hu, H. Wang, B. Pan and Y. Xie, Angew. Chem., Int. Ed., 2015, 54, 7399-7404; (b) H. Hu, B. Guan, B. Xia and X. W. Lou, J. Am. Chem. Soc., 2015, 137, 5590-5595; (c) J. X. Feng, H. Xu, Y. T. Dong, S. H. Ye, Y. X. Tong and G. R. Li, Angew. Chem., Int. Ed., 2016, 55, 3694-3698; (d) J. Ping, Y. Wang, Q. Lu, B. Chen, J. Chen, Y. Huang, Q. Ma, C. Tan, J. Yang, X. Cao, Z. Wang, J. Wu, Y. Ying and H. Zhang, Adv. Mater., 2016, 28, 7640-7645; (e) X. Xu, C. Su, W. Zhou, Y. Zhu, Y. Chen and Z. Shao, Adv. Sci., 2016, 3, 1500187; (f) Y. Pi, Q. Shao, P. Wang, F. Lv, S. Guo,

J. Guo and X. Huang, *Angew. Chem., Int. Ed.*, 2017, **56**, 4502–4506; (g) D. A. Corrigan, *I. Electrochem. Soc.*, 1987, **134**, 377,

Chemical Science

- 12 (a) M. Gong, Y. Li, H. Wang, Y. Liang, J. Z. Wu, J. Zhou, J. Wang, T. Regier, F. Wei and H. Dai, J. Am. Chem. Soc., 2013, 135, 8452-8455; (b) J. Luo, J. H. Im, M. T. Mayer, M. Schreier, M. K. Nazeeruddin, N. G. Park, S. D. Tilley, H. J. Fan and M. Gratzel, Science, 2014, 345, 1593-1596; (c) X. Lu and C. Zhao, Nat. Commun., 2015, 6, 6616; (d) J. Qi, W. Zhang, R. Xiang, K. Liu, H. Y. Wang, M. Chen, Y. Han and R. Cao, Adv. Sci., 2015, 2, 1500199; (e) X. L. Zhu, C. Tang, H. F. Wang, Q. Zhang, C. H. Yang and F. Wei, J. Mater. Chem. A, 2015, 3, 24540-24546; (f) F. Dionigi and P. Strasser, Adv. Energy Mater., 2016, 6, 1600621; (g) C. N. Chervin, P. A. DeSario, J. F. Parker, E. S. Nelson, W. Miller, D. R. Rolison and J. W. Long, ChemElectroChem, 2016, 3, 1369-1375; (h) M. Gorlin, J. Ferreira de Araujo, H. Schmies, D. Bernsmeier, S. Dresp, M. Gliech, Z. Jusys, P. Chernev, R. Kraehnert, H. Dau and P. Strasser, J. Am. Chem. Soc., 2017, 139, 2070-2082.
- 13 (a) H. Liang, A. N. Gandi, D. H. Anjum, X. Wang, U. Schwingenschlogl and H. N. Alshareef, *Nano Lett.*, 2016, 16, 7718–7725; (b) Y. Yan, B. Y. Xia, X. Ge, Z. Liu, A. Fisher and X. Wang, *Chem.–Eur. J*, 2015, 21, 18062–18067; (c) B. Konkena, J. Masa, A. J. R. Botz, I. Sinev, W. Xia, J. Koßmann, R. Drautz, M. Muhler and W. Schuhmann, *ACS Catal.*, 2017, 7, 229–237.
- 14 C. Y. Son, I. H. Kwak, Y. R. Lim and J. Park, *Chem. Commun.*, 2016, 52, 2819–2822.
- (a) M. Ledendecker, S. Krick Calderon, C. Papp,
 H. P. Steinruck, M. Antonietti and M. Shalom, *Angew. Chem., Int. Ed.*, 2015, 54, 12361–12365; (b) G.-F. Chen,
 T. Y. Ma, Z.-Q. Liu, N. Li, Y.-Z. Su, K. Davey and S.-Z. Qiao,
 Adv. Funct. Mater., 2016, 26, 3314–3323; (c) D. Li,

- H. Baydoun, C. N. Verani and S. L. Brock, *J. Am. Chem. Soc.*, 2016, **138**, 4006–4009.
- 16 (a) J. Rossmeisl, Z. W. Qu, H. Zhu, G. J. Kroes and J. K. Nørskov, J. Electroanal. Chem., 2007, 607, 83–89; (b) R. V. Mom, J. Cheng, M. T. M. Koper and M. Sprik, J. Phys. Chem. C, 2014, 118, 4095–4102.
- 17 (a) Y. T. Xu, X. Xiao, Z. M. Ye, S. Zhao, R. Shen, C. T. He, J. P. Zhang, Y. Li and X. M. Chen, J. Am. Chem. Soc., 2017, 139, 5285-5288; (b) J. K. Nørskov, T. Bligaard, A. Logadottir, J. R. Kitchin, J. G. Chen, S. Pandelov and U. Stimming, J. Electrochem. Soc., 2005, 152, J23.
- 18 (a) O. Diaz-Morales, I. Ledezma-Yanez, M. T. M. Koper and F. Calle-Vallejo, ACS Catal., 2015, 5, 5380-5387; (b)
 M. Bajdich, M. Garcia-Mota, A. Vojvodic, J. K. Norskov and A. T. Bell, J. Am. Chem. Soc., 2013, 135, 13521-13530.
- 19 Q. Guan and W. Li, J. Catal., 2010, 271, 413-415.
- 20 Y. F. Xu, M. R. Gao, Y. R. Zheng, J. Jiang and S. H. Yu, *Angew. Chem.*, *Int. Ed.*, 2013, **52**, 8546–8550.
- 21 Z. Hu, Z. Shen and J. C. Yu, Chem. Mater., 2016, 28, 564-572.
- 22 Y. Liu, H. Wang, D. Lin, C. Liu, P.-C. Hsu, W. Liu, W. Chen and Y. Cui, *Energy Environ. Sci.*, 2015, **8**, 1719–1724.
- 23 Y. Li and C. Zhao, Chem. Mater., 2016, 28, 5659-5666.
- 24 (a) J. Su, Y. Yang, G. Xia, J. Chen, P. Jiang and Q. Chen, *Nat. Commun.*, 2017, 8, 14969; (b) P. Chen, K. Xu, S. Tao, T. Zhou, Y. Tong, H. Ding, L. Zhang, W. Chu, C. Wu and Y. Xie, *Adv. Mater.*, 2016, 28, 7527–7532.
- 25 (a) P. Chen, K. Xu, Z. Fang, Y. Tong, J. Wu, X. Lu, X. Peng, H. Ding, C. Wu and Y. Xie, Angew. Chem., Int. Ed., 2015, 54, 14710–14714; (b) Y. Liu, C. Xiao, M. Lyu, Y. Lin, W. Cai, P. Huang, W. Tong, Y. Zou and Y. Xie, Angew. Chem., Int. Ed., 2015, 54, 11231–11235.
- 26 K. Fan, H. Chen, Y. Ji, H. Huang, P. M. Claesson, Q. Daniel, B. Philippe, H. Rensmo, F. Li, Y. Luo and L. Sun, *Nat. Commun.*, 2016, 7, 11981.