

Cite this: *RSC Sustainability*, 2024, 2, 1431

Facile synthesis of polycarbonates from biomass-based eugenol: catalyst optimization for selective copolymerization of CO₂ and eugenol to achieve polycarbonates†

Mani Sengoden,^a Gulzar A. Bhat,^b ^{*b} Tristan Roland,^a Chia-Min Hsieh^a and Donald J. Darensbourg ^{*a}

In recent years, the quest for achieving polycarbonates in a sustainable, atom economical, and green manner has achieved significant momentum. Much focus has been given to epoxide monomers that are derived from renewable feedstocks. Renewable feedstocks are attractive green alternatives to established petroleum-based materials for reducing the dependency of the polymer industry on fossil resources. Herein, we have employed a series of Co and Cr(salen)-based complexes as selective catalysts for the copolymerization of CO₂ and eugenol epoxide. We have observed that varying both diamine backbone as well as the substituents on the phenolate rings of the salen ligand, thereby altering the electron density around the metal center, has notable effects on the reactivity and selectivity of polymer formation. It was also observed that a decrease in CO₂ pressure led to the formation of cyclic carbonates. Thermal gravimetric analysis (TGA), and differential scanning calorimetry (DSC) studies of the polymers reveal that these polymers are quite stable up to 250 °C and have relatively high glass transition (*T_g*) temperatures (83 °C). These findings present an easy strategy to prepare polycarbonates by using biobased eugenol monomers, and provide examples for potential sustainable polymer design and synthesis.

Received 23rd March 2024
Accepted 13th April 2024

DOI: 10.1039/d4su00145a

rsc.li/rscsus

Sustainability spotlight

Carbon dioxide is one of the greenhouse gases emitted in large quantities, therefore its emission must be reduced for environmental concerns. Solutions to this issue include capture/storage, along with recycling into chemicals. A very promising method for valorization of CO₂ involves the preparation of aliphatic polycarbonates from epoxides and CO₂. This process not only consumes CO₂, but does so in a catalytic process involving low energy and atom economical pathways, consistent with the principles of green chemistry. Herein, we present studies aimed at defining the best catalyst system for selectively producing aliphatic polycarbonates based not only from CO₂, but where the epoxide is derived from an inexpensive, non-food renewable resource, eugenol, thereby avoiding petroleum acquired monomers. Nonetheless, we have not at this stage attempted to avoid all petroleum-based reagents in this strategy. The use of easily available, safe, biobased eugenol epoxides, along with carbon dioxide, affords a process for producing useful, high-valued polymeric materials partially/potentially in a sustainable manner.

Introduction


The necessity for replacing petroleum-based non-biodegradable polymers with natural biomass-derived biodegradable materials (bioplastics) is of much concern in order to reduce the environmental problem of plastic pollution.¹ In an effort to assist in this endeavour, the utilization of carbon dioxide as

a feedstock for polymer synthesis represents a partial solution, as well as a contribution to reducing CO₂ emissions. It is important to note that the utilization of CO₂ for the synthesis of chemicals or polymers is only indirectly related to climate change because of the negligible quantity of CO₂ emissions used in the absence of the synthesis of fuels from CO₂.² Nevertheless, the production of polymers or chemicals from CO₂ can offset the expenses resulting from its capture and storage. A pathway for CO₂ usage that has garnered much attention over the last two decades is the copolymerization of CO₂ with three- or four-membered cyclic ethers, namely, oxiranes or oxetanes.^{3–20} In attempts to enhance the sustainability of these processes, it is necessary to employ cyclic ether monomers from natural non-food resources.²¹

^aDepartment of Chemistry, Texas A&M University College Station, Texas 77843, USA. E-mail: djdarens@chem.tamu.edu

^bCentre for Interdisciplinary Research and Innovations University of Kashmir, Srinagar, Jammu and Kashmir 190006, India. E-mail: gulzarbhat@uok.edu.in

† Electronic supplementary information (ESI) available. See DOI: <https://doi.org/10.1039/d4su00145a>



Scheme 1 Synthetic procedures for two bio-based monomers from eugenol.





Fig. 1 Different $M(\text{Salophen})X$ ($M = \text{Co}, \text{Cr}$) metal complexes.

Biomass feedstocks can represent environmentally benign substitutes for petroleum derived chemicals, especially when utilized as monomers for the preparation of biobased polymers. A promising phenolic compound is the low viscosity liquid eugenol, which is readily obtained from various sources such as clove oil.²² Of further importance, the U.S. Food and Drug Administration (FDA) considers eugenol as “generally recognized as safe” (GRAS). Indeed, it has numerous applications involving human subjects, *e.g.*, in antimicrobial, antioxidants, anticancer, cosmetics and perfumes, and dental composites.^{23–27} Important to this report, eugenol has a chemical structure capable of leading to a variety of bio-based monomers for producing polymers with a broad range of thermal and mechanical properties.²⁸ That is, the eugenol molecule contains several reaction sites, including phenolic hydroxyl and methoxy groups, and an allylic double bond. Particular to our needs, eugenol can be easily converted to an epoxide or the substituent to an epoxide *via* reactions at the allylic or hydroxy groups (Scheme 1).^{29,30}

Currently, the literature contains several references illustrating the use of eugenol in the synthesis of polymeric materials. Included are the synthesis of methylacrylate polymers,^{31,32} self-healing polymers,³³ and hydroxyethylmethacrylate³⁴ based polymers. Unlike the methacrylate polymers, the latter eugenol derived hydroxyethyl derivative demonstrated significant anti-oxidant and antimicrobial properties. Previous studies from our laboratory have revealed that in the presence of (salen)MX ($M = \text{Co}$ or Cr , $X = \text{CH}_3\text{CO}_2$ or Cl)²⁹ and organo-boron phosphonium salt catalysts,³⁵ coupling of the protected eugenol monomer (**A**) with CO_2 quantitatively produces the corresponding cyclic carbonate. On the other hand, utilizing the chromium catalyst system and the more reactive COS monomer at ambient or 40 °C provided poly(monothiocarbonate) with tail-to-head linkages and no oxygen/sulfur exchange reactions. Similar polymer production was obtained with COS and the unprotected version of the eugenol monomer. It is important to note that in the synthesis of monomer **B**, epichlorohydrin is available from natural resources.^{21,30,36}



Table 1 Summary of copolymerization reactions of EuO/CO₂ catalysed by M(Salophen)X/PPNX (M = Co, Cr; X = Cl, CF₃CO₂) (1–10) catalysts at ambient temperature and 3 MPa CO₂ pressure

Entry	Catalyst	Co-catalyst	CO ₂ (MPa)	Conv. (%)	Selectivity		Carbonate linkages	M_n [kg mol ⁻¹]	$\bar{D}$
					PEuC	CEuC			
1	1	PPNCl	3.0	58	50	8	99	17.7	1.31
2	2	PPNTFA	3.0	20	7	13	—	—	—
3	3	PPNCl	3.0	44	16	28	99	—	—
4	4	PPNCl	3.0	87	—	87	—	—	—
5	5	PPNTFA	3.0	100	80	20	99	27.1	1.15
6	6	PPNTFA	3.0	100	94	6	99	48.6	1.13
7	7	PPNTFA	3.0	14	—	14	—	—	—
8	8	PPNTFA	3.0	35	23	12	99	—	—
9	9	PPNTFA	3.0	100	92	8	99	45.8	1.13
10	9	PPNTFA	1.5	100	81	19	99	39.7	1.09
11	9	PPNTFA	1.0	100	81	19	99	34.7	1.13
12	9	PPNTFA	0.5	100	77	23	99	28.2	1.15
13	10	PPNTFA	3.0	100	87	13	99	37.1	1.12

An interesting change in product selectivity in the coupling reaction of EuO and CO₂ was noted when the reaction was carried out in the presence of propylene oxide.³⁷ That is, the terpolymerization of PO/EuO/CO₂ performed at various ratios of EuO/PO less than 3 provided extensive eugenol carbonate linkages in the polymer chain. These studies also demonstrated *via* a Fineman-Ross analysis that the reactivity of EuO entering the polymer chain was greater than that of PO. Furthermore, a sequential addition of PO followed by EuO using the (salen)CoX/PPNX (X = CF₃CO₂) cocatalyst system at ambient temperature and 3.0 MPa of CO₂ provided well-defined diblock polymers of poly(propylenecarbonate-*b*-eugenol carbonate). The origin of this reversal in product selectivity was attributed to the back-biting process leading to cyclic carbonate for EuO/CO₂ being retarded once EuO is enchain in the polymer backbone.


It is well-known that product selectivity resulting from the coupling of CO₂ and epoxides is highly dependent on the catalyst system utilized in the process, or in other words, “no catalyst system is effective for the selective copolymer formation indiscriminately with all epoxides”³⁸ In this report we have examined a series of metal catalysts for the coupling of CO₂ and EuO in an effort to establish the best catalyst system for affording copolymer compared to its cycloaddition product.

Results and discussion

In continuation of our significant interest in selectively producing polycarbonates from the natural product-based eugenol epoxide (EuO), herein, we have synthesized various closely related metal complexes and have tested and compared their effectiveness in catalyzing the copolymerization of CO₂ and EuO. As reported recently by our group, we have successfully established the multigram synthesis of biomass-based eugenol-epoxide.^{29,37} We further modified it by protecting the phenol group (OH) to mitigate the chain-transfer process during this immortal copolymerization.³⁹ This modification, in turn, prevented potential inhibition of polymer production, as previously observed. Fig. 1 lists the M(Salophen)X (M = Co, Cr) complexes employed in this study. After thoroughly characterizing these metal complexes by different spectroscopic and analytical methods (see ESI; Fig. S1–S17†), we have explored their catalytic activity in coupling naturally obtained eugenol epoxides with CO₂.

Table 1 summarizes the results of the investigation of utilizing M(Salophen)X/PPNX (M = Co, Cr; X = Cl, CF₃CO₂) catalytic systems for the coupling of CO₂ and EuO at ambient temperature and 3.0 MPa pressure in dichloromethane/toluene over a two day reaction period. As apparent in Table 1, the best results for selective copolymer production are provided by catalyst 6 and 9, similarly catalysts 5 and 10 are also highly





The copolymers produced were characterized by different spectroscopic techniques, *i.e.*, ^1H NMR, ^{13}C NMR, and FT-IR analysis which strongly advocates their formation (Fig. S18–21†). For example, in the FT-IR spectrum an intense band centered around 1751 cm^{-1} is observed which is the characteristic peak for carbonate linkages (Fig. S18†). In ^1H NMR spectrum peaks at $\delta = 5.04\text{ ppm}$ and $\delta = 4.26\text{ ppm}$ corresponds to methine and methylene protons of the polycarbonate linkages in the polymer backbone (Fig. 3a). Additionally, the presence of the carbonate linkages are confirmed by the characteristic carbonate carbonyl peak at $\delta = 154\text{ ppm}$ in the ^{13}C NMR spectrum, along with other distinctive peaks (Fig. 3b). To further understand the structural features of these polycarbonates, the copolymers obtained by using 1,2 propanediol as chain transfer agent were subjected to MALDI-ToF analysis (Fig. 4a). The resulting MALDI-ToF spectrum reveals two distinctive sets of peak, with a monomodal molecular weight distribution, consistent with the observations from gel




Fig. 3 (a) ^1H and (b) ^{13}C NMR spectra of polycarbonate polymer.

permeation chromatography (GPC) traces (Fig. 4b). Each series exhibited a consistent separation of 308 m/z aligning with the mass of repeating unit of protected eugenol epoxide and CO_2 within the polycarbonate chain. The series denoted by green triangles is attributed to copolymer initiated by the chain transfer agent (1, 2 propanediol) and its mass corresponds to the potassium adduct of the alternating copolymer. The other series (denoted by red circles) is assigned to the protic adduct of the alternating copolymer, also initiated by the chain transfer agent. The GPC further revealed that high molecular weight polymers with M_n up to 84.8 kg mol^{-1} and polydispersity (M_w/M_n) of 1.13 can be obtained when higher equivalents of eugenol epoxides are used (Fig. S23 †). The effect of CO_2 pressure on molecular weight of these copolymers was probed by GPC (Fig. S22 †), which revealed that on increasing the CO_2 pressure from 0.5 MPa to 3 MPa the molecular weight (M_n) of polymers increases from 28.2 to 45.8 kg mol^{-1} .

The thermal stability of these copolymers was established by performing the thermogravimetric analysis (TGA) within the temperature range of 30–500 $^\circ\text{C}$, under a dry nitrogen gas flow. The TGA traces of these copolymers revealed that the polymers

are stable up to 250 $^\circ\text{C}$ (Fig. S24 †). The copolymer exhibited a moderately high glass-transition temperature (T_g) of approximately 83.4 $^\circ\text{C}$, similar to our recently reported EuO/COS copolymer (75.5 $^\circ\text{C}$) as revealed by DSC (Fig. 4c). This notable T_g is comparable to the copolymers derived from petroleum-based counterparts involving styrene oxide (76 $^\circ\text{C}$) or 2-benzylloxirane (78 $^\circ\text{C}$), positions our polycarbonate as an intriguing candidate for diverse applications. We have further also demonstrated that it is possible to engineer the T_g of these copolymers by varying the EuO content which can be pivotal for achieving different functions (Fig. S25 †).

To further introduce the post polymerization functionalization prospectus in these eugenol-based copolymers we have synthesized the double bond functional group containing eugenol glycidyl ether epoxide (EGE) (**B**) in a one-pot synthesis by employing a previously reported procedure (Scheme S3 †).⁴⁰ After thoroughly establishing the purity of this monomer by different spectroscopic and analytical techniques (see ESI Fig. S26–S29 †), we have explored its copolymerization reaction with CO_2 using above binary M(Salophen)X/PPNX catalytic systems (Scheme 2). The copolymerization process revealed that




Fig. 4 (a) MALDI-ToF spectrum of EuO/CO₂ copolymer using 1,2 propanediol as chain transfer agent. (b) GPC traces for copolymer synthesized by using 5 equivalents of 1,2 propanediol as chain transfer agent during EuO/CO₂ copolymerization (c) DSC curve for the polycarbonate of EuO with CO₂.


among the ten catalysts some selectivity led to the formation of cyclic (CEGC) products (1–3 and 8), whereas others led to the formation of both cyclic or polymeric products (5, 6, 9 and 10), with catalysts 4 and 7 showing no results (Table S1†). The catalyst structure of our standard cyclohexane diamine backbone-based catalysts along with their % selectivity towards cyclic or polymeric products are shown in Scheme 3.

The relative proportion of cyclic and polymeric products were established using FT-IR and NMR spectroscopy. The copolymer PEGC showed characteristic carbonate peaks in FT-IR around 1756 cm^{-1} , whereas the cyclic carbonate product (CEuC) peak appears around 1805 cm^{-1} (Fig. 5a). The copolymers were further thoroughly characterized by spectroscopic techniques including ^1H NMR, ^{13}C NMR, ^{13}C (DEPT-135) NMR, which strongly supported their formation. For example, in the ^1H NMR spectrum besides showing the characteristic peaks for polymer formation, a quintet peak at $\delta = 5.9\text{ ppm}$ and merged doublet around $\delta = 5.2\text{ ppm}$ corresponds to the presence of double bonds in these copolymers (Fig. 5b). The ^{13}C NMR

spectrum, along with showing characteristic carbonate carbon peak at $\delta = 154\text{ ppm}$, also shows peaks at $\delta = 115$ and 138 ppm for double bond carbons and other distinctive peaks (Fig. 5c). The ^{13}C NMR spectrum obtained through DEPT-135 analysis of these copolymers shows distinctive peaks in both positive and negative directions reflecting diverse carbon environments due to the presence of methyl, methylene and methine carbons (Fig. 5d).

The molecular weight distributions of these copolymers were confirmed by using gel permeation chromatography which revealed that copolymers with M_n up to 27 kg mol^{-1} and polydispersity (M_w/M_n) of 1.26 can be achieved which are smaller compared to EuO (A) under similar conditions. GPC also revealed that lower molecular weight polymers ($M_n = 6.2\text{ kg mol}^{-1}$) are obtained by using terephthalic acid as a CTA (Fig. 6b and S34†). Structural characterization using MALDI-ToF analysis shows two distinct series with a monomodal molecular weight distribution as also supported by GPC trace (Fig. 6a). Each series exhibited a consistent separation of 264 m/z






Scheme 2 Summary of product selectivity of EuO/CO₂ copolymerization reaction towards cyclic or polymeric products catalysed by different M(Salophen)X/PPNX (M = Co, Cr; X = Cl, CF₃CO₂) (1–10) catalysts.

aligning with the mass of repeating unit of EGE epoxide and CO₂ within the polycarbonate chain. Both the series are initiated by the CTA and their masses corresponds to the protic

adducts. The glass transition temperature of these copolymers as revealed by DSC is around 24 °C which is much lower than EuO/CO₂ or EuO/COS copolymers (Fig. 6c).



Scheme 3 (above) Copolymerization of eugenol glycidyl ether (EGE) with CO₂ to form cyclic or polymeric products. (below) Summary of product selectivity of EGE/CO₂ copolymerization reaction towards cyclic or polymeric products catalysed by our standard salen catalysts.






Fig. 5 (a) Comparison of ATR FT-IR spectrum of EGE, cyclic carbonate (CEGC), and polycarbonate (PEGC) in CH₂Cl₂. (b) ¹H and (c) ¹³C NMR and (d) ¹³C (DEPT-135) spectra of polycarbonate polymers of EGE/CO₂ in CDCl₃.

We have initially employed a sequential one pot-two step protocol for achieving the block copolymers between EuO/EGE/CO₂ using Co(salen)TFA/PPNTFA binary catalyst systems at ambient temperature and 3 MPa CO₂ pressure (Scheme 4). These block polymers we have characterized by ¹H-NMR (Fig. S35[†]) and increase in *M_n* was observed from 38 900 to 52 800 during the addition of EGE/CO₂ block to EuO/CO₂ (Fig. S36[†]). The diffusion ordered spectroscopy (DOSY) map of the PEuC-PEGC block polymer in CDCl₃ is shown in Fig. 7. Signals corresponding to the PEuC block (δ = 6.89, 5.03, 4.13, 2.89 and 1.32 ppm) and PEGC block (δ = 6.71, 5.19, 4.26, and 3.28 ppm) were observed in the ¹H NMR spectrum. Conspicuously, both the PEuC and PEGC blocks exhibited identical diffusion coefficients (*D* = 1.017 × 10⁻¹⁰ m² s⁻¹), providing strong evidence for the formation of a block copolymer.

In order to compare with diblock polymers derived from petroleum-based monomers with those from these biomass monomers, we have initiated studies employing diblock polymer produced from EuO/CO₂ and EGE/CO₂ for 3D printing. As shown earlier, diblock polymers of these type not only allow for tuning of the thermal and mechanical properties of the polymeric materials, but also contain pendant groups for cross-linking or further modification.⁴¹ That is, these polymers were examined for 3D printing by preparing a resin by dissolving the

diblock polymer in propylene carbonate and ethyl acetate, followed by the addition of reactive diluents (polyethylene glycol diacrylate and triallyl isocyanurate), crosslinker (pentaerythritol tetrakis(3-mercaptopropionate)), photoinitiator (phenylbis(2,4,6-trimethylbenzoyl)phosphine oxide), and radical inhibitor (pyrogallol) (Fig. 8a). The resin was then centrifuged at 2000 rpm to remove air bubbles. The tensile tests of the printed tensile bars were performed to evaluate the mechanical properties of the polymer. The printed polymer exhibited an average Young's modulus of 13.5 MPa with high replicability (Fig. 8b). Research efforts in this area are a subject of ongoing interests.

To make this approach more versatile, we have later extended this block polymer approach for achieving the ABA triblock copolymers from EuO/CO₂ and EGE/CO₂ using 1,4 dicarboxylic acid as chain transfer agent at ambient temperature and 3 MPa CO₂ pressure (Scheme 5). The ABA triblock synthesis involves coupling of EuO/CO₂ using 9/PPNTFA binary catalyst system, yielding dihydroxy end-capped poly(eugenol carbonate), or HO-PEuC-OH homopolymer. After full conversion of EuO, the unreacted CO₂ was carefully vented, then EGE was added to the reactor, and it was recharged with CO₂. Thus, HO-PEuC-OH served as a telechelic macro chain transfer agent for the growth of poly(eugenol glycidyl ether carbonate) (PEGE)







Fig. 6 (a) MALDI-ToF spectrum of EGE/CO₂ copolymer (obtained using terephthalic acid as chain transfer agent) (b) GPC traces for copolymer synthesized by using 5 equivalents of terephthalic acid as CTA during EGE/CO₂ coupling (c) DSC curve for the polycarbonate of EGE with CO₂.

blocks, resulting in the formation of PEGC-*b*-PEuC-*b*-PEGC. Confirmation of block polymer synthesis was achieved through various spectroscopic techniques, such as NMR and FTIR, (Fig. S38–S41†) and further validated by GPC, where an increase in molecular weight (M_n) from 25 K to 36 K was observed (Fig. 8c). Subsequent thiol-ene click chemistry of the ABA triblock polymers with mercaptoacetic acid, followed by deprotonation with NH₄OH, led to the self-assembly of the terpolymer into nano-micelles in water, representing a unique strategy utilizing sustainable natural resources. The deprotonated polymer dispersion in deionized water was achieved through sonication at ambient temperature. The morphology of these micelles was characterized using dynamic light scattering (DLS) and transmission electron microscopy (TEM) studies. DLS measurements of the negatively charged triblock amphiphilic polymers, as shown in Fig. 8d, demonstrated that the amphiphilic polymer self-assembles in deionized water, forming stable nanoparticles with uniform size distribution, with an

intensity-averaged hydrodynamic diameter of 215 nm which is also corroborated by the TEM measurements (Fig. S42†). Again, this study was undertaken to illustrate the use of these bio-based eugenol monomers as replacements for petroleum-based monomers in the preparation of amphiphilic polymers for applications in micellar catalysis and biomedicine.^{42–46}

Conclusions

Herein, we have described several closely related metal complexes as being highly reactive and selective catalysts in the presence of onium salts for the coupling of epoxide monomers derived from the natural product eugenol and carbon dioxide. Nevertheless, we acknowledge the fact that we have not at this stage designed a strategy for making this process truly sustainable by avoiding all petroleum-based reagents.⁴⁷ Several of these complexes afford high levels of copolymers or cyclic carbonates depending on the electron density at the metal



Scheme 4 Sequential block polymer formation between (EuO/EGE)/CO₂.

center. Included in these studies is the synthesis of a triblock polymer of PEGC-*b*-PEuC-*b*-PEGC which upon undergoing thiol-ene click chemistry with mercaptoacetic acid and deprotonation with NH₄OH, provides nano-micelles in water. This

represents an excellent strategy for the incorporation of metal catalysts *via* CTAs for performing various reactions in aqueous medium as we have previously described.^{42,43,45,46} However, in this instance the polymeric material is derived completely from






Fig. 7 DOSY NMR spectrum of diblock polymer (CDCl₃, 500 MHz).





Scheme 5 Sequential block polymer formation between (EuO/EGE)/CO₂.

renewable resources. Some of the important lessons gleaned from these studies that are consistent with the reactivity and selectivity trends noted by these catalyst systems are: phenylene moieties of M(salophen)X complexes are less steric hindering at the metal center than their cyclohexylene analogs consistent with solid-state structures,^{29,48} this is especially important for epoxides containing bulky substituents. The reactivity and selectivity for copolymer production of the series of Co(salophen)X catalysts increased with increasing electron density at the Co(III) center, with complexes $6 \approx 9 > 10 > 5 \gg 4$ and 7 .⁴⁹ Cyclic carbonate production *via* back-biting from anionic alkoxide chain ends is faster than that of anionic carbonate ends, which accounts for an increase in cyclic carbonate formation with a decrease in CO₂ pressure.^{50,51} Finally, COS insertion is faster and much less reversible and less impacted by steric hinderance at the metal center than CO₂ insertion resulting in greater selectivity for copolymer compared to CO₂, where the anionic alkoxide chain end has a longer lifetime.^{52,53}

Conflicts of interest

The authors declare that they have no competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

Acknowledgements

DJD gratefully acknowledges the financial support from Robert A. Welch Foundation (A-0923), and GAB gratefully acknowledges DST-SERB for Ramanujan fellowship Grant (RJT 2020/000116) and core research Grant (CRG/2022/003558). The authors also thank Krista Schoonover, Department of Chemistry, Texas A&M University for helping in DOSY NMR experiment. The use of Texas A&M University Microscopy and Imaging Center Core Facility (RRID:SCR_022128) is acknowledged. Triston Roland was an undergraduate summer researcher from Prairie View A&M University.

References

- 1 R. Mori, *RSC Sustainability*, 2023, **1**, 179–212.
- 2 M. Aresta and A. Dibenedetto, *Dalton Trans.*, 2007, 2975–2992.
- 3 D. J. Darensbourg and M. W. Holtcamp, *Coord. Chem. Rev.*, 1996, **153**, 155–174.
- 4 G. W. Coates and D. R. Moore, *Angew. Chem., Int. Ed.*, 2004, **43**, 6618–6639.
- 5 H. Sugimoto and S. Inoue, *J. Polym. Sci., Part A: Polym. Chem.*, 2004, **42**, 5561–5573.
- 6 D. J. Darensbourg, R. M. Mackiewicz, A. L. Phelps and D. R. Billodeaux, *Acc. Chem. Res.*, 2004, **37**, 836–844.
- 7 M. H. Chisholm and Z. Zhou, *J. Mater. Chem.*, 2004, **14**, 3081–3092.
- 8 D. J. Darensbourg, *Chem. Rev.*, 2007, **107**, 2388–2410.
- 9 S. Klaus, M. W. Lehenmeier, C. E. Anderson and B. Rieger, *Coord. Chem. Rev.*, 2011, **255**, 1460–1479.
- 10 M. R. Kember, A. Buchard and C. K. Williams, *Chem. Commun.*, 2011, **47**, 141–163.
- 11 X.-B. Lu and D. J. Darensbourg, *Chem. Soc. Rev.*, 2012, **41**, 1462–1484.
- 12 X.-B. Lu, W.-M. Ren and G.-P. Wu, *Acc. Chem. Res.*, 2012, **45**, 1721–1735.
- 13 D. J. Darensbourg and S. J. Wilson, *Green Chem.*, 2012, **14**, 2665–2671.
- 14 S. Paul, Y. Zhu, C. Romain, R. Brooks, P. K. Saini and C. K. Williams, *Chem. Commun.*, 2015, **51**, 6459–6479.
- 15 G. Trott, P. Saini and C. Williams, *Philos. Trans. R. Soc., A*, 2016, **374**, 20150085.
- 16 C. M. Kozak, K. Ambrose and T. S. Anderson, *Coord. Chem. Rev.*, 2018, **376**, 565–587.
- 17 A. J. Kamphuis, F. Picchioni and P. P. Pescarmona, *Green Chem.*, 2019, **21**, 406–448.
- 18 J. Huang, J. C. Worch, A. P. Dove and O. Coulembier, *ChemSusChem*, 2020, **13**, 469–487.
- 19 Y.-Y. Zhang, G.-P. Wu and D. J. Darensbourg, *Trends Chem.*, 2020, **2**, 750–763.
- 20 G. A. Bhat, M. Luo and D. J. Darensbourg, *Green Chem.*, 2020, **22**, 7707–7724.
- 21 S. J. Poland and D. J. Darensbourg, *Green Chem.*, 2017, **19**, 4990–5011.
- 22 A. A. Khalil, U. u. Rahman, M. R. Khan, A. Sahar, T. Mehmood and M. Khan, *RSC Adv.*, 2017, **7**, 32669–32681.
- 23 A. E. Kaplan, M. Picca, M. I. Gonzalez, R. L. Macchi and S. L. Molgatini, *Dent. Traumatol.*, 1999, **15**, 42–45.
- 24 L. Rojo, B. Vázquez, S. Deb and J. San Román, *Acta Biomater.*, 2009, **5**, 1616–1625.
- 25 A. L. Carbone-Howell, N. D. Stebbins and K. E. Uhrich, *Biomacromolecules*, 2014, **15**, 1889–1895.
- 26 L. Rojo, J. M. Barcenilla, B. Vázquez, R. González and J. San Román, *Biomacromolecules*, 2008, **9**, 2530–2535.
- 27 S. Woranuch and R. Yoksan, *Carbohydr. Polym.*, 2013, **96**, 586–592.
- 28 R. Morales-Cerrada, S. Molina-Gutierrez, P. Lacroix-Desmazes and S. Caillol, *Biomacromolecules*, 2021, **22**, 3625–3648.
- 29 M. Sengoden, G. A. Bhat and D. J. Darensbourg, *Green Chem.*, 2022, **24**, 2535–2541.
- 30 R. Morodo, R. Gérardy, G. Petit and J.-C. M. Monbaliu, *Green Chem.*, 2019, **21**, 4422–4433.
- 31 A.-B. Al-Odayni, W. S. Saeed, A. Y. B. H. Ahmed, A. Alrahlah, A. Al-Kahtani and T. Aouak, *Polymers*, 2020, **12**, 160–188.
- 32 S. Molina-Gutiérrez, S. Dalle Vacche, A. Vitale, V. Ladmiral, S. Caillol, R. Bongiovanni and P. Lacroix-Desmazes, *Molecules*, 2020, **25**, 3444–3461.
- 33 C. Cheng, X. Zhang, X. Chen, J. Li, Q. Huang, Z. Hu and Y. Tu, *J. Polym. Res.*, 2016, **23**, 110–122.
- 34 M. Di Consiglio, E. Sturabotti, B. Brugnoli, A. Piozzi, L. M. Migneco and I. Francolini, *Polym. Chem.*, 2023, **14**, 432–442.
- 35 M. Sengoden, G. A. Bhat and D. J. Darensbourg, *RSC Adv.*, 2022, **12**, 32440–32447.



- 36 G. M. Lari, G. Pastore, M. Haus, Y. Ding, S. Papadokonstantakis, C. Mondelli and J. Pérez-Ramírez, *Energy Environ. Sci.*, 2018, **11**, 1012–1029.
- 37 M. Sengoden, G. A. Bhat and D. J. Darensbourg, *Macromolecules*, 2023, **56**, 2362–2369.
- 38 G. A. Bhat and D. J. Darensbourg, *Green Chem.*, 2022, **24**, 5007–5034.
- 39 D. J. Darensbourg, *Green Chem.*, 2019, **21**, 2214–2223.
- 40 S. Le Luyer, B. Quienne, M. Bouzaid, P. Guégan, S. Caillol and N. Illy, *Green Chem.*, 2021, **23**, 7743–7750.
- 41 P. Wei, G. A. Bhat, C. E. Cipriani, H. Mohammad, K. Schoonover, E. B. Pentzer and D. J. Darensbourg, *Angew. Chem., Int. Ed.*, 2022, **61**, e202208355.
- 42 T. M. Folsom, G. A. Bhat, A. Z. Rashad and D. J. Darensbourg, *Macromolecules*, 2019, **52**, 5217–5222.
- 43 G. A. Bhat, A. Z. Rashad, T. M. Folsom and D. J. Darensbourg, *Organometallics*, 2020, **39**, 1612–1618.
- 44 Y. Li, S. Liu, X. Zhao, Y. Wang, J. Liu, X. Wang and L. Lu, *Theranostics*, 2017, **7**, 4689.
- 45 F. Y. Ren, K. Chen, L. Q. Qiu, J. M. Chen, D. J. Darensbourg and L. N. He, *Angew. Chem.*, 2022, **134**, e202200751.
- 46 M. Sengoden, G. A. Bhat, R. J. Rutledge, S. Rashid, A. A. Dar and D. J. Darensbourg, *Proc. Natl. Acad. Sci. U.S.A.*, 2023, **120**, e2312907120.
- 47 T. Theerathanagorn, T. Kessaratikoon, H. U. Rehman, V. D'Elia and D. Crespy, *Chin. J. Chem.*, 2024, **42**, 652–685.
- 48 D. J. Darensbourg, R. M. Mackiewicz, J. L. Rodgers, C. C. Fang, D. R. Billodeaux and J. H. Reibenspies, *Inorg. Chem.*, 2004, **43**, 6024–6034.
- 49 W. Lindeboom, A. C. Deacy, A. Phanopoulos, A. Buchard and C. K. Williams, *Angew. Chem., Int. Ed.*, 2023, **62**, e202308378.
- 50 D. J. Darensbourg and A. D. Yeung, *Polym. Chem.*, 2014, **5**, 3949–3962.
- 51 A. C. Deacy, A. Phanopoulos, W. Lindeboom, A. Buchard and C. K. Williams, *J. Am. Chem. Soc.*, 2022, **144**, 17929–17938.
- 52 D. J. Darensbourg, B. L. Mueller, C. J. Bischoff, S. S. Chojnacki and J. H. Reibenspies, *Inorg. Chem.*, 1991, **30**, 2418–2424.
- 53 D. J. Darensbourg, W.-Z. Lee, A. L. Phelps and E. Guidry, *Organometallics*, 2003, **22**, 5585–5588.

