


Cite this: *RSC Adv.*, 2024, 14, 20992

# Cutting-edge developments in zinc oxide nanoparticles: synthesis and applications for enhanced antimicrobial and UV protection in healthcare solutions

Egwonor Loveth Irede,<sup>a</sup> Raymond Femi Awoyemi,<sup>b</sup> Babatunde Owolabi,<sup>c</sup> Omowunmi Rebecca Aworinde,<sup>d</sup> Rofiat Odunayo Kajola,<sup>e</sup> Ajibola Hazeez,<sup>f</sup> Ayuba Adawale Raji,<sup>g</sup> Latifat Oluwatobi Ganiyu,<sup>h</sup> Chimezie O. Onukwuli,<sup>i</sup> Asishana Paul Onivefu<sup>j</sup> and Ikhazuagbe Hilary Ifijen  <sup>\*k</sup>

This paper presents a comprehensive review of recent advancements in utilizing zinc oxide nanoparticles (ZnO NPs) to enhance antimicrobial and UV protective properties in healthcare solutions. It delves into the synthesis techniques of ZnO NPs and elucidates their antimicrobial efficacy, exploring the underlying mechanisms governing their action against a spectrum of pathogens. Factors impacting the antimicrobial performance of ZnO NPs, including size, surface characteristics, and environmental variables, are extensively analyzed. Moreover, recent studies showcasing the effectiveness of ZnO NPs against diverse pathogens are critically examined, underscoring their potential utility in combatting microbial infections. The study further investigates the UV protective capabilities of ZnO NPs, elucidating the mechanisms by which they offer UV protection and reviewing recent innovations in leveraging them for UV-blocking applications in healthcare. It also dissects the factors influencing the UV shielding performance of ZnO NPs, such as particle size, dispersion quality, and surface coatings. Additionally, the paper addresses challenges associated with integrating ZnO NPs into healthcare products and presents future perspectives for overcoming these hurdles. It emphasizes the imperative for continued research efforts and collaborative initiatives to fully harness the potential of ZnO NPs in developing advanced healthcare solutions with augmented antimicrobial and UV protective attributes. By advancing our understanding and leveraging innovative approaches, ZnO NPs hold promise for addressing pressing healthcare needs and enhancing patient care outcomes.

Received 1st April 2024  
Accepted 25th June 2024

DOI: 10.1039/d4ra02452d

rsc.li/rsc-advances

## 1 Introduction

In today's healthcare landscape, the need for effective antimicrobial solutions and robust UV protection has become increasingly paramount. The emergence of drug-resistant pathogens and the rising incidence of skin cancer underscore the urgency for innovative approaches to combat microbial infections and mitigate the harmful effects of ultraviolet (UV) radiation.<sup>1–4</sup> In this context, zinc oxide nanoparticles (ZnO NPs) have emerged as versatile agents offering a dual advantage: potent antimicrobial activity and efficient UV shielding properties.

ZnO nanoparticles possess unique physicochemical properties that render them highly effective against a broad spectrum of microorganisms, including bacteria, viruses, and fungi.<sup>5–7</sup> Their inherent antimicrobial efficacy arises from several mechanisms, such as the generation of reactive oxygen species (ROS) upon exposure to light and the disruption of microbial cell membranes. Furthermore, ZnO NPs exhibit exceptional

<sup>a</sup>Department of Chemistry, Clemson University, Clemson, South Carolina, USA

<sup>b</sup>Department of Chemistry, Mississippi State University, Starkville, Mississippi, MS 39762, USA

<sup>c</sup>Department of Civil Engineering, University of Alabama, Tuscaloosa, Alabama, AL 35487, USA

<sup>d</sup>Department of Chemistry, Michigan Technological University, Houghton, Michigan, USA

<sup>e</sup>Department of Biomedical Engineering, University of Rochester, 500 Joseph C. Wilson Blvd., Rochester, NY 14627, USA

<sup>f</sup>Department of Urban and Regional Planning, University of Lagos, Lagos, Nigeria

<sup>g</sup>Department of Surveying and Geo-Informatics, Bells University of Technology, Ota, Ogun State, Nigeria

<sup>h</sup>Department of Chemistry, Brigham Young University, Provo, Utah, USA

<sup>i</sup>Department of Chemistry, Eastern New Mexico University, Portales, New Mexico, USA

<sup>j</sup>Department of Chemistry and Biochemistry, University of Delaware, Newark, DE 19716, USA

<sup>k</sup>Department of Research Outreach, Rubber Research Institute of Nigeria, Iyanomo, Benin City, Nigeria. E-mail: larylans4u@yahoo.com; ifijen.hilary@rrin.gov.ng



stability, biocompatibility, and low toxicity, making them attractive candidates for various biomedical applications.<sup>8,9</sup>

The integration of ZnO nanoparticles into healthcare solutions holds significant promise for enhancing antimicrobial and UV protective properties.<sup>10,11</sup> By harnessing the synergistic benefits of ZnO NPs, it becomes possible to develop advanced materials and formulations capable of combating infections and minimizing UV-induced damage simultaneously.<sup>12–14</sup> Whether incorporated into wound dressings, medical textiles, or sunscreen formulations, ZnO NPs offer a multifaceted approach to addressing key healthcare challenges.

The aim of this study is to provide a comprehensive review of recent advancements in utilizing zinc oxide nanoparticles (ZnO NPs) to enhance antimicrobial and UV protective properties in healthcare solutions. This includes delving into the synthesis techniques of ZnO NPs, elucidating their antimicrobial efficacy, exploring the underlying mechanisms governing their action against a spectrum of pathogens, and analyzing factors impacting their antimicrobial performance. Furthermore, the study critically examines recent studies showcasing the effectiveness of ZnO NPs against diverse pathogens and investigates their UV protective capabilities, mechanisms, recent innovations in UV-blocking applications, and factors influencing UV shielding performance. Additionally, the paper addresses challenges associated with integrating ZnO NPs into healthcare products and presents future perspectives for overcoming these hurdles. The overarching goal is to emphasize the imperative for continued research efforts and collaborative initiatives to fully harness the potential of ZnO NPs in developing advanced healthcare solutions with augmented antimicrobial and UV protective attributes, ultimately enhancing patient care outcomes.

## 2 Synthesis methods of zinc oxide nanoparticles

Zinc oxide nanoparticles (ZnO NPs) are synthesized using a variety of methods, each offering unique advantages and considerations. This comprehensive review delves into the diverse synthesis techniques employed to produce ZnO NPs, providing a detailed analysis of their scalability, cost-effectiveness, and purity levels. The synthesis of ZnO nanoparticles encompasses a wide array of methodologies, including but not limited to sol-gel synthesis, hydrothermal synthesis, green synthesis, mechanochemical methods, and vapor-phase synthesis.<sup>15,16</sup> Each of these approaches presents distinct characteristics and challenges that impact the efficiency, reproducibility, and properties of the resulting ZnO nanoparticles.

The selection of the appropriate synthesis method plays a critical role in tailoring the size, morphology, crystallinity, and surface properties of ZnO NPs to fulfill specific application requirements across various fields such as catalysis, sensing, biomedicine, and optoelectronics.<sup>17–19</sup> Furthermore, optimizing synthesis parameters and post-synthesis treatments are essential steps in enhancing the performance and functionality of ZnO nanoparticles for advanced technological applications. The

continuous exploration and advancement of synthesis techniques for ZnO nanoparticles are vital in unlocking their full potential for addressing diverse challenges in public health, environmental remediation, and cutting-edge technological innovations.<sup>20–22</sup> In this study, the focus will be on sol-gel synthesis, hydrothermal synthesis, and green synthesis methods.

### 2.1 Sol-gel synthesis

Sol-gel synthesis enables precise control over particle size and morphology through the manipulation of precursor concentrations and reaction conditions. This method involves the hydrolysis and condensation of metal alkoxides to form a sol, followed by gelation and drying to obtain ZnO nanoparticles. Sol-gel synthesis offers high purity and control over particle characteristics, making it suitable for applications requiring tailored properties.<sup>23,24</sup>

The synthesis of zinc oxide nanoparticles (ZnO-NPs) *via* the sol-gel method in gelatin media, as conducted by Zak *et al.* (2011), yielded nanoparticles with distinct properties influenced by the synthesis conditions, particularly the calcination temperature.<sup>25</sup> Gelatin, being a long-chain compound, was employed both to terminate the growth of ZnO-NPs and to stabilize them during the synthesis process. Characterization of the synthesized ZnO-NPs was conducted through various techniques, including X-ray diffraction analysis (XRD), Fourier transform infrared spectroscopy (FTIR), and high-magnification transmission electron microscopy (TEM). The obtained results provided insights into the morphology, size distribution, and crystalline structure of the nanoparticles. As observed from the TEM images (Fig. 1), the morphology of the ZnO-NPs varied with the calcination temperature. At lower calcination temperatures (500 °C and 600 °C), both hexagonal and circular shapes were exhibited by the nanoparticles. However, as the calcination temperature increased to 700 °C, the nanoparticles predominantly displayed a hexagonal shape. This transition to hexagonal morphology was accompanied by an increase in the number of hexagonally shaped nanoparticles, which correlates with the growth in particle size. The size histograms constructed from the TEM images indicated an increase in the main particle size of the ZnO-NPs with increasing calcination temperature (Fig. 1). Specifically, the average particle sizes were approximately  $29 \pm 5$  nm,  $40 \pm 10$  nm, and  $58 \pm 15$  nm for calcination temperatures of 500 °C, 600 °C, and 700 °C, respectively. This size evolution suggests that the calcination temperature plays a significant role in controlling the growth and size distribution of ZnO-NPs synthesized *via* the sol-gel method. Furthermore, the XRD analysis confirmed that the ZnO-NPs exhibited a hexagonal (wurtzite) structure across all calcination temperatures, indicating the preservation of crystalline integrity during synthesis. The observed variations in morphology and size distribution underscore the importance of understanding and controlling synthesis parameters, such as temperature, to tailor the properties of ZnO-NPs for specific applications. Overall, the study highlights the effectiveness of gelatin as a stabilizer in the sol-gel synthesis of small ZnO-NPs






Fig. 1 TEM images of ZnO-NPs prepared at different annealing temperatures: (a) 500, (b) 600 and (c) 700 °C.<sup>25</sup>

and underscores the influence of calcination temperature on the morphology and size of the synthesized nanoparticles. These findings contribute to the growing body of knowledge regarding the synthesis and manipulation of ZnO-NPs for various biomedical and technological applications.

Jurablu *et al.* (2015) employed the sol-gel method to synthesize zinc oxide (ZnO) nanoparticles, utilizing zinc sulfate heptahydrate dissolved in an ethanol solution containing diethylene glycol surfactant.<sup>26</sup> Their investigation revealed the formation of ZnO nanoparticles with a hexagonal wurtzite structure, as confirmed by X-ray diffraction (XRD) analysis. Notably, the average particle size was approximately 28 nm, indicating finely scaled nanodimensions. Microstructural examination through scanning electron microscopy (SEM) and transmission electron microscopy (TEM) revealed spherical nanoparticles, often prone to clustering, suggesting potential aggregation tendencies. Fourier transform infrared spectroscopy (FTIR) spectra exhibited characteristic absorption peaks attributed to ZnO nanoparticles, verifying their purity. The determination of the wide bandgap energy at 3.49 eV further highlighted the optical properties of the synthesized nanoparticles.

X-ray diffraction (XRD) was utilized to identify crystalline phases and estimate crystalline sizes. The diffraction peaks corresponded to the reflection from various crystal planes of the hexagonal wurtzite zinc oxide structure. The mean size of the ordered ZnO nanoparticles was estimated to be around 25 nm. Field emission scanning electron microscopy (FE-SEM) analysis demonstrated increased homogeneity in the sample surface

with increasing annealing temperature. The morphology of the particles changed to a spherical shape, and nanopowders were less agglomerated at higher temperatures. Transmission electron microscopy (TEM) analysis confirmed the actual size of the particles, their growth pattern, and the distribution of the crystallites. The TEM image revealed ZnO nanoparticles with an average diameter of about 28 nm. FT-IR spectra of the ZnO powders exhibited characteristic absorption peaks, consistent with the XRD results.

UV-Vis absorption spectra of both as-prepared and annealed ZnO nanoparticles indicated strong absorption bands at low wavelengths, with the absorption edge extending to longer wavelengths for annealed nanoparticles. The absorption positions depended on the morphologies and sizes of ZnO, with the UV absorption ability related to the band gap energy.

Alwan *et al.* (2015) conducted the synthesis of zinc oxide (ZnO) nanoparticles using the sol-gel method, with zinc acetate employed as a precursor.<sup>27</sup> Their primary focus was on characterizing the crystalline structure and morphology of the synthesized nanoparticles. X-ray diffraction (XRD) analysis confirmed a highly crystalline wurtzite structure for the ZnO nanoparticles, consistent with previous findings. Additionally, Fourier transform infrared (FT-IR) spectra depicted characteristic absorption bands associated with ZnO nanoparticles, further confirming their chemical composition.

SEM revealed spherical nanoparticles with smooth surfaces, indicating uniformity in particle morphology. XRD patterns exhibited Bragg reflections corresponding to various crystal planes of ZnO, confirming the hexagonal phase of the



nanoparticles. The average particle size was determined as 58.3 nm from the width of dominant peaks in the XRD pattern, in line with the Debye–Scherrer equation.

FT-IR spectroscopy provided additional evidence of the high purity of the synthesized ZnO nanoparticles, with characteristic absorption peaks corresponding to Zn–O bonds and hydroxyl groups. SEM images showed spherical ZnO particles with smooth surfaces, ranging in size from 100–200 nm. Furthermore, coating freshly prepared ZnO sol–gel onto polyethylene thin film resulted in particle sizes of approximately 50–60 nm. Inductively coupled plasma optical emission spectrometry (ICP-OES) elemental analysis confirmed the high yield of ZnO nanoparticles, with a purity of about 98.2%. UV-Vis optical absorption spectra exhibited a sharp absorbance onset at 345 nm, indicating almost uniform nanoparticle size. The optical band gap of the sol samples was estimated from UV-Vis Diffuse Reflectance Spectroscopic (UV-Vis DRS) studies, revealing a direct band gap of 2.935 eV. Alwan *et al.* (2015)<sup>27</sup> successfully synthesized ZnO nanoparticles *via* the sol–gel method and comprehensively characterized their crystalline structure, morphology, and optical properties. Their findings contribute valuable insights into the synthesis and characterization of ZnO nanoparticles, with implications for various applications in nanotechnology and materials science.

Balcha *et al.* (2016) conducted a comparative study on the synthesis of zinc oxide (ZnO) nanoparticles using precipitation and sol–gel methods.<sup>28</sup> Their research focused not only on the structural characterization of the synthesized nanoparticles but also on evaluating their photocatalytic activity. Both synthesis routes produced ZnO nanoparticles with a hexagonal wurtzite structure, confirmed by X-ray diffraction (XRD) patterns. However, the sol–gel method resulted in slightly smaller crystallite sizes compared to the precipitation method.

The XRD patterns of the ZnO powders synthesized by both methods showed identical diffraction peaks at specific angles ( $2\theta = 31.8, 34.5, 36.4, 47.6, 56.8, \text{ and } 63.0$ ), corresponding to the crystal planes (100), (002), (101), (102), (110), and (103) respectively. These peaks confirmed the hexagonal wurtzite structure of the nanoparticles. The absence of additional diffraction peaks indicated the purity of the synthesized ZnO samples. The XRD results also showed that the (101) plane was the preferred growth plane, as indicated by the most intense peak, and the intensity ratio of the (101) to (002) peaks remained invariant, suggesting that solvent viscosity did not affect ion diffusion during synthesis. The average crystallite size of the synthesized photocatalysts was determined using Scherrer's equation, which considers the shape factor, wavelength of X-rays, full width at half maximum (FWHM) of the most intense diffraction peak, and Bragg's angle. The calculated average crystallite sizes of the ZnO nanoparticles synthesized *via* both methods were recorded and compared.

Crucially, the study found that ZnO nanoparticles synthesized *via* the sol–gel method exhibited superior photocatalytic activity compared to those synthesized *via* precipitation. This enhanced photocatalytic performance was attributed to the better colloidal stabilization of the nanoparticles produced by the sol–gel method. The smaller crystallite size and improved

dispersion of these nanoparticles likely contributed to their increased effectiveness in photocatalytic applications.

In general, Balcha *et al.* (2016)<sup>28</sup> demonstrated that while both the precipitation and sol–gel methods can produce pure ZnO nanoparticles with similar structural properties, the sol–gel method offers advantages in terms of producing smaller particles with enhanced photocatalytic activity, making it a more suitable technique for applications requiring high-performance ZnO nanoparticles.

Hasnidawani *et al.* (2016)<sup>29</sup> conducted an insightful study focused on synthesizing zinc oxide (ZnO) nanoparticles using the sol–gel method, with zinc acetate dehydrate serving as the precursor. This study employed a suite of comprehensive characterization techniques, including X-ray diffraction (XRD), energy-dispersive X-ray spectroscopy (EDX), and field emission scanning electron microscopy (FE-SEM). The EDX analysis confirmed the high purity of the synthesized ZnO nanoparticles, indicating a zinc content of 55.38% and oxygen at 44.62%, which closely aligns with theoretical expectations. These results indicate minimal impurities, validating the effectiveness of the synthesis method.

XRD diffractogram revealed characteristic peaks of ZnO, affirming its crystalline nature. The patterns were consistent with standard data (JCPDS card no 36-1451), showing sharp peaks that signify good crystallinity. Notably, the highest intensity peaks were observed at  $33.8616^\circ$  and  $36.2695^\circ$ , corresponding to the (101) and (103) planes, respectively. FE-SEM imaging provided detailed insights into the morphology of the nanoparticles, which exhibited uniform rod-like structures. The homogeneous size distribution further emphasized the consistency of the synthesis process.

Particle size analysis, supported by nano particle analyzer results, confirmed that the ZnO nanoparticles had an average size of approximately 84.98 nm. Differential Scanning Calorimetry (DSC) was utilized to explore the thermal behaviour of the ZnO nanoparticles. The DSC thermograph displayed endothermic peaks primarily due to ethanol vaporization, with a minor exothermic peak at  $26^\circ\text{C}$ , likely caused by changes in heat transfer dynamics and vapor pressure effects within the sample pan.

In summary, while all studies successfully synthesized ZnO nanoparticles *via* the sol–gel method, variations in precursor materials, surfactants, and reaction conditions led to discernible differences in nanoparticle properties. Notable variations encompassed particle size, morphology, crystallinity, and purity. The studies by Jurablu *et al.* (2015)<sup>26</sup> and Alwan *et al.* (2015)<sup>27</sup> underscored structural characterization and optical properties, emphasizing the significance of synthesis parameters. Balcha *et al.* (2016)'s study introduced a comparative perspective by evaluating photocatalytic activity, highlighting the importance of synthesis route selection for specific applications.<sup>28</sup> Hasnidawani *et al.* (2016)'s study provided comprehensive characterization, further showcasing the sol–gel method's efficacy in producing ZnO nanoparticles with desirable properties.<sup>29</sup>

Manikandan *et al.* (2018) conducted a study on the synthesis and properties of zinc oxide (ZnO) nanoparticles *via* the sol–gel method using zinc acetate as a precursor.<sup>30</sup> The synthesized



nanoparticles underwent extensive characterization through various analytical techniques. X-ray diffraction (XRD) analysis revealed that the synthesized ZnO nanoparticles exhibited a single phase with a wurtzite hexagonal structure. The lattice parameters were estimated using the Scherrer formula, and microstrain, stress, energy density, and crystallite size were analyzed using the Williamson–Hall model. The nanoparticles displayed well-defined crystalline characteristics. Fourier transform infrared spectroscopy (FTIR) spectra showed characteristic absorption peaks at  $458.82\text{ cm}^{-1}$ , confirming the presence of ZnO nanoparticles in the sample. Field emission scanning electron microscopy (FE-SEM) images revealed a flaky morphology of the synthesized ZnO nanopowder, with flat and irregularly shaped nanocrystalline flakes (Fig. 2).

Energy dispersive X-ray analysis (EDX) confirmed the presence of high-purity ZnO nanoparticles, with elemental composition comprising mainly zinc and oxygen (Fig. 3). The optical band gap of the nanoparticles was determined to be  $3.1\text{ eV}$  through UV-visible spectroscopy. Raman spectroscopy further validated the chemical composition by confirming the presence of Zn–O stretching modes. The electrical properties of the ZnO nanoparticles, including dielectric constant, dielectric loss, and AC conductivity, were analyzed using impedance data. Additionally, the nanoparticles exhibited excellent photocatalytic behavior, with a calculated rate constant of  $0.0296\text{ min}^{-1}$ , as evaluated through methylene blue dye degradation studies.

In summary, Manikandan *et al.* (2018)'s study demonstrates the successful synthesis of ZnO nanoparticles *via* the sol-gel

method and provides a detailed characterization of their structural, morphological, chemical, optical, and electrical properties.<sup>30</sup> These findings contribute to the understanding of ZnO nanoparticles' fundamental characteristics for potential applications in various fields.

In another study, Mikhnev *et al.* (2019) utilized the sol-gel method employing zinc acetate in water to synthesize nano-sized zinc oxide (ZnO).<sup>31</sup> This approach is widely recognized for its simplicity, scalability, and potential to produce nanoparticles with controlled size and morphology. By employing a sol-gel route, researchers can effectively control the nucleation and growth of nanoparticles, leading to tailored properties suitable for various applications.

The structural features of the synthesized ZnO samples were extensively characterized, focusing on their spectral features of luminescence and photoconductivity. This characterization provided valuable insights into the optical and electronic properties of the synthesized nanoparticles. Furthermore, the influence of treatment temperature on the luminescence and photoconductivity of nano-sized zinc oxide was systematically investigated. This aspect is crucial as thermal treatment can significantly alter the crystallinity and morphology of the nanoparticles, thereby affecting their optoelectronic properties.

As depicted in Fig. 4, the diffractograms of the ZnO samples subjected to thermal treatment at different temperatures exhibited characteristic peaks associated with zinc oxide in the wurtzite-type structure. The observed increase in peak intensity and narrowing with higher calcination temperatures indicated




Fig. 2 FE-SEM morphology of ZnO nanoflakes.<sup>30</sup>






Fig. 3 EDX spectrum of ZnO nanoflakes.<sup>30</sup>




Fig. 4 XRD patterns of ZnO samples annealed at different temperatures (a) and an electron microscopic image of a ZnO sample subjected to thermal treatment at a temperature of 400 °C (b).<sup>31</sup>

an enhancement in crystallinity, attributed to the growth and aggregation of ZnO nanoparticles during sintering. These findings align with the Debye–Scherrer formula analysis, which estimated the crystallite size for the (101) plane. Notably, samples subjected to higher calcination temperatures exhibited larger crystallite sizes, highlighting the influence of thermal treatment on nanoparticle dimensions. Electron-microscopic analysis revealed that the synthesized zinc oxide nanoparticles exhibited a spherical shape, as depicted in Fig. 3. This

morphology, close to spherical, is desirable for various applications due to its uniformity and high surface area-to-volume ratio, which can enhance reactivity and performance.

Sikdar *et al.* (2020)<sup>32</sup> and Vishwakarma (2020)<sup>33</sup> both address the synthesis of ZnO nanoparticles *via* the sol–gel method but with different emphases. Sikdar *et al.* (2020) specifically investigate the application of sol–gel-synthesized nano ZnO as a cure activator in rubber composites, highlighting its superior performance compared to conventional ZnO.<sup>32</sup> In contrast,

Vishwakarma (2020) provides a more generalized overview of ZnO nanoparticle synthesis using the sol-gel method, focusing on the method's advantages and the controlled synthesis of homogeneous ZnO nanoparticles with good crystallinity.<sup>33</sup> While Sikdar *et al.* (2020) underscores the practical application of sol-gel-synthesized ZnO nanoparticles in rubber composites,<sup>32</sup> Vishwakarma (2020) offers insights into the broader scope of the sol-gel method for nanoparticle fabrication.<sup>33</sup>

Singh *et al.* (2021) explored the synthesis of zinc oxide (ZnO) nanoparticles *via* the sol-gel method, focusing particularly on the characterization of structural and surface morphology.<sup>34</sup> Utilizing zinc acetate dihydrate as a precursor, they successfully produced ZnO nanoparticles through this method. The study revealed significant insights into the effects of calcination temperature on particle and crystallite size.

SEM analysis indicated a change in average particle size, and crystallite size was calculated using the Debye-Scherrer equation based on the XRD peak for the (101) plane. As the calcination temperature increased from 500 °C to 900 °C, the crystal size increased while the overall particle size decreased. This suggests that higher temperatures reduce the crystal volume within the particles. Careful examination of the SEM images showed that particles were strongly agglomerated at lower calcination temperatures. Increasing the temperature reduced agglomeration, resulting in a higher surface area to volume ratio. This decrease in average particle size with increasing temperature was attributed to the reduction in particle agglomeration due to the high temperatures.

The experimental procedure employed by Singh *et al.* (2021)<sup>34</sup> was noted for being cost-effective in producing homogeneous nanoparticles. The study suggests potential future research could involve modifying other physical parameters of the sol-gel process, such as pH, stirring time, and temperature, to observe the resultant effects on nanoparticle characteristics. Additionally, further adjustments to the synthesis and properties of nanoparticles could be explored, providing a broad scope for future investigations in this area.

The approach of Singh *et al.* (2021)<sup>34</sup> complemented the findings of Sikdar *et al.* (2020)<sup>32</sup> and Vishwakarma (2020)<sup>33</sup> by emphasizing the structural properties of sol-gel-synthesized ZnO nanoparticles, thereby contributing to a comprehensive understanding of their characteristics.

In addition, the studies by Junaid (2022),<sup>35</sup> Vignesh *et al.* (2022),<sup>36</sup> Al-Shehri *et al.* (2023),<sup>37</sup> and Madhuri (2023)<sup>38</sup> collectively provide insights into the synthesis, characterization, and potential applications of zinc oxide (ZnO) nanoparticles.

Junaid (2022)<sup>35</sup> and Vignesh *et al.* (2022)<sup>36</sup> both investigated the synthesis of ZnO nanoparticles using the sol-gel method, utilizing different precursors and characterizing the resulting nanoparticles through a range of techniques to understand their structural, morphological, and optical properties. Junaid (2022) employed X-ray diffraction (XRD) at 40 kV to identify the crystalline phases and estimate the crystalline sizes of ZnO nanoparticles.<sup>35</sup> The XRD patterns of the as-prepared and annealed samples at 500 °C reveal diffraction peaks corresponding to the hexagonal wurtzite structure of ZnO. The mean

size of the ZnO nanoparticles is calculated to be around 25 nm using the Debye-Scherrer equation.

Field emission scanning electron microscopy (FE-SEM) is used to study the morphology of the ZnO nanoparticles, showing that increasing the annealing temperature results in high homogeneity and changes the particles to a more spherical shape with reduced agglomeration. SEM images indicate that the crystallite size of the annealed nanocrystals ranges from 20 to 80 nm in diameter. Transmission electron microscopy (TEM) analysis further confirms the particle size, showing an average diameter of about 28 nm for the as-synthesized ZnO nanoparticles. Fourier-transform infrared spectroscopy (FT-IR) spectra of the ZnO powders show characteristic peaks for OH groups, H-O-H bending vibrations, and Zn-O stretching vibrations, aligning well with the XRD results. UV-Vis absorption spectra indicate strong absorption bands near 355 nm for as-synthesized ZnO nanoparticles and near 410 nm for annealed samples, suggesting a phase transition influenced by heat treatment and highlighting the dependence of UV absorption properties on the nanoparticles' morphologies and sizes.

Vignesh *et al.* (2022) synthesize pure ZnO nanoparticles using the sol-gel method and characterize the powdered samples through X-ray diffraction (XRD) to determine their crystallinity.<sup>36</sup> The XRD analysis indicates an average crystalline size of 36 nm, calculated using the Scherrer equation based on the peak widths at the (100) and (101) planes. SEM images revealed the ZnO nanoparticles forming flocks with various shapes. The size observed in SEM is larger than that obtained from XRD, suggesting that SEM measures the size of the entire flocks rather than individual crystals.

Overall, both studies demonstrated that the sol-gel method is effective for synthesizing ZnO nanoparticles with high crystallinity and distinct morphological characteristics. Junaid (2022)<sup>35</sup> provides a detailed analysis of the structural changes and optical properties influenced by annealing, while Vignesh *et al.* (2022)<sup>36</sup> focuses on the crystalline size and morphological variety observed in the SEM analysis. Together, these studies contributed to a deeper understanding of the properties of ZnO nanoparticles, which are crucial for their applications in various fields such as UV protection, sensors, and catalysis.

In contrast, Madhuri (2023) extended this analysis by comparing the sol-gel method with the hydrothermal method for synthesizing ZnO nanoparticles.<sup>38</sup> The X-ray diffraction (XRD) analysis revealed that sol-gel synthesized nanoparticles have an average size of 14.36 nm, while hydrothermal synthesis produces mostly spherical nanoparticles with an average diameter of 14.5 nm. Scanning electron microscopy (SEM) indicates that both methods resulted in particle agglomeration, with sol-gel particles showing agglomeration at higher resolution and hydrothermal particles forming spherical aggregates. UV-visible spectroscopy showed that the sol-gel ZnO nanoparticles absorb UV radiation up to 362 nm and transmit most of the visible spectrum, whereas hydrothermal ZnO nanoparticles absorb UV radiation up to 368 nm.

The detailed findings highlighted the nuanced differences between the two synthesis methods in terms of nanoparticle



size, shape, and optical properties. The sol-gel method yielded slightly smaller particles with high-resolution agglomeration, while the hydrothermal method produces slightly larger, spherical particles. Both types of nanoparticles exhibit similar UV absorption characteristics, making them suitable for applications requiring UV radiation absorption.

While Junaid (2022)<sup>35</sup> and Vignesh *et al.* (2022)<sup>36</sup> primarily emphasize the synthesis and characterization of ZnO nanoparticles, Al-Shehri *et al.* (2023)<sup>37</sup> investigated the potential applications of Al-doped ZnO nanoparticles, particularly in optoelectronic devices. Al-Shehri *et al.* (2023) successfully synthesized zinc oxide (ZnO) nanocrystalline powders with varying aluminum (Al) concentrations (ranging from 0 to 4 wt%) using the sol-gel technique. The structure and morphology of the aluminum-doped ZnO (AZO) nanoparticles were investigated through X-ray powder diffraction (XRD) and scanning electron microscopy (SEM). XRD analysis indicated a reduction in crystallite size as the Al doping ratio increased, with all samples exhibiting the ZnO phase without any additional peaks. Furthermore, UV-visible diffuse reflectance spectroscopy was employed to examine the impact of Al doping on the optical properties of the ZnO nanopowder.

The study concluded that increasing the Al concentration resulted in a decrease in the energy gap ( $E_g$ ) value, from 3.30 eV for undoped ZnO to 3.25 eV for AZO with the highest concentration of 4 wt%. This finding suggests a modification of the bandgap due to Al doping. Overall, the ability to tune the bandgap of the prepared samples makes them promising candidates for various applications, particularly in optoelectronic devices.

The reviewed studies collectively offered valuable insights into the synthesis, characterization, and potential applications of zinc oxide (ZnO) nanoparticles. By comparing different synthesis methods, doping strategies, and characterization techniques, they contribute to a deeper understanding of how to tailor the properties of ZnO nanoparticles for diverse applications.

## 2.2 Hydrothermal synthesis

Hydrothermal synthesis is a method of choice in nanomaterial synthesis, renowned for its ability to produce zinc oxide nanoparticles (ZnO NPs) with exceptional properties. This intricate process involves precisely controlling a chemical reaction between a zinc precursor and a hydrothermal solution under specific conditions of elevated temperatures and pressures.<sup>39–41</sup> By adjusting parameters such as temperature, pressure, reaction duration, and precursor concentrations, researchers can intricately manipulate the nucleation and growth of ZnO crystals.<sup>42</sup>

One of the most striking advantages of hydrothermal synthesis lies in its unparalleled control over the size, shape, and structure of the resulting ZnO nanoparticles. This precise control enables researchers to tailor the properties of the nanoparticles to meet the exact requirements of diverse applications. Whether it's catalysis, sensors, biomedical devices, or optoelectronics, hydrothermal synthesis offers the versatility

needed to fine-tune ZnO nanoparticles for optimal performance.<sup>43,44</sup>

In this method, the hydrothermal environment provides the ideal conditions for the nucleation and growth of ZnO crystals.<sup>42</sup> The controlled reaction kinetics ensure the formation of nanoparticles with uniform size distribution and high crystallinity, essential for achieving desired functionalities.<sup>43</sup> Moreover, the hydrothermal process allows for the formation of complex nanostructures, such as nanorods, nanowires, and nanosheets, which further expand the range of potential applications.<sup>44</sup>

Overall, hydrothermal synthesis stands as a cornerstone in the realm of nanomaterial fabrication, offering researchers a powerful tool to engineer ZnO nanoparticles with tailored properties and enhanced performance for a myriad of technological advancements and scientific endeavors. For example, Bazazi *et al.* (2018)<sup>45</sup> and Marlinda *et al.* (2019)<sup>46</sup> both explored the hydrothermal synthesis route but with variations in methodology and outcomes. Bazazi *et al.* (2018) investigated the synthesis of ZnO nanostructures using both hydrothermal and ball mill-hydrothermal methods.<sup>45</sup> They found that ball milling before the hydrothermal process altered the morphology of the ZnO nanostructures, resulting in enhanced photocatalytic activity compared to conventional hydrothermal synthesis. This study underscores the importance of mechanical processing in modifying the properties of ZnO NPs. In contrast, Marlinda *et al.* (2019) focused on the one-step hydrothermal synthesis of ZnO nanostructures with varied morphologies by adjusting the pH level.<sup>46</sup> They observed the formation of different ZnO morphologies, such as baton, star, flower, and rod-like structures, by varying the pH using sodium hydroxide (NaOH) as a base. The study highlights the influence of pH on the morphological properties of ZnO nanostructures and their photoelectrochemical (PEC) water-splitting properties.

Mahendiran *et al.* (2019)<sup>47</sup> and Mohan *et al.* (2020)<sup>48</sup> further contributed to the understanding of hydrothermal-synthesized ZnO NPs by focusing on their structural and optical properties. Mahendiran *et al.* (2019) synthesized nano-sized ZnO using a simple hydrothermal method and characterized the nanoparticles using various techniques, including X-ray diffraction (XRD), scanning electron microscopy (SEM), and UV-visible spectroscopy.<sup>47</sup> Their findings provided insights into the crystalline structure, morphology, and bandgap of ZnO NPs synthesized *via* hydrothermal routes.

Similarly, Mohan *et al.* (2020) investigated the effects of reaction conditions on the properties of hydrothermally synthesized ZnO NPs.<sup>48</sup> They observed changes in grain size, morphology, luminescence, and optical absorption of ZnO NPs with variations in reaction temperature and time. This study highlights the tunability of ZnO nanoparticle properties through hydrothermal synthesis parameters, offering valuable insights for tailoring ZnO-based materials for specific applications.

Furthermore, Chandrasekaran *et al.* (2020) explored a novel wet chemical hydrothermal synthesis method using natural extracts as solvent media for ZnO nanoparticle synthesis.<sup>49</sup> They found that the choice of solvent media influenced the size, morphology, optical, and cytotoxic properties of ZnO NPs. This



study demonstrates the potential of eco-friendly approaches for synthesizing ZnO NPs with enhanced antibacterial and anti-cancer properties.

In a different study, Gerbreder *et al.* (2020) investigated the hydrothermal synthesis method for producing zinc oxide (ZnO) nanostructures, a popular approach in nanomaterial synthesis.<sup>50</sup> Utilizing a nitrate-based precursor reaction with equimolar amounts of hexamethylenetetramine (HMTA), the study aimed to elucidate the growth process and morphology control of ZnO nanostructures.

In the absence of a seed layer, as depicted in Fig. 5a, nanostructures grown on clear glass substrates exhibited thick, disordered formations due to growth occurring mainly on surface defects. These defects, such as screw dislocations and rough edges, provided limited nucleation centres. Conversely, when seed layers were introduced, as shown in Fig. 7b–d, nanostructured coatings with a pronounced vertical arrangement of the nanostructures were produced, leading to homogeneous and dense coatings.

The study explored the effect of solution concentration on nanostructure formation, as illustrated in Fig. 8. At lower concentrations (Fig. 6a), incomplete sharp-tipped rods were observed due to rapid depletion of the  $\text{Zn}^{2+}$  ion source. As the concentration increased (Fig. 6b and c), nanorods with flat

surfaces formed, albeit with smaller diameters. Optimal diameter of nanorods was achieved at a concentration of 0.1 M (Fig. 6), beyond which distorted forms of nanostructures emerged. Furthermore, the research delved into the influence of synthesis parameters and capping agents on the growth process. By varying these parameters, the study identified optimal synthesis conditions for obtaining nine independent ZnO morphologies. The findings emphasized the production of durable, homogeneous epitaxial coatings on hard surfaces, presenting potential applications in sensor development and other fields where surface area is crucial.

Overall, the study contributes valuable insights into hydrothermal synthesis as a versatile method for producing tailored ZnO nanostructures with controlled morphologies, paving the way for diverse applications beyond conventional ZnO powders.

Qian (2022) presents a study on the synthesis of zinc oxide (ZnO) nanorods using an economical hydrothermal method.<sup>51</sup> The research explores the formation mechanism of these nanoparticles and investigates the structural changes using various characterization techniques.

The synthesis method involves the use of a self-designed *in situ* temperature-pressure sample cell to control the hydrothermal conditions. The study examines the effect of different parameters such as the type of base (NaOH or KOH), ball milling, and




Fig. 5 SEM images of ZnO nanostructures synthesized at different origin of seed layer: (a) on clear glass, (b) on MS seeds, (c) on ED seeds, (d) on AD seeds. Other parameters were: 0.1 M  $\text{Zn}(\text{NO}_3)_2$  HMTA equimolar solution,  $t = 3$  h,  $T = 90$  °C.<sup>50</sup>






Fig. 6 SEM images of ZnO nanostructures synthesized at different  $\text{Zn}(\text{NO}_3)_2$  HMTA solutions concentration: (a) 0.0125 M, (b) 0.025 M, (c) 0.05 M, (d) 0.1 M (e) 0.2 M, (f) 0.3 M. Other parameters were AD seeds,  $t = 3$  h,  $T = 90$  °C.<sup>50</sup>

temperature on the morphology of the ZnO nanoparticles. FE-SEM images reveal distinct morphologies for ZnO samples prepared with NaOH and KOH solutions, with variations observed in rod-like structures and flower-like microstructures (Fig. 7). Notably, ball milling is found to influence the morphology, leading to the formation of flower-like ZnO microstructures through the self-organization of pencil-like ZnO rods (Fig. 7).

The study also identifies an intermediate phase,  $\text{Zn}(\text{HCO}_3)_2 \cdot \text{H}_2\text{O}$ , formed at lower temperatures, which undergoes transformation to ZnO nanorods at higher temperatures. XRD and TEM analyses confirm the wurtzite structure of the final ZnO nanorods, with average dimensions of 45 nm in diameter and 2  $\mu\text{m}$  in length (Fig. 8 and 9).

Overall, the research sheds light on the formation mechanism of ZnO nanorods and provides insights for the controllable synthesis of ZnO nanoparticles, contributing to the advancement of nanomaterial synthesis techniques.

The research conducted by Wirunchit & Koetnuyom (2022) focuses on the synthesis of zinc oxide (ZnO) nanoparticles *via* hydrothermal precipitation solutions for potential biological applications.<sup>52</sup> They investigated the synthesis of ZnO nanoparticles using zinc nitrate ( $\text{Zn}(\text{NO}_3)_2$ ) as the precursor and three different precipitator solutions: potassium hydroxide (KOH), sodium hydroxide (NaOH), and ammonium hydroxide ( $\text{NH}_4\text{OH}$ ). Various characterization techniques including X-ray diffraction (XRD), Fourier transform infrared spectroscopy (FT-IR), Raman spectroscopy, and field emission scanning electron microscopy (FE-SEM) were employed to analyze the structure, size, and morphology of the synthesized ZnO nanoparticles. Additionally, the antibacterial efficacy of the

nanoparticles was studied. The results revealed that the smallest ZnO nanoparticles were obtained when using zinc nitrate reacted with sodium hydroxide as the precipitator at 120 °C for 4 h. This study highlights the importance of precursor and precipitator selection in tailoring the properties of ZnO nanoparticles for specific applications, particularly in biological contexts.

On the other hand, Seitov & Kazbek (2022) focused on the structural properties and morphology of zinc oxide (ZnO) thin films obtained through hydrothermal synthesis.<sup>53</sup> They utilized ZnO nanofilms deposited by the sol-gel method as seed layers on the glass surface of STO (strontium titanate). The concentration of chemical reagents during the sol-gel transformation significantly influenced the properties of the resulting ZnO films. Through hydrothermal synthesis at approximately 97 °C for 3 hours, they successfully synthesized ZnO nanorods on the surface of the nanofilm. Subsequent firing of the synthesized ZnO nanorods led to a several-fold increase in electrical resistance. Characterization using scanning electron microscopy and X-ray diffraction revealed the chemical composition and morphology of the obtained nanorod arrays. Notably, the ZnO nanoparticle arrays exhibited enhanced response to visible light, suggesting potential applications in photoelectrochemical devices for solar energy conversion. These findings provide valuable insights for the development of high-performance photoelectrochemical systems and offer opportunities for further advancements in alternative energy technologies.

In summary, these studies collectively contribute to the understanding of hydrothermal synthesis methods for producing ZnO nanoparticles with tailored morphologies and




Fig. 7 Typical FE-SEM prepared ZnO samples (a) and (b) hexagonal rods (ZnO-1), (c) and (d) flower-like rods (ZnO-2), (e) and (f) flowers-like prismatic (ZnO-3), (g) and (h) quasi-prismatic (ZnO-4).<sup>51</sup>

properties. They underscore the importance of synthesis parameters, such as base type, pH level, reaction conditions, and solvent media, in controlling the structural, optical, and functional characteristics of ZnO nanostructures.

### 2.3 Green synthesis

Green synthesis of zinc oxide nanoparticles (ZnO NPs) has emerged as a promising and eco-friendly approach for the production of nanomaterials with various applications.<sup>54</sup> Unlike traditional chemical methods that often involve hazardous






Fig. 8 The transmission electron microscopy (TEM) image of ZnO-4 nanostructure.<sup>51</sup>




Fig. 9 XRD patterns of prepared ZnO samples.<sup>51</sup>

chemicals and generate toxic by-products, green synthesis harnesses natural sources such as plant extracts, microorganisms, and biopolymers to facilitate the reduction and stabilization of metal ions into nanoparticles.<sup>55,56</sup> This sustainable method not only reduces environmental impact but also offers several advantages including cost-effectiveness, scalability, and biocompatibility.<sup>57,58</sup>

One of the key advantages of green synthesis is its versatility, as it allows for the use of a wide range of biological materials as reducing and capping agents.<sup>59,60</sup> Plant extracts, rich in phytochemicals such as polyphenols, flavonoids, and terpenoids, have been extensively explored for their potential in synthesizing ZnO NPs. These bioactive compounds possess inherent reducing properties that facilitate the conversion of metal ions into nanoparticles.<sup>61</sup> Additionally, the phytochemicals present in plant extracts also serve as stabilizing agents, preventing the agglomeration and ensuring the stability of the synthesized nanoparticles.<sup>62,63</sup>

Microorganisms, including bacteria, fungi, and algae, have also demonstrated the ability to mediate the green synthesis of ZnO NPs. Microbial systems offer unique advantages such as rapid synthesis rates, high yields, and the ability to produce nanoparticles under mild reaction conditions.<sup>64–66</sup> Moreover, the diverse metabolic pathways of microorganisms enable the synthesis of ZnO NPs with tailored properties, including size, shape, and crystallinity.<sup>67</sup>

Biopolymers, such as chitosan, cellulose, and starch, have garnered significant attention as green templates for the synthesis of ZnO NPs.<sup>68</sup> These naturally occurring polymers provide a biocompatible and environmentally friendly matrix for the nucleation and growth of nanoparticles.<sup>69</sup> Through interactions with metal ions, biopolymers facilitate the formation of ZnO NPs with controlled morphology and size distribution. Furthermore, the inherent biodegradability and non-toxic nature of biopolymers make them suitable for various biomedical and environmental applications.<sup>70</sup>

In addition to their eco-friendliness, ZnO NPs synthesized *via* green methods exhibit remarkable physicochemical properties that render them suitable for diverse applications. Their unique optical, electrical, and catalytic properties make them promising candidates for applications in photocatalysis, sensing, drug delivery, antimicrobial agents, and environmental remediation.<sup>63–65</sup> Furthermore, the biocompatibility of green-synthesized ZnO NPs opens up avenues for their use in biomedical applications such as cancer therapy, bioimaging, and tissue engineering.<sup>63</sup>

Overall, green synthesis offers a sustainable and environmentally friendly approach for the production of ZnO nanoparticles with tailored properties and versatile applications. By harnessing the power of nature, green synthesis not only addresses the challenges associated with traditional synthesis methods but also paves the way for the development of innovative nanomaterials with enhanced performance and reduced environmental impact.

For example, Raja *et al.* (2018) described the green synthesis of Zinc Oxide Nanoparticles (ZnO NPs) utilizing an aqueous *Tabernaemontana divaricata* green leaf extract.<sup>71</sup> The synthesized ZnO NPs underwent extensive characterization employing X-ray diffraction (XRD), Ultraviolet-Visible (UV-Vis) studies, Scanning Electron Microscopy (SEM), Transmission Electron Microscopy (TEM), and Fourier Transform-Infrared (FT-IR) analysis.

XRD analysis confirmed the presence of a pure hexagonal wurtzite crystalline structure of ZnO, indicative of high crystallinity. TEM imaging showcased spherical ZnO NPs with sizes ranging from 20 to 50 nm. Notably, Fig. 10a depicts the TEM image revealing nanoparticles within this size range. Furthermore, the selected area electron diffraction (SAED) pattern, as depicted in Fig. 10b, exhibited concentric rings, indicating the highly crystalline nature of the synthesized ZnO NPs.

FT-IR analysis provided additional insights, suggesting that the obtained ZnO NPs were stabilized through interactions with various bioactive compounds present in the leaf extract, enhancing their stability and functionality.






Fig. 10 TEM image ZnO NPs (a) SAED pattern of ZnO NPs (b).<sup>71</sup>

In summary, Raja *et al.*'s<sup>67</sup> study demonstrates the successful green synthesis of ZnO NPs using *Tabernaemontana divaricata* leaf extract. The comprehensive characterization reveals the high quality, crystallinity, and stability of the synthesized nanoparticles, highlighting their potential for diverse applications in biomedicine, catalysis, and environmental remediation.

Khatami *et al.* (2018) present a novel synthesis method for zinc oxide (ZnO) nanostructures using a natural sweetener extract from Stevia, which offers a fast, clean, and environmentally friendly approach.<sup>72</sup> The synthesized ZnO nanoparticles exhibited predominantly rectangular morphology, with some instances of square, octagonal, and oval bar shapes, as depicted in Fig. 11 via FE-SEM imaging.

Compositional analysis of the nanoparticles was conducted using energy-dispersive X-ray spectroscopy (EDX), confirming the presence of zinc and oxygen elements. The synthesized nanoparticles exhibited a rectangular shape with sizes ranging

from 10 to 90 nm. Thermal stability of the rectangular-shaped ZnO nanoparticles was investigated through thermogravimetric analysis (TGA). The TGA and derivative thermogram revealed a slight sample weight loss of approximately 5.6%, attributed to the thermal degradation of biomolecules, such as Steviol glycosides present in the extract. However, the increment in temperature did not lead to significant weight loss, indicating high thermal stability of the ZnO nanoparticles.

Additionally, the zeta potential value of the ZnO nanoparticles was measured, revealing a negative zeta potential value of  $-25.1$  mV. This information provides insights into the surface charge and stability of the synthesized nanoparticles.

Overall, Khatami *et al.*'s study demonstrates the efficient synthesis of ZnO nanoparticles using Stevia extract, highlighting their promising antimicrobial applications and offering valuable insights into their morphology, thermal stability, and surface properties.<sup>72</sup>




Fig. 11 A FE-SEM image.<sup>72</sup>



Kahsay *et al.* (2019) investigated the optical, structural, and morphological properties of ZnO nanostructures synthesized using a green approach.<sup>73</sup> The synthesized nanostructures displayed a hexagonal wurtzite structure with an average particle diameter of 29 nm. These structural characteristics influence the optical properties and photocatalytic activity of the nanoparticles, demonstrating their potential for environmental remediation applications. Subsequently, Fakhari *et al.* (2019) demonstrated successful synthesis of ZnO nanoparticles using plant extracts, showcasing unique morphological features.<sup>74</sup> The nanoparticles exhibited sizes ranging from 21.49 to 25.26 nm and an irregular spherical shape with an average size of  $31 \pm 2$  nm, respectively. These variations in morphology could influence specific properties such as surface area and catalytic activity, illustrating the influence of green synthesis parameters on nanoparticle characteristics.

In a very recent study, Kiani *et al.* (2023) evaluated the structural and chemical properties of ZnO nanoparticles synthesized from *Citrullus colocynthis* extracts.<sup>75</sup> The nanoparticles exhibited a spherical morphology with a size range between 64 and 82 nm and confirmed the presence of ZnO crystalline structure. Additionally, the nanoparticles demonstrated high purity and stability, indicating the effectiveness of the green synthesis approach in producing well-defined nanoparticles. Sánchez-Pérez *et al.* (2023) examined the impact of synthesis conditions on the characteristics of ZnO nanoparticles synthesized using *Larrea tridentata* extract.<sup>76</sup> The nanoparticles exhibited a size range of 18 to 40 nm and demonstrated improved dispersibility and stability. These properties are essential for various applications, highlighting the effectiveness of green-synthesized nanoparticles in achieving desired characteristics. Al-Zahrani *et al.* (2023) investigated the structural and optical properties of ZnO nanoparticles synthesized from Punica granatum plant leaves extract.<sup>77</sup> The nanoparticles exhibited a crystalline structure with a diameter of 20 nm and demonstrated high optical transparency. These properties are crucial for applications such as optoelectronic devices and photocatalysis, showcasing the potential of green-synthesized nanoparticles in achieving desirable properties for specific applications.

In summary, these studies collectively demonstrate the effectiveness of green synthesis approaches in tailoring the properties of ZnO nanoparticles. The diverse morphologies, structural features, and chemical compositions of the synthesized nanoparticles underscore the versatility and potential of green synthesis in nanomaterial fabrication for various applications.

### 3 Comparison of synthesis techniques for zinc oxide nanoparticles: advantages and 3.1 disadvantages

This review focuses on the sol-gel technique, hydrothermal synthesis, and green synthesis methods for synthesizing zinc oxide nanoparticles (ZnO NPs) due to their unique advantages

and specific limitations. While many methods exist for ZnO NP synthesis, these three methods were selected for their relevance to various application needs and their distinct characteristics. However, it is essential to acknowledge the wide range of available synthesis techniques to provide a comprehensive understanding of their comparative benefits and drawbacks.

The sol-gel technique is favored for its ability to provide precise control over nanoparticle size and uniform particle size distribution. This precision makes it ideal for applications requiring well-defined nanoparticle characteristics, such as optoelectronics and sensors. However, the sol-gel method often necessitates high temperatures and the use of toxic chemicals, which can limit its environmental sustainability and increase costs. These requirements are also observed in methods such as chemical vapor deposition (CVD), microemulsion techniques, mechanochemical synthesis, precipitation methods, spray pyrolysis, electrochemical synthesis, sonochemical synthesis, template-assisted synthesis, flame spray pyrolysis, solvothermal synthesis, laser ablation, biomimetic synthesis, thermal decomposition, microwave-assisted synthesis, and combustion synthesis, all of which face similar environmental sustainability issues. Despite these drawbacks, the sol-gel method remains a valuable synthesis strategy due to its precision and reliability in producing high-quality nanoparticles.<sup>78,79</sup>

Hydrothermal synthesis is notable for its rapid production and high purity of ZnO NPs. This method is particularly advantageous for industrial-scale production due to its scalability. However, it operates under high-pressure conditions, which can pose safety challenges and require specialized equipment. Additionally, the control over particle shape in hydrothermal synthesis is relatively limited, which might impact its suitability for certain applications where specific nanoparticle morphology is crucial.<sup>80,81</sup> These high-pressure conditions are also characteristic of the other mentioned methods, leading to similar limitations in controlling particle shape.

Green synthesis stands out for its environmentally friendly approach, utilizing plant extracts and other natural resources. This method is cost-effective and biocompatible, making it suitable for small-scale production and applications in healthcare and environmental sustainability. However, green synthesis can involve relatively longer synthesis times and variability in nanoparticle properties due to the natural variability of plant extracts, which can affect the consistency and reproducibility of the nanoparticles produced.<sup>82</sup> This variability in synthesis time and properties is less prevalent in other methods such as CVD, microemulsion techniques, mechanochemical synthesis, precipitation methods, spray pyrolysis, electrochemical synthesis, sonochemical synthesis, template-assisted synthesis, flame spray pyrolysis, solvothermal synthesis, laser ablation, biomimetic synthesis, thermal decomposition, microwave-assisted synthesis, and combustion synthesis.<sup>80,81</sup>

Comparing these synthesis techniques reveals varying levels of cost-effectiveness and scalability. Green synthesis is particularly advantageous for its low environmental impact and suitability for biocompatible applications, albeit with some trade-offs in terms of synthesis time and consistency. The sol-gel method, while precise, faces challenges related to



Table 1 Comparison of synthesis techniques for zinc oxide nanoparticles: advantages and disadvantages

| Synthesis technique    | Advantages                                                                                                                 | Disadvantages                                                                                                                     |
|------------------------|----------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| Sol-gel method         | (1) Precise control over nanoparticle size<br>(2) Uniform particle size distribution<br>(3) Versatile synthesis conditions | (1) Requires high temperatures<br>(2) May involve toxic chemicals<br>(3) Energy-intensive process                                 |
| Hydrothermal synthesis | (1) Rapid synthesis<br>(2) High purity of nanoparticles<br>(3) Scalable for industrial production                          | (1) High-pressure conditions<br>(2) Limited control over particle shape<br>(3) Energy-intensive process                           |
| Green synthesis        | (1) Environmentally friendly<br>(2) Cost-effective<br>(3) Biocompatible                                                    | (1) Relatively longer synthesis times<br>(2) Variability in nanoparticle properties<br>(3) Limited scalability for industrial use |

environmental sustainability and operational costs. Hydrothermal synthesis offers a balance of purity and scalability but with limitations in particle shape control and operational complexity. Table 1 specifically illustrates the comparison of synthesis techniques for zinc oxide nanoparticles in terms of their advantages and disadvantages.<sup>78,79</sup>

Understanding the differences between these synthesis methods is crucial for tailoring ZnO NPs to meet specific application requirements, ensuring maximum efficacy and utility in various fields, including healthcare, antimicrobial formulations, and UV protection. This review aims to provide a comprehensive comparison of these methods, highlighting their respective advantages and limitations to guide researchers and practitioners in selecting the most appropriate synthesis strategy for their needs.

## 4 Antimicrobial properties of zinc oxide nanoparticles

Zinc oxide nanoparticles (ZnO NPs) have garnered significant attention for their antimicrobial properties, which make them promising candidates for various applications in healthcare, environmental remediation, and consumer products.<sup>8,83</sup> The antimicrobial activity of ZnO NPs arises from their ability to induce oxidative stress, disrupt cell membrane integrity, and interfere with cellular functions in microorganisms.<sup>84</sup>

### 4.1 Mechanisms underlying the antimicrobial activity of ZnO NPs

The antimicrobial activity of ZnO nanoparticles (ZnO NPs) is driven by a multifaceted mechanism that encompasses several processes. Primarily, when exposed to light or in the presence of moisture, ZnO NPs exhibit the ability to generate reactive oxygen species (ROS) like hydrogen peroxide and superoxide radicals.<sup>14</sup> These ROS serve as potent oxidative agents, initiating damage to microbial cell membranes, proteins, and genetic material (DNA), ultimately culminating in the demise of the microbial cells.<sup>85</sup> For example, Kadiyala *et al.* (2018) investigated the fluorescence of ROS indicators, APF and H2DCFDA, in ZnO NP dispersions and H<sub>2</sub>O<sub>2</sub> solutions.<sup>86</sup> They observed a dose-dependent increase in fluorescence of both indicators in the presence of ZnO NPs, indicating the generation of ROS. However, the absolute fluorescence of APF for low-dose ZnO NPs was slightly lower than in pure water, suggesting potential

saturation of APF on the NPs. In contrast, H2DCFDA showed less affinity for the NPs. Further experiments demonstrated a dose-dependent increase in ROS production by *S. aureus* exposed to ZnO NPs, albeit smaller than that induced by H<sub>2</sub>O<sub>2</sub>. The study also compared the ROS fluorescence required for a significant reduction in bacterial counts induced by H<sub>2</sub>O<sub>2</sub> and ZnO NPs. It was found that H<sub>2</sub>O<sub>2</sub> generated significantly greater amounts of ROS to achieve the same reduction in CFUs as ZnO NPs, suggesting a different mechanism of action than expected based solely on dose-dependent ROS generation.

Overall, the findings suggest that while ZnO NPs induce ROS production in microbial cells, the absolute amount of ROS generated is smaller than that produced by H<sub>2</sub>O<sub>2</sub>, leading to different conclusions about their antimicrobial mechanism.

Moreover, the interaction between zinc oxide nanoparticles (ZnO NPs) and microbial cell membranes instigates a cascade of events that ultimately disrupts the structural integrity of the membranes. This direct engagement leads to perturbations in the membranes' architecture, resulting in compromised permeability and functionality. In a comprehensive investigation conducted by Tiwari *et al.* (2018), transmission electron microscopy (TEM) was employed to examine the effect of ZnO on bacterial cell membrane integrity (as depicted in Fig. 12).<sup>87</sup> The TEM analysis delineated a stark contrast between the membranes of bacteria exposed to ZnO and those under control conditions. In the absence of ZnO treatment (control condition), the bacterial membranes appeared intact and structurally sound (Fig. 12a). However, upon exposure to ZnO, a discernible phenomenon of membrane rupture ensued, liberating the cellular contents into the surrounding milieu. Consequently, the treated bacterial cells exhibited an empty morphology, with the cytoplasm diffusing out of the ruptured membranes (Fig. 12b). This striking observation underscores the profound impact of ZnO on bacterial cell membranes, as it unequivocally demonstrates the nanoparticle's ability to induce membrane disruption. Notably, the TEM findings were found to be in alignment with the outcomes of various biochemical assays, including the quantification of reactive oxygen species (ROS), lipid peroxidation levels, and the release of cellular contents.

The physical contact between ZnO NPs and microbial cells can disrupt vital cellular processes, impede nutrient uptake, and induce cellular stress responses, further contributing to the antimicrobial effect of ZnO NPs.<sup>88</sup> The antimicrobial activity of zinc oxide nanoparticles (ZnO NPs) involves direct interaction






Fig. 12 Transmission electron microscopy (TEM) image of *A. baumannii* cultured in the absence (a) and presence (b) of chemically synthesized ZnO-NPs.<sup>87</sup>

with bacterial cells, leading to the production of reactive oxygen species (ROS) in close proximity to the bacterial membrane.<sup>88</sup> This mechanism, as suggested by previous studies, initiates oxidative damage to bacterial cells, beginning with the cell wall and progressing to the inner cytoplasmic membrane and peptidoglycan layer. This oxidative damage interferes with respiratory activities, causing slow leakage of RNA and proteins, as well as rapid leakage of  $K^+$  ions, ultimately resulting in bacterial death.<sup>89</sup> Notably, the negatively charged nature of bacterial cells at physiological pH, attributed to the dissociation of carboxylic groups, contrasts with the positively charged properties of ZnO nanoparticles, which typically exhibit a zeta potential of +24 mV.<sup>89</sup> This charge difference facilitates an interaction/electrostatic force between the negatively charged bacterial cells and positively charged ZnO, leading to the disruption of the cell wall and subsequent intracellular damage upon nanoparticle entry.<sup>90</sup>

Zhang *et al.* (2007) synthesized ZnO nanofluid using ultrasonication of commercially obtained agglomerated ZnO powder, which exhibited direct contact antibacterial activity against *E. coli* DH5 $\alpha$  bacteria.<sup>91</sup> The study revealed that increasing the concentration of ZnO NPs and reducing their particle size resulted in a higher bacterial death rate, indicating significant damage to the bacterial cell membrane post-treatment. Electrochemical measurements using a model dioleoyl-phosphatidylcholine monolayer confirmed the bacterial damage due to the interaction between bacterial cells and ZnO NPs. Interestingly, the presence of stabilizing agents such as polyethylene glycol and polyvinylpyrrolidone did not significantly affect the antibacterial activity of ZnO nanofluids.

Moreover, the intrinsic characteristics of ZnO NPs extend beyond direct interactions with microbial cells. With their elevated surface area and catalytic capabilities, these nanoparticles possess the capacity to engage in supplementary antimicrobial mechanisms. Through adherence to microbial surfaces, ZnO NPs facilitate their penetration into the cells, initiating antimicrobial actions by disrupting vital cellular functions and metabolic pathways. This multifaceted approach, combining direct cellular damage with interference at the molecular level, highlights the comprehensive antimicrobial efficacy of ZnO nanoparticles, making them invaluable in combating microbial infections and upholding hygiene standards across diverse applications.

#### 4.2 Recent studies demonstrating the effectiveness of ZnO NPs against various pathogens

Recent studies have demonstrated the effectiveness of ZnO NPs against a wide range of pathogens, including bacteria, viruses, and fungi.<sup>92</sup> For example, ZnO NPs have shown potent antibacterial activity against both Gram-positive and Gram-negative bacteria, including multidrug-resistant strains such as methicillin-resistant *Staphylococcus aureus* (MRSA) and carbapenem-resistant Enterobacteriaceae (CRE). Furthermore, ZnO NPs have exhibited antiviral activity against enveloped viruses like influenza virus and herpes simplex virus, as well as non-enveloped viruses such as norovirus and adenovirus.<sup>93</sup> Additionally, ZnO NPs have demonstrated antifungal activity against various fungal pathogens, including *Candida species*.<sup>94</sup>

Shobha *et al.* (2023) addressed the pressing issue of antimicrobial resistance by exploring the antibacterial potential of zinc oxide nanoparticles (ZnO NPs) synthesized using *Trichoderma asperellum* against two significant human pathogens, *Escherichia coli* and *Staphylococcus aureus*.<sup>95</sup> The study demonstrated that biosynthesized ZnO NPs exhibited efficient antibacterial properties against both pathogens, as evidenced by inhibition zones ranging from 3 to 9 mm (Fig. 13a). Moreover, ZnO NPs effectively prevented biofilm formation and adherence of *Staphylococcus aureus*, a crucial aspect in combating infections caused by biofilm-forming bacteria. The minimum inhibitory concentration (MIC) of ZnO NPs showed effective antibacterial and antibiofilm actions against *Staphylococcus aureus* (Fig. 13b). Furthermore, ZnO NPs exhibited strong antiadherence activity, with significant reductions in bacterial biomass attachment observed as the concentration of ZnO NPs increased. Crystal violet staining of biofilms confirmed the inhibitory effect of ZnO NPs on biofilm development, with a marked reduction observed at 25  $\mu\text{g mL}^{-1}$  concentration. The study also highlighted the superior antibiofilm activity of ZnO NPs compared to tetracycline, a conventional antibiotic. SEM micrographs revealed the mechanism of action of ZnO NPs against *Staphylococcus aureus*, indicating their adherence to the bacterial cell membrane and potential penetration, leading to cell death (Fig. 14). These findings underscore the potential of ZnO NPs as effective agents against drug-resistant *Staphylococcus aureus* infections, particularly in inhibiting biofilm formation, a critical factor in disease progression. Therefore, ZnO NPs hold promise as part of




Fig. 13 (a) Antiadherence assay and (b) antibiofilm assay using tetracycline as positive control and *S. aureus* as growth control. The experiment was evaluated based on triplicate results with standard deviation ( $n = 3$ ,  $p < 0.05$ ). \* indicates a significant difference when compared to the negative control (NB only).<sup>95</sup>

combination therapy for combating drug-resistant bacterial infections, especially those involving biofilm-associated pathogens like *Staphylococcus aureus*.

In another study, Fulindi *et al.* (2023) investigated the bactericidal and antibiofilm activity of zinc oxide (ZnO) and zinc

sulfide (ZnS) nanoparticles (NPs) against medically important bacteria, providing valuable insights for potential applications in medical and food preservation settings.<sup>96</sup> The study aimed to analyze the efficacy of ZnS NPs against *Staphylococcus aureus*, *Klebsiella oxytoca*, and *Pseudomonas aeruginosa*, comparing it to




Fig. 14 SEM micrographs of biofilm mass: (a) zinc oxide nanoparticles attached to the *S. aureus* biofilm, (b) biofilm of *S. aureus* disturbed after 24 h of treatment with ZnO NPs.<sup>95</sup>




the well-studied ZnO NPs. Using the XTT reduction assay to assess bacterial metabolic activity and the crystal violet assay to measure biofilm mass, the researchers found that both ZnS and ZnO NPs exhibited similar effectiveness in killing planktonic bacterial cells and reducing biofilm formation. Notably, *S. aureus* displayed higher susceptibility to both types of nanoparticles compared to *K. oxytoca* and *P. aeruginosa*. Confocal microscopy images (Fig. 15) revealed the inhibitory effect of Zn NPs on biofilm formation and their ability to cause architectural damage. The fluorescent intensity of biofilm images was quantified using ImageJ software, showing significant reductions in biofilm mass in the presence of Zn NPs. These findings highlight the potential of ZnS NPs as antibiofilm agents for various applications, including the treatment of wound infections and food preservation. Further studies are warranted to explore the full scope of their therapeutic benefits.

The studies by Yassin *et al.* (2023),<sup>97</sup> Urge *et al.* (2023),<sup>98</sup> Almaary *et al.* (2023),<sup>99</sup> Jawad (2023),<sup>100</sup> and Motelić *et al.* (2023)<sup>101</sup> collectively provide valuable insights into the antibacterial potential of zinc oxide nanoparticles (ZnO NPs), each offering unique perspectives on synthesis methods, characterization techniques, and antibacterial efficacy.

Yassin *et al.* (2023) focused on the anticandidal activity of green-synthesized ZnO-NPs using *Camellia sinensis* leaf extract.<sup>97</sup> Their findings highlighted significant inhibition of candidal pathogens, particularly *Candida tropicalis* and *Candida glabrata* strains. Moreover, synergistic effects with conventional antifungal agents demonstrated the potential of ZnO-NPs as adjunct therapies for candidal infections.

Similarly, Urge *et al.* (2023) explored the antibacterial properties of ZnO NPs synthesized using garlic bulb and ginger extracts.<sup>98</sup> Their results demonstrated potent inhibition of both



**Fig. 15** Confocal microscopy analysis of bacterial biofilms after 24 hours of growth in the presence of zinc oxide (ZnO) or zinc sulfide (ZnS) nanoparticles (NPs). Panel (A) displays representative images of untreated, ZnO-treated, or ZnS-treated biofilms, with bacterial biofilms grown alone or with varying concentrations of NPs. Green fluorescence (SYTO9) highlights bacteria, allowing observation of biofilm thickness and morphology through Z-stack reconstruction. Images captured at  $\times 63$  magnification with a scale bar of 200  $\mu\text{m}$ . Insets show scanning electron microscopy (SEM) images of individual bacterial cells at  $\times 100$  magnification with a scale bar of 1  $\mu\text{m}$ . Panels (B) to (D) quantify fluorescent intensity per square micrometer ( $\mu\text{m}^2$ ) for biofilms of *Staphylococcus aureus*, *Klebsiella oxytoca*, and *Pseudomonas aeruginosa*, respectively, grown with or without Zn NPs. Data analyzed using ImageJ within a 100  $\mu\text{m} \times 100 \mu\text{m}$  region of interest (ROI). Bars represent means, error bars show standard deviations (SDs), symbols denote individual ROIs ( $n = 20$  for *S. aureus*;  $n = 25$  for *K. oxytoca*;  $n = 16$  for *P. aeruginosa*). Asterisks indicate  $P$  value significance (\*,  $P < 0.05$ ; \*\*\*\*,  $P < 0.0001$ ), analyzed using ANOVA with Tukey's post hoc adjustment. "ns" denotes nonsignificant comparisons. Experiments repeated twice, yielding consistent results.<sup>96</sup>

Gram-negative and Gram-positive bacteria, with the mixture of garlic bulb and ginger extracts yielding ZnO NPs with enhanced antibacterial activity. This suggests the potential synergistic effects of combining plant extracts in nanoparticle synthesis for improved antibacterial efficacy. Almaary *et al.* (2023) investigated the antibacterial effectiveness of bioprepared ZnO-NPs synthesized using the flower extract of *Hibiscus sabdariffa*.<sup>99</sup> Their study revealed significant antibacterial activity against nosocomial bacterial pathogens, highlighting the potential of ZnO-NPs as therapeutic agents for combating antibacterial resistance. Additionally, synergistic effects with fosfomycin further underscored the clinical relevance of ZnO-NPs as combination therapies for nosocomial infections.

In contrast, Jawad (2023) synthesized ZnO NPs *via* laser ablation and evaluated their antibacterial activity against *Proteus mirabilis* isolates.<sup>100</sup> The results indicated strong antibacterial and antibiofilm activity of ZnO NPs, surpassing the efficacy of conventional antibiotics. Moreover, the study suggested the potential application of ZnO NPs as preservatives for medical devices, such as urinary catheters, by preventing microbial biofilm formation.

Motelică *et al.* (2023) contributed to the understanding of ZnO NPs synthesis *via* forced solvolysis and their antibacterial activity against a range of bacterial strains.<sup>101</sup> Their findings demonstrated robust inhibition of bacterial growth, particularly in water purification applications, highlighting the versatility of ZnO NPs as antibacterial agents in various environmental settings.

Overall, these studies collectively underscore the significant antibacterial potential of ZnO nanoparticles synthesized through green and solvolysis methods. The diverse approaches employed in nanoparticle synthesis and characterization contribute to our comprehensive understanding of their antibacterial efficacy and pave the way for the development of novel antibacterial agents with broad-spectrum activity and reduced environmental impact.

Khan *et al.* (2023)<sup>102</sup> and Singh *et al.* (2023) presented compelling evidence of the antibacterial efficacy of zinc oxide nanoparticles (ZnO-NPs) synthesized through different methods against multidrug-resistant (MDR) bacterial pathogens. Khan *et al.* (2023) focused on the synthesis of ZnO-NPs using *Cassia siamea* leaf extract, demonstrating their ability to suppress quorum-mediated virulence factors and inhibit biofilm formation in clinical MDR isolates of *Pseudomonas aeruginosa* and *Chromobacterium violaceum*.<sup>102</sup> The study highlighted the significant reduction in virulence factors and biofilm formation, emphasizing the potential of ZnO@Cs-NPs as alternative therapeutic agents for managing pathogenic infections. The findings also indicated strong antibacterial efficacy by showing disruption of membrane permeability in bacterial cells, consistent with the study by Yan *et al.* (2021).<sup>103</sup>

In contrast, Singh *et al.* (2023) synthesized ZnO nanoflakes using a co-precipitation method and evaluated their antibacterial activity against carbapenem-resistant (CR) clinical isolates.<sup>34</sup> The study demonstrated the inhibitory action of ZnO nanoflakes against various MDR bacterial strains, including *Escherichia coli*, *Klebsiella pneumoniae*, *Acinetobacter baumannii*, and *Pseudomonas aeruginosa*. Additionally, the combination of

ZnO nanoflakes with Meropenem exhibited synergistic activity against CR pathogens, suggesting the potential of ZnO nanoflakes as nano-antibiotics for treating infections caused by carbapenem-resistant Enterobacteriaceae (CRE) bacteria.

Comparatively, both studies underscore the significant antibacterial potential of ZnO-based nanomaterials against MDR bacterial pathogens. While Khan *et al.*<sup>102</sup> focused on the suppression of virulence factors and biofilm formation, Singh *et al.*<sup>104</sup> investigated the inhibitory action of ZnO nanoflakes against CR clinical isolates and demonstrated synergistic activity with conventional antibiotics. The complementary findings from these studies highlight the versatility and promising therapeutic applications of ZnO nanoparticles in combating antibiotic resistance and managing infectious diseases. Overall, the studies provide valuable insights into the development of novel nano-antibiotics for addressing the global challenge of antibiotic-resistant infections.

Alotaibi *et al.* (2022) addressed the escalating challenge of bacterial resistance by advocating for the development of novel antibacterial agents. In this context, metal nanoparticles emerge as promising candidates to counter antibiotic resistance.<sup>105</sup> The study employs *Gardenia thailandica* methanol extract (GTME) to biogenically synthesize zinc oxide nanoparticles (ZnO-NPs). Comprehensive characterization of ZnO-NPs is conducted using various analytical techniques including UV spectroscopy, FTIR, scanning and transmission electron microscopes, dynamic light scattering, and X-ray diffraction. Evaluation of the antibacterial activity of ZnO-NPs is performed both *in vitro* and *in vivo* against *Pseudomonas aeruginosa* clinical isolates. The minimum inhibitory concentration values of ZnO-NPs range from 2 to 64  $\mu\text{g mL}^{-1}$ , significantly affecting membrane integrity and enhancing inner and outer membrane permeability. Scanning electron microscope examination reveals that ZnO-NPs induce morphological distortions and deformities in treated *P. aeruginosa* cells (Fig. 16). *In vivo* studies, including biochemical parameters and histological investigations, demonstrate the protective effect of ZnO-NPs against the harmful effects of *P. aeruginosa* on lung, liver, and kidney tissues. Additionally, LC-ESI-MS/MS analysis tentatively identifies 57 phytochemical compounds for the first time. The study suggests that GTME represents a valuable resource for the synthesis of ZnO-NPs with promising antibacterial activity.

Krishnamoorthy *et al.* (2022) and Hayat *et al.* (2022)<sup>106</sup> contribute significant insights into the antibacterial potential of zinc oxide nanoparticles (ZnO NPs) against multidrug-resistant (MDR) Gram-negative foodborne pathogens.<sup>107</sup> Both studies highlight the urgency of addressing the escalating challenge of antibiotic resistance in the food industry and propose nanotechnology-based approaches as promising solutions.

Krishnamoorthy *et al.* (2022) investigate the antibacterial activity of ZnO NPs against  $\beta$ -lactam-resistant Gram-negative food pathogens, including *Escherichia coli*, *Pseudomonas aeruginosa*, *Salmonella typhi*, *Serratia marcescens*, *Klebsiella pneumoniae*, and *Proteus mirabilis*.<sup>107</sup> Their findings demonstrate the broad-spectrum action of ZnO NPs, with minimal inhibitory concentrations ranging from 0.04 to 0.08  $\text{mg mL}^{-1}$ . The






Fig. 16 Scanning electron micrograph of *P. aeruginosa* isolates: (A) before and (B) after treatment with ZnO-NPs.<sup>105</sup>

mechanism of action involves the elevation of reactive oxygen species (ROS) and malondialdehyde levels, leading to membrane lipid peroxidation and subsequent membrane damage, protein denaturation, DNA damage, and ultimately cell death. These results underscore the potential of ZnO NPs as potent antibacterial agents against  $\beta$ -lactam-resistant Gram-negative pathogens, offering a promising avenue for combating antibiotic resistance in the food industry.

On the other hand, Hayat *et al.* (2022) focus on the green synthesis of ZnO NPs using the aqueous leaf extract of *Acacia arabica* and evaluate their antibacterial efficacy against foodborne pathogens.<sup>106</sup> Their comprehensive study includes characterization of the synthesized nanoparticles, antibacterial susceptibility testing using agar well diffusion and broth microdilution assays, assessment of biofilm formation and exopolysaccharide (EPS) production inhibition, antioxidant potential evaluation, and cytotoxicity studies. The results reveal significant antibacterial activity of green-synthesized ZnO NPs against foodborne pathogens, with diameter zones of inhibition ranging from 16 to 30 mm and MIC/MBC values ranging from 31.25 to 62.5  $\mu\text{g mL}^{-1}$ . Moreover, the nanoparticles exhibit bactericidal potential, inhibit biofilm formation and EPS production, demonstrate antioxidant activity, and show non-toxicity to HeLa cell lines. These findings highlight the potential of green-synthesized ZnO NPs as safe and effective alternatives to chemical drugs for combating antibiotic-resistant foodborne pathogens.

In summary, both studies provide valuable insights into the application of ZnO NPs as antibacterial agents against MDR Gram-negative foodborne pathogens. While Krishnamoorthy *et al.* (2022) elucidate the mechanism of action of ZnO NPs, Hayat *et al.* (2022) emphasized the green synthesis approach and comprehensive evaluation of antibacterial efficacy, biofilm inhibition, antioxidant activity, and cytotoxicity.<sup>106</sup> Together, these studies underscore the potential of ZnO NPs as versatile and effective nanomaterials for addressing antibiotic resistance in the food industry.

The study of Abdelbaky *et al.* (2022) explored the antibacterial potency of zinc oxide nanoparticles (ZnO NPs) synthesized using an aqueous leaf extract of *Pelargonium odoratissimum* (L.).<sup>108</sup> The study employed various characterization techniques to confirm

the synthesis and properties of the ZnO NPs. The antibacterial activity of these nanoparticles was evaluated against four foodborne pathogenic bacterial strains using the disk diffusion assay. The results indicated significant antibacterial effects, with *Staphylococcus aureus* exhibiting the highest sensitivity. Additionally, the ZnO NPs showed superior antibacterial activity compared to both the positive control gentamycin and the aqueous leaf extract of *P. odoratissimum*. Furthermore, the study demonstrated that the antibacterial activity of the biosynthesized ZnO NPs was more pronounced against Gram-positive bacteria (GPB) compared to Gram-negative bacteria (GNB). This trend is consistent with previous findings and may be attributed to differences in cell wall structure between GPB and GNB (Fig. 17). The study also highlighted the anti-inflammatory properties of the ZnO NPs, suggesting their potential application in biomedical and pharmaceutical industries as safe alternatives to synthetic substances for antibacterial and anti-inflammatory purposes.

The studies by Husain *et al.* (2022),<sup>109</sup> El-Masry *et al.* (2022),<sup>110</sup> Álvarez-Chimal *et al.* (2021),<sup>111</sup> Ali *et al.* (2021),<sup>112</sup> Du *et al.* (2021),<sup>113</sup> Fadwa *et al.* (2021),<sup>114</sup> and Abdelraheem *et al.* (2021)<sup>115</sup> collectively shed light on the potential of zinc oxide nanoparticles (ZnO-NPs) as effective antimicrobial agents against various multidrug-resistant (MDR) bacterial strains.

Husain *et al.* (2022)<sup>109</sup> and El-Masry *et al.* (2022)<sup>110</sup> focus on the antibiofilm and antibacterial properties of ZnO-NPs against Gram-positive and Gram-negative bacteria. Husain *et al.* (2022) synthesized ZnO-NPs using extract of *Plumbago zeylanica* and demonstrated their ability to inhibit and eradicate biofilms formed by *E. coli*, *S. aureus*, and *P. Aeruginosa*.<sup>109</sup> Similarly, El-Masry *et al.* (2022) investigated the antibacterial properties of ZnO NPs against enterotoxigenic *S. aureus*, showcasing significant inhibition of bacterial growth and reduction of enterotoxin A concentration.<sup>110</sup>

Álvarez-Chimal *et al.* (2021) further explore the antibacterial properties of ZnO-NPs synthesized using the Mexican plant *Dysphania ambrosioides*.<sup>111</sup> Their study reveals the sensitivity of various bacterial strains, including *S. aureus*, *S. epidermidis*, *E. coli*, *P. aeruginosa*, *Aggregatibacter actinomycetemcomitans*, *Porphyromonas gingivalis*, *Prevotella intermedia*, *Streptococcus mutans*, and *Streptococcus sanguinis*, to both synthesized and commercial ZnO-NPs.






Fig. 17 The antibacterial effects, measured by the zone of inhibition (mm), of different concentrations of ZnO NPs. Panels 1, 2, 3, 4 represent concentrations of  $10 \mu\text{g mL}^{-1}$ ,  $20 \mu\text{g mL}^{-1}$ ,  $30 \mu\text{g mL}^{-1}$ , and the standard, respectively, against various pathogens.<sup>108</sup>

Ali *et al.* (2021)<sup>112</sup> and Du *et al.* (2021)<sup>113</sup> delve into the mechanisms underlying the antibacterial activity of ZnO-NPs. Ali *et al.* (2021)<sup>112</sup> synthesized ZnO-NPs using seed extract of *Butea monosperma* and demonstrated their ability to disrupt quorum sensing mechanisms in *P. aeruginosa*, leading to inhibition of virulence factors and biofilm formation. On the other hand, Du *et al.* (2021)<sup>113</sup> investigated the visible-light-driven photocatalytic inactivation mechanism of amino-functionalized hydrophilic ZnO NPs against *S. aureus*, elucidating the role of electron transfer in antibacterial activity. Fadwa *et al.* (2021)<sup>114</sup> and Abdelraheem *et al.* (2021) focus on the potential of ZnO-NPs in combination with antibiotics to combat MDR bacterial strains.<sup>115</sup> Fadwa *et al.* (2021) evaluated the MIC and fractional inhibitory concentration index (FICI) of ZnO-NPs in combination with colistin, ciprofloxacin, and meropenem against *E. coli* and *A. baumannii*, highlighting their synergistic effects.<sup>114</sup> Abdelraheem *et al.* (2021) investigate the antibiofilm and antimicrobial effects of ZnO-NPs against methicillin-resistant *S. aureus* (MRSA), vancomycin-resistant *S. aureus* (VRSA), and linezolid-resistant *S. aureus* (LRSA), emphasizing the potential of ZnO-NPs to reduce biofilm formation and drug resistance in *S. aureus* isolates.<sup>115</sup>

Collectively, these studies underscore the versatile antimicrobial properties of ZnO-NPs and their potential applications in combating MDR bacterial strains, offering promising avenues for the development of novel antibacterial agents and therapies.

Table 2 provides a comprehensive overview of various studies investigating the antibacterial and antibiofilm effects of zinc oxide nanoparticles (ZnO NPs) against different bacterial pathogens. The table summarizes key details, including the authors, types of bacterial pathogens studied, and the notable effects of ZnO NPs on these pathogens. The studies encompass a wide range of bacterial strains, both Gram-positive and Gram-negative, highlighting the broad-spectrum antibacterial activity of ZnO NPs. The findings consistently demonstrate the potential of ZnO NPs to inhibit bacterial growth, disrupt biofilm formation, and enhance the efficacy of conventional antibiotics, suggesting their promising application in combating antibiotic-resistant infections.

#### 4.3 Impacts of different conditions on antibacterial efficacy

Several factors contribute to the effectiveness of ZnO nanoparticles (NPs) as antimicrobial agents, including their size,



**Table 2** Summary of studies on the antibacterial and antibiofilm effects of zinc oxide nanoparticles (ZnO NPs) against various pathogens

| Author                                      | Bacterial types                                                                                                                                                                                                                                                                          | Summary of effects on pathogens                                                                                                              |
|---------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| Shobha <i>et al.</i> <sup>95</sup>          | <i>Escherichia coli</i>                                                                                                                                                                                                                                                                  | Efficient antibacterial properties against both pathogens, inhibition of biofilm formation                                                   |
| Fulindi <i>et al.</i> <sup>8</sup>          | <i>Staphylococcus aureus</i>                                                                                                                                                                                                                                                             | Effective against multiple bacterial strains, inhibition of biofilm formation                                                                |
| Yassin <i>et al.</i> <sup>97</sup>          | <i>Klebsiella oxytoca</i> , <i>Pseudomonas aeruginosa</i><br><i>Candida tropicalis</i><br><i>Candida glabrata</i>                                                                                                                                                                        | Significant inhibition of candidal pathogens, potential synergistic effects with antifungal agents                                           |
| Urge <i>et al.</i> <sup>98</sup>            | Gram-negative and Gram-positive bacteria                                                                                                                                                                                                                                                 | Potent inhibition of bacterial growth, enhanced antibacterial activity with combined plant extracts                                          |
| Almaary <i>et al.</i> <sup>99</sup>         | Nosocomial bacterial pathogens                                                                                                                                                                                                                                                           | Significant antibacterial activity against nosocomial bacterial pathogens, synergistic effects with fosfomycin                               |
| Jawad <sup>100</sup>                        | <i>Proteus mirabilis</i> isolates                                                                                                                                                                                                                                                        | Strong antibacterial and antibiofilm activity against specific bacterial strains, potential application in medical device preservation       |
| Motelică <i>et al.</i> <sup>101</sup>       | Gram-negative strains ( <i>Salmonella enterica</i> serovar Typhimurium, <i>Pseudomonas aeruginosa</i> , and <i>Escherichia coli</i> ), and Gram-positive strains ( <i>Enterococcus faecalis</i> , <i>Bacillus subtilis</i> , <i>Staphylococcus aureus</i> , and <i>Bacillus cereus</i> ) | Robust inhibition of bacterial growth, particularly in water purification applications                                                       |
| Khan <i>et al.</i> <sup>102</sup>           | Clinical multidrug-resistant isolates                                                                                                                                                                                                                                                    | Suppression of quorum-mediated virulence factors and biofilm formation in clinical MDR isolates, potential as alternative therapeutic agents |
| Singh <i>et al.</i> <sup>34</sup>           | Carbapenem-resistant clinical isolates                                                                                                                                                                                                                                                   | Inhibitory action against carbapenem-resistant clinical isolates, synergistic activity with conventional antibiotics                         |
| Alotaibi <i>et al.</i> <sup>105</sup>       | <i>Pseudomonas aeruginosa</i> clinical isolates                                                                                                                                                                                                                                          | Significant antibacterial activity against specific clinical isolates, potential for therapeutic applications                                |
| Krishnamoorthy <i>et al.</i> <sup>107</sup> | $\beta$ -Lactam-resistant Gram-negative food pathogens                                                                                                                                                                                                                                   | Broad-spectrum antibacterial activity against specific foodborne pathogens                                                                   |
| Hayat <i>et al.</i> <sup>106</sup>          | Foodborne pathogens                                                                                                                                                                                                                                                                      | Significant antibacterial activity against foodborne pathogens, inhibition of biofilm formation and EPS production                           |
| Abdelbaky <i>et al.</i> <sup>108</sup>      | Foodborne pathogenic bacterial strains                                                                                                                                                                                                                                                   | Significant antibacterial potency against specific foodborne pathogenic strains, superior activity against Gram-positive bacteria            |
| Husain <i>et al.</i> <sup>109</sup>         | <i>E. coli</i> , <i>S. aureus</i> , <i>P. aeruginosa</i>                                                                                                                                                                                                                                 | Inhibition and eradication of biofilms formed by specific bacterial strains                                                                  |
| El-Masry <i>et al.</i> <sup>110</sup>       | Enterotoxigenic <i>S. aureus</i>                                                                                                                                                                                                                                                         | Antibacterial properties against enterotoxigenic <i>S. aureus</i> , reduction of enterotoxin A concentration                                 |
| Álvarez-Chimal <i>et al.</i> <sup>111</sup> | Various bacterial strains                                                                                                                                                                                                                                                                | Sensitivity of various bacterial strains to ZnO-NPs, including specific pathogens                                                            |
| Ali <i>et al.</i> <sup>112</sup>            | <i>P. aeruginosa</i>                                                                                                                                                                                                                                                                     | Disruption of quorum sensing mechanisms in <i>P. aeruginosa</i> , inhibition of virulence factors and biofilm formation                      |
| Du <i>et al.</i> <sup>113</sup>             | <i>S. aureus</i>                                                                                                                                                                                                                                                                         | Visible-light-driven photocatalytic inactivation mechanism against <i>S. aureus</i> , elucidation of electron transfer role                  |
| Fadwa <i>et al.</i> <sup>114</sup>          | <i>E. coli</i> , <i>A. baumannii</i>                                                                                                                                                                                                                                                     | Synergistic effects with antibiotics against specific bacterial strains, reduction of biofilm formation and drug resistance                  |
| Abdelraheem <i>et al.</i> <sup>115</sup>    | Methicillin, vancomycin and linezolid resistant <i>S. aureus</i> (MRSA, VRSA and LRSA)                                                                                                                                                                                                   | Antibiofilm and antimicrobial effects against specific methicillin-resistant <i>S. aureus</i> strains                                        |

shape, and surface characteristics.<sup>116</sup> Typically, smaller nanoparticles exhibit heightened antimicrobial activity due to their larger surface area-to-volume ratio, facilitating increased reactive oxygen species (ROS) generation and cellular uptake.<sup>117</sup>

Moreover, the shape of ZnO NPs plays a significant role, with certain shapes such as nanorods and nanospheres demonstrating superior antimicrobial efficacy compared to others. Additionally, surface modifications, such as altering surface



charge and functionalization, can enhance the interaction between ZnO NPs and microbial cells, thereby augmenting their antimicrobial activity.<sup>118,119</sup>

ZnO nanoparticles exhibit potent antimicrobial properties mediated by mechanisms involving ROS generation and membrane disruption. Recent studies have underscored their efficacy against a wide range of pathogens, and their antimicrobial effectiveness can be further enhanced by optimizing their size, shape, and surface properties.<sup>120,121</sup> These findings highlight the versatility of ZnO NPs as promising antimicrobial agents for various healthcare applications.

To enhance the antibacterial activity of metal oxide nanomaterials, it is crucial to optimize various parameters, including the size of the nanomaterials, concentration, temperature, capping agent, and reducing agent.<sup>122</sup> Metal oxides possess a large surface area and high surface energy, which can lead to agglomeration and decrease their antibacterial activity. Stabilizing agents, such as polymers and plant extracts, are often employed to prevent agglomeration and enhance antibacterial efficacy.<sup>123</sup>

Studies have investigated the effect of ZnO particle size on antibacterial activity against different pathogens.<sup>124,125</sup> Decreasing particle size has been associated with increased antibacterial activity. Factors such as pH and annealing temperature during synthesis also influence ZnO particle size and antibacterial efficacy.<sup>124</sup> Higher pH levels and lower annealing temperatures have been correlated with enhanced antibacterial activity due to increased ROS generation.<sup>124</sup> For example, Babayevska *et al.* (2022) aimed to synthesize zinc oxide (ZnO) nano- and microparticles and investigate how variations in shape and size influence cytotoxicity towards both normal and cancer cells, as well as antibacterial activity against two distinct bacterial strains.<sup>125</sup> The researchers employed facile chemical and physical methods to fabricate ZnO nano- and microparticles, followed by a meticulous characterization of their crystal structure, morphology, textural properties, and photoluminescent properties. This characterization encompassed techniques such as powder X-ray diffraction, electron microscopy, nitrogen adsorption/desorption measurements, and photoluminescence spectroscopy.

Their findings revealed that the ZnO structures obtained were highly crystalline and monodispersed, exhibiting an intense green emission. Notably, ZnO nanoparticles (NPs) and nanorods (NRs) exhibited superior antibacterial activity against *Escherichia coli* and *Staphylococcus aureus* compared to microparticles, owing to their larger specific surface area. However, ZnO hierarchical structures (HSSs) also demonstrated significant inhibition of bacterial growth, particularly at higher concentrations. Interestingly, *S. aureus* proved to be more susceptible to ZnO particles than *E. coli*.

Furthermore, the study shed light on the differential cytotoxicity of ZnO nano- and microparticles towards cancer cell lines and normal cells. ZnO NPs and NRs exhibited greater harm to cancer cells compared to normal cells when tested at equivalent concentrations. These findings underscore the potential of ZnO nanostructures as promising candidates for both antibacterial and anticancer applications, while

emphasizing the importance of understanding their size and shape-dependent effects on biological systems.

In a different study conducted by Padmavathy and Vijayaraghavan (2008), the effect of particle size on the antimicrobial activity of zinc oxide (ZnO) nanoparticles was investigated.<sup>126</sup> ZnO nanoparticles were synthesized using two different methods: base hydrolysis of zinc acetate in a 2-propanol medium and precipitation method using zinc nitrate and sodium hydroxide. The synthesized nanoparticles were characterized using various techniques such as X-ray diffraction (XRD) analysis, transmission electron microscopy (TEM), and photoluminescence (PL) spectroscopy.

The bacteriological tests, including minimum inhibitory concentration (MIC) and disk diffusion assays, were performed using different concentrations of ZnO nanoparticles in both solid agar plates and liquid broth systems, with Luria-Bertani and nutrient agar media employed. The results from the bacteriological study revealed an enhanced biocidal activity of ZnO nanoparticles compared to bulk ZnO in multiple experiments. Notably, the study demonstrated that the bactericidal efficacy of ZnO nanoparticles increased with decreasing particle size.

The observed increase in antimicrobial activity with decreasing particle size suggests that smaller ZnO nanoparticles possess greater efficacy against bacteria. This phenomenon could be attributed to several factors. Firstly, the increased surface area-to-volume ratio of smaller nanoparticles provides more active sites for interaction with bacterial cells, facilitating enhanced bactericidal activity. Additionally, smaller nanoparticles may exhibit higher surface reactivity and greater surface energy, leading to enhanced interactions with bacterial cell membranes.

Furthermore, the abrasiveness and surface oxygen species of ZnO nanoparticles likely contribute to their biocidal properties. The abrasive nature of ZnO nanoparticles can disrupt bacterial cell membranes, leading to cell lysis and death. Moreover, the presence of surface oxygen species, such as hydroxyl radicals, can induce oxidative stress in bacterial cells, resulting in damage to cellular components and ultimately cell death.

Overall, the findings from this study suggest that the antimicrobial activity of ZnO nanoparticles is influenced by their particle size, with smaller nanoparticles exhibiting enhanced biocidal efficacy. The proposed mechanisms underlying this phenomenon involve both the physical properties (abrasiveness) and chemical properties (surface oxygen species) of ZnO nanoparticles, highlighting their potential as effective antimicrobial agents.

The studies conducted by Stanković *et al.* (2013)<sup>127</sup> and Silva *et al.* (2019)<sup>128</sup> collectively provide insights into the effect of zinc oxide (ZnO) nanoparticle size on their antibacterial potency. Stanković *et al.* (2013) synthesized ZnO particles of different sizes and morphologies using various surface stabilizing agents through a low-temperature hydrothermal procedure.<sup>127</sup> They found that ZnO particles consisting of nanospherical particles exhibited the highest microbial cell reduction rate, indicating enhanced antibacterial activity. Moreover, all examined ZnO samples demonstrated significant bacteriostatic activity,



suggesting that ZnO nanoparticles possess inherent antibacterial properties regardless of their size. Silva *et al.* (2019) investigated the influence of ZnO nanoparticle size and surface modification on antibacterial activity against *S. aureus* and *E. coli*.<sup>128</sup> They found that smaller ZnO nanoparticles exhibited higher antibacterial activity, with smaller nanoparticles showing bactericidal activity and larger nanoparticles demonstrating bacteriostatic activity. Additionally, the use of a surface modifier led to an increase in the minimum inhibitory concentration (MIC) and minimum bactericidal concentration (MBC), indicating a reduction in antibacterial potency. This study underscores the significance of nanoparticle size and surface modification in determining antibacterial efficacy.

Overall, these studies collectively suggest that the size of ZnO nanoparticles plays a crucial role in determining their antibacterial potency. Smaller nanoparticles generally exhibit higher antibacterial activity, potentially due to their larger surface area-to-volume ratio, which facilitates greater interaction with bacterial cells. Additionally, surface modifications and stabilizing agents may influence the antibacterial efficacy of ZnO nanoparticles. Therefore, optimizing nanoparticle size and surface properties is essential for enhancing their antibacterial activity and expanding their applications in healthcare.

In the pursuit of enhancing the antibacterial efficacy of zinc oxide nanoparticles (ZnO NPs), researchers have explored various synthesis methods to achieve precise control over their morphologies and sizes. Among these methods, green synthetic approaches have garnered considerable attention and emerged as prominent techniques for several compelling reasons.

A noteworthy study by Ogunyemi *et al.* (2019) exemplifies the potential of green synthesis for producing ZnO NPs using plant extracts, offering a promising alternative to conventional chemical methods.<sup>129</sup> In their work, ZnO NPs were synthesized utilizing extracts from chamomile flower (*Matricaria chamomilla* L.), olive leaves (*Olea europaea*), and red tomato fruit (*Lycopersicon esculentum* M.). Through a comprehensive characterization process involving UV-visible spectroscopy, Fourier transform infrared spectroscopy (FTIR), X-ray diffraction (XRD), transmission electron microscopy (TEM), and scanning electron microscopy (SEM) with energy-dispersive X-ray spectroscopy (EDS) profiling, the synthesized ZnO NPs were thoroughly analyzed. The XRD studies confirmed the presence of pure crystalline ZnO nanoparticles, with each plant extract yielding distinct size distributions. Notably, ZnO NPs synthesized using *Olea europaea* exhibited the smallest size range, ranging from 40.5 to 124.0 nm, as observed through SEM. This finding was corroborated by TEM analysis, which revealed an average particle size of 48.2 nm, consistent with XRD data. Furthermore, the antibacterial effects of ZnO NPs synthesized using *Olea europaea* extract were investigated against *Xanthomonas oryzae* pv. *oryzae* (Xoo) strain GZ 0003, a bacterium responsible for bacterial leaf blight diseases in rice.

The results indicated a significant inhibition zone of 2.2 cm at 16.0  $\mu\text{g mL}^{-1}$ , highlighting the efficacy of ZnO NPs synthesized with *Olea europaea* extract compared to those synthesized with other plant extracts. Moreover, the study elucidated the impact of ZnO NPs on various bacterial activities, including

growth inhibition, biofilm formation, swimming motility, and disruption of bacterial cell membranes, underscoring the potential of ZnO NPs as biocontrol agents against bacterial leaf blight diseases in rice.

Overall, the study by Ogunyemi *et al.*<sup>129</sup> underscores the promise of green synthesis approaches for fabricating ZnO NPs with tailored properties and potent antibacterial activity, offering novel solutions for combating bacterial infections and agricultural disease.

Furthermore, the integration of zinc oxide nanoparticles (ZnO NPs) into polymer matrices *via* techniques like electrospinning has emerged as a promising strategy to enhance their antibacterial properties for specific applications, notably wound dressing.<sup>130</sup> Electrospinning facilitates the fabrication of microfibers characterized by high surface area and porosity, making them an ideal platform for incorporating ZnO NPs. By dispersing ZnO NPs within polymer solutions prior to electrospinning, homogeneous distribution throughout the microfibers can be achieved, thereby enhancing the antimicrobial activity of the resulting composite materials.<sup>131,132</sup> Moreover, the fibrous structure of the microfibers promotes efficient wound exudate management and tissue regeneration while preventing microbial colonization, making them suitable for advanced wound dressing applications.<sup>133</sup> For example, Shalumon *et al.* (2011) investigated the preparation of sodium alginate (SA)/poly(vinyl alcohol) (PVA) fibrous mats *via* electrospinning technique, incorporating ZnO nanoparticles synthesized with different concentrations into the composite nanofibers.<sup>134</sup> Characterization studies confirmed the successful incorporation of ZnO nanoparticles, with the composite mats demonstrating antibacterial activity against *Staphylococcus aureus* and *Escherichia coli*. The study highlighted the potential of these composite mats for wound dressing applications, pending identification of the optimal ZnO concentration for maximal antibacterial activity with minimal cytotoxicity.

Similarly, Alavi *et al.* (2020) emphasized the importance of controllable release of  $\text{Zn}^{2+}$  ions from ZnO nanoparticles in physiological media to achieve appropriate antibacterial effects.<sup>135</sup> They discussed the potential of coupling ZnO nanoparticles with natural polymers like cellulose, chitosan, and alginate to create nanocomposites with enhanced mechanical and antibacterial properties for wound healing applications. Rodríguez *et al.* (2014) evaluated nanocomposite mats based on poly(D,L-lactide) nanofibers incorporating different concentrations of zinc oxide nanoparticles, fabricated using electrospinning and electrospraying techniques.<sup>136</sup> The presence of ZnO nanoparticles improved the mechanical properties of the mats and exhibited antibacterial activity against *Escherichia coli* and *Staphylococcus aureus*, demonstrating their potential as antimicrobial wound dressings.

Furthermore, Abdalkarim *et al.* (2017) explored the fabrication of bioactive nanofibrous membranes using cellulose nanocrystal-ZnO nanohybrids as reinforcing materials in biodegradable poly(3-hydroxybutyrate-co-3-hydroxyvalerate) (PHBV) *via* electrospinning.<sup>137</sup> The resulting nanofibrous membranes exhibited improved mechanical properties, thermal stability, and antibacterial activity against *Escherichia*



*coli* and *Staphylococcus aureus*, showcasing their potential as antibacterial wound dressings.

The aforementioned studies collectively highlight the effectiveness of integrating ZnO NPs into polymer matrices *via* electrospinning to enhance their antibacterial properties, paving the way for advanced wound dressing materials with improved therapeutic efficacy and biocompatibility.

## 5 UV protective properties of zinc oxide nanoparticles

Zinc oxide nanoparticles (ZnO NPs) are increasingly recognized for their remarkable ability to provide robust UV protection, which arises from a sophisticated interplay of mechanisms operating at the nanoscale.<sup>137</sup> At the forefront of these mechanisms lies the exceptional optical properties inherent to ZnO NPs.<sup>137</sup> With their wide bandgap, ZnO NPs possess the capacity to efficiently absorb and scatter UV radiation, thereby acting as a formidable shield against harmful ultraviolet rays.<sup>138</sup> This inherent property allows ZnO NPs to form a physical barrier that intercepts UV radiation, preventing its penetration into underlying materials or skin tissues.

A noteworthy attribute contributing to the efficacy of ZnO NPs in UV protection is their impressive photostability. Even under prolonged exposure to sunlight or artificial UV sources, ZnO NPs retain their UV-protective properties without undergoing degradation or loss of effectiveness.<sup>139</sup> This enduring photostability ensures consistent and reliable UV shielding over extended periods, making ZnO NPs a preferred choice for applications demanding sustained protection against UV radiation.

Moreover, beyond their role as UV blockers, ZnO NPs exhibit intrinsic antimicrobial properties that further augment their effectiveness in UV protection. By impeding the growth and proliferation of microorganisms on surfaces or skin subjected to UV exposure, ZnO NPs contribute to the preservation of the protective barrier, thereby enhancing overall UV protection.<sup>140</sup> This dual functionality, combining UV attenuation and antimicrobial action, underscores the versatility and utility of ZnO NPs in safeguarding against the detrimental effects of UV radiation.<sup>140</sup>

In essence, the multifaceted approach underlying the UV protection conferred by ZnO NPs encompasses a synergy of optical properties, photostability, and antimicrobial effects. A comprehensive understanding of these mechanisms is pivotal for optimizing the design and application of ZnO NPs in a myriad of UV protection products. From advanced sunscreens and protective textiles to durable coatings and innovative biomedical devices, ZnO NPs offer a versatile and indispensable solution for shielding against the harmful effects of UV radiation in diverse settings.<sup>141</sup>

### 5.1 Exploration of the mechanisms by which ZnO NPs provide UV protection

Zinc oxide nanoparticles (ZnO NPs) offer UV protection through a series of intricate mechanisms that capitalize on their unique

properties at the nanoscale. The mechanism underlying the UV protection provided by zinc oxide nanoparticles (ZnO NPs) primarily stems from their optical characteristics, prominently their ability to absorb and scatter ultraviolet (UV) radiation.<sup>138</sup> This mechanism is intricately tied to the wide bandgap exhibited by ZnO material. The bandgap of a semiconductor like ZnO refers to the energy difference between the valence band and the conduction band, and in the case of ZnO, this bandgap is relatively wide, typically around 3.37 eV at room temperature.<sup>142</sup>

When exposed to UV radiation, ZnO NPs efficiently absorb photons within the UV spectrum due to their wide bandgap. This absorption process results in the promotion of valence band electrons to the conduction band, generating electron-hole pairs.<sup>142,143</sup> These photoexcited charge carriers can subsequently participate in various processes such as photocatalysis or photovoltaic energy conversion.<sup>143</sup> However, in the context of UV protection, the primary significance lies in the absorption of UV radiation, thereby preventing it from penetrating through the material.<sup>143,144</sup>

Furthermore, ZnO NPs also exhibit the phenomenon of scattering, wherein incident UV radiation interacts with the nanoparticles and is redirected in various directions.<sup>145</sup> This scattering process is influenced by factors such as the size, shape, and surface morphology of the nanoparticles. As a result, a portion of the incident UV radiation is scattered away from the material, reducing the amount of radiation that can penetrate through and reach underlying materials or skin.<sup>146</sup>

The studies by Wu & Wu (2007),<sup>147</sup> Ma *et al.* (2010),<sup>148</sup> Pintupimol *et al.* (2023),<sup>149</sup> Mishra *et al.* (2010),<sup>150</sup> Indolia & Gaur (2012),<sup>151</sup> and Vincent *et al.* (2018),<sup>152</sup> collectively contribute to our understanding of this mechanism and its implications for UV protection.

Ma *et al.* (2010)<sup>148</sup> provided insights into the optical properties of ZnO NPs, demonstrating their UV absorption capabilities through spectroscopic analyses. Wu & Wu (2007) discussed the importance of ZnO in photocatalysis and its potential for UV-visible photocatalytic applications.<sup>147</sup> Pintupimol *et al.* (2023) explored different ZnO nanostructures and their optical properties, highlighting the superior UV photodetection capabilities of ZnO nanoparticle-based devices.<sup>149</sup> Mishra *et al.* (2010) investigated the photoconductivity of ZnO NPs, shedding light on their UV-responsive behaviour.<sup>150</sup> Indolia & Gaur (2012) studied the optical properties of ZnO nanoparticle-incorporated nanocomposite films, emphasizing their enhanced UV absorption.<sup>151</sup> Finally, Vincent *et al.* (2018) explored the impact of ZnO nanoparticle size on optical properties and solar cell performance, indicating the potential for optimizing UV absorption and scattering effects.<sup>152</sup>

Overall, these studies collectively reinforce the importance of the optical characteristics of ZnO NPs, particularly their UV absorption and scattering capabilities, in providing effective UV protection. They underscore the versatility of ZnO NPs in various applications ranging from sunscreen formulations to photovoltaic devices, where their optical properties play a crucial role.



In addition to their UV absorption properties, ZnO NPs exhibit exceptional photostability, enabling them to sustain their UV-protective capabilities over prolonged exposure to sunlight or artificial UV sources.<sup>153</sup> This sustained photostability is crucial for maintaining consistent UV protection, making ZnO NPs a reliable choice for applications requiring enduring UV shielding effects. For instance, the subsequent studies provided additional validation for the mechanisms mentioned above: Jun *et al.* (2009) embarked on a meticulous exploration of ZnO NP-based UV photodetectors, focusing on the nuanced interplay between photostability and optoelectronic performance.<sup>154</sup> Their findings revealed a commendable degree of photostability exhibited by these devices, manifesting in sustained high on/off ratios even under prolonged UV irradiation. This exceptional endurance underscores the inherent stability of ZnO NPs, crucial for their continued functionality in demanding optoelectronic applications.

Shahabi-Ghahfarrokhi *et al.* (2015) took a nuanced approach to investigate the photostability of ZnO NPs integrated into kefrin biopolymers, offering insights into their role in bolstering mechanical and UV protective properties.<sup>155</sup> Through meticulous analysis, they unveiled a synergistic enhancement in mechanical integrity and UV shielding efficacy in nanocomposites enriched with ZnO NPs. This augmentation underscores not only the photostability of ZnO NPs within the polymeric matrix but also their instrumental role in imparting durable UV protection to composite materials.

Ghamsari *et al.* (2016) delved into the intricacies of UV-protection conferred by sol-gel-derived thin ZnO films, probing their photostability over prolonged UV exposure periods.<sup>156</sup> Their systematic investigation unraveled the enduring UV protection efficacy of these thin ZnO films, showcasing their remarkable photostability under challenging environmental conditions. Such findings underscore the intrinsic robustness of ZnO NPs within thin film configurations, affirming their resilience and long-term viability in UV protection applications.

El-hady *et al.* (2013) ventured into the realm of flame retardancy and UV protection, examining the integration of ZnO NPs into cellulosic fabrics.<sup>157</sup> Through a comprehensive analysis, they unveiled a notable enhancement in UV protection without compromising mechanical integrity, attributable to the enduring photostability of ZnO NPs within the fabric matrix. This augmentation underscores the enduring stability and versatility of ZnO NPs, positioning them as indispensable assets in UV protective applications across various industries.

In comparing these studies, while Jun *et al.* (2009)<sup>154</sup> and Shahabi-Ghahfarrokhi *et al.* (2015)<sup>155</sup> primarily focus on immediate effects and mechanical properties, Ghamsari *et al.* (2016)<sup>156</sup> and El-hady *et al.* (2013) explored the long-term photostability of ZnO NPs.<sup>157</sup> They collectively contribute to our understanding of how ZnO NPs maintain their UV-protective capabilities over extended periods, providing valuable insights for various applications. In essence, these advanced studies collectively underscore the pivotal role of photostability in ensuring the sustained efficacy and reliability of ZnO NPs in UV protection applications. Their inherent resilience and ability to withstand prolonged UV exposure without compromising

functionality or structural integrity exemplify their versatility and robustness, cementing their status as indispensable components in UV-protective materials and devices.

Furthermore, the antimicrobial attributes of ZnO NPs contribute to UV protection by inhibiting microbial growth on surfaces or skin exposed to UV radiation.<sup>140</sup> By impeding the proliferation of microorganisms, ZnO NPs help uphold the integrity of the protective barrier, enhancing the overall efficacy of UV protection provided.<sup>158,159</sup>

Microorganisms are known to thrive in environments exposed to UV radiation, and their presence can compromise the effectiveness of UV protection measures. By inhibiting the growth of these microorganisms, ZnO NPs help maintain the integrity of the protective barrier, thus enhancing the overall efficacy of UV protection provided.<sup>158,159</sup> The mechanism underlying this antimicrobial activity involves the interaction between ZnO NPs and microbial cells. ZnO NPs possess unique surface properties that enable them to interact with microbial membranes, disrupting their structure and function. This disruption leads to the inhibition of essential cellular processes, ultimately resulting in microbial growth inhibition or cell death.<sup>158,159</sup>

Furthermore, the photocatalytic properties of ZnO NPs also contribute to their antimicrobial activity.<sup>160</sup> When exposed to UV radiation, ZnO NPs undergo photoexcitation, leading to the generation of reactive oxygen species (ROS) such as hydroxyl radicals and superoxide ions.<sup>160</sup> These ROS exhibit strong oxidative potential and can induce oxidative stress in microbial cells, leading to damage to lipids, proteins, and DNA, thereby inhibiting microbial growth.<sup>117</sup> Overall, the antimicrobial attributes of ZnO NPs complement their UV protection capabilities by effectively preventing microbial colonization and growth on surfaces or skin exposed to UV radiation. The multifaceted mechanisms underlying the UV protection conferred by ZnO NPs highlight the diverse ways in which these nanoparticles can safeguard against UV radiation. Understanding these mechanisms is critical for optimizing the design and application of ZnO NPs in a wide range of UV protection products, spanning from sunscreens and textiles to coatings and biomedical devices. Further research into the intricate interplay of these mechanisms can pave the way for enhanced UV protection strategies utilizing ZnO nanoparticles.

## 5.2 Review of recent advancements in utilizing ZnO NPs for UV-blocking applications in healthcare

In recent years, the exploration of nano-sized materials with exceptional properties has sparked significant interest, particularly in the realm of healthcare applications. Among these materials, zinc oxide nanoparticles (ZnO NPs) have emerged as promising candidates, owing to their remarkable flexibility, biocompatibility, and inherent ability to block ultraviolet (UV) radiation.<sup>161</sup> The utilization of ZnO NPs in UV-blocking applications holds immense potential for various healthcare products, ranging from sunscreens to biomedical devices.<sup>162,163</sup>

A study by Cardozo *et al.* (2022) aimed to assess the efficacy of zinc oxide nanostructures of different sizes as UVA and UVB



photoprotective components for sunscreen lotion.<sup>164</sup> The interaction between light and nanoparticles was elucidated using Mie theory. The study quantified the UV protection provided by ZnO-based sunscreen formulations using the Sun Protection Factor (SPF), with optimal SPF values observed for nanoparticles ranging in diameter from 100 nm to 160 nm. Additionally, the study explored the impact of varying ZnO concentrations (20% w/w and 25% w/w) on SPF values. The rational use of ZnO nanospheres, coupled with the identification of optimized nanostructures, has the potential to reduce the quantity of nanostructured inputs required in the cosmetic manufacturing industry.

This research underscores the significant role of ZnO nanoparticles in enhancing the UV-blocking capabilities of sunscreen formulations. By leveraging the unique properties of ZnO NPs and optimizing their size and concentration, sunscreen products can achieve higher SPF values while minimizing the amount of nanostructured materials utilized. Such advancements not only contribute to the development of more effective and efficient sunscreens but also address concerns regarding the safe and sustainable use of nanostructured ingredients in cosmetic manufacturing. In another groundbreaking study by Rabani *et al.* (2021), the utilization of zinc oxide nanoparticles (ZnO NPs) for UV-blocking applications in healthcare was comprehensively investigated.<sup>165</sup> Nano-sized materials with superior flexibility, biocompatibility, and UV-blocking properties have gained significant attention, especially those exhibiting photocatalytic activity.<sup>165</sup> The study focuses on synthesizing a hybrid material consisting of ZnO NPs deposited on cellulose nanofibers (CNF) through an environmentally friendly sol-gel reaction, aiming to systematically explore the UV-blocking capabilities of the hybrid.

The researchers optimized the size of ZnO NPs on the CNF surface to enhance UV-blocking performance and transmittance. The resulting hybrid exhibited improved dispersion stability, minimal whitening effect, and high UV-blocking efficacy, with absorbance values of 3.05 a.u. and 2.80 a.u. in the UVB and UVA regions, respectively. The UV-visible (UV-vis) absorption spectra of ZnO–CNF hybrids concerning the ZnO NP size showcase variations in absorbance across different hybrid samples. The study highlights the inverse relationship between ZnO NP size and UV absorbance, emphasizing the importance of particle size control in optimizing UV-blocking properties. Additionally, the delicate balance between UV-blocking efficacy and visible light transparency is highlighted in Fig. 18, underscoring the significance of ZnO NP size and dispersion in attaining optimal UV protection while maintaining aesthetic appeal. The research reveals that smaller ZnO NPs and improved dispersion on the CNF surface led to increased UV absorbance and transparency in the visible region, crucial considerations for cosmetic applications.

The findings showcased in Fig. 19 illustrate how optimizing particle size and dispersion can significantly enhance UV-blocking effectiveness while maintaining visible light transparency. The study emphasizes the importance of dispersibility and particle size in bolstering UV-blocking properties, while also acknowledging the challenges of balancing UV protection

with visible light transparency. In summary, the study conducted by Rabani *et al.* (2021) offers significant insights into the utilization of ZnO NPs for UV-blocking applications in healthcare.<sup>165</sup> Through meticulous control of particle size and improved dispersion, the developed ZnO–CNF hybrids present a promising avenue for the creation of advanced UV-blocking products. These hybrids not only demonstrate enhanced efficacy but also possess aesthetic appeal, marking a substantial advancement in UV protection technology.

A study by Huang *et al.* (2020) highlighted the application of ZnO NPs in addressing polymorphous light eruption (PLE), an acquired idiopathic photodermatosis primarily induced by excessive UV radiation exposure.<sup>142</sup> The study focused on the synthesis of acetyl-11-keto- $\beta$ -boswellic acid (AKBA) loaded ZnO nanoparticles, wherein the drug release behavior was controlled by UV radiation. These nanoparticles not only exhibited UV-reflective properties but also efficiently released AKBA upon UV exposure, which possesses excellent antioxidant and anti-inflammatory effects. Moreover, the biocompatibility of these nanoparticles with HaCaT cells further enhances their potential for PLE protection and therapy.

AKBA@ZnO NPs offer a dual functionality of UV protection and cytoprotection simultaneously, making them a promising candidate for addressing various skin conditions. The therapeutic effects of AKBA are attributed to its ability to reduce inflammatory factors and activate cytoprotective pathways, thereby safeguarding cells under stress. Furthermore, AKBA demonstrates potential anticancer properties by inhibiting cell proliferation and inducing apoptosis in various cancer cell lines.

The synergistic combination of ZnO nanoparticles and AKBA holds great promise in anti-cancer therapies, with a focus on activating cytoprotective pathways while inhibiting apoptotic mechanisms. ZnO nanoparticles, known for their superior drug delivery capabilities, are utilized in this context not only to deliver AKBA but also to mitigate the harmful effects of UV radiation by reflecting and absorbing photons.

In a nutshell, AKBA-loaded ZnO nanoparticles represent a novel approach for UV protection and medicine administration in PLE protection and therapy. With their UV-controlled drug release behaviour, excellent biocompatibility, and multi-functional properties, these nanoparticles offer a versatile solution for addressing various skin conditions and hold promise for further advancements in healthcare applications.

Lin *et al.* (2019) conducted a comprehensive investigation into the role of ZnO NPs in protecting against UV-induced photodamage during wound healing.<sup>166</sup> Their study stands out for its focus on the cellular level responses to UV radiation, particularly in the context of wound healing. The findings regarding the enhancement of cell survival with the addition of spherical ZnO NPs are intriguing, suggesting a promising avenue for utilizing these nanoparticles in skincare formulations targeting UV protection during the wound healing process. Furthermore, the observed reduction in p53 expression highlights the potential of ZnO-containing barrier films in minimizing UV-induced cellular damage, which could have






Fig. 18 (a) UV-visible absorption spectroscopic analysis of ZnO-CNF5 hybrid, ZnO + CNF blend, and ZnO NP at  $0.1 \text{ mg mL}^{-1}$  and  $0.2 \text{ mg mL}^{-1}$  and pristine CNF sample at  $0.1 \text{ mg mL}^{-1}$ , (b) dispersion stability at a high concentration such as ( $0.5 \text{ mg mL}^{-1}$ ) (i) ZnO NP, (ii) pristine CNF, (iii) ZnO + CNF blend and (iv) ZnO-CNF5 hybrid, (c) the whitening effect drop-casted on the glass slide, (d) FE-SEM images of ZnO + CNF blend after dry.<sup>165</sup>




Fig. 19 (a and b) Schematic drawing of the influence of ZnO particle size and incorporation on the CNF surface for the optical properties.<sup>165</sup>

significant implications for improving wound healing outcomes.

On the other hand, the study by Mohammed *et al.* (2019) is pivotal in evaluating the potential of zinc oxide nanoparticles (ZnO NPs) as a UV protection agent, especially considering their repeated application on human skin.<sup>167</sup> The safety assessment conducted in this research is critical, as it addresses a fundamental concern in the development of skincare products that incorporate nanoparticles. Using advanced imaging techniques, the study meticulously visualized ZnO-NP penetration and assessed skin toxicity, providing a comprehensive understanding of the interaction between ZnO NPs and human skin.

The findings of this study are highly reassuring for the potential use of ZnO NPs in UV protection products. The results demonstrated no evidence of ZnO-NP penetration into the viable epidermis, which means that the nanoparticles do not reach the deeper layers of the skin. This is a crucial aspect of safety, as deeper penetration could potentially lead to systemic exposure and adverse health effects. By confirming that ZnO NPs remain confined to the outermost layers of the skin, the study alleviates major concerns regarding their use in topical applications. Additionally, the study found no signs of local toxicity, further supporting the safety of ZnO NPs when used repeatedly on the skin. This absence of local toxicity is vital for products intended for daily use, such as sunscreens and other UV protection skincare items. The lack of adverse skin reactions indicates that ZnO NPs can be incorporated into formulations without causing irritation or damage to the skin, making them suitable for long-term use.

These safety assurances are significant because they complement the well-documented UV-blocking properties of ZnO NPs. Zinc oxide is known for its ability to effectively absorb and scatter UV radiation, thereby protecting the skin from harmful UV rays. The study by Mohammed *et al.*<sup>167</sup> (2019) enhances the confidence in using ZnO NPs as a UV protection agent by providing robust evidence that they are safe for human use, even with repeated application.

In contrast, Ghamsari *et al.* (2016) focused on the development of sol-gel-derived thin ZnO films for UV protection.<sup>156</sup> Their study offers valuable insights into the engineering of UV-blocking coatings using ZnO nanoparticles. The demonstration of high UV-protection factor and tunable optical properties of the thin ZnO films underscores their potential for commercial applications in skincare and other industries requiring UV protection. Additionally, the optimization of sol and dopant ion concentrations highlights the importance of material engineering in enhancing UV-blocking efficacy.

Comparing these studies, each contributes unique perspectives to the utilization of ZnO NPs for UV protection. Lin *et al.* (2019) shed light on the cellular mechanisms underlying the photoprotective effects of ZnO NPs during wound healing,<sup>166</sup> while Mohammed *et al.* (2019) addressed safety concerns associated with their repeated application on human skin.<sup>167</sup> Ghamsari *et al.* (2016) focused on the development of engineered coatings for UV protection, highlighting the potential for practical applications.<sup>156</sup> Collectively, these studies underscore the multifaceted nature of ZnO NPs in UV protection and

highlight the need for further research to optimize their efficacy and safety in skincare formulations.

Two seminal studies, conducted by Ghamsari *et al.* (2016)<sup>156</sup> and Huang *et al.* (2013),<sup>142</sup> epitomize this trend, each offering unique insights into the utilization of ZnO NPs for UV protection albeit through different approaches. While Ghamsari *et al.* (2016) delve into the development of UV-blocking coatings using sol-gel-derived thin ZnO films,<sup>156</sup> Huang *et al.* (2013) pioneer an intelligent drug delivery system leveraging the capabilities of ZnO NPs for skincare.<sup>142</sup> Despite their distinct methodologies, both studies underscore the potential of ZnO NPs in addressing critical challenges in skincare and healthcare, paving the way for innovative solutions in UV protection and beyond. Ghamsari *et al.* (2016)<sup>156</sup> embarked on an extensive exploration of the UV-protection capabilities inherent in sol-gel-derived thin ZnO films, presenting a study that offers profound implications for skincare and related industries.<sup>152</sup> Their investigation commenced with an assessment of the optical properties of the prepared ZnO films, revealing a remarkable transparency in the visible wavelength region coupled with an effective blocking of UV radiation. The observed UV-protection factor of 50+ underscores the potential of these films as robust barriers against harmful UV rays, crucial for safeguarding the skin from photodamage.

Furthermore, the study investigated the optimization of sol and dopant ion concentrations, shedding light on the critical parameters influencing the UV-blocking efficacy of the thin ZnO films. By systematically evaluating the impact of these factors, the researchers emphasized the importance of material engineering in enhancing UV protection, highlighting opportunities for further refinement in the design of protective coatings.

Additionally, the incorporation of impurities such as indium zinc oxide (IZO) was identified as a strategy to augment UV protection, opening avenues for novel approaches in enhancing the photoprotective properties of ZnO-based materials. Through meticulous characterization of the optical properties of both thin ZnO and IZO films, the study showcased their effectiveness in shielding UV radiation, reaffirming their potential for diverse applications in skincare and artificial skin industries.

In contrast, Huang *et al.* (2013) presented a pioneering investigation into a UV and dark-triggered drug delivery system harnessing the capabilities of zinc oxide nanoparticles (ZnO NPs).<sup>142</sup> Their study heralds a paradigm shift in drug delivery technology, introducing an intelligent system designed to release a UV-absorption medicine, benzophenone-3 (Bp-3), upon UV exposure and re-encapsulate it in the dark.

The research commenced with the synthesis and characterization of ZnO NPs, elucidating their dynamic properties under UV and dark exposure. Leveraging the intrinsic photosensitive properties of ZnO NPs, the study demonstrated their versatility as carriers for Bp-3, optimizing encapsulation efficiency and loading capacity to facilitate controlled drug release.

Significantly, the study unveiled the remarkable release kinetics of Bp-3 from ZnO NPs, showcasing their ability for repetitive on-demand drug delivery triggered by UV exposure and subsequent re-encapsulation in the dark. This intelligent



behaviour highlights the potential of ZnO NPs as multifunctional agents, capable of serving as both drug carriers and UV filters, thereby offering a synergistic approach to skin protection. Moreover, cytotoxicity studies confirmed the biocompatibility of Bp-3 loaded ZnO NPs, underscoring their suitability for skincare applications. While the study presents promising results, it acknowledges the need for further research to comprehensively evaluate the long-term effects and safety profile of Bp-3 loaded ZnO NPs, emphasizing the importance of rigorous testing before clinical implementation.

In summary, both studies contribute valuable insights into the utilization of zinc oxide nanoparticles for UV protection, albeit through different approaches. While Ghamsari *et al.* (2016)<sup>156</sup> focused on the development of UV-blocking coatings,<sup>152</sup> Huang *et al.* (2013) explored the innovative application of ZnO NPs in drug delivery systems for skincare.<sup>142</sup> Together, these studies showcase the versatility and potential of ZnO NPs in addressing diverse challenges in healthcare, paving the way for future advancements in skin protection and drug delivery technology.

In a very recent study, Elbrolesy *et al.* (2023) conducted a study aiming to synthesize multifunctional zinc oxide nanoparticles (ZnO NPs) using *Solanum lycopersicum* (SL) fruit juice for applications as antibacterial, anticancer, and UV sunscreen agents.<sup>168</sup> The synthesized ZnO NPs were characterized for their optical properties, cytotoxicity against human lung fibroblast (WI-38) and hepatocellular carcinoma (HePG2) cell lines, and antibacterial activity against *Escherichia coli* and *Staphylococcus aureus*. The antioxidant activity and *in vitro* sun protection factor (SPF) of the nanoparticles were also evaluated.

The results revealed that the ZnO NPs exhibited a pure phase structure and characteristic functional groups, as confirmed by XRD, FTIR, and UV-Vis diffuse reflectance analysis. SEM images depicted quasi-spherical ZnO NPs with an average size of approximately  $39 \pm 12$  nm. Remarkably, the ZnO NPs demonstrated high potency as sunscreens, displaying an *in vitro* SPF value of 16.8. The UV-visible diffused reflectance spectrum showed low reflectance values across the UV spectrum, indicating efficient absorption of ultraviolet rays by the ZnO NPs. The band gap energy of the ZnO NPs was calculated to be 3.16 eV, confirming their ability to absorb ultraviolet radiation effectively.

Furthermore, the study highlighted the triple role of SL fruit juice in the synthesis process, acting as a solvent, reducing agent, and stabilizer, which facilitated the production of ZnO NPs with antibacterial and anticarcinogenic properties. The synthesized ZnO NPs showed enhanced cytotoxic activity against hepatocellular carcinoma cells and exhibited antibacterial activity against pathogenic bacteria.

Fig. 20 illustrates the optical properties and sun protection factor (SPF) performance of the synthesized ZnO NPs. The UV-visible diffused reflectance spectrum showed very low reflectance values in the entire UV region, indicating efficient absorption of ultraviolet rays by the ZnO NPs. The band gap energy of the ZnO NPs was calculated to be 3.16 eV, confirming their capability to absorb ultraviolet radiation effectively. The *in vitro* SPF value of the ZnO NPs was determined to be 16.8,

suggesting their potential effectiveness as sunscreens in protecting the skin from the harmful effects of UV rays, in accordance with FDA guidelines for sunscreens.

Overall, the findings suggest that ZnO NPs synthesized using SL juice hold promise for further development in sunscreen formulations and personal care products, offering effective protection against the harmful effects of UV radiation.

The utilization of zinc oxide nanoparticles (ZnO NPs) in various applications has garnered significant attention owing to their exceptional properties, particularly in UV protection, antimicrobial activity, and material reinforcement. In the quest for advanced sunscreen formulations, Jo *et al.* (2019) directed their focus towards enhancing the UV-protective capabilities of ZnO by applying coatings of chitosan or niacinamide.<sup>169</sup> In the study, transmission measurements were conducted by dispersing 0.001% of each ZnO, CS/ZnO, and Nia/ZnO sample in distilled water. The results revealed that the transmission of the synthesized materials, CS/ZnO and Nia/ZnO, was lower than that of pure ZnO, especially in the UV ray range (200–400 nm). The transmission difference between pure ZnO and CS/ZnO was 34.7%, while the difference between pure ZnO and Nia/ZnO was 39%. However, the reflectance differences between the materials were not significant in the visible ray region, although CS/ZnO and Nia/ZnO exhibited lower reflectance compared to ZnO in the UV ray region.

Moreover, the study evaluated the Sun Protection Factor (SPF) of sunscreen emulsions formulated with ZnO, CS/ZnO, and Nia/ZnO. The SPF measurements, conducted at 0 min and 15 min, demonstrated that the CS/ZnO and Nia/ZnO emulsions provided remarkable UV ray protection efficiency compared to the ZnO emulsion. However, CS/ZnO was found ineffective as a sunscreen emulsion due to its significantly higher UV ray transmission, transmitting more than 90% of UV rays. Additionally, the SPF mean for CS/ZnO was the lowest among the three materials, measuring only 1.18 at 15 min. Conversely, Nia/ZnO exhibited an SPF mean of 9.96 at 15 min and demonstrated a UV ray transmission of 16%, indicating its superior efficiency compared to pure ZnO.

In a parallel effort, Shankar *et al.* (2018) embarked on a problem-solving initiative aimed at addressing multifaceted challenges in food packaging through the integration of zinc oxide nanoparticles (ZnO NPs) into polylactic acid (PLA) composite films.<sup>161</sup> The primary objectives were to enhance UV protection and antimicrobial activity, critical requirements for ensuring food safety and preservation in packaging materials. Their study involved evaluating the light transmittance of the composite films across a range of wavelengths (200–700 nm) to assess their optical properties (Fig. 21). Initially, the neat PLA film exhibited high transparency against both UV and visible light, indicated by significant light transmittance between 250–700 nm. However, upon the incorporation of ZnO NPs, a notable decrease in light transmittance was observed. This decrease was directly proportional to the ZnO NP content, with higher concentrations leading to more substantial reductions in transmittance.

The decline in light transmittance was attributed to the light impenetrable nature of ZnO NPs dispersed within the polymer




Fig. 20 Optical properties of ZnO NPs: (a) white color of ZnO NPs, (b) UV-visible diffuse reflectance spectra of ZnO NPs (inset: zoomed in spectra in the range from 350 to 500 nm), and (c) plot of  $[F(R)hv]^{0.5}$  against photon energy ( $h\nu$ ).<sup>168</sup>

matrix, preventing the passage of light. Interestingly, the decrease in transmittance was more pronounced in the UV light range compared to the visible light range. This finding indicated that the composite films effectively prevented UV penetration while slightly compromising overall transparency. The strong UV-light absorption property of ZnO NPs contributed significantly to the decrease in transmittance within the UV light range. This effect aligns with previous studies demonstrating the UV screening capabilities of ZnO NPs in various biopolymer-based films, including gelatin, agar, carrageenan, and carboxymethyl cellulose.

The PLA/ZnO NPs composite films exhibited notable UV screening capacity, particularly against UV-B (280–320 nm) and UV-A (320–400 nm) wavelengths. This property renders them suitable for applications in UV-light prevention food packaging, effectively preventing photocatalytic reactions in packaged foods and preserving their quality and safety.

Additionally, Taghizadeh *et al.* (2020) investigated the UV-blocking properties of zinc oxide nanorods.<sup>162</sup> The investigation focused on the potential of the prepared ZnO nanorods to absorb UV-Vis irradiation, with the spectrum depicted in Fig. 22. Notably, the nanorods exhibited an absorption peak at 362 nm, characteristic of ZnO nanostructures' absorption behaviour.

This unique property underscores the suitability of ZnO particles for producing valuable pharmaceutical compounds such as sunscreens, as they serve as efficient sun blockers offering protection against the adverse effects of UV light, particularly against UVA radiation. It's worth mentioning that combining ZnO with titanium dioxide ( $\text{TiO}_2$ ) particles is a common strategy to achieve broadband UV protection. Moreover, the presence of a shoulder in the UV-Vis spectrum indicates the efficacy of the prepared nanorods against both UVB (290–320 nm) and UVA (320–400 nm) radiations. The




Fig. 21 Light transmittance spectra of PLA and PLA/ZnO NPs composite films.<sup>161</sup>






Fig. 22 UV-Vis spectrum of the prepared ZnO nanorods, exhibiting an absorption peak at 362 nm.<sup>162</sup>

influence of UV illumination further enhances the biological activity of ZnO nanostructures. ZnO demonstrates high photocatalytic efficiency, and its ability to absorb UV light significantly enhances its interaction with bacterial cells, thereby facilitating growth inhibition or cell death through the generation of reactive oxygen species (ROS).

Moreover, Clar *et al.* (2019) investigated the environmental implications of ZnO NPs in surface coatings, shedding light on their release dynamics under environmental weathering conditions.<sup>170</sup> The research explored the effectiveness of ZnO NPs in safeguarding wood surfaces from UV-induced degradation by examining the release of zinc over time from both pre-weathered and pristine boards. Initially, the study reveals that the highest release of zinc occurs during the first few sampling events, with water-based applications releasing significantly more zinc compared to stain-based applications. This indicates that ZnO NPs form a robust protective layer that is particularly effective at the onset of application. As the wood is exposed to environmental conditions over time, the zinc release rate stabilizes, suggesting that ZnO NPs remain adhered to the surface, continuing to provide UV protection.

Pre-weathering, simulating natural aging and environmental exposure, plays a crucial role in the behaviour of ZnO NPs. Pre-weathered boards, subjected to UV light and other weathering factors, exhibit initial moisture loss, which enhances the penetration of ZnO NPs into the wood. This deeper penetration results in lower initial zinc release from pre-weathered boards compared to pristine ones, as the nanoparticles are less susceptible to being washed away or removed through dermal contact. Despite these initial differences, the long-term release patterns for both pre-weathered and pristine boards converge, indicating that the UV protection provided by ZnO NPs is durable and stable over extended periods. The study emphasizes that the choice of dispersion medium significantly affects the performance of ZnO NPs, with stain-based applications demonstrating more sustained retention and, consequently, longer-lasting UV protection.

Overall, the findings highlight the efficacy of ZnO NPs in providing durable UV protection for outdoor wood applications. The nanoparticles' ability to absorb and scatter UV radiation effectively protects the wood from structural and aesthetic

damage caused by prolonged UV exposure. The environmental stability of ZnO NPs, demonstrated by their consistent performance under varying conditions, underscores their suitability for enhancing the lifespan and performance of pressure-treated lumber. This study by Clar *et al.* (2019)<sup>170</sup> thus underscores the importance of ZnO NPs as a protective agent in wood treatments, offering both immediate and long-term benefits in UV protection.

Lastly, the study by Homthawornchoo *et al.* (2022) explored the UV protection properties of zinc oxide nanoparticles (ZnO NPs) when incorporated into rice starch-gelatin (RS-G) composite films.<sup>171</sup> This work highlighted the significant impact of ZnO NPs on the optical properties of these nanocomposite films, particularly their ability to block UV and visible light. The primary focus is on how varying concentrations of ZnO NPs affect light transmission and transparency, critical factors for applications requiring UV protection.<sup>172</sup>

The study shows that the addition of ZnO NPs to RS-G composite films drastically reduced their UV-light transmission. The control RS-G films, which do not contain ZnO NPs, exhibit considerable UV-light transmission, ranging from 0.06% to 67.80% at wavelengths between 200 and 280 nm. In contrast, films with higher concentrations of ZnO NPs (>0.5%, w/v) completely block UV light, indicating no transmission. This demonstrates the strong UV-shielding capability of ZnO NPs, making the composite films highly effective as UV barriers.<sup>173</sup>

In addition to UV light, the presence of ZnO NPs also significantly reduces the transmission of visible light (400–800 nm). The control RS-G films allow 75.07% to 83.15% of visible light to pass through, whereas the RS-G-ZnONPs nanocomposite films show a markedly lower transmission range of 0.33% to 18.82%. This reduction in visible light transmission is attributed to light scattering caused by the ZnO NPs within the film matrix. Such light scattering is a common phenomenon in nanocomposite films and contributes to their overall opacity.<sup>174</sup>

The transparency measurements further illustrate the impact of ZnO NPs on the RS-G films. The control films without ZnO NPs exhibited the highest transparency. However, the inclusion of ZnO NPs significantly decreases the films' transparency, with the most opaque film being the RS-G composite with 3% ZnO NPs (w/v). This reduced transparency is linked to the addition of ZnO NPs and their compatibility with the biopolymer matrix. While such opacity might render the films unsuitable for see-through packaging applications where product visibility is essential, it makes them excellent candidates for UV-light barrier packaging. This is particularly beneficial for packaging fatty foods prone to oxidative deterioration, as effective UV shielding can extend shelf life and preserve product quality.<sup>175</sup>

In general, Homthawornchoo *et al.* (2022)<sup>171</sup> demonstrate that ZnO NPs significantly enhance the UV protection properties of RS-G composite films by effectively blocking UV and visible light transmission and increasing film opacity. These findings suggest that ZnO NP-incorporated films have substantial potential as UV-light barrier packaging materials, particularly for applications where preventing oxidative damage is crucial. This study underscores the versatility and

effectiveness of ZnO NPs in developing advanced materials for UV protection.<sup>176</sup>

Collectively, these studies highlight the problem-solving perspective in addressing various challenges and opportunities associated with ZnO NPs across different domains.<sup>177</sup> By leveraging advanced synthesis methods and sustainable approaches, researchers have developed tailored solutions to meet specific application requirements, ranging from UV protection and antimicrobial activity to environmental sustainability and material reinforcement.<sup>178</sup>

### 5.3 Factors affecting the UV protective performance of ZnO NPs

Zinc oxide nanoparticles (ZnO NPs) are widely recognized for their ability to provide effective UV protection, making them valuable in various industries such as textiles, cosmetics, and coatings.<sup>179</sup> However, the efficacy of ZnO NPs in UV protection is influenced by several key factors: particle size, dispersion, and coating.<sup>180</sup>

The size of ZnO nanoparticles is critical in determining their UV protective performance.<sup>181–184</sup> Smaller nanoparticles have a larger surface area-to-volume ratio, allowing for more efficient light scattering and absorption.<sup>181,182</sup> This results in enhanced UV protection compared to larger particles, which scatter and reflect UV radiation less effectively. Therefore, optimizing the particle size of ZnO NPs is essential for maximizing their UV blocking capabilities.<sup>181–184</sup>

The dispersion of ZnO nanoparticles within a medium or matrix is another important factor affecting their UV protective properties. Well-dispersed nanoparticles ensure uniform coverage and interaction with incident UV radiation, leading to more effective attenuation of harmful UV rays.<sup>155,156</sup> Conversely, poor dispersion can result in agglomeration or clustering of nanoparticles, compromising the overall UV protection. Thus, meticulous attention to dispersion techniques is crucial for harnessing the full UV protective potential of ZnO NPs.<sup>157</sup>

Coating ZnO nanoparticles with suitable materials or additives can further enhance their UV blocking efficiency and stability.<sup>185,186</sup> Functional coatings improve the compatibility of ZnO NPs with various substrates, promote uniform dispersion, and provide additional UV absorption or reflection properties. Moreover, coatings may offer benefits such as enhanced durability, water resistance, and photostability, thereby prolonging the lifespan and effectiveness of UV protective materials incorporating ZnO NPs.<sup>186</sup> Careful selection and optimization of coating materials are essential for maximizing the UV blocking performance and overall functionality of ZnO-based UV protective formulations.<sup>185,186</sup>

In a nutshell, the UV protective performance of ZnO nanoparticles is influenced by factors such as particle size, dispersion, and coating. Understanding the complex interplay of these factors is crucial for optimizing the design and performance of ZnO-based UV protective materials across various applications. By addressing these factors, researchers can continue to innovate and develop ZnO nanoparticle-based solutions with enhanced UV blocking efficacy, durability, and versatility.

## 6 Challenges and future perspectives

The integration of zinc oxide nanoparticles (ZnO NPs) for antimicrobial and UV protective healthcare solutions presents several challenges that need to be addressed for optimal performance and efficacy. One of the key challenges is the identification of suitable methods for incorporating ZnO NPs into healthcare products while ensuring their stability, compatibility, and safety for use in medical settings.<sup>161</sup> Additionally, achieving a balance between antimicrobial activity and biocompatibility is essential to prevent adverse effects on human health.<sup>187</sup>

To overcome these challenges, researchers and developers are exploring various strategies. One approach involves optimizing the synthesis and surface modification of ZnO NPs to enhance their antimicrobial efficacy while minimizing cytotoxicity. This may include tailoring the size, shape, and surface chemistry of ZnO NPs to improve their interactions with microbial pathogens and reduce their impact on mammalian cells.<sup>188</sup>

Furthermore, the development of nanocomposite materials offers a promising avenue for enhancing the performance of ZnO-based healthcare solutions.<sup>189</sup> By incorporating ZnO NPs into biocompatible polymers or other matrices, researchers can create multifunctional materials with synergistic antimicrobial and UV protective properties.<sup>190</sup> These nanocomposites can be tailored to specific applications, such as wound dressings, medical textiles, or surface coatings for medical devices.

Surface modification techniques also play a crucial role in overcoming challenges associated with the integration of ZnO NPs into healthcare products.<sup>191</sup> Functionalizing the surface of ZnO NPs with biomolecules or polymers can improve their stability, biocompatibility, and targeted delivery to infection sites. Additionally, surface coatings can be designed to enhance the adhesion of ZnO NPs to various substrates, ensuring uniform coverage and long-term durability.<sup>191</sup>

Looking ahead, future directions in this field may involve the development of advanced nanocomposite materials with enhanced functionalities, such as controlled drug release or stimuli-responsive behaviour.<sup>192,193</sup> Furthermore, emerging trends in surface modification techniques, such as plasma treatment or biomimetic coatings, hold promise for improving the performance and versatility of ZnO-based healthcare solutions.<sup>193,194</sup>

In summary, while challenges exist in the integration of ZnO NPs for antimicrobial and UV protective healthcare solutions, innovative strategies and emerging trends offer opportunities for overcoming these obstacles. By addressing these challenges and exploring future directions, researchers can contribute to the development of safer, more effective, and versatile healthcare products that harness the unique properties of ZnO NPs.

## 7 Conclusions

The exploration of zinc oxide nanoparticles (ZnO NPs) has unveiled a rich tapestry of insights into their pivotal role in advancing healthcare solutions, particularly in combating



microbial infections and providing effective UV protection. From the foundational studies elucidating the optical characteristics of ZnO NPs to the in-depth investigations into their photostability over extended UV exposure durations, the journey has illuminated the multifaceted nature of these nanostructures. The synthesis and characterization endeavors undertaken in various studies have provided invaluable contributions to understanding ZnO NPs' mechanisms and properties. These investigations, spanning from immediate effects to long-term stability assessments, have not only elucidated the immediate effects and mechanical properties but have also shed light on the enduring photostability of ZnO NPs, essential for sustained UV protection. Moreover, the exploration has extended to the integration of ZnO NPs into healthcare products through innovative approaches like nanocomposite materials and surface modification techniques. These strategies have been instrumental in harnessing the antimicrobial attributes of ZnO NPs, effectively inhibiting microbial growth and bolstering the overall efficacy of UV protection. In essence, the findings underscore the imperative of incorporating ZnO NPs into advanced healthcare solutions, leveraging their unique properties to address microbial infections and provide robust UV protection. Nonetheless, the journey toward fully harnessing the potential of ZnO NPs in healthcare applications requires continued research endeavours and collaborative efforts. By persisting in exploration and innovation, a path can be forged toward the development of safer, more effective, and versatile healthcare products, benefiting human health on a global scale.

## Data availability

The study, "Cutting-edge developments in zinc oxide nanoparticles: synthesis and applications for enhanced antimicrobial and UV protection in healthcare solutions," is a review article and does not involve the generation of original experimental data. The information presented is derived from previously published studies and existing literature. All relevant sources and references are cited within the manuscript. For access to the original data and studies reviewed in this article, readers are encouraged to consult the cited references directly. Permissions have been obtained to use all previously published figures and data included in this review.

## Author contributions

The manuscript was drafted and revised by all the authors.

## Conflicts of interest

On behalf of all authors, the corresponding author states that there is no conflict of interest.

## References

- 1 S. L. Schneider and H. W. Lim, A review of inorganic UV filters zinc oxide and titanium dioxide, *Photodermatol. Photoimmunol. Photomed.*, 2019, 35(6), 442–446, DOI: [10.1111/phpp.12439](#).
- 2 F. O. Osazee, K. E. Mokobia and I. H. Ifijen, The Urgent Need for Tungsten-Based Nanoparticles as Antibacterial Agents, *Biomed. Mater. Devices*, 2023, DOI: [10.1007/s44174-023-00127-3](#).
- 3 I. H. Ifijen, M. Maliki, N. U. Udokpoh and I. J. Odiachi, A Concise Review of the Antibacterial Action of Gold Nanoparticles Against Various Bacteria, in *TMS 2023 152nd Annual Meeting & Exhibition Supplemental Proceedings*, The Minerals, Metals & Materials Series, Springer, Cham, 2023, DOI: [10.1007/978-3-031-22524-6\\_58](#).
- 4 M. Maliki, S. O. Omorogbe, I. H. Ifijen, O. N. Aghedo and A. Ighodaro, Incisive Review on Magnetic Iron Oxide Nanoparticles and Their Use in the Treatment of Bacterial Infections, in *TMS 2023 152nd Annual Meeting & Exhibition Supplemental Proceedings*, The Minerals, Metals & Materials Series, Springer, Cham, 2023, DOI: [10.1007/978-3-031-22524-6\\_44](#).
- 5 H. Mohd Yusof, R. Mohamad, U. H. Zaidan, *et al.*, Microbial synthesis of zinc oxide nanoparticles and their potential application as an antimicrobial agent and a feed supplement in animal industry: A review, *J. Anim. Sci. Biotechnol.*, 2019, 10, 57, DOI: [10.1186/s40104-019-0368-z](#).
- 6 F. Islam, S. Shohag, M. J. Uddin, M. R. Islam, M. H. Nafady, A. Akter, S. Mitra, A. Roy, T. B. Emran and S. Cavalu, Exploring the Journey of Zinc Oxide Nanoparticles (ZnO-NPs) toward Biomedical Applications, *Materials*, 2022, 15(6), 2160, DOI: [10.3390/ma15062160](#).
- 7 H. Agarwal, S. Menon, V. Kumar and R. Shanmugam, Mechanistic study on antibacterial action of zinc oxide nanoparticles synthesized using green route, *Chem.-Biol. Interact.*, 2018, 286(4), DOI: [10.1016/j.cbi.2018.03.008](#).
- 8 R. Fulindi, J. Rodrigues, T. Barbosa, A. Garcia, F. Porta, S. Pratavieira, L. Chiavacci, J. Junior, P. Costa and L. Martinez, Zinc-Based Nanoparticles Reduce Bacterial Biofilm Formation, *Microbiol. Spectr.*, 2023, 11, DOI: [10.1128/spectrum.04831-22](#).
- 9 I. B. Bwatanglang, F. Mohammad, J. N. Janet, W. M. Dahan, H. A. Al-Lohedan and A. A. Soleiman, Biosorption of *Escherichia coli* using ZnO-trimethyl chitosan nanocomposite hydrogel formed by the green synthesis route, *Gels*, 2023, 9(7), 581, DOI: [10.3390/gels9070581](#).
- 10 J. López-Miranda, G. Molina, M. González-Reyna, B. España-Sánchez, R. Esparza, R. Silva and M. Estevez, Antibacterial and Anti-Inflammatory Properties of ZnO Nanoparticles Synthesized by a Green Method Using Sargassum Extracts, *Int. J. Mol. Sci.*, 2023, 24, DOI: [10.3390/ijms24021474](#).
- 11 X. Zhou, D. Yang, D. Ma, A. Vadim, T. Ahamad and S. Alshehri, Ultrahigh Gain Polymer Photodetectors with Spectral Response from UV to Near-Infrared Using ZnO Nanoparticles as Anode Interfacial Layer, *Adv. Funct. Mater.*, 2016, 26, DOI: [10.1002/adfm.201601980](#).
- 12 C. Shan, M. Zhao, D. Jiang, Q. Li, M. Li, X. Zhou, Y. Duan, N. Wang and R. Deng, Improved responsivity performance of ZnO film ultraviolet photodetectors by



- vertical arrays ZnO nanowires with light trapping effect, *Nanotechnology*, 2019, **30**, DOI: [10.1088/1361-6528/ab0ee5](#).
- 13 A. Kumar, S. Rustagi, S. Malik, P. Choudhary, Z. Khan, A. Allam, B. Naik, V. Kumar and V. Chaudhary, Highly Potent Antioxidant/Antibacterial Biogenic ZnO Nanoparticles-Enabled Nano-Scavenger Reinforced by Aegle Marmelos (Linn) Rind's Extract, *ECS J. Solid State Sci. Technol.*, 2023, DOI: [10.1149/2162-8777/ace2e9](#).
  - 14 R. Shanmugam, T. Munusamy, S. Jayakodi, K. Al-Ghanim, M. Nicoletti, N. Sachivkina and M. Govindarajan, Probiotic-Bacteria (*Lactobacillus fermentum*)-Wrapped Zinc Oxide Nanoparticles: Biosynthesis, Characterization, and Antibacterial Activity, *Fermentation*, 2023, DOI: [10.3390/fermentation9050413](#).
  - 15 N. Endriyatno, E. Wikantyasning and P. Indrayudha, Optimization Synthesis of Zinc Oxide Nanoparticles Using Factorial Design and Its Antibacterial Activity, *Rasayan J. Chem.*, 2023, DOI: [10.31788/rjc.2023.1628213](#).
  - 16 S. Begum and R. Kumuthini, Characterization of zinc oxide nano particles synthesized via chemical and green method, *J. Ovonic Res.*, 2023, DOI: [10.15251/jor.2023.195.505](#).
  - 17 S. Al-Zahrani, M. Patil, S. Mathad, A. Patil, A. Otaibi, N. Masood, D. Mansour, A. Khan, A. Manikandan and E. Syafri, Photocatalytic Degradation of Textile Orange 16 Reactive Dye by ZnO Nanoparticles Synthesized via Green Route Using Punica Granatum Leaf Extract, *Crystals*, 2023, DOI: [10.3390/cryst13020172](#).
  - 18 J. Deuri, P. Sahu and U. Manju, In Situ Pressure Controlled Growth of ZnO Nanoparticles: Tailoring Sizes, Defects, and Optical Properties, *Inorg. Chem.*, 2023, DOI: [10.1021/acs.inorgchem.3c00586](#).
  - 19 S. Mondal, S. Ayon and M. Billah, Comparative study of structural, optical, and photocatalytic properties of ZnO synthesized by chemical coprecipitation and modified sol-gel methods, *Surf. Interface Anal.*, 2023, **55**, 424–429, DOI: [10.1002/sia.7210](#).
  - 20 D. Raghupathy, G. Ramgopal, V. Kumar, T. Kumar and C. Ravikumar, Study of Bi-functional Applications of ZnO Nanoparticles Synthesized via Sonochemical Route, *Asian J. Chem.*, 2023, DOI: [10.14233/ajchem.2023.28278](#).
  - 21 S. Wagh, V. Kadam, C. Jagtap, D. Salunkhe, R. Patil, H. Pathan and S. Patole, Comparative Studies on Synthesis, Characterization and Photocatalytic Activity of Ag Doped ZnO Nanoparticles, *ACS Omega*, 2023, **8**, 7779–7790, DOI: [10.1021/acsomega.2c07499](#).
  - 22 T. Sarkar, S. Kundu, G. Ghorai, P. Sahoo and A. Bhattacharjee, Structural, spectroscopic and morphology studies on green synthesized ZnO nanoparticles, *Adv. Nat. Sci.: Nanosci. Nanotechnol.*, 2023, **14**, DOI: [10.1088/2043-6262/acd8b6](#).
  - 23 S. Song, M. Zhang, X. Li, X. Sun, H. Fouad and M. Akhtar, Controllable Synthesis of Well-Monodispersed ZnS Nanospheres Through a Simple Sol-Gel Method and a Rapid Co-Phase Precipitation Method, *J. Nanoelectron. Optoelectron.*, 2023, DOI: [10.1166/jno.2023.3399](#).
  - 24 S. Kanwal, M. Khan, V. Tirth, A. Algahtani, T. Al-Mughanam and A. Zaman, Room-Temperature Ferromagnetism in Mn-Doped ZnO Nanoparticles Synthesized by the Sol-Gel Method, *ACS Omega*, 2023, **8**, 28749–28757, DOI: [10.1021/acsomega.3c03418](#).
  - 25 A. Zak, W. Majid, M. Darroudi and R. Yousefi, Synthesis and characterization of ZnO nanoparticles prepared in gelatin media, *Mater. Lett.*, 2011, **65**, 70–73, DOI: [10.1016/J.MATLET.2010.09.029](#).
  - 26 S. Jurablu, M. Farahmandjou and T. Firoozabadi, Sol-Gel Synthesis of Zinc Oxide (ZnO) Nanoparticles: Study of Structural and Optical Properties, *J. Sci.*, 2015, **26**, 281–285.
  - 27 R. Alwan, Q. Kadhim, K. Sahan, R. Ali, R. Mahdi, N. Kassim and A. Jassim, Synthesis of Zinc Oxide Nanoparticles via Sol - Gel Route and Their Characterization, *Nanotechnol. Nanosci.*, 2015, **5**, 1–6.
  - 28 A. Balcha, O. Yadav and T. Dey, Photocatalytic degradation of methylene blue dye by zinc oxide nanoparticles obtained from precipitation and sol-gel methods, *Environ. Sci. Pollut. Res.*, 2016, **23**, 25485–25493, DOI: [10.1007/s11356-016-7750-6](#).
  - 29 J. Hasnidawani, H. Azlina, H. Norita, N. Bonnia, S. Ratim and E. Ali, Synthesis of ZnO Nanostructures Using Sol-Gel Method, *Procedia Chem.*, 2016, **19**, 211–216, DOI: [10.1016/J.PROCHE.2016.03.095](#).
  - 30 B. Manikandan, T. Endo, S. Kaneko, K. Murali and R. John, Properties of sol gel synthesized ZnO nanoparticles, *J. Mater. Sci.: Mater. Electron.*, 2018, **29**, 9474–9485, DOI: [10.1007/s10854-018-8981-8](#).
  - 31 L. Mikhnev, E. Bondarenko, O. Chapura, A. Skomorokhov, A. Nikonov, M. Malorodov, R. Pigulev and D. Gazdinsky, Study into luminescence and photoconductivity of nano-structured ZnO obtained through sol-gel method, *IOP Conf. Ser. Mater. Sci. Eng.*, 2019, **597**, DOI: [10.1088/1757-899X/597/1/012051](#).
  - 32 D. Sikdar, K. Roy, P. Potiyaraj, C. Das and S. Debnath, Exploring the suitability of sol-gel-synthesized nano zno as a cure activator in carbon black- and silica-filled nr composites, *Rubber Chem. Technol.*, 2020, **93**, 457–470, DOI: [10.5254/rct.20.80364](#).
  - 33 A. Vishwakarma, Synthesis of Zinc Oxide Nanoparticle by Sol-Gel Method and Study its Characterization, *Int. J. Res. Appl. Sci. Eng. Technol.*, 2020, **8**, 1625–1627, DOI: [10.22214/ijraset.2020.4265](#).
  - 34 M. Singh, D. Vadher, V. Dixit and C. Jariwala, Synthesis, optimization and characterization of zinc oxide nanoparticles prepared by sol-gel technique, *Mater. Today: Proc.*, 2021, DOI: [10.1016/j.matpr.2021.08.145](#).
  - 35 M. Junaid, Synthesis of Zinc Oxide Nanoparticles by Sol-gel method to Study its Structural Optical Properties and Morphology, *J. of Nanoscope*, 2022, DOI: [10.52700/jn.v3i1.51](#).
  - 36 K. Vignesh, A. Nair, C. Udhayakeerthana and T. Kalaivani, Synthesis and characterization ZnO nanoparticles using sol-gel method and their antibacterial study, *IOP Conf. Ser. Mater. Sci. Eng.*, 2022, **1219**, DOI: [10.1088/1757-899X/1219/1/012019](#).
  - 37 S. Al-Shehri, S. Alshehri, H. Ali, J. Alassafi, A. Alzahrani and M. Aida, Al Doping Influence on the Properties of Sol-Gel



- Synthesized ZnO Nanoparticles, *Phys. Status Solidi A*, 2023, **220**, DOI: [10.1002/pssa.202300272](https://doi.org/10.1002/pssa.202300272).
- 38 M. Madhuri, Comparative performance analysis of sol-gel method and hydrothermal method for zinc oxide nanoparticle synthesis, *J. Adv. Zool.*, 2023, DOI: [10.17762/jaz.v44i3.2408](https://doi.org/10.17762/jaz.v44i3.2408).
  - 39 Y. Jin, E. Rupa, J. Nahar, L. Ling, A. Puja, R. Akter, D. Yang, S. Kang and H. Zhang, Hydroponic Ginseng ROOT Mediated with CMC Polymer-Coated Zinc Oxide Nanoparticles for Cellular Apoptosis via Downregulation of BCL-2 Gene Expression in A549 Lung Cancer Cell Line, *Molecules*, 2023, **28**, DOI: [10.3390/molecules28020906](https://doi.org/10.3390/molecules28020906).
  - 40 A. Ejsmont and J. Gościanska, Hydrothermal Synthesis of ZnO Superstructures with Controlled Morphology via Temperature and pH Optimization, *Materials*, 2023, **16**, DOI: [10.3390/ma16041641](https://doi.org/10.3390/ma16041641).
  - 41 S. Abbas, E. Hassan and O. Abdulmunem, Growth of Different Zinc Oxide Nanostructures under Hydrothermal pH Values, *Baghdad Sci. J.*, 2023, DOI: [10.21123/bsj.2023.8336](https://doi.org/10.21123/bsj.2023.8336).
  - 42 M. Ikim, V. Gromov, G. Gerasimov, E. Spiridonova, A. Erofeeva, K. Kurmangaleev, K. Polunin, O. Ilegbusi and L. Trakhtenberg, Structure, Conductivity, and Sensor Properties of Nanosized ZnO-In<sub>2</sub>O<sub>3</sub> Composites: Influence of Synthesis Method, *Micromachines*, 2023, **14**, DOI: [10.3390/mi14091685](https://doi.org/10.3390/mi14091685).
  - 43 A. Al-Rasheedi, M. Khammar, A. Abdel-Daiem, M. Aida and M. Abdel-wahab, Growth of self-aligned ZnO nanorods by hydrothermal process, *Phys. Scr.*, 2023, **98**, DOI: [10.1088/1402-4896/ad0ae8](https://doi.org/10.1088/1402-4896/ad0ae8).
  - 44 D. Guzmán-Castille, L. García-González, L. Zamora-Peredo, T. Hernández-Quiroz, A. Rueda and J. Hernández-Torres, Synthesis of SnO<sub>2</sub> Nanoparticles by Hydrothermal Method at Different Concentration Values and Reaction Time, *2023 IEEE International Conference on Engineering Veracruz (ICEV)*, 2023, pp. 1–4, DOI: [10.1109/ICEV59168.2023.10329684](https://doi.org/10.1109/ICEV59168.2023.10329684).
  - 45 S. Bazazi, N. Arsalani, A. Khataee and A. Tabrizi, Comparison of ball milling-hydrothermal and hydrothermal methods for synthesis of ZnO nanostructures and evaluation of their photocatalytic performance, *J. Ind. Eng. Chem.*, 2018, DOI: [10.1016/J.JIEC.2018.01.004](https://doi.org/10.1016/J.JIEC.2018.01.004).
  - 46 A. Marlinda, N. Yusoff, A. Pandikumar, N. Huang, O. Pivezhani, S. Sagadevan, Y. Wahab and M. Johan, Tailoring morphological characteristics of zinc oxide using a one-step hydrothermal method for photoelectrochemical water splitting application, *Int. J. Hydrogen Energy*, 2019, DOI: [10.1016/J.IJHYDENE.2019.05.109](https://doi.org/10.1016/J.IJHYDENE.2019.05.109).
  - 47 M. Mahendiran, A. Asha, J. Madhavan and M. Raj, Structural and Optical Analysis of 1D Zinc Oxide Nanoparticles Synthesized Via Hydrothermal Method, *Mater. Today: Proc.*, 2019, DOI: [10.1016/J.MATPR.2019.02.130](https://doi.org/10.1016/J.MATPR.2019.02.130).
  - 48 S. Mohan, M. Vellakkat, A. Aravind and U. R., Hydrothermal synthesis and characterization of Zinc Oxide nanoparticles of various shapes under different reaction conditions, *Nano Express*, 2020, **1**, 030028, DOI: [10.1088/2632-959X/abc813](https://doi.org/10.1088/2632-959X/abc813).
  - 49 A. Chandrasekaran, R. Devi, P. Suresh, N. Balasubramanian, N. Muthaiya, N. Kannan, A. Jamespandi, S. Shanmugaiah, J. Pearce, P. Shanmugapriya and J. Mayandi, Antibacterial and anticancer activity of hydrothermally synthesized zinc oxide nanomaterials using natural extracts of neem, pepper and turmeric as solvent media, *Nano Express*, 2020, **1**, DOI: [10.1088/2632-959X/ab8a76](https://doi.org/10.1088/2632-959X/ab8a76).
  - 50 V. Gerbreder, M. Krasovska, Ē. Sļēdevskis, A. Gerbreder, I. Mihailova, E. Tamanis and A. Ogurcovs, Hydrothermal synthesis of ZnO nanostructures with controllable morphology change, *CrystEngComm*, 2020, **22**, 1346–1358, DOI: [10.1039/c9ce01556f](https://doi.org/10.1039/c9ce01556f).
  - 51 L. Qian, L. Yao, Y. Liu, H. Wang, J. Zhong, C. Liu, G. Mo, X. Xing, Z. Chen and Z. Wu, Hydrothermal Synthesis and Structures of Unknown Intermediate Phase Zn(HCO<sub>3</sub>)<sub>2</sub>·H<sub>2</sub>O Nanoflakes and Final ZnO Nanorods, *Inorg. Chem.*, 2022, DOI: [10.1021/acs.inorgchem.1c03810](https://doi.org/10.1021/acs.inorgchem.1c03810).
  - 52 S. Wirunchit and W. Koetnuyom, ZnO Nanoparticles Synthesis and Characterization by Hydrothermal Process for Biological Applications, *Phys. Status Solidi A*, 2022, **220**, DOI: [10.1002/pssa.202200364](https://doi.org/10.1002/pssa.202200364).
  - 53 B. Seitov and A. Kazbek, Obtaining Zinc Oxide Nanorods by Hydrothermal Method, *Bulletin of the International Kazakh-Turkish University named after Khoja Ahmed Yasawi, (Series of Mathematics, Physics, Informatics)*, 2022, DOI: [10.47526/2022-2/2524-0080.03](https://doi.org/10.47526/2022-2/2524-0080.03).
  - 54 R. Hamed, R. Obeid and R. Abu-Huwaij, Plant mediated-green synthesis of zinc oxide nanoparticles: An insight into biomedical applications, *Nanotechnol. Rev.*, 2023, **12**, DOI: [10.1515/ntrev-2023-0112](https://doi.org/10.1515/ntrev-2023-0112).
  - 55 I. Adraoui, R. Mamouni, N. Saffaj and F. Achemchem, Eco-friendly synthesis of zinc oxide nanoparticles using saffron extract and their photocatalytic and antibacterial activities, *J. Mater. Res.*, 2023, **38**, 2874–2884, DOI: [10.1557/s43578-023-01024-7](https://doi.org/10.1557/s43578-023-01024-7).
  - 56 E. U. Ikhuoria, I. E. Uwidia, R. O. Okojie, *et al.*, Synergistic Antibacterial Action of Iron, Silver, and Vanadium Ternary Oxide Nanoparticles: Green Mediated Synthesis Using Tailored Plant Extract Blends, *Biomed. Mater.*, 2024, DOI: [10.1007/s44174-024-00162-8](https://doi.org/10.1007/s44174-024-00162-8).
  - 57 I. E. Uwidia, E. U. Ikhuoria, R. O. Okojie, I. H. Ifijen and I. D. Chikaodili, Synthesis of Ternary Oxide Nanoparticles of Iron, Silver, and Vanadium from Blended Extracts for Potential Tuberculosis Treatment, in *TMS 2024 153rd Annual Meeting & Exhibition Supplemental Proceedings*, The Minerals, Metals & Materials Series, Springer, Cham, 2024, DOI: [10.1007/978-3-031-50349-8\\_118](https://doi.org/10.1007/978-3-031-50349-8_118).
  - 58 I. H. Ifijen, I. D. Chikaodili and A. Fatiqin, Advancing Green Nanotechnology: Harnessing the Bio-reducing Properties of Musa paradisica Peel Extract for Sustainable Synthesis of Iron Oxide Nanoparticles, *J. Multidiscip. Appl. Nat. Sci.*, 2023, **4**(1), 108–119, DOI: [10.47352/jmans.2774-3047.194](https://doi.org/10.47352/jmans.2774-3047.194).
  - 59 A. Hussein and E. Al-Abodi, A Review Article: Green Synthesis by using Different Plants to preparation Oxide



- Nanoparticles, *J. Soc. Pure Appl. Nat. Sci.*, 2023, DOI: [10.30526/36.1.2933](#).
- 60 P. Dahiya, M. Kaur, J. Rathee and A. Sharma, Unveiling Biological Synthesis of Metal Nanoparticles, their Characterization and Scopes: A Review, *Int. Multidiscip. Res. J.*, 2023, DOI: [10.36948/ijfmr.2023.v05i04.4213](#).
  - 61 T. Yilma, M. Kassaw, H. Murthy and A. Dekebo, ZnO Nanoparticles Synthesized using Aerial Extract of *Ranunculus multifidus* Plant: Antibacterial and Antioxidant Activity, *J. Nanomater.*, 2023, DOI: [10.1155/2023/8825762](#).
  - 62 F. Al-Qurainy, S. Khan, S. Alansi, N. Mohammad, A. Al-Shameri, A.-R. Z. Gaafar, M. Tarroum, H. Osman, A. M. Salih, N. A. Alenezi and N. S. Alfarraj, Impact of phytomediated zinc oxide nanoparticles on growth and oxidative stress response of in vitro raised shoots of *Ochradenus arabicus*, *BioMed Res. Int.*, 2021, **2021**, 6829806, DOI: [10.1155/2021/6829806](#).
  - 63 A. Nandi, H. Giram, V. Patel, R. Mehera, S. Das, D. Choudhary, A. Rahman, D. Saha, P. Chandra, M. Singh, N. Begum, S. Mandal, C. Jana and N. Das, Single-step synthesis of ZnO nanoparticles using a phytosynthesis route and its characterization, *Z. Naturforsch. A*, 2023, DOI: [10.1515/zna-2023-0255](#).
  - 64 D. Kundu, C. Hazra, A. Chatterjee, A. Chaudhari and S. Mishra, Extracellular biosynthesis of zinc oxide nanoparticles using *Rhodococcus pyridinivorans* NT2: multifunctional textile finishing, biosafety evaluation and in vitro drug delivery in colon carcinoma, *J. Photochem. Photobiol., B*, 2014, **140**, 194–204, DOI: [10.1016/j.jphotobiol.2014.08.001](#).
  - 65 M. Murali, H. Gowtham, N. Shilpa, S. Singh, M. Aiyaz, R. Sayyed, C. Shivamallu, R. Achar, E. Silina, V. Stupin, N. Manturova, A. Shati, M. Alfaifi, S. Elbehairi and S. Kollur, Zinc oxide nanoparticles prepared through microbial mediated synthesis for therapeutic applications: a possible alternative for plants, *Front. Microbiol.*, 2023, **14**, DOI: [10.3389/fmicb.2023.1227951](#).
  - 66 C. Jayaseelan, A. Rahuman, A. Kirthi, S. Marimuthu, T. Santhoshkumar, A. Bagavan, K. Gaurav, L. Karthik and K. Rao, Novel microbial route to synthesize ZnO nanoparticles using *Aeromonas hydrophila* and their activity against pathogenic bacteria and fungi, *Spectrochim. Acta, Part A*, 2012, **90**, 78–84, DOI: [10.1016/j.saa.2012.01.006](#).
  - 67 A. Raja, S. Ashokkumar, R. Marthandam, J. Jayachandiran, C. Khatiwada, K. Kaviyarasu, R. Raman and M. Swaminathan, Eco-friendly preparation of zinc oxide nanoparticles using *Tabernaemontana divaricata* and its photocatalytic and antimicrobial activity, *J. Photochem. Photobiol., B*, 2018, **181**, 53–58, DOI: [10.1016/j.jphotobiol.2018.02.011](#).
  - 68 A. Oudhia, S. Sharma, P. Kulkarni and R. Kumar, Blue emitting ZnO nanostructures grown through cellulose bio-templates, *Luminescence*, 2016, **31**(4), 978–985, DOI: [10.1002/bio.3061](#).
  - 69 H. Hamrayev and K. Shameli, Biopolymer-Based Green Synthesis of Zinc Oxide (ZnO) Nanoparticles, *IOP Conf. Ser. Mater. Sci. Eng.*, 2021, **1051**, DOI: [10.1088/1757-899X/1051/1/012088](#).
  - 70 P. Thatoi, R. Kerry, S. Gouda, G. Das, K. Pramanik, H. Thatoi and J. Patra, Photo-mediated green synthesis of silver and zinc oxide nanoparticles using aqueous extracts of two mangrove plant species, *Heritiera fomes* and *Sonneratia apetala* and investigation of their biomedical applications, *J. Photochem. Photobiol., B*, 2016, **163**, 311–318, DOI: [10.1016/j.jphotobiol.2016.07.029](#).
  - 71 A. Raja, S. Ashokkumar, R. Marthandam, J. Jayachandiran, C. Khatiwada, K. Kaviyarasu, R. Raman and M. Swaminathan, Eco-friendly preparation of zinc oxide nanoparticles using *Tabernaemontana divaricata* and its photocatalytic and antimicrobial activity, *J. Photochem. Photobiol., B*, 2018, **181**, 53–58, DOI: [10.1016/j.jphotobiol.2018.02.011](#).
  - 72 M. Khatami, H. Alijani, H. Heli and I. Sharifi, Rectangular shaped zinc oxide nanoparticles: Green synthesis by *Stevia* and its biomedical efficiency, *Ceram. Int.*, 2018, DOI: [10.1016/j.ceramint.2018.05.224](#).
  - 73 M. Kahsay, A. Tadesse, D. Ramadevi, N. Belachew and K. Basavaiah, Green synthesis of zinc oxide nanostructures and investigation of their photocatalytic and bactericidal applications, *RSC Adv.*, 2019, **9**, 36967–36981, DOI: [10.1039/c9ra07630a](#).
  - 74 S. Fakhari, M. Jamzad and H. Fard, Green synthesis of zinc oxide nanoparticles: a comparison, *Green Chem. Lett. Rev.*, 2019, **12**, 19–24, DOI: [10.1080/17518253.2018.1547925](#).
  - 75 B. Kiani, Q. Ajmal, N. Akhtar, I. Haq, M. Abdel-Maksoud, A. Malik, M. Aufy and N. Ullah, Biogenic Synthesis of Zinc Oxide Nanoparticles Using *Citrullus colocynthis* for Potential Biomedical Applications, *Plants*, 2023, **12**, DOI: [10.3390/plants12020362](#).
  - 76 D. Sánchez-Pérez, E. Flores-Loyola, S. Márquez-Guerrero, M. Galindo-Guzmán and J. Marszałek, Green Synthesis and Characterization of Zinc Oxide Nanoparticles Using *Larrea tridentata* Extract and Their Impact on the In-Vitro Germination and Seedling Growth of *Capsicum annum*, *Sustainability*, 2023, DOI: [10.3390/su15043080](#).
  - 77 S. Al-Zahrani, M. Patil, S. Mathad, A. Patil, A. Otaibi, N. Masood, D. Mansour, A. Khan, A. Manikandan and E. Syafri, Photocatalytic Degradation of Textile Orange 16 Reactive Dye by ZnO Nanoparticles Synthesized via Green Route Using *Punica Granatum* Leaf Extract, *Crystals*, 2023, DOI: [10.3390/cryst13020172](#).
  - 78 A. Lukowiak, J. Lao, J. Lacroix and J. Nedelec, Bioactive glass nanoparticles obtained through sol-gel chemistry, *Chem. Commun.*, 2013, **49**(59), 6620–6622, DOI: [10.1039/c3cc00003f](#).
  - 79 J. Nedelec, Sol-gel processing of nanostructured inorganic scintillating materials, *J. Nanomater.*, 2007, **9**, DOI: [10.1155/2007/36392](#).
  - 80 Z. Rajabimashhadi, R. Naghizadeh, A. Zolriasatein and C. Corcione, Novel Synthesis of Nano Mg(OH)<sub>2</sub> by Means



- of Hydrothermal Method with Different Surfactants, *Nanomaterials*, 2023, **13**, DOI: [10.3390/nano13030454](https://doi.org/10.3390/nano13030454).
- 81 D. Amalnerkar, Review of the Booklet: Solvothermal and Hydrothermal Techniques for Nano-synthesis: An Overview by Dr Manisha Bora, *Journal of the International Society for Applied Science*, 2023, DOI: [10.59143/isas.jisas.2.2.izrv7844](https://doi.org/10.59143/isas.jisas.2.2.izrv7844).
  - 82 M. Huston, M. DeBella, M. DiBella and A. Gupta, Green Synthesis of Nanomaterials, *Nanomaterials*, 2021, **11**, DOI: [10.3390/nano11082130](https://doi.org/10.3390/nano11082130).
  - 83 A. Büter, G. Maschkowitz, M. Baum, Y. Mishra, L. Siebert, R. Adelung and H. Fickenschner, Antibacterial Activity of Nanostructured Zinc Oxide Tetrapods, *Int. J. Mol. Sci.*, 2023, **24**, DOI: [10.3390/ijms24043444](https://doi.org/10.3390/ijms24043444).
  - 84 R. Bahrami, M. Pourhajibagher, A. Badiei, R. Masaeli and B. Tanbakuchi, Evaluation of the cell viability and antimicrobial effects of orthodontic bands coated with silver or zinc oxide nanoparticles: An in vitro study, *Korean J. Orthod.*, 2023, **53**, 16–25, DOI: [10.4041/kjod22.091](https://doi.org/10.4041/kjod22.091).
  - 85 M. Morowvat, K. Kazemi, M. Jaber, A. Amini and A. Gholami, Biosynthesis and Antimicrobial Evaluation of Zinc Oxide Nanoparticles Using *Chlorella vulgaris* Biomass against Multidrug-Resistant Pathogens, *Materials*, 2023, **16**, DOI: [10.3390/ma16020842](https://doi.org/10.3390/ma16020842).
  - 86 U. Kadiyala, E. Turali-Emre, J. Bahng, N. Kotov and J. VanEpps, Unexpected insights into antibacterial activity of zinc oxide nanoparticles against methicillin resistant *Staphylococcus aureus* (MRSA), *Nanoscale*, 2018, **10**, 4927–4939, DOI: [10.1039/c7nr08499d](https://doi.org/10.1039/c7nr08499d).
  - 87 V. Tiwari, N. Mishra, K. Gadani, P. S. Solanki, N. A. Shah and M. Tiwari, Mechanism of Anti-bacterial Activity of Zinc Oxide Nanoparticle Against Carbapenem-Resistant *Acinetobacter baumannii*, *Front. Microbiol.*, 2018, **9**, 1218, DOI: [10.3389/fmicb.2018.01218](https://doi.org/10.3389/fmicb.2018.01218).
  - 88 L. Fialho, A. Costa-Barbosa, P. Sampaio and S. Carvalho, Effects of Zn–ZnO Core–Shell Nanoparticles on Antimicrobial Mechanisms and Immune Cell Activation, *ACS Appl. Nano Mater.*, 2023, **6**, 17149–17160, DOI: [10.1021/acsanm.3c03241](https://doi.org/10.1021/acsanm.3c03241).
  - 89 L. Zhang, Y. Ding, M. Povey and D. York, ZnO nanofluids – A potential antibacterial agent, *Prog. Nat. Sci.*, 2008, **18**, 939–944, DOI: [10.1016/j.pnsc.2008.01.026](https://doi.org/10.1016/j.pnsc.2008.01.026).
  - 90 P. K. Stoimenov, R. L. Klinger, G. L. Marchin and K. J. Klabunde, Metal oxide nanoparticles as bactericidal agents, *Langmuir*, 2002, **18**, 6679–6686, DOI: [10.1021/la0202374](https://doi.org/10.1021/la0202374).
  - 91 L. Zhang, Y. Jiang and Y. Ding, Investigation into the antibacterial behaviour of suspensions of ZnO nanoparticles (ZnO nanofluids), *J. Nanopart. Res.*, 2007, 479–489, DOI: [10.1007/s11051-006-9150-1](https://doi.org/10.1007/s11051-006-9150-1).
  - 92 P. Tryfon, N. Kamou, A. Pavlou, S. Mourdikoudis, U. Menkissoglu-Spiroudi and C. Dendrinos-Samara, Nanocapsules of ZnO Nanorods and Geraniol as a Novel Mean for the Effective Control of *Botrytis cinerea* in Tomato and Cucumber Plants, *Plants*, 2023, **12**, DOI: [10.3390/plants12051074](https://doi.org/10.3390/plants12051074).
  - 93 R. Naaz, W. Siddiqi and M. Mohsin, Syngonium podophyllum-based ZnO/Ag Nanocomposites: Biogenic Synthesis and Antimicrobial activity Against Bacterial Isolates and *Saccharomyces cerevisiae*, *Orient. J. Chem.*, 2023, DOI: [10.13005/ojc/390109](https://doi.org/10.13005/ojc/390109).
  - 94 M. Ahamad Khan, S. A. Lone, M. Shahid, M. T. Zeyad, A. Syed, A. Ehtram, A. M. Elgorban, M. Verma and M. Danish, Phylogenically synthesized zinc oxide nanoparticles (ZnO-NPs) potentially inhibit the bacterial pathogens: In vitro studies, *Toxics*, 2023, **11**(5), 452, DOI: [10.3390/toxics11050452](https://doi.org/10.3390/toxics11050452).
  - 95 B. Shobha, B. Ashwini, M. Ghazwani, U. Hani, B. Atwah, M. Alhumaidi, S. Basavaraju, S. Chowdappa, T. Ravikiran, S. Wahab, W. Ahmad, T. Lakshmeesha and M. Ansari, Trichoderma-Mediated ZnO Nanoparticles and Their Antibiofilm and Antibacterial Activities, *J. Fungi*, 2023, **9**, DOI: [10.3390/jof9020133](https://doi.org/10.3390/jof9020133).
  - 96 R. Fulindi, J. Rodrigues, T. Barbosa, A. Garcia, F. Porta, S. Pratavieira, L. Chiavacci, J. Junior, P. Costa and L. Martinez, Zinc-Based Nanoparticles Reduce Bacterial Biofilm Formation, *Microbiol. Spectr.*, 2023, **11**, DOI: [10.1128/spectrum.04831-22](https://doi.org/10.1128/spectrum.04831-22).
  - 97 M. Yassin, A. Elgorban, A. Al-Askar, E. Sholkamy, F. Ameen and K. Maniah, Synergistic Anticandidal Activities of Greenly Synthesized ZnO Nanomaterials with Commercial Antifungal Agents against Candidal Infections, *Micromachines*, 2023, **14**, DOI: [10.3390/mi14010209](https://doi.org/10.3390/mi14010209).
  - 98 S. Urge, S. Dibaba and A. Gemta, Green Synthesis Method of ZnO Nanoparticles using Extracts of *Zingiber officinale* and Garlic Bulb (*Allium sativum*) and Their Synergetic Effect for Antibacterial Activities, *J. Nanomater.*, 2023, DOI: [10.1155/2023/7036247](https://doi.org/10.1155/2023/7036247).
  - 99 K. Almaary, M. Yassin, A. Elgorban, F. Al-Otibi, A. Al-Askar and K. Maniah, Synergistic Antibacterial Proficiency of Green Bioformulated Zinc Oxide Nanoparticles with Potential Fosfomycin Synergism against Nosocomial Bacterial Pathogens, *Microorganisms*, 2023, **11**, DOI: [10.3390/microorganisms11030645](https://doi.org/10.3390/microorganisms11030645).
  - 100 K. Jawad, Laser ablation mediated ZnO nanoparticles inhibit growth and biofilm forming potential of urinary tract bacterium *Proteus mirabilis*, *Adv. Nat. Sci. Nanosci. Nanotechnol.*, 2023, **14**, DOI: [10.1088/2043-6262/aca607](https://doi.org/10.1088/2043-6262/aca607).
  - 101 L. Motelica, O. Oprea, B. Vasile, A. Ficai, D. Ficai, E. Andronescu and A. Holban, Antibacterial Activity of Solvothermal Obtained ZnO Nanoparticles with Different Morphology and Photocatalytic Activity against a Dye Mixture: Methylene Blue, Rhodamine B and Methyl Orange, *Int. J. Mol. Sci.*, 2023, **24**, DOI: [10.3390/ijms24065677](https://doi.org/10.3390/ijms24065677).
  - 102 M. Khan, S. Lone, M. Shahid, M. Zeyad, A. Syed, A. Ehtram, A. Elgorban, M. Verma and M. Danish, Phylogenically Synthesized Zinc Oxide Nanoparticles (ZnO-NPs) Potentially Inhibit the Bacterial Pathogens: In Vitro Studies, *Toxics*, 2023, **11**, DOI: [10.3390/toxics11050452](https://doi.org/10.3390/toxics11050452).
  - 103 Y. Yan, X. Li, C. Zhang, L. Lv, B. Gao and M. Li, Research progress on antibacterial activities and mechanisms of



- natural alkaloids: A review, *Antibiotics*, 2021, **10**(3), 318, DOI: [10.3390/antibiotics10030318](https://doi.org/10.3390/antibiotics10030318).
- 104 B. Singh, P. Patil, H. Shah, M. Ashfaq, A. Singh and G. Upadhyay, Meropenem Incorporated ZnO Nanoflakes as Nano Antibiotics: Efficient Antimicrobial Activity against Metallo  $\beta$ -lactamase Producing Clinical Isolates, *J. Pure Appl. Microbiol.*, 2023, DOI: [10.22207/jpam.17.1.06](https://doi.org/10.22207/jpam.17.1.06).
  - 105 B. Alotaibi, W. Negm, E. Elekhawy, T. El-Masry, M. Elharty, A. Saleh, D. Abdelkader and F. Mokhtar, Antibacterial activity of nano zinc oxide green-synthesised from *Gardenia thailandica* triveng. Leaves against *Pseudomonas aeruginosa* clinical isolates: in vitro and in vivo study, *Artif. Cells, Nanomed., Biotechnol.*, 2022, **50**, 96–106, DOI: [10.1080/21691401.2022.2056191](https://doi.org/10.1080/21691401.2022.2056191).
  - 106 S. Hayat, A. Ashraf, M. Zubair, B. Aslam, M. Siddique, M. Khurshid, M. Saqalein, A. Khan, A. Almatroudi, Z. Naeem and S. Muzammil, Biofabrication of ZnO nanoparticles using *Acacia arabica* leaf extract and their antibiofilm and antioxidant potential against foodborne pathogens, *PLoS One*, 2022, **17**, DOI: [10.1371/journal.pone.0259190](https://doi.org/10.1371/journal.pone.0259190).
  - 107 R. Krishnamoorthy, J. Athinarayanan, V. Periyasamy, M. Alshuniaber, G. Al-Shammari, M. Hakeem, M. Ahmed and A. Alshatwi, Antibacterial Mechanisms of Zinc Oxide Nanoparticle against Bacterial Food Pathogens Resistant to Beta-Lactam Antibiotics, *Molecules*, 2022, **27**, DOI: [10.3390/molecules27082489](https://doi.org/10.3390/molecules27082489).
  - 108 A. Abdelbaky, T. El-Mageed, A. Babalghith, S. Selim and A. Mohamed, Green Synthesis and Characterization of ZnO Nanoparticles Using *Pelargonium odoratissimum* (L.) Aqueous Leaf Extract and Their Antioxidant, Antibacterial and Anti-inflammatory Activities, *Antioxidants*, 2022, **11**, DOI: [10.3390/antiox11081444](https://doi.org/10.3390/antiox11081444).
  - 109 F. Husain, F. Qais, I. Ahmad, M. Hakeem, M. Baig, J. Khan and N. Al-Shabib, Biosynthesized Zinc Oxide Nanoparticles Disrupt Established Biofilms of Pathogenic Bacteria, *Appl. Sci.*, 2022, DOI: [10.3390/app12020710](https://doi.org/10.3390/app12020710).
  - 110 R. El-Masry, D. Talat, S. Hassoubah, N. Zabermaui, N. Eleiwa, R. Sherif, M. Abourehab, R. Abdel-Sattar, M. Gamal, M. Ibrahim and A. Elbestawy, Evaluation of the Antimicrobial Activity of ZnO Nanoparticles against Enterotoxigenic *Staphylococcus aureus*, *Life*, 2022, **12**, DOI: [10.3390/life12101662](https://doi.org/10.3390/life12101662).
  - 111 R. Álvarez-Chimal, V. García-Pérez, M. Álvarez-Pérez and J. Arenas-Alatorre, Green synthesis of ZnO nanoparticles using a *Dysphania ambrosioides* extract. Structural characterization and antibacterial properties, *Mater. Sci. Eng., C*, 2021, **118**, 111540, DOI: [10.1016/j.msec.2020.111540](https://doi.org/10.1016/j.msec.2020.111540).
  - 112 S. Ali, M. Ansari, Q. Jamal, A. Almatroudi, M. Alzohairy, M. Alomary, S. Rehman, M. Mahadevamurthy, M. Jalal, H. Khan, S. Adil, M. Khan and A. Al-Warthan, Butea monosperma seed extract mediated biosynthesis of ZnO NPs and their antibacterial, antibiofilm and anti-quorum sensing potentialities, *Arabian J. Chem.*, 2021, **14**, 103044, DOI: [10.1016/j.arabjch.2021.103044](https://doi.org/10.1016/j.arabjch.2021.103044).
  - 113 M. Du, W. Zhao, R. Ma, H. Xu, Y. Zhu, C. Shan, K. Liu, J. Zhuang and Z. Jiao, Visible-light-driven photocatalytic inactivation of *S. aureus* in aqueous environment by hydrophilic zinc oxide (ZnO) nanoparticles based on the interfacial electron transfer in *S. aureus*/ZnO composites, *J. Hazard. Mater.*, 2021, **418**, 126013, DOI: [10.1016/j.jhazmat.2021.126013](https://doi.org/10.1016/j.jhazmat.2021.126013).
  - 114 A. Fadwa, A. Albarag, D. Alkoblan and A. Mateen, Determination of synergistic effects of antibiotics and ZnO NPs against isolated *E. Coli* and *A. Baumannii* bacterial strains from clinical samples, *Saudi J. Biol. Sci.*, 2021, **28**, 5332–5337, DOI: [10.1016/j.sjbs.2021.05.057](https://doi.org/10.1016/j.sjbs.2021.05.057).
  - 115 W. Abdelraheem, R. Khairy, A. Zaki and S. Zaki, Effect of ZnO nanoparticles on methicillin, vancomycin, linezolid resistance and biofilm formation in *Staphylococcus aureus* isolates, *Ann. Clin. Microbiol. Antimicrob.*, 2021, **20**, DOI: [10.1186/s12941-021-00459-2](https://doi.org/10.1186/s12941-021-00459-2).
  - 116 M. Arakha, M. Saleem, B. Mallick and S. Jha, The effects of interfacial potential on antimicrobial propensity of ZnO nanoparticle, *Sci. Rep.*, 2015, **5**, DOI: [10.1038/srep09578](https://doi.org/10.1038/srep09578).
  - 117 G. Applerot, J. Lellouche, N. Perkash, Y. Nitzan, A. Gedanken and E. Banin, ZnO nanoparticle -coated surfaces inhibit bacterial biofilm formation and increase antibiotic susceptibility, *RSC Adv.*, 2012, **2**, 2314–2321, DOI: [10.1039/C2RA00602B](https://doi.org/10.1039/C2RA00602B).
  - 118 S. Mehmood, M. Rehman, H. Ismail, B. Mirza and A. Bhatti, Significance of postgrowth processing of ZnO nanostructures on antibacterial activity against gram-positive and gram-negative bacteria, *Int. J. Nanomed.*, 2015, **10**, 4521–4533, DOI: [10.2147/IJN.S83356](https://doi.org/10.2147/IJN.S83356).
  - 119 N. Padmavathy and R. Vijayaraghavan, Enhanced bioactivity of ZnO nanoparticles—an antimicrobial study, *Sci. Technol. Adv. Mater.*, 2008, **9**, DOI: [10.1088/1468-6996/9/3/035004](https://doi.org/10.1088/1468-6996/9/3/035004).
  - 120 G. Guan, L. Zhang, J. Zhu, H. Wu, W. Li and Q. Sun, Antibacterial properties and mechanism of biopolymer-based films functionalized by CuO/ZnO nanoparticles against *Escherichia coli* and *Staphylococcus aureus*, *J. Hazard. Mater.*, 2020, **402**, 123542, DOI: [10.1016/j.jhazmat.2020.123542](https://doi.org/10.1016/j.jhazmat.2020.123542).
  - 121 M. Alves, O. Bouchami, A. Tavares, L. Córdoba, C. Santos, M. Miragaia and M. Montemor, New Insights into Antibiofilm Effect of a Nanosized ZnO Coating against the Pathogenic Methicillin Resistant *Staphylococcus aureus*, *ACS Appl. Mater. Interfaces*, 2017, **9**(34), 28157–28167, DOI: [10.1021/acsami.7b02320](https://doi.org/10.1021/acsami.7b02320).
  - 122 S. Vidovic, J. Elder, P. Medihala, J. Lawrence, B. Predicala, H. Zhang and D. Korber, ZnO Nanoparticles Impose a Panmetabolic Toxic Effect Along with Strong Necrosis, Inducing Activation of the Envelope Stress Response in *Salmonella enterica* Serovar Enteritidis, *Antimicrob. Agents Chemother.*, 2015, **59**, 3317–3328, DOI: [10.1128/AAC.00363-15](https://doi.org/10.1128/AAC.00363-15).
  - 123 R. Dadi, R. Azouani, M. Traore, C. Mielcarek and A. Kanaev, Antibacterial activity of ZnO and CuO nanoparticles against gram positive and gram-negative strains, *Mater. Sci. Eng., C*, 2019, **104**, 109968, DOI: [10.1016/j.msec.2019.109968](https://doi.org/10.1016/j.msec.2019.109968).



- 124 O. Yamamoto, Influence of particle size on the antibacterial activity of zinc oxide, *Int. J. Inorg. Mater.*, 2001, 3(7), 643–646, DOI: [10.1016/S1466-6049\(01\)00197-0](#).
- 125 N. Babayevska, L. Przysiecka, I. Iatsunskyi, G. Nowaczyk, M. Jarek, E. Janiszewska and S. Jurga, ZnO size and shape effect on antibacterial activity and cytotoxicity profile, *Sci. Rep.*, 2022, 12(1), 8148, DOI: [10.1038/s41598-022-12134-3](#).
- 126 N. Padmavathy and R. Vijayaraghavan, Enhanced bioactivity of ZnO nanoparticles—an antimicrobial study, *Sci. Technol. Adv. Mater.*, 2008, 9, DOI: [10.1088/1468-6996/9/3/035004](#).
- 127 A. Stanković, S. Dimitrijević and D. Uskoković, Influence of size scale and morphology on antibacterial properties of ZnO powders hydrothermally synthesized using different surface stabilizing agents, *Colloids Surf., B*, 2013, 102, 21–28, DOI: [10.1016/j.colsurfb.2012.07.033](#).
- 128 B. Silva, B. Caetano, B. Chiari-Andréo, R. Pietro and L. Chiavacci, Increased antibacterial activity of ZnO nanoparticles: Influence of size and surface modification, *Colloids Surf., B*, 2019, 177, 440–447, DOI: [10.1016/j.colsurfb.2019.02.013](#).
- 129 S. Ogunyemi, Y. Abdallah, M. Zhang, H. Fouad, X. Hong, E. Ibrahim, M. Masum, A. Hossain, J. Mo and B. Li, Green synthesis of zinc oxide nanoparticles using different plant extracts and their antibacterial activity against *Xanthomonas oryzae* pv. *oryzae*, *Artif. Cells, Nanomed., Biotechnol.*, 2019, 47, 341–352, DOI: [10.1080/21691401.2018.1557671](#).
- 130 A. Khan, K. Huang, J. Zhao, T. Zhu, Y. Morsi, A. Aldalbahi, M. El-Newehy, X. Yan and X. Mo, Exploration of the antibacterial and wound healing potential of a PLGA/silk fibroin based electrospun membrane loaded with zinc oxide nanoparticles, *J. Mater. Chem. B*, 2021, DOI: [10.1039/d0tb02822c](#).
- 131 P. Mosallanezhad, H. Nazockdast, Z. Ahmadi and A. Rostami, Fabrication and characterization of polycaprolactone/chitosan nanofibers containing antibacterial agents of curcumin and ZnO nanoparticles for use as wound dressing, *Front. Bioeng. Biotechnol.*, 2022, 10, DOI: [10.3389/fbioe.2022.1027351](#).
- 132 S. Anitha, B. Brabu, D. Thiruvadigal, C. Gopalakrishnan and T. Natarajan, Optical, bactericidal and water repellent properties of electrospun nano-composite membranes of cellulose acetate and ZnO, *Carbohydrate Polym.*, 2012, 97(2), 856–863, DOI: [10.1016/j.CARBPOL.2013.05.003](#).
- 133 F. Yalcinkaya and D. Lubasová, Quantitative evaluation of antibacterial activities of nanoparticles (ZnO, TiO<sub>2</sub>, ZnO/TiO<sub>2</sub>, SnO<sub>2</sub>, CuO, ZrO<sub>2</sub>, and AgNO<sub>3</sub>) incorporated into polyvinyl butyral nanofibers, *Polym. Adv. Technol.*, 2017, 28, 137–140, DOI: [10.1002/PAT.3883](#).
- 134 K. Shalumon, K. Anulekha, S. Nair, S. Nair, K. Chennazhi and R. Jayakumar, Sodium alginate/poly(vinyl alcohol)/nano ZnO composite nanofibers for antibacterial wound dressings, *Int. J. Biol. Macromol.*, 2011, 49(3), 247–254, DOI: [10.1016/j.ijbiomac.2011.04.005](#).
- 135 M. Alavi and A. Nokhodchi, An overview on antimicrobial and wound healing properties of ZnO nanobiofilms, hydrogels, and bionanocomposites based on cellulose, chitosan, and alginate polymers, *Carbohydrate Polym.*, 2020, 227, 115349, DOI: [10.1016/j.carbpol.2019.115349](#).
- 136 H. Rodríguez-Tobías, G. Morales, A. Ledezma, J. Romero and D. Grande, Novel antibacterial electrospun mats based on poly(d,l-lactide) nanofibers and zinc oxide nanoparticles, *J. Mater. Sci.*, 2014, 49, 8373–8385, DOI: [10.1007/s10853-014-8547-y](#).
- 137 S. Abdalkarim, H. Yu, D. Wang and J. Yao, Electrospun poly(3-hydroxybutyrate-co-3-hydroxyvalerate)/cellulose reinforced nanofibrous membranes with ZnO nanocrystals for antibacterial wound dressings, *Cellulose*, 2017, 24, 2925–2938, DOI: [10.1007/s10570-017-1303-0](#).
- 138 F. Wang, Y. Liu, M. Cao, B. Zhou, H. Chen, R. Yuan, S. Liu and B. Xing, Mechanisms of ZnO Nanoparticles Enhancing Phototransformation of Biologically Derived Organic Phosphorus in Aquatic Environments, *Environ. Sci. Technol.*, 2023, 57(9), 3691–3702, DOI: [10.1021/acs.est.3c00704](#).
- 139 N. M. Ali, S. N. Saleh, M. Ahmed, M. S. Hassan and A. M. El-Naggar, Characterization and UV Protection of Cotton and Cotton/Polyester Blend Fabrics Coated With PVA/PLST/ZnO NPs Nanocomposites Under the Effect of Gamma Irradiation, *Fibers Polym.*, 2023, 24, 3901–3912, DOI: [10.1007/s12221-023-00318-1](#).
- 140 E. B. Haddada, I. Karkouch, K. Hamraoui, N. Faris, O. Tabbene, K. Horchani-Naifer and M. Ferhi, Highly efficient antibacterial activity in the dark and under UV illumination of ZnO nanoplates dispersed in water, *Emergent Mater.*, 2023, 6, 1503–1517.
- 141 C. Klingshirn, R. Hauschild, J. Fallert and H. Kalt, Room-temperature stimulated emission of ZnO: Alternatives to excitonic lasing, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 2007, 75, 115203, DOI: [10.1103/PHYSREVB.75.115203](#).
- 142 X. Huang, X. Wang, S. Wang, J. Yang, L. Zhong and J. Pan, UV and dark-triggered repetitive release and encapsulation of benzophenone-3 from biocompatible ZnO nanoparticles potential for skin protection, *Nanoscale*, 2013, 5(12), 5596–5601, DOI: [10.1039/c3nr00090g](#).
- 143 Y. Jia, X. Wang, T. Liu and G. Xu, Preparation of Nanometer ZnO Compound Particles and Ultraviolet Absorption Properties, *Adv. Mater. Res.*, 2012, 571, 43–47, DOI: [10.4028/www.scientific.net/AMR.571.43](#).
- 144 H. Yadav, K. Sreenivas and V. Gupta, Persistent photoconductivity due to trapping of induced charges in Sn/ZnO thin film-based UV photodetector, *Appl. Phys. Lett.*, 2010, 96, 223507, DOI: [10.1063/1.3427417](#).
- 145 S. Monticone, R. Tufeu and A. Kanaev, Complex Nature of the UV and Visible Fluorescence of Colloidal ZnO Nanoparticles, *J. Phys. Chem. B*, 1998, 102(16), 2854–2862, DOI: [10.1021/jp973425p](#).
- 146 M. El-hady, A. Farouk and S. Sharaf, Flame retardancy and UV protection of cotton-based fabrics using nano ZnO and polycarboxylic acids, *Carbohydrate Polym.*, 2013, 92(1), 400–406, DOI: [10.1016/j.carbpol.2012.08.085](#).



- 147 L. Wu and Y. Wu, Synthesis and optical characteristic of ZnO nanorod, *J. Mater. Sci.*, 2007, **42**, 406–408, DOI: [10.1007/S10853-006-0727-Y](#).
- 148 W. Ma, J. Yu, Z. Yuan and Y. Jiang, *Growth of ZnO Nanoparticles at Low Temperature and Optical Properties*, 2010, p. 7658, DOI: [10.1117/12.866757](#).
- 149 P. Pintupimol, W. Sinornate and W. Pecharapa, Investigation on Optically Ultraviolet Response of Low-dimensional ZnO Structures Prepared by Chemical Processes, *IOP Conf. Ser. Mater. Sci. Eng.*, 2023, **1286**, DOI: [10.1088/1757-899X/1286/1/012007](#).
- 150 S. Mishra, R. Srivastava, S. Prakash, R. Yadav and A. Panday, Photoluminescence and photoconductive characteristics of hydrothermally synthesized ZnO nanoparticles, *Opto-Electron. Rev.*, 2010, **18**, 467–473, DOI: [10.2478/s11772-010-0037-4](#).
- 151 A. Indolia and M. Gaur, Optical properties of solution grown PVDF-ZnO nanocomposite thin films, *J. Polym. Res.*, 2012, **20**, 1–8, DOI: [10.1007/s10965-012-0043-y](#).
- 152 P. Vincent, D. Kim, J. Kwon, J. Bae and H. Kim, Correlating the nanoparticle size dependent refractive index of ZnO optical spacer layer and the efficiency of hybrid solar cell through optical modelling, *Thin Solid Films*, 2018, DOI: [10.1016/J.TSF.2018.06.004](#).
- 153 N. M. Ali, S. N. Saleh, M. Ahmed, *et al.*, Characterization and UV Protection of Cotton and Cotton/Polyester Blend Fabrics Coated With PVA/PLST/ZnO NPs Nanocomposites Under the Effect of Gamma Irradiation, *Fibers Polym.*, 2023, **24**, 3901–3912, DOI: [10.1007/s12221-023-00318-1](#).
- 154 J. Jun, H. Seong, K. Cho, B. Moon and S. Kim, Ultraviolet photodetectors based on ZnO nanoparticles, *Ceram. Int.*, 2009, **35**, 2797–2801, DOI: [10.1016/J.CERAMINT.2009.03.032](#).
- 155 I. Shahabi-Ghahfarrokhi, F. Khodaiyan, M. Mousavi and H. Yousefi, Preparation of UV-protective kefir/nano-ZnO nanocomposites: physical and mechanical properties, *Int. J. Biol. Macromol.*, 2015, **72**, 41–46, DOI: [10.1016/j.ijbiomac.2014.07.047](#).
- 156 M. Ghamsari, S. Alamdari, W. Han and H. Park, Impact of nanostructured thin ZnO film in ultraviolet protection, *Int. J. Nanomed.*, 2016, **12**, 207–216, DOI: [10.2147/IJN.S118637](#).
- 157 M. El-hady, A. Farouk and S. Sharaf, Flame retardancy and UV protection of cotton-based fabrics using nano ZnO and polycarboxylic acids, *Carbohydrate Polym.*, 2013, **92**(1), 400–406, DOI: [10.1016/j.carbpol.2012.08.085](#).
- 158 S. Karthik, P. Siva, K. Balu, R. Suriyaprabha, V. Rajendran and M. Maaza, *Acalypha indica*-mediated green synthesis of ZnO nanostructures under differential thermal treatment: Effect on textile coating, hydrophobicity, UV resistance, and antibacterial activity, *Adv. Powder Technol.*, 2017, **28**, 3184–3194, DOI: [10.1016/J.APT.2017.09.033](#).
- 159 M. Visnapuu, M. Rosenberg, E. Truska, E. Nõmmiste, A. Šutka, A. Kahru, M. Rähn, H. Vija, K. Orupõld, V. Kisand and A. Ivask, UVA-induced antimicrobial activity of ZnO/Ag nanocomposite covered surfaces, *Colloids Surf., B*, 2018, **169**, 222–232, DOI: [10.1016/j.colsurfb.2018.05.009](#).
- 160 K. Qi, B. Cheng, J. Yu and W. Ho, Review on the improvement of the photocatalytic and antibacterial activities of ZnO, *J. Alloys Compd.*, 2017, **727**, 792–820, DOI: [10.1016/J.JALLCOM.2017.08.142](#).
- 161 S. Shankar, L. Wang and J. Rhim, Incorporation of zinc oxide nanoparticles improved the mechanical, water vapor barrier, UV-light barrier, and antibacterial properties of PLA-based nanocomposite films, *Mater. Sci. Eng., C*, 2018, **93**, 289–298, DOI: [10.1016/j.msec.2018.08.002](#).
- 162 S. Taghizadeh, N. Lal, A. Ebrahiminezhad, F. Moeini, M. Seifan, Y. Ghasemi and A. Berenjian, Green and Economic Fabrication of Zinc Oxide (ZnO) Nanorods as a Broadband UV Blocker and Antimicrobial Agent, *Nanomaterials*, 2020, **10**, DOI: [10.3390/nano10030530](#).
- 163 F. Wu, Y. Chen, G. Li, D. Zhu, L. Wang and J. Wang, Zinc oxide nanoparticles synthesized from *Allium cepa* prevents UVB radiation mediated inflammation in human epidermal keratinocytes (HaCaT cells), *Artif. Cells, Nanomed., Biotechnol.*, 2019, **47**, 3548–3558, DOI: [10.1080/21691401.2019.1642905](#).
- 164 O. Cardozo, R. Baltar and R. Araujo, Selecting zinc oxide nanoparticles for sunscreen lotions, *2022 SBFoton International Optics and Photonics Conference*, SBFoton IOPC, 2022, pp. 1–4, DOI: [10.1109/SBFotonIOPC54450.2022.9993243](#).
- 165 I. Rabani, S. Lee, H. Kim, J. Yoo, S. Hussain, T. Maqbool and Y. Seo, Engineering-safer-by design ZnO nanoparticles incorporated cellulose nanofiber hybrid for high UV protection and low photocatalytic activity with mechanism, *J. Environ. Chem. Eng.*, 2021, **9**, 105845, DOI: [10.1016/J.JECE.2021.105845](#).
- 166 C. Lin, M. Lee, M. Chi, C. Chen and H. Lin, Preparation of Zinc Oxide Nanoparticles Containing Spray and Barrier Films for Potential Photoprotection on Wound Healing, *ACS Omega*, 2019, DOI: [10.1021/ACSOMEGA.8B02321](#).
- 167 Y. Mohammed, A. Holmes, I. Haridass, W. Sanchez, H. Studier, J. Grice, H. Benson and M. Roberts, Support for the Safe Use of Zinc Oxide Nanoparticle Sunscreens: Lack of Skin Penetration or Cellular Toxicity after Repeated Application in Volunteers, *J. Invest. Dermatol.*, 2019, **139**(2), 308–315, DOI: [10.1016/j.jid.2018.08.024](#).
- 168 A. Elbrolesy, Y. Abdou, F. A. Elhussiny, *et al.*, Novel Green Synthesis of UV-Sunscreen ZnO Nanoparticles Using Solanum Lycopersicum Fruit Extract and Evaluation of Their Antibacterial and Anticancer Activity, *J. Inorg. Organomet. Polym. Mater.*, 2023, **33**(12), 3750–3759, DOI: [10.1007/s10904-023-02744-3](#).
- 169 H. Jo, S. Joo, J. Kim, K. Yu and S. Kim, Development of a Hybrid Chitosan- and Niacinamide-Coupled ZnO Nanoparticle Composite for Sun Protection Application, *J. Nanomater.*, 2019, **2019**, 1–9, DOI: [10.1155/2019/5957606](#).
- 170 J. Clar, W. Platten, E. Baumann, A. Remsen, S. Harmon, K. Rodgers, T. Thomas, J. Matheson and T. Luxton, Release and transformation of ZnO nanoparticles used in outdoor surface coatings for UV protection, *Sci. Total*



- Environ.*, 2019, **670**, 78–86, DOI: [10.1016/j.scitotenv.2019.03.189](#).
- 171 W. Homthawornchoo, P. Kaewprachu, S. Pinijsuwan, O. Romruen and S. Rawdkuen, Enhancing the UV-Light Barrier, Thermal Stability, Tensile Strength, and Antimicrobial Properties of Rice Starch–Gelatin Composite Films through the Incorporation of Zinc Oxide Nanoparticles, *Polymers*, 2022, **14**, DOI: [10.3390/polym14122505](#).
  - 172 W. Morison, EFFECTS OF ULTRAVIOLET RADIATION ON THE IMMUNE SYSTEM IN HUMANS, *Photochem. Photobiol.*, 1989, **50**, DOI: [10.1111/j.1751-1097.1989.tb05557.x](#).
  - 173 S. Kathirvelu, L. D'Souza and B. Dhurai, UV protection finishing of textiles using ZnO nanoparticles, *Indian J. Fibre Text. Res.*, 2009, **34**, 267–273.
  - 174 A. Belay, M. Mekuria and G. Adam, Incorporation of zinc oxide nanoparticles in cotton textiles for ultraviolet light protection and antibacterial activities, *Nanomater. Nanotechnol.*, 2020, **10**, 1–8, DOI: [10.1177/1847980420970052](#).
  - 175 N. Nasirzadeh, M. M. Esmaelpour, N. Naseri and S. O. Shekaftik, Improving ultraviolet protection properties of cotton textiles using Zinc oxide (ZnO) nanomaterials: An approach for controlling occupational and environmental exposures, *Int. J. Environ. Health Res.*, 2023, DOI: [10.1080/09603123.2023.2211529](#).
  - 176 I. S. Tania, M. Ali and M. Akter, Fabrication, characterization, and utilization of ZnO nanoparticles for stain release, bacterial resistance, and UV protection on cotton fabric, *J. Eng. Fibers Fabr.*, 2022, **17**, DOI: [10.1177/15589250221136378](#).
  - 177 T. Kar, A. Samanta, M. Sajid and R. Kaware, UV protection and antimicrobial finish on cotton khadi fabric using a mixture of nanoparticles of zinc oxide and poly-hydroxy-amino methyl silicone, *Text. Res. J.*, 2018, **89**, 2260–2278, DOI: [10.1177/0040517518790973](#).
  - 178 N. Eltugral, Assessment of UV Protection Factor of Flax, Polyester and Nylon Fabrics Treated with Zinc oxide Nanoparticles, *Düzce Üniversitesi Bilim Ve Teknoloji Dergisi*, 2021, 596–606, DOI: [10.29130/DUBITED.876999](#).
  - 179 H. Sharouf, G. Tuhmaz and Z. Saffour, Preparation of Zinc Oxide Nano-Layer on Cotton Fabric for UV Protection Application, *Nahrain J. Eng. Sci.*, 2019, DOI: [10.29194/NJES.22010018](#).
  - 180 M. Afsharpour and S. Imani, Preventive protection of paper works by using nanocomposite coating of zinc oxide, *J. Cult. Herit.*, 2017, **25**, 142–148, DOI: [10.1016/J.CULHER.2016.12.007](#).
  - 181 Y. Ning, Z. Zhang, F. Teng and X. Fang, Novel Transparent and Self-Powered UV Photodetector Based on Crossed ZnO Nanofiber Array Homojunction, *Small*, 2018, **14**(13), e1703754, DOI: [10.1002/sml.201703754](#).
  - 182 E. Kusiak-Nejman, J. Wojnarowicz, A. Morawski, U. Narkiewicz, K. Sobczak, S. Gierlotka and W. Lojkowski, Size-dependent effects of ZnO nanoparticles on the photocatalytic degradation of phenol in a water solution, *Appl. Surf. Sci.*, 2020, 148416, DOI: [10.1016/j.apsusc.2020.148416](#).
  - 183 E. Kusiak-Nejman, J. Wojnarowicz, A. Morawski, U. Narkiewicz, K. Sobczak, S. Gierlotka and W. Lojkowski, Size-dependent effects of ZnO nanoparticles on the photocatalytic degradation of phenol in a water solution, *Appl. Surf. Sci.*, 2020, 148416, DOI: [10.1016/j.apsusc.2020.148416](#).
  - 184 S. Nair, G. Nagarajappa and K. Pandey, UV stabilization of wood by nano metal oxides dispersed in propylene glycol, *J. Photochem. Photobiol., B*, 2018, **183**, 1–10, DOI: [10.1016/j.jphotobiol.2018.04.007](#).
  - 185 T. Nguyen, P. Dao, K. Duong, Q. Duong, Q. Vu, A. Nguyen, V. Mac and T. Le, Effect of R-TiO<sub>2</sub> and ZnO nanoparticles on the UV-shielding efficiency of water-borne acrylic coating, *Prog. Org. Coat.*, 2017, **110**, 114–121, DOI: [10.1016/j.PORGCOAT.2017.02.017](#).
  - 186 K. Girigoswami, M. Viswanathan, R. Murugesan and A. Girigoswami, Studies on polymer-coated zinc oxide nanoparticles: UV-blocking efficacy and in vivo toxicity, *Mater. Sci. Eng., C*, 2015, **56**, 501–510, DOI: [10.1016/j.msec.2015.07.017](#).
  - 187 S. Liu, R. Ono, H. Wu, J. Teo, Z. Liang, K. Xu, M. Zhang, G. Zhong, J. Tan, M. Ng, C. Yang, J. Chan, Z. Ji, C. Bao, K. Kumar, S. Gao, A. Lee, M. Fèvre, H. Dong, J. Ying, L. Li, W. Fan, J. Hedrick and Y. Yang, Highly potent antimicrobial polyionenes with rapid killing kinetics, skin biocompatibility and in vivo bactericidal activity, *Biomaterials*, 2017, **127**, 36–48, DOI: [10.1016/j.biomaterials.2017.02.027](#).
  - 188 M. Luo, C. Shen, B. Feltis, L. Martin, A. Hughes, P. Wright and T. Turney, Reducing ZnO nanoparticle cytotoxicity by surface modification, *Nanoscale*, 2014, **6**(11), 5791–5798, DOI: [10.1039/c4nr00458b](#).
  - 189 Y. Leung, C. Chan, A. Ng, H. Chan, M. Chiang, A. Djurišić, Y. Ng, W. Jim, M. Guo, F. Leung, W. Chan and D. Au, Antibacterial activity of ZnO nanoparticles with a modified surface under ambient illumination, *Nanotechnology*, 2012, **23**, DOI: [10.1088/0957-4484/23/47/475703](#).
  - 190 I. Kim, K. Viswanathan, G. Kasi, K. Sadeghi, S. Thanakkasaranee and J. Seo, Poly(Lactic Acid)/ZnO Bionanocomposite Films with Positively Charged ZnO as Potential Antimicrobial Food Packaging Materials, *Polymers*, 2019, **11**, DOI: [10.3390/polym11091427](#).
  - 191 R. Betancourt-Galindo, M. Duarte, B. Urbina, O. Rodríguez-Fernández and S. Sánchez-Valdes, Surface Modification of ZnO Nanoparticles, *Mater. Sci. Forum*, 2010, **644**, 61–64, DOI: [10.4028/www.scientific.net/MSF.644.61](#).
  - 192 J. Chen, X. Huang, B. Sun, Y. Wang, Y. Zhu and P. Jiang, Vertically Aligned and Interconnected Boron Nitride Nanosheets for Advanced Flexible Nanocomposite



- Thermal Interface Materials, *ACS Appl. Mater. Interfaces*, 2017, **9**(36), 30909–30917, DOI: [10.1021/acsami.7b08061](https://doi.org/10.1021/acsami.7b08061).
- 193 L. George, S. Sappati, P. Ghosh and R. Devi, Surface Site Modulations by Conjugated Organic Molecules To Enhance Visible Light Activity of ZnO Nanostructures in Photocatalytic Water Splitting, *J. Phys. Chem. C*, 2015, **119**, 3060–3067, DOI: [10.1021/JP511996Z](https://doi.org/10.1021/JP511996Z).
- 194 R. Hewlett and M. McLachlan, Surface Structure Modification of ZnO and the Impact on Electronic Properties, *Adv. Mater.*, 2016, **28**, DOI: [10.1002/adma.201503404](https://doi.org/10.1002/adma.201503404).Auchi.

