


ChemComm

Chemical Communications

www.rsc.org/chemcomm

Volume 49 | Number 74 | 25 September 2013 | Pages 8119–8266



ISSN 1359-7345

RSC Publishing

COMMUNICATION

Takeshi Akasaka, Jaume Veciana *et al.*
Electrochemical and magnetic properties of a surface-grafted novel
endohedral metallofullerene derivative



1359-7345(2013)49:74;1-S

Electrochemical and magnetic properties of a surface-grafted novel endohedral metallofullerene derivative†‡

Núria Crivillers,^a Yuta Takano,^{bc} Yuya Matsumoto,^b Javier Casado-Montenegro,^a Marta Mas-Torrent,^a Concepció Rovira,^a Takeshi Akasaka^{*bd} and Jaume Veciana^{*a}

Cite this: *Chem. Commun.*, 2013, **49**, 8145

Received 13th May 2013,
Accepted 27th June 2013

DOI: 10.1039/c3cc43578d

www.rsc.org/chemcomm


A novel endohedral metallofullerene (EMF) has been designed and synthesised for its grafting on gold. The functionalization of the substrate resulted in a multifunctional surface displaying the properties of the EMF in solution.

Endohedral metallofullerenes (EMFs)¹ are very attractive systems because of their unique optical, magnetic and electronic properties differing completely from those of the empty fullerenes.² Indeed, these derivatives exhibit the combined properties of the individual components along with additional properties appearing from the metal–cage interaction. These characteristics make them very appealing for a variety of applications in fields ranging from molecular electronics to nanomedicine.^{2a} However, for their future implementation in devices, the controlled deposition and immobilization of these functional molecules on certain substrates is demanded. The deposition by physisorption of M@C₈₂ (e.g. M = La, Ce, Tb) on different surfaces has been investigated, commonly by means of Scanning Tunneling Microscopy (STM).^{2c,3} Nonetheless, the fabrication of more robust hybrid surfaces requires to chemically bond the molecules on the substrates and, thus, derivatives with a suitable grafting group might be prepared. Due to the difficulty in isolating the pure isomers in reasonable amounts and their synthetic complexity, to our knowledge, there is only one reported example regarding the chemisorption of EMFs on surfaces. This was carried out with a trimetallic nitride templated EMF (TNT-EMF), Er₃N@C₈₀, functionalized with a dithiolane group, and it was demonstrated that once deposited on gold its luminescence was not quenched.⁴ Striking differences in the

electronic properties exist between TNT-EMFs and La@C₈₂ led by an electron transfer from the inside metal to the fullerene cage in the latter. As a result, La@C₈₂ has remarkably low oxidation and high reduction potentials (E_{red1} : −0.42 V, E_{ox1} : 0.07 V. *cf.* Er₃N@C₈₀; E_{red1} : −1.42 V, E_{ox1} : 0.63 V, *vs.* ferrocene^{0/+}),⁵ and a unique open shell structure of the fullerene cage.^{5,6} Such electronic nature is much more attractive for the development of novel molecular materials than that of other EMFs.⁷

Here, for the first time, a novel La@C₈₂ derivative, functionalized with a thioacetyl protecting anchoring group to be chemisorbed on gold has been successfully synthesized and employed for preparing self-assembled monolayers (SAMs). We demonstrate that the electrochemical and magnetic properties of the novel EMF can be transferred and preserved upon its chemisorption on gold. In addition, the outstanding redox response of the SAM has permitted to electrically trigger its redox state and consequently its magnetic behavior. These results suggest that these SAMs are promising electrochemical molecular switches in which their magnetic properties can be exploited as the output signal.

The target La@C₈₂ derivative (**2**) was synthesized by 1,3-dipolar cycloaddition reaction using a thioacetate-terminated aldehyde (**1**) (Scheme 1). Utilizing 2-methylaminoisobutyric acid in the present reaction afforded one major regioisomer (**2b**) selectively, in contrast with the reactions using *N*-methylglycine or *N*-*n*-octylglycine instead of aminoisobutyric acid.⁸ In the HPLC profile of the reaction mixture, sharp peaks corresponding to two regioisomers (**2a** and **2b**) appeared after the thermal reaction (Fig. S1, ESI†). The isolation of **2a** and **2b** was achieved using a preparative HPLC system (Fig. S2 and S3, ESI†). MALDI-TOF mass spectra of **2a** and **2b** clearly demonstrated the molecular ion peak at *m/z* 1430 (Fig. S4, ESI†), and the electron spin



Scheme 1 Synthesis of the target derivative of La@C₈₂, as a mixture of regioisomers, from which pure **2b** was isolated.

^a Institut de Ciència de Materials de Barcelona (ICMAB-CSIC) and CIBER-BBN, Campus de la UAB, 08193, Bellaterra, Spain. E-mail: vecianaj@icmab.es

^b Life Science Center of Tsukuba Advanced Research Alliance, University of Tsukuba, Tsukuba, Ibaraki 305-8577, Japan. E-mail: akasaka@tara.tsukuba.ac.jp

^c Institute for Integrated Cell-Material Sciences (WPI-iCeMS), Kyoto University, Sakyo-ku, Kyoto 606-8501, Japan

^d Foundation for Advancement of International Science (FAIS), Tsukuba, Ibaraki 305-0821, Japan

† Dedicated to Maurizio Prato on his 60th anniversary.

‡ Electronic supplementary information (ESI) available. See DOI: 10.1039/c3cc43578d



resonance (ESR) spectra showed symmetric octet signals in both cases (Fig. S5 and Table S1, ESI†), confirming that both compounds are pure regioisomers. ¹H-NMR signals of anionic forms of **2b** (ESR silent), as obtained by bulk electrolysis, revealed the characteristic peaks of the addend (Fig. S6, ESI†). Indeed, the three singlet signals, at 2.21, 1.27 and 1.19 ppm, are attributed to the methyl protons attached to the pyrrolidine ring, assessing that **2b** is a single regioisomer. Although in this work the structure of **2b** was not possible to elucidate by X-ray crystallographic analysis, synthetic precedents and theoretical calculations^{8b} strongly suggest that the most feasible addition site of the addend is the one indicated in Scheme 1 (see Fig. S8 (ESI†) for distinct possible addition patterns). Due to the small amount of **2a** obtained from the reaction, NMR characterization and SAM preparation with this compound was not possible to carry out.

The redox behavior of **2b** in *ortho*-dichlorobenzene (*o*-DCB) solution (Fig. S9, ESI† and Table 1) was studied by cyclic voltammetry (CV) and differential pulse voltammetry (DPV). Clearly reversible peaks on the first reduction and oxidation steps were observed. In addition, it is noteworthy that the first redox potentials of **2b** are almost identical to those of pristine La@C₈₂. In other words, **2b** maintains the intrinsic electronic properties of the frontier orbitals of pristine La@C₈₂.

SAMs of **2b** on gold (La@C₈₂-S-Au SAM) were formed from a diluted solution of the EMF in *o*-DCB (67 μM). These conditions were chosen in order to prevent aggregation of the molecules in solution and hence, the consequent deposition of aggregates on the surface. The experimentally optimized conditions for the best quality SAM formation were the following ones: in a glove box filled with nitrogen (humidity around 10%), a freshly cleaned Au(111) on mica was immersed in the EMF solution for at least 48 hours. Then 0.25% in volume of concentrated H₂SO₄ (98%) was added to deprotect the acetyl group.⁹ The substrates were removed after 1.5 hours after the acid addition, rinsed with *o*-DCB and toluene and finally dried under a nitrogen stream.

The modified substrates were characterized by several surface characterization techniques. First, to visualize the surface, Atomic Force Microscopy (AFM) images were acquired (Fig. S10, ESI†), revealing the formation of a homogenous layer with round-shaped clusters with heights approximately between 0.4 and 1.0 nm. The SAMs were also characterized by high resolution X-Ray Photoelectron Spectroscopy (XPS) (Fig. S11, ESI†). The La3d spectrum shows the double doublets corresponding to La3d_{3/2} (856.12 and 850.13 eV) and La3d_{5/2} (839.00 and 833.69 eV). The S2p spectrum shows a doublet at 161.8 eV and 163 eV assigned to S2p_{3/2} and S2p_{1/2} respectively, with a 2 : 1 intensity ratio and a splitting of 1.2 eV.¹⁰ This binding energy is characteristic of the S-Au bond. On the other

hand, the absence of a sulfur doublet peak centered at ~164 eV rules out the presence of surface-unbounded sulfur atoms on the Au surface, that is, the existence of the physisorbed material.⁹ Additionally, Time-of-Flight Secondary Ion Mass Spectrometry (ToF-SIMS) was performed (Fig. S12, ESI†). The molecular peak is not observed in the spectrum but a peak at *m/z* 1123 corresponding to the fragment La@C₈₂ is present, which shows the intrinsic isotopic distribution pattern. Consequently, all the above-mentioned techniques clearly elucidated the successful formation of an EMF-based SAM.

As in the case in solution, the electrochemical properties of the resulting SAM were investigated by CV, which revealed that the redox properties of the molecules in solution were also displayed when they are bound to gold. Indeed, two stable and reversible peaks at *E*^{1/2} = 0.22 V and 0.57 V (vs. Ag wire) were observed and assigned to the reduction and oxidation of La@C₈₂-S-Au SAM, respectively (Fig. 1). The robustness and stability of the SAM was demonstrated by recording ten consecutive cycles (at 0.3 V s⁻¹), in which no significant loss of current intensity (see Fig. S13a, ESI†) was found. In addition to that, CVs were carried out at different scan rates (see Fig. S13b, ESI†) and a linear dependence of the current intensity on the scan rate was observed. This is expected to happen for a rapid reversible redox process of an immobilized redox couple on a surface.¹¹

The magnetic properties of the SAM were investigated by ESR. As expected for a La@C₈₂ derivative which has an open-shell electronic structure, the ESR spectrum of the SAM shows a signal with a *g* factor of 2.0009 and a linewidth of 4.7 Gauss (Fig. 2a). This result unambiguously demonstrates that the magnetic properties of the EMF are preserved on the surface. The shape of the observed signal is very similar to the one obtained for a drop-cast film (*g* = 2.0015 and line width of 6.5 Gauss, Fig. S14, ESI†). These *g* values are almost identical to those of pristine La@C₈₂ (*g* = 2.001 and line width ~10 Gauss) in solids.¹² We attribute the low intensity of the ESR signal registered for the SAM to a low spin concentration on the gold surface possibly due to the molecular structure (size and shape) of the grafted molecule that prevents a dense packing. A surface coverage of 1 × 10¹⁴ molecules per cm² has been estimated from the anodic peak of the reduction redox process. This value is lower than the one calculated for other SAMs based on bulky magneto- and electro-active systems.¹³ This approximate value supports the observed low intensity of the ESR signal.




Fig. 1 CV obtained by using the La@C₈₂ **2b** SAM as a working electrode. NaClO₄ 20 mM in acetonitrile as electrolyte, with a silver wire and a platinum wire as a pseudo-reference and counter electrode, respectively (scan rate = 0.3 V s⁻¹). In the figure three scans in the range between -0.1 V and 0.9 V are shown.

Table 1 Redox potentials of **2b** and La@C₈₂^{a,b}

Compound	<i>E</i> _{ox} ²	<i>E</i> _{ox} ¹	<i>E</i> _{red} ¹	<i>E</i> _{red} ²
2b	0.48 ^c	0.05	-0.35	-1.58
La@C ₈₂ ^d	1.07	0.07	-0.42	-1.34

^a Values are given in volts relative to a Fe^{0/+} redox couple and were obtained from DPVs. ^b Conditions: working and counter electrode, Pt wires; reference electrode, Ag/Ag⁺; supporting electrolyte, 0.1 M TBAPF₆ in *o*-DCB. CV: scan rate, 50 mV s⁻¹. DPV: pulse amplitude, 50 mV; scan rate, 20 mV s⁻¹. ^c Irreversible. ^d Data from ref. 10.






Fig. 2 (a) ESR spectra of La@C₈₂-S-Au SAM. Black line: EMF SAM (neutral form); grey in its anionic form. (b) Evolution of the ESR signals (peak to peak intensity) during the potential cycles. One switching cycle (grey boxes) corresponds to the conversion of the SAM between the 0–1–0 states.

In addition, previously, it was shown for empty fullerenes that the conformational rigidity of the spacer and its physical size play a very important role in their packing. For fullerene derivatives with very similar spacer and anchoring group to the one in **2b**, the reported surface area per molecule is much larger than fullerenes with spacers that lead to a less angular shape.¹⁴

Finally, the electrochemical switch between the neutral form (open-shell) and the anionic form (closed-shell electronic structure) of the grafted EMF molecules was monitored by measuring the ESR spectrum after applying a fixed potential to the SAM (Fig. 2). According to the CV, a pulsed potential of -0.05 V was applied (during 3 min) in order to reduce the neutral form of the molecule to the anion, followed by another pulse of $+0.4$ V (3 min) to promote the reverse redox process. Such sequences of applied pulsed voltages were performed in the electrochemical cell with electrolyte solution. The SAM was then transferred to the ESR cell and measured in air. The oxidized form was not studied in this experiment due to its expected low stability in air.¹⁵ In sharp contrast, the one-electron reduced form is considerably stable, as we demonstrated by the isolation of the one-electron reduced anionic form of **2b** and its characterization by NMR in solution. As shown in Fig. 2b three consecutive reversible switching cycles ($0 \rightarrow 1 \rightarrow 0$) were performed giving rise to the expected appearance–disappearance of the ESR signal. To support the importance of having covalently bonded molecules and thus, robust SAMs, a drop-cast film based on the pristine non-substituted La@C₈₂ was also prepared and studied. As expected, the electrochemical switch could not be performed due to inefficient electron transport through the thicker film and some desorption of physisorbed molecules.

In summary, a new EMF derivative has been synthesized with the appropriate molecular structure for being covalently grafted on gold. The modified substrates revealed the same electrochemical and magnetic properties of the EMF in solution leading to novel functional surfaces. Finally, the results of the electrochemical switching support the great potential that these materials hold for being used as charge-storage memories devices.

We thank Dr Vega Lloveras for ESR measurements and the support of the Networking Research Center of Bioengineering,

Biomaterials and Nanomedicine (CIBER-BBN); the DGI (Spain) (CTQ2010-19501/BQU), the Generalitat de Catalunya (2009SGR00516), and the EU projects ERC StG 2012-306826 e-GAMES and CIG (PCIG10-GA-2011-303989). N.C. thanks the subprogram JdC. This work was also supported in part by a Grant-in-Aid for Scientific Research on Innovative Areas (20108001, “ π -Space”), a Grant-in-Aid for Scientific Research (A) (20245006) and (B) (24350019). The iCeMS is supported by World Premier International Research Center Initiative (WPI), MEXT, Japan. We acknowledge CSIC for the publication as Open Access in the RSC.

Notes and references

- (a) M. Rudolf, S. Wolfrum, D. M. Guldi, L. Feng, T. Tsuchiya, T. Akasaka and L. Echegoyen, *Chem.-Eur. J.*, 2012, **18**, 5136; (b) *Chemistry of Nanocarbons*, ed. T. Akasaka, F. Wudl and S. Nagase, Wiley, Chichester, U.K., 2010, p. 275.
- (a) X. Lu, L. Feng, T. Akasaka and S. Nagase, *Chem. Soc. Rev.*, 2012, **41**, 7723; (b) A. Rodriguez-Fortea, A. L. Balch and J. M. Poblet, *Chem. Soc. Rev.*, 2011, **40**, 3551; (c) S. Fujiki, Y. Kubozono, Y. Rikiishi and T. Urisu, *Phys. Rev. B*, 2004, **70**, 235421.
- (a) M. J. Butcher, J. N. Nolan, M. R. C. Hunt, P. H. Beton, L. Dunsch, P. Kuran, P. Georgi and T. J. S. Dennis, *Phys. Rev. B*, 2001, **64**, 195401; (b) M. J. Butcher, J. W. Nolan, M. R. C. Hunt, P. H. Beton, L. Dunsch, P. Kuran, P. Georgi and T. J. S. Dennis, *Phys. Rev. B*, 2003, **67**, 125413; (c) S. Zhao, J. Zhang, J. Dong, B. Yuan, X. Qiu, S. Yang, J. Hao, H. Zhang, H. Yuan, G. Xing, Y. Zhao and B. Sun, *J. Phys. Chem. C*, 2011, **115**, 6265.
- M. d. C. Gimenez-Lopez, J. A. Gardener, A. Q. Shaw, A. Iwasiewicz-Wabnig, K. Porfyrakis, C. Balmer, G. Dantelle, M. Hadjipanayi, A. Crossley, N. R. Champness, M. R. Castell, G. A. D. Briggs and A. N. Khlobystov, *Phys. Chem. Chem. Phys.*, 2010, **12**, 123.
- M. N. Chaur, F. Melin, A. L. Ortiz and L. Echegoyen, *Angew. Chem., Int. Ed.*, 2009, **48**, 7514.
- (a) S. Nagase and K. Kobayashi, *J. Chem. Soc., Chem. Commun.*, 1994, 1837; (b) D. M. Poirier, M. Knupfer, J. H. Weaver, W. Andreoni, K. Laasonen, M. Parrinello, D. S. Bethune, K. Kikuchi and Y. Achiba, *Phys. Rev. B*, 1994, **49**, 17403.
- (a) S. Sato, S. Seki, Y. Honsho, L. Wang, H. Nikawa, G. Luo, J. Lu, M. Haranaka, T. Tsuchiya, S. Nagase and T. Akasaka, *J. Am. Chem. Soc.*, 2011, **133**, 2766; (b) T. Tsuchiya, R. Kumashiro, K. Tanigaki, Y. Matsunaga, M. O. Ishitsuka, T. Wakahara, Y. Maeda, Y. Takano, M. Aoyagi, T. Akasaka, M. T. H. Liu, T. Kato, K. Suenaga, J. S. Jeong, S. Iijima, F. Kimura, T. Kimura and S. Nagase, *J. Am. Chem. Soc.*, 2008, **130**, 450.
- (a) B. P. Cao, T. Wakahara, Y. Maeda, A. H. Han, T. Akasaka, T. Kato, K. Kobayashi and S. Nagase, *Chem.-Eur. J.*, 2004, **10**, 716; (b) Y. Takano, S. Obuchi, N. Mizorogi, R. Garcia, M. Angeles Herranz, M. Rudolf, S. Wolfrum, D. M. Guldi, N. Martin, S. Nagase and T. Akasaka, *J. Am. Chem. Soc.*, 2012, **134**, 16103.
- Y. Shirai, L. Cheng, B. Chen and J. M. Tour, *J. Am. Chem. Soc.*, 2006, **128**, 13479.
- D. G. Castner, K. Hinds and D. W. Grainger, *Langmuir*, 1996, **12**, 5083.
- H. X. Ju and D. Leech, *Phys. Chem. Chem. Phys.*, 1999, **1**, 1549.
- R. D. Johnson, M. S. de Vries, J. Salem, D. S. Bethune and C. S. Yannoni, *Nature*, 1992, **355**, 239–240.
- C. Simao, M. Mas-Torrent, J. Veciana and C. Rovira, *Nano Lett.*, 2011, **11**, 4382.
- M. d. C. Gimenez-Lopez, M. T. Raesaenen, T. W. Chamberlain, U. Weber, M. Lebedeva, G. A. Rance, G. A. D. Briggs, D. Pettifor, V. Burlakov, M. Buck and A. N. Khlobystov, *Langmuir*, 2011, **27**, 10977.
- T. Akasaka, T. Wakahara, S. Nagase, K. Kobayashi, M. Waelchli, K. Yamamoto, M. Kondo, S. Shirakura, S. Okubo, Y. Maeda, T. Kato, M. Kako, Y. Nakadaira, R. Nagahata, X. Gao, E. Van Caemelbecke and K. M. Kadish, *J. Am. Chem. Soc.*, 2000, **122**, 9316.

