

PAPER

[View Article Online](#)
[View Journal](#) | [View Issue](#)Synthesis of inorganic aerogels *via* rapid gelation using chloride precursors†Helmut Schäfer,^{*a} Barbara Milow^b and Lorenz Ratke^{*b}Cite this: *RSC Advances*, 2013, **3**, 15263

This paper describes the synthesis of silica, titania, zirconia and mixed-metal-oxide aerogels by a new facile approach. The corresponding low cost and non-toxic chlorides instead of the well established but more expensive and deleterious alkoxy precursors were used as starting materials. Hydrolysis of the precursors led to wet gels. The strong exothermic reaction in the case of TiCl_4 or SiCl_4 as a gel precursor can be controlled by both cooling and immersing the needle of the syringe in the aqueous solution. Under optimal conditions a rapid formation of silica- and zirconia based hydrogels could be achieved even without additional amounts of an auxiliary agent. It is shown that in all other cases the hydrolysis reaction and gel formation can be controlled by adding agents with crosslinking properties like propylene oxide, dilution with alcohols or starting from water glass. Water glass not only has the function of a cheap network former but also allows the strict adjustment of the pH value *via* neutralization of the acid forming hydrolysis reactions. Supercritical drying of the wet alkogel in CO_2 delivered aerogels with BET surfaces up to $1390 \text{ m}^2 \text{ g}^{-1}$, as determined by nitrogen adsorption measurements. In addition, the characterization includes XRD and SEM. These findings provide new physical insights into the hydrolysis of the gel precursors and lead to a significant reduction in production costs of inorganic aerogels.

Received 8th April 2013,
Accepted 12th June 2013

DOI: 10.1039/c3ra41688g

www.rsc.org/advances

A Introduction

Aerogels are highly porous materials with interesting properties including high specific surface area, extremely low density, low thermal conductivity and high thermal stability.^{1–5} Already more than 80 years back Kistler prepared the first aerogel, namely a silica aerogel by supercritical drying of silica jelly.⁶ Due to their unique properties aerogels are already used for a wide range of applications, including optical^{7–12} and electrical sensing,^{13,14} catalysis,^{15–17} as well as thermal^{18,19} and acoustic insulations.^{20,21}

The alkoxide route, characterized by sol–gel transition *via* hydrolysis and condensation reactions of metal-, semimetal- or non-metal-alkoxide precursors such as tetraethoxysilane (TEOS),^{22–24} tetramethoxysilane (TMOS),^{24–27,30} polyethoxydisiloxane (PEDS)²⁴ in the case of silica aerogels, zirconium *n*-propoxide,^{28,29} zirconium *i*-propoxide,³⁰ or zirconium *n*-butoxide³¹ in the case of zirconia aerogels and titanium *n*-butoxide,^{27,32,33} titanium *i*-propoxide,^{27,34} in the case of

titania aerogels, presents a common synthesis route for achieving high quality aerogels. These precursors have some drawbacks as they are costly, toxic, and depending on the nature of the alkoxy precursor and the hydrolysis conditions they can cause large gelation times up to a tenth of an hour.^{28,29,31,35} Furthermore, careful handling of the water-sensitive compounds to prevent partial hydrolysis prior to the desired hydrolysis reaction is required.^{36–38} These drawbacks limit the scale-up of the synthesis procedures and pose a constraint on the use of these materials in fields where large amounts of relatively cheap materials are required (aerogel binders, aerogel granules, foundry sand and as thermal insulating compounds in vehicles, pipelines, packaging and home building). Especially for large scale preparation of high quality aerogels the inorganic salt based synthesis routes are still challenging. Only in the case of silica aerogels a cost-effective and fast synthesis procedure could be developed by using water-glass instead of a TEOS or TMOS precursor.³⁹ In comparison with silica aerogels for instance zirconia aerogels show even slightly better properties with respect to thermal conductivity⁴⁰ or melting point.⁴¹

Many papers have been published dealing with the synthesis of aerogels *via* the alkoxide route whereas only a small number of papers are related to the use of inorganic salts for example as zirconium sources for the synthesis of zirconia aerogels.

Chen and Jiao reported in 2007 the generation of zirconia aerogels by electrolyzing ZrOCl_2 solution followed by super-

^aUniversity of Osnabrück, Institute of Chemistry of New Materials, Physical Chemistry, Barbarastraße 7, 49069 Osnabrück, Germany. E-mail: helmut.schaefer@uos.de

^bGerman Aerospace Center, Institute of Materials Physics in Space, Linder Höhe, 51147 Cologne, Germany. E-mail: lorenz.ratke@dlr.de

† Electronic supplementary information (ESI) available: Details of the synthesis procedures, additional results from nitrogen adsorption measurements as well as from powder diffraction analyses can be taken from the supporting information. This material is available free of charge *via* the internet. See DOI: 10.1039/c3ra41688g

critical drying of the so formed gel.⁴² The groups of A. E. Gash,^{36,43–46} L. J. Hope-weeks,^{47,48} B. Zhou,⁴⁹ K. Nakanishi *et al.*^{50–52} have done plenty of work regarding the development and investigation of synthesis procedures leading to diverse oxide aerogels by using inorganic salt and additional epoxide as precursor. Anyway chloride-derived silica, titania or zirconia aerogels were rarely reported. Already more than 10 years ago Gash *et al.* reported on the successful generation of a chromia aerogel starting from nitrates or chlorides.⁴³ The general suitability of the described synthesis strategy in order to synthesize other transition metal oxide aerogels was mentioned in the paper, but only the synthesis and the properties of the corresponding chromia aerogels were shown. Because of the toxic properties of chromium in its hexavalent state engineers generally try to avoid the element chromium.⁵³

The work described in this contribution aims on the development of synthesis procedures for silica-, titania- and zirconia-aerogels, as well as mixed-metal-oxide aerogels based on cheap and non-toxic chloride based sources⁵⁴ or water glass, characterized by a rapid gel-formation. *Via* hydrolyses of TiCl_4 titania aerogels could be achieved. Titanium tetrachloride is an important intermediate in the production of titanium metal and the pigment titanium dioxide.^{55–57} On the basis of the bulk FOB (free on board) price of 1900 \$ per ton (99.9% purity),⁵⁸ it can be considered as one of the cheapest titanium sources. The price of titanium alkoxides of this purity is at least five times higher.⁵⁹ To the best of our knowledge, up to now no aerogels were synthesized using TiCl_4 as a starting material. Titania particles^{60–63} showing different particle sizes or coatings⁶⁴ have been achieved by sol-gel approaches using TiCl_4 .

We show that zirconia aerogels are accessible upon hydrolysis reaction starting from the corresponding chloride salt ZrCl_4 , a compound which can also be considered as cheap with a bulk FOB price of 11 \$ kg^{-1} .⁶⁵ No reference could be found up to now confirming the usage of this compound in order to generate pure zirconia aerogel. Where useful, water glass was inserted in our synthesis strategy. Water glass is a common network former for the generation of silica gels and aerogels. As water-glass is an economical basic chemical, an industrial process based on this precursor was developed for some time by BASF.⁶⁶ Zirconia aerogels were so far achieved by using other starting materials, respectively ZrCl_4 was used for other purposes: *via* sol-gel synthesis ZrO_2 aerogel was gained starting from $\text{Zr}_3(\text{PO}_4)_4$.⁶⁷ Kauzlarich *et al.* synthesized yttria-stabilized zirconia by a non-alkoxide sol-gel route *via* hydrolysis of ZrCl_4 and YCl_3 .³⁶ Richards *et al.* showed that iron-doped zirconia aerogels can be achieved by using zirconyl nitrate and iron nitrate as zirconium, respectively iron precursors *via* a solvothermal approach.⁶⁸ Different high vacuum technologies like chemical vapour deposition (CVD),⁶⁹ atomic layer deposition (ALD),^{70,71} and atomic layer chemical vapor deposition (ALCVD)⁷² have been used to generate zirconia thin films starting from ZrCl_4 .

We achieved mixed silica-titania aerogels through the reaction of water glass with TiCl_4 whereas in the literature only

the alkoxy route for the generation of these compounds (based on a mixture of Si- and Ti-alkoxides^{4,73,74} or single source alkoxy precursors^{75–77}) could be found. With respect to titania-zirconia aerogels, no reports in the literature could be found, indicating the access of this mixed oxide aerogels by using titanium and zirconium chlorides. Wang *et al.* reported in 2005 on the synthesis of titania-zirconia composite particles by a solvothermal procedure in an alcoholic solution at elevated temperatures involving chloride salts.⁷⁸ Only one paper reported on the synthesis of this composite aerogel starting from titanium-zirconium salts ($\text{Ti}(\text{SO}_4)_2$ and ZrOCl_2). The properties, especially the specific surface area with a value of $387 \text{ m}^2 \text{ g}^{-1}$ at intensive heat treatment, were not satisfying.⁷⁹ The alternative synthesis routes presented herein not only allow the reduction in the synthesis cost and the improvement in the scalability of the procedures, but also enable fine-tuning of the materials properties such as pore structure, constitution and density of the aerogels.

B Experimental methods

B1 Reagents


Zirconium(IV) chloride (99.5%, Aldrich), silicium(IV) chloride (99%, Aldrich), propylene oxide (99%, Aldrich), titanium(IV) chloride (98%, Fluka) and water glass (1.39 g cm^{-3} , Aldrich) were used as received unless noted otherwise. The synthesized aerogel samples were sputtered with gold and the morphology of the aerogels was investigated with a scanning electron microscope LEO 1530 VP. For this purpose non treated aerogel bodies as well as sliced aerogel bodies were used. Powder diffraction analyses were performed with an X'Pert Pro Diffractometer (Panalytical). The as-prepared aerogels were mortared and the X-ray diffraction data were recorded in order to determine the crystallographic phase. Afterwards the samples were heated up to 450°C in a standard oven (Naber N 11) under air and the crystallographic data were measured again. The surface area, pore size and pore size distribution were measured by using a multiple point nitrogen gas adsorption BET surface area analyzer (Micromeritics Tristar). Before the aerogel samples were de-gassed at 120°C for 30 min.

Pore size distributions were calculated from the desorption isotherms using the BJH method.

B2 Processing

B2.1 Synthesis of the hydrogels (Scheme 1). In a typical synthetic procedure a 20 ml plastic beaker was filled with distilled water, water/alcohol respectively water/tetrahydrofuran (THF) mixtures. The constitution of the solvent mixtures can be taken from Tables TS1–TS4, ESI† (supporting information). The metal salt was slowly added under stirring using a magnetic stirrer. In all cases the heat-release was compensated *via* a water bath (to 20°C) and the stirring speed was adjusted to 700 rpm. Within 90 s addition of the chloride precursor was completed. ZrCl_4 was slowly added in small portions using a spatula. SiCl_4 , and TiCl_4 were added *via* a syringe. It has





Scheme 1 Schematic presentation of the synthesis procedure.

proven effective to immerse the front tip of the needle of the syringe in the aqueous solution prior to the addition of the compounds in order to avoid any splashing due to the highly exothermic reaction. Immediately thereafter the auxiliary agent was added, which was found to be a requirement for the generation of titania or zirconia gels and some mixed metal oxide gels (Tables TS2–TS4, ESI†, supporting information). In case of the water glass assisted gel formation (Table TS4, ESI†), diluted water glass was filled into the beaker prior to the addition of the metal oxide precursor. In two cases water glass was replaced by the alkaline compound NaOH (Table TS4, ESI†) which was added after addition of the chloride precursor prior to gel formation. The solution was vigorously stirred until gel formation occurred at a pH value of around 5. The gel was aged with ethanol for around one week. Residual salts like NaCl and other byproducts like chloropropanol were washed out with water. Details of the synthesis procedures including the amounts of solvent, metal oxide precursor, auxiliary agent, alkaline component and the gelation times and can be taken from Tables TS1–TS4, ESI†. The gel time was defined as the time passed between additions of the last component required for the sol–gel transition and the disappearance of the vortex created by the rotating stirring bar.

B2.2 Synthesis of the aerogels. After solvent exchange with ethanol (20 ml for each sample) the wet gels were supercritically dried with carbon dioxide. Therefore the wet gels were transferred into a special metal shell (Fig. 1a), which was filled with ethanol. For this a knife was stuck through the bottom of the plastic beaker and thereby the gel body was carefully pushed out of the beaker. During this procedure it was ensured that the gel body has had no contact to air *i.e.* no phase boundary has penetrated the body. The shell was put into a DLR (German Aerospace Center, Deutsches Zentrum für Luft- und Raumfahrt)-made autoclave (Fig. 1b), which was tempered with cooling water of 17 °C. The autoclave was closed and afterwards liquid carbon dioxide was flushed into the autoclave until around 3 cm above the upper border of the shell. After a while the valve was opened and the fluid level was reduced down to 0.5 cm above the upper border of the shell. By this means ethanol was exchanged by CO₂ and the samples were flushed 10 times per day over a period of 2 days until the escaping CO₂ did not contain any more traces of ethanol. Afterwards the temperature was increased above the critical point (31.1 °C; 73.8 bar). At around 40 °C and 90 bar supercritical conditions were reached, *i.e.* the phase boundary disappeared. *Via* slow depressurization in most cases crack free aerogel bodies were gained (see Fig. 1a). Photos of crushed aerogel bodies gained after supercritical drying can be taken from S15–S28, ESI† (supporting information).




Fig. 1 (a) Metal shell with aerogels (HS_33) after supercritical drying. (b) DLR-made autoclave for supercritical drying.

C Results and discussion

C1 Synthesis of the aerogels

Silicon-, titanium- and zirconium oxide aerogels are among the most common aerogels due to their sophisticated properties like thermal stability,^{41,79} photocatalytic properties,^{80–82} in general low density,¹ high acoustical and thermal insulating properties.¹ Therefore we started our investigations with finding alternative precursors and overall facile approaches allowing to access these aerogels as well as mixed metal oxide aerogels containing two of the elements Si, Ti, and Zr. As Tables TS1–TS4, ESI† show, provided that suitable reaction conditions (constitution and temperature of the reaction mixture, pH value, stirrer speed and time duration for adding the precursors) have been chosen, abrupt gel-formation takes place. All the gels presented in the tables could be transferred to aerogels *via* supercritical drying in CO₂.

We were successful in preparing silica aerogels starting from SiCl₄ plus water or water THF mixtures, silica aerogels starting from SiCl₄ plus water glass, titania aerogels starting from TiCl₄ plus water or water/alcohol mixtures, zirconia aerogels starting from ZrCl₄ plus water and zirconia–titania, silica–titania mixed metal oxide aerogels starting from the corresponding chlorides *via* reaction with water or water glass with or without propylene oxide as auxiliary agent. In most of the cases a sol gel transition occurs within seconds (see Fig. 2, 4, 5, 6). From alkoxy precursors it is known, that they, depending on reaction conditions and type of the precursors, require gelling times up to a tenth of an hour.^{24,28,29,31,35,96} Especially for silica aerogels long gelling times go along with low transmittance.⁸³ Series






Fig. 2 (a) BET surface area for silica aerogels. (b) Image of sol-gel transition of SiCl_4 containing reaction mixture (sample HS_16.2).

syntheses show beyond that the gelling time is well reproducible. Supported not only by our findings it must be mentioned that the use of water glass up to some extent impairs the repeatability especially with respect to gelling time or overall gelation behaviour.^{84,85} Slight differences in the composition of water glass might be one reason. We obtained that *e.g.* the sodium content differs from supplier to supplier and hence commercially available sodium silicate solutions show Na_2O concentrations with values between 8 and 14 wt.%. Even when purchased from one supplier the composition can vary and the Na_2O content can reach values between 8.3 and 13 wt.%, respectively the SiO_2 content can be in the range between 26.5 and 29 wt.%.⁸⁶ This makes it difficult to design a reliable synthesis route. It turned out that in case that water glass was inserted in the reaction mixture abrupt gel-formation could be realized by adjusting the pH value in the range of 3. Depending on the ratio of alkaline compounds to acidic compounds *i. e.* the ratio of water glass to TiCl_4 , respectively the ratio of water glass to SiCl_4 , the pH value was controlled by adding either HCl or NaOH. From literature is

known that for the generation of microporous silica aerogels starting from water glass a pH value in between 3 and 5 seems to be desirable.^{87–89}

Supercritical drying with CO_2 was found to be the method of choice for the replacement of liquid by gas in the pores of the generated gels in order to achieve aerogels of high quality. The elsewhere reported long diffusion time and hence, time consuming solvent exchange between solvent and CO_2 ⁹⁰ could not be confirmed by us. The complete drying procedure using supercritical CO_2 was completed within 48 h. In general the supercritical drying procedure was more and more optimized over a long time period by different groups⁹¹ *i.e.* the statement that this drying technique is inefficient, expensive and not scaleable⁹² is more than questionable. CO_2 technology is already commercially applied in a variety of fields – from pharmacy to food sciences to the textile industry. CO_2 can be recycled easily, it is also non-flammable, non-toxic and inexpensive.⁹³ In many cases the process costs are lower than comparable conventional processes.⁹³ In comparison with other media used within the supercritical drying procedure like acetone⁹⁴ or alcohols,^{80,95,96} CO_2 benefits from its relatively mild supercritical conditions, especially the low supercritical temperature of 304.13 K. With the help of water glass, aerogels consisting of silica–titania mixed metal oxide aerogels were accessible even without additional auxiliary agent like propylene oxide (see Table TS4, ESI†). In all other cases propylene oxide acts, as a proton scavenger and raises the pH-value during the reaction. Reaction generated HCl is compensated, the hydrolysis and condensation can occur to form a three dimensional network.⁹⁶ During the condensation reaction chloropropanol is formed and can be easily washed out with ethanol or acetone.

With this synthesis strategy the overall costs of the synthesis procedure could be kept within limits inasmuch as also the chosen auxiliary agent propylene oxide is with a FOB price of 1900 \$ per ton⁹⁷ a low cost compound. At the same time acceptable results could be obtained. Detailed information can be taken from Fig. 2–6, TS1–TS4, ESI† (supporting information) showing the constitution of the reaction mixtures, surface area, pore size distributions (BJH plots), the XRD powder pattern and SEM images.

C2 Properties of the aerogels

C2.1 Silica aerogels. Two different synthesis strategies were realized in order to synthesize silica aerogels. One is based on the simple hydrolysis reaction of SiCl_4 (HS_16.2, HS_36, HS_8) in water or water–THF mixtures. Alternative to this procedure the material was achieved by immersing SiCl_4 into water glass (HS_97, HS_128, HS_129, see also Fig. TS2, ESI†).

For silica aerogels gained from SiCl_4 , BET surface values within the range 450 to almost 1400 m² g^{−1} were obtained (Fig. 2a). The hydrolysis reaction of SiCl_4 with water led, under optimal reaction conditions, to an aerogel with a surface area of 1391 m² g^{−1} (HS_36). The gel formation took place within less than 30 s. The corresponding white aerogel body was crack free but not transparent. The aerogel achieved by a similar synthesis route using 0.9 ml SiCl_4 instead of 1 ml showed a drastic reduced surface area of 450 m² g^{−1} (HS_16.2).




Fig. 3 BJH plot from silica aerogel sample HS_16.2 (a) and sample HS_36 (c). SEM pictures of silica aerogel sample HS_16.2 (b) and sample HS_8 (d).






Fig. 4 (a) BET surface areas for titania aerogels. (b) Image of sol-gel transition of TiCl_4 containing reaction mixture (sample HS_10.2). (c) BJH plot from titania aerogel sample HS_10.2. (d) SEM pictures of silica aerogel sample HS_10.2. (e) Powder Diffraction pattern from titania aerogel HS_138 as-prepared (upper figure), respectively heat-treated (lower figure). Peaks corresponding to tetragonal TiO_2 (anatase modification) (JCPDS 004-0477) are marked with an asterisk. (f) Powder diffraction pattern from titania aerogel HS_10.2 as-prepared (upper figure), respectively heat-treated (lower figure). Peaks corresponding to tetragonal TiO_2 (anatase modification) (JCPDS 004-0477) are marked with an asterisk.

The SEM image of the surface of this sample can be taken from Fig. 3b. It turned out that the hydrolysis of SiCl_4 performed in a solvent mixture of water-THF led to transparent gel bodies (HS_8). However showing a BET value of $459 \text{ m}^2 \text{ g}^{-1}$ the specific surface was much lower in comparison with our best sample. In addition the time required for gel formation was 2 days, which within this series of experiments represents the longest time. Some alkoxy precursor routes require duration times in the same dimension. Rao *et al.* reported on the synthesis and characterization of silica aerogels by hydrolysis reactions of TEOS, TMOS or polyethoxydisiloxane (PEDS).²⁴ The hydrolysis of TEOS in alcohol-water mixtures delivered after 2.2 days a stable gel which could, *via* supercritical drying in CO_2 , transferred to an aerogel with a surface area of $800 \text{ m}^2 \text{ g}^{-1}$.²⁴ By using TMOS or PEDS instead of TEOS the gelation time could be decreased down to 30 min (TMOS), respectively 10 min for PEDS and at the same time the surface area was increased to $1000 \text{ m}^2 \text{ g}^{-1}$ (TMOS), respectively $1100 \text{ m}^2 \text{ g}^{-1}$ (PEDS). Anyway neither the use of TEOS, nor the use of TMOS is desirable most of all because of their toxicity.⁹⁸ A silica aerogel with a BET value of $733 \text{ m}^2 \text{ g}^{-1}$ from the reaction of SiCl_4 with water glass followed by supercritical drying could be achieved (HS_128). Unfortunately the corresponding aerogel body, white in color, showed cracks. Tamon *et al.* investigated silica aerogels synthesized from TEOS and reported on the relation between visible light transmittance (wavelength: 600 nm) of silica aerogels and surface area.⁹⁹

They found that the higher the surface area the higher the light transmittance. The possibility that the light transmittance of an aerogel body can be used as a criterion in order to




Fig. 5 (a) BET surface area for zirconia aerogels. (b) BJH plot from zirconia aerogel sample HS_3.2. The inset showing the image of sol-gel transition of ZrCl_4 containing reaction mixture (sample HS_3.2). (c) SEM pictures of silica aerogel sample HS_3.2. (d) Powder diffraction pattern from zirconia aerogel HS_3.1 as-prepared (upper figure), respectively heat-treated (lower figure). Peaks corresponding to tetragonal ZrO_2 (JCPDS 01-080-0965) are marked with an asterisk.






Fig. 6 (a) BET surface area for mixed metal oxide aerogels. (b) BJH plot from zirconia-/titania aerogel sample HS_32. The inset showing image of sol-gel transition of ZrCl₄ and TiCl₄ containing reaction mixture (sample HS_32) (left) and of SiCl₄ and water glass containing reaction mixture (sample HS_97) (right). (c–e) SEM pictures of silica aerogel sample HS_32 (c), HS_43.1 (d) and HS_126 (e). (f–g) Powder diffraction pattern of titania-zirconia aerogel HS_32 before (f) and after (g) annealing.

predict the quality *e.g.* the BET surface seems to be valid only within a series of syntheses with similar characteristics with respect to precursors, reaction conditions and so on. While changing the reaction parameters within the synthesis series of our silica aerogels we could not prove this generally applicable rule. For the transparent sample HS_8 (see also SEM image Fig. 3d) a BET value of 459 m² g^{−1} was determined whereas the turbid sample HS_36 showed a surface area of almost 1400 m² g^{−1}. The pore size distributions of selected silica aerogels can be taken from the BJH plots shown in Fig. 3a, 3c, S1–S3, ESI†.

The samples gained from the hydrolysis of SiCl₄ with water showed, although the constitution of the reaction mixture only slightly differs, large deviations with respect to the pore size distribution. When 0.9 ml SiCl₄ was used (HS_16.2) a broad size distribution was found, showing pore sizes in the range 5–50 nm (Fig. 3a). In an equal synthesis reaction 1 ml of the same precursor already led to very small pores below 6 nm and a narrow size distribution with pore sizes within the range of 2–6 nm (Sample HS_36; Fig. 3c). The reproducibility of both results was satisfying and it is actually not fully understood why small changes in the constitution of the reaction mixture has such a big influence on the results. Generally SiO₂ exists in different crystalline modifications, crystalline phases like quartz, tridymite or cristobalite. All as-prepared silica aerogels as well as all samples heated up to 450 °C consisted of X-ray amorphous SiO₂. This can be taken from the powder diffraction pattern of selected samples (see Fig. S4–S7, ESI†). In case of HS_97 the diffraction pattern show peaks belonging to NaCl, JCPDS 01-077-2064 (see Fig. S7, ESI†). NaCl is a

byproduct from the reaction of water glass and SiCl₄. Before heat treatment the samples were washed with water to remove impurities coming from precursors or byproducts like NaCl. This is the reason that only traces of NaCl can be found in the heat treated sample (see Fig. S7, ESI†).

Hydrolysis of SiCl₄ performed in H₂O/THF mixtures followed by drying of the gels resulted in an aerogel with a pore size distribution of 3–23 nm (sample HS_8, Fig. S1, ESI†). A very broad range of pore sizes could be found for the aerogels derived from SiCl₄ and water glass (samples HS_97, HS_128; Fig. S2, S3, ESI†).

C2.2 Titania aerogels. Fig. 4a shows the surface area of the titania aerogels we achieved using TiCl₄ as titanium precursor. Fig. 4c shows the BJH plot of a selected titania aerogel (HS_10.2). Within the synthesis series the amount of TiCl₄ was kept fixed. It turned out that changes within the constitution of the solvent (water or water-ethanol mixtures) or the concentration of the auxiliary agent propylene oxide had only an effect on the surface area of the corresponding aerogel but not on the pore sizes respectively the pore size distributions. We obtained, depending on the constitution of the reaction mixture, surface areas in between 466 and 733 m² g^{−1}. All (titania) samples showed almost the same pore size distribution with pore sizes within a narrow range between 10 and 20 nm (see Fig. 4c). The SEM analysis of a sectional area of sample HS_10.2 can be taken from (Fig. 4d). Although big pores in a range >> 100 nm were obtained, the total number of these bigger cavities in comparison with the total number of small pores < 20 nm seems to be negligibly small (see BJH plot Fig. 4c). BJH plots on the basis of BET measurements only take the open porosity into account which does not contribute to the skeletal density. In the case of HS_10.2 the bigger pores seem to be not connected to other pores *i.e.* not contribute to what we see *via* BET measurements. Titanium dioxide crystallizes in three different crystal forms at atmospheric pressure: anatase, brookite and rutile. The as-prepared titania aerogels were X-ray amorphous as can be taken from Fig. 11, 12. The heat treated samples were crystalline showing the tetragonal anatase-phase, JCPDS 004-0477, (see Fig. 4e, f). This finding is not astonishing. The gas phase hydrolysis of TiCl₄ performed at 360–550 °C by Xia *et al.* also led to anatase-phase TiO₂.^{60,100} Ko *et al.* found that rutile type TiO₂ only begins to form at 873 K and is than the dominant phase at 1073 K.³² Crystalline titania aerogels showing the anatase form right after supercritical drying in alcohol-water mixtures at 300 °C were achieved by Brown *et al.*²⁷

Recently Anderson *et al.* reported on the synthesis of titania and mixed silica-/titania aerogels using autoclave technique in which both, gelation of the alkoxy precursors and supercritical drying was performed.²⁷ The advantage of this method is that it is less time consuming (<6 h in total) than the classical sol-gel procedure. This synthesis procedure, developed by Gauthier *et al.*¹⁰¹ led to titania aerogels with surface areas in the range between 127 and 188 m² g^{−1}²⁷ so much lower than the ones we generated starting from inorganic chlorides. Small surface areas of around 220 m² g^{−1} for titania aerogels were also reported by Ko *et al.*³² The aerogels were gained from classical synthesis procedures starting from titanium *n*-butoxide *via* sol-gel transition. Photocatalytic properties of titania



based composite aerogels achieved from the alkoxy synthesis route were described in a recent publication written by Sunol *et al.*³³ They compared their products with commercially available industry standard TiO_2 compounds and found 5–10 times greater BET surface areas. Anyway the BET values obtained here were at least 50% lower in comparison with our findings.

C2.3 Zirconia aerogels. Fig. 5a shows the surface areas of our zirconia aerogel samples. We found out that the hydrolysis and condensation of 5 mmol ZrCl_4 can ideally be performed in 10 ml water and 5 ml propylene oxide leading to aerogels with surface areas of about $600 \text{ m}^2 \text{ g}^{-1}$ (HS_3.2). This exactly matches the surface size of the corresponding titania compound HS_10.2 derived from an equal reaction mixture (5 mmol TiCl_4 instead of ZrCl_4 , see Table TS2, ESI†). The BJH plot (Fig. 5b) of sample HS_3.2 is comparable to the one obtained for the corresponding titania aerogel HS_10.2 as well (Fig. 4c). Also here a narrow pore size distribution is shown, presenting pore sizes in the range between 3 and 20 nm. Fig. 5c shows the SEM image of sample HS_3.2. Also here on different areas of sliced pieces of the aerogel body bigger pores in the range between 200 and 1000 nm than the ones “visible” *via* BET analyses can be detected. ZrO_2 is found with different crystal structures. Known are the monoclinic (baddeleyite), a tetragonal and a cubic modification (fluorite type). Also the non heat treated zirconia aerogels show no crystallinity as can be derived from the X-ray powder diffraction pattern of sample HS_3.1 (Fig. 5d upper image). Whereas the samples heated to 450°C crystallize in the tetragonal structure (JCPDS 01-080-0965) as can be taken from Fig. 5d lower image. Upon calcination at 773 K Baiker *et al.* obtained tetragonal phase zirconia as well.³¹ The temperature depending tetragonal to monoclinic phase transition of zirconia aerogels was investigated by Ko *et al.*²⁸ who found at 773 K also monoclinic phase zirconia after heating for a day or more.

In comparison with synthesis procedures leading to titania aerogels which are actually all based on organic precursors, in case of zirconia aerogels some synthesis routes starting from inorganic precursors are described in the literature. Most of the synthesis procedures leading to zirconia aerogels reported so far are based on tetra alkoxy precursors like zirconium tetra-*n*-propoxide,^{28,29} zirconium tetra-*i*-propoxide,³⁰ and zirconium tetra-*n*-butoxide.³¹

Ko *et al.* reported on the syntheses of zirconia aerogels starting from both, inorganic and organic Zr precursors²⁸ and studied the effect of heat treatment on the physical properties of this material achieved from zirconium-*n*-propoxide. He obtained BET surface areas up to $134 \text{ m}^2 \text{ g}^{-1}$ and mentioned in his report other groups who performed hydrolysis reactions of zirconyl chloride and zirconyl nitrate at last resulting in aerogels with surface areas in the same range. By using the same precursor (zirconium-*n*-propoxide) Suh *et al.* obtained slightly higher BET values and studied the effect of the reaction temperature on the gelation time as well as the influence of the aging conditions on the textural properties.²⁹ Baiker published on the synthesis and characterization of zirconia aerogels starting from the hydrolysis of zirconium tetra butoxide in acid-alcohol mixtures.³¹ They obtained, depending on the nature of supercritical drying (CO_2 low

temperature or alcohol high temperature drying condition), BET values in the range 50–100 for CO_2 dried species and 140–200 $\text{m}^2 \text{ g}^{-1}$ for the high temperature dried aerogels.³¹ Surface areas in the range we found for zirconia aerogels were published by Hui *et al.* in a recent publication.¹⁰² Hydrolysis and condensation of zirconium nitrate with the help of propylene oxide followed by ambient pressure drying resulted in aerogels with nanoscale porous network showing pore sizes below 10 nm and surface areas in between 480 and $650 \text{ m}^2 \text{ g}^{-1}$ whereas all procedures starting from organic zirconium precursors seem to result in aerogels with lower surface areas showing values in the range between 50 and $240 \text{ m}^2 \text{ g}^{-1}$.^{28,29,31,103}

C2.4 Mixed metal oxide aerogels. The surface areas of the mixed metal oxide aerogels can be taken from Fig. 6a. Fig. 6b, S8–S10, ESI† show the BJH plots from selected samples of zirconia-titania and silica-titania aerogels. Zirconia-titania aerogels were achieved by immersing equal (5 mmol) amounts of ZrCl_4 and TiCl_4 into water-propylene oxide mixtures followed by supercritical drying of the gel. Small pore sizes and a narrow pore size distribution (2–5 nm) can be taken from the BJH plot (Fig. 6b) of sample HS_32. The surface area is $577 \text{ m}^2 \text{ g}^{-1}$. The SEM image (Fig. 6c) shows a smoother surface. Pores with sizes $> 100 \text{ nm}$ could not be found in any area. In contrary to the successful synthesis described so far a mixture of ZrCl_4 and sodium silicate solution resulted in non-stable wet gels. The powder diffraction analyses of sample HS_32 which can be taken from Fig. 6f and g show an interesting result. Neither the as-prepared compound, nor the heat treated (450°C) compound shows crystallinity. At relatively low temperature Wang and Xiao generated crystalline nanocomposite particles consisting of anatase-type titania (TiO_2) and cubic/tetragonal zirconia *via* hydrolysis reaction of TiCl_4 and ZrOCl_2 .⁷⁸

Titania-zirconia composite aerogel materials have been prepared by sol-gel transition of the hydrolysis reaction of inorganic precursors $\text{Ti}(\text{SO}_4)_2$ and ZrOCl_2 plus subsequent supercritical drying in CO_2 .⁷⁹ This is indeed an interesting approach. The aerogels showed depending on the TiO_2 to ZrO_2 ratio and heat treatment BET-surface values up to $450 \text{ m}^2 \text{ g}^{-1}$ and a quite broad pore size distribution with pore sizes in the range between 10 and 60 nm.⁷⁹ However with respect to pore size and pore size distribution our experiment showed slightly better results.

We realized the synthesis of silica-titania aerogels by immersing TiCl_4 into water glass solutions. The Ti-Si ratio was adjusted by the amount of TiCl_4 respectively water glass (see also Table TS4, ESI†). The BET surface values vary, depending on the reaction conditions and Ti-Si ratios and are in the range 71 and $954 \text{ m}^2 \text{ g}^{-1}$.

By far the best result was obtained in case of a Si-Ti ratio of 5 : 1 without additional amount of propylene oxide ($954 \text{ m}^2 \text{ g}^{-1}$; HS_126). Among the synthesized silica-titania aerogels this sample showed also the smoothest surface (see SEM image HS_126 Fig. 6e). Anyway, if in this procedure the alkaline compound NaOH is replaced by propylene oxide the surface area was reduced by more than 40% (HS_91, $555 \text{ m}^2 \text{ g}^{-1}$). Poor results were obtained if the Si-Ti ratio was adjusted to 10 (HS_43.1). The aerogel showed a very low BET surface






Fig. 7 (a) Powder diffraction pattern from silica-titania aerogel HS_115 as prepared (upper figure), respectively heat-treated (lower figure). Peaks corresponding to NaCl (JCPDS 01-077-2064) are marked with an asterisk. Peaks corresponding to tetragonal TiO_2 , anatase modification (JCPDS 004-0477) are marked with a sphere. (b) Powder diffraction pattern from silica-titania aerogel HS_126 as prepared (upper figure), respectively heat-treated (lower figure). Peaks corresponding to NaCl (JCPDS 01-077-2064) are marked with an asterisk. Peaks corresponding to tetragonal TiO_2 , anatase modification (JCPDS 004-0477) are marked with a sphere.

area ($71 \text{ m}^2 \text{ g}^{-1}$) and a very broad pore size distribution with pore sizes in the range 10–120 nm (see Fig. S9, ESI†), which is accompanied by a rough surface with pore sizes up to micrometer range (see SEM image in Fig. 6d). In contrary to the other mixed metal oxide aerogels, the aerogel network of this compound (HS_43.1) shows a more columnar structure. Interestingly within the series of mixed metal oxide aerogels only the titania-zirconia compound showed a narrow pore-size distribution (Fig. 6b). In case of the synthesized silica-titania aerogels the pore-size distribution was much broader with size intervals of 20–60 nm when propylene oxide as auxiliary agent was used (HS_91). The neutralization of an excess of acidic (HS_126) or alkaline (HS_43.1) precursors within the sol-gel reaction by NaOH (HS_126) or HCl (HS_43.1) obviously is responsible for wide pore size intervals ranging from 10–140 nm, respectively from 10–120 nm (HS_43.1). The crystallinity of all samples was checked by X-ray diffraction analyses – the results can be taken from Fig. 6f, g and 7, and S11–S14, ESI†. Although we performed many experiments no gel formation was observed starting from mixtures of TiCl_4 – SiCl_4 and TiCl_4 – SiMeCl_3 .

Most of the synthesized silica-titania aerogels do not crystallize, neither at room temperature – nor at elevated temperature (450°C). This finding coincides with the results from other groups. Schubert *et al.* obtained within the silica-titania system a very high onset temperature for the crystallization of anatase (800°C) respectively cristobalite (1050°C).⁷⁵ Especially for the heat treated samples of HS_115 and HS_126 onset of crystallisation can be derived from peaks on the position typical for anatase type TiO_2 (see Fig. 7). Why these samples show some kind of crystallisation whereas similar performed syntheses do not lead to crystalline products remains, however unclear.

Hydrolysis of mixtures of Si- and Ti-alkoxides or single source alkoxy precursors were used by other groups in order to prepare silica-titania aerogels and xerogels. Organic based single source precursors for silica-titania aerogels and xerogels were developed.⁷⁵ This procedure is hardly suitable for mass production of this material because of the expected

high costs of the precursors. In addition the BET surface areas were, depending on the single source precursor used, 90 respectively $230 \text{ m}^2 \text{ g}^{-1}$. Also the stepwise hydrolysis of separated Si and Ti precursors did not lead to convincing results in view of quite low BET surface areas and relatively high costs caused by the precursors.⁷³ Yoda *et al.* generated silica-titania mixed aerogels by impregnation of organic titanium precursors into silica gels using different techniques.^{74,104,105} In terms of microstructure and porosity the results were brilliant. Large surface areas up to $900 \text{ m}^2 \text{ g}^{-1}$ could be achieved^{74,104,105} and densities down to 0.15 g cm^{-3} ¹⁰⁵ were reached. On the other hand the procedures do not seem to be straightforward⁶⁵ and in addition partially expensive and toxic precursors like tetramethoxysilane TMOS were used.¹⁰⁵

D Conclusions

We have reported a rapid, straightforward synthesis of high quality, highly stable aerogels based on hydrolysis reactions of cheap precursors comprising titanium(IV) chloride, silicon(IV) chloride, zirconium(IV) chloride with or without water glass as additional network former. It should be noted that cheap propylene oxide can also be used as auxiliary agent. Apart from single metal oxide aerogels mixed-metal-oxide aerogels can be prepared by the hydrolysis of a mixture of chloride precursors. This technique provides a straightforward method for the preparation of homogeneous gels in aqueous solutions without the need for alkoxide precursors or complicate reaction procedures. Ethanol, required for solvent exchange was recycled and this step did not complicate the procedure. Supercritical drying of some of the gels led to crack-free aerogel bodies with nanoporous structure showing narrow pore size distribution with pore sizes in the nm range. X-ray powder diffraction analysis show that the as-prepared aerogels did not crystallize. After heat treatment at 450°C titania and zirconia aerogels and some of the mixed oxide aerogels crystallize to form expected crystal structures. With nitrogen adsorption measurements, the BET surface areas of the aerogels up to $1400 \text{ m}^2 \text{ g}^{-1}$ were determined, suggesting their potential use as an additives in foundry applications. For the use as aerogel binders, aerogel granules, foundry sand and as thermal insulating compounds in vehicles, pipelines, packaging and home building the production costs have to be reduced drastically. The materials prepared by this method are currently being evaluated for these purposes and the results will be published elsewhere.

Acknowledgements

The authors thank Markus Haases group for performing the XRD measurements and Martin Steinharts group for giving the possibility to perform a part of the experiments in his labs.



References

- H. D. Gesseshr and P. C. Goswami, *Chem. Rev.*, 1998, **89**, 765.
- N. Hüsing and U. Schubert, *Angew. Chem., Int. Ed.*, 1998, **37**, 22.
- A. C. Pierre and G. M. Pajonk, *Chem. Rev.*, 2002, **102**, 4243.
- K. Sinko, *Materials*, 2010, **3**, 704.
- J. L. Gurav, I.-K. Jung, H.-Ho. Park, E. S. Kang and D. Y. Nadargi, *J. Nanomater.*, 2010, DOI: 10.1155/2010/409310.
- S. S. Kistler, *Nature*, 1931, **127**, 741.
- T. Sumiyoshi, I. Adachi, R. Enomoto, T. Iijima, R. Suda, N. Yokoyama and H. Yokogawa, Proceedings of the Fifth International Symposium on Aerogels (ISA 5), *J. Non-Cryst. Solids*, 1998, **225**, 369.
- T. Sumiyoshi, I. Adachi, R. Enomoto, T. Iijima, R. Suda, C. Leonidopoulos, D. R. Marlow, E. Prebys, R. Kawabata, H. Kawai, T. Ooba, M. Nanao, K. Suzuki, S. Ogawa, A. Murakami and M. H. R. Khan, *Nucl. Instrum. Methods Phys. Res., Sect. A*, 1999, **433**, 385.
- A. R. Buzykaev, A. F. Danilyuk, S. F. Ganzhur, E. A. Kravchenko and A. P. Onuchin, *Nucl. Instrum. Methods Phys. Res., Sect. A*, 2000, **433**, 396.
- A. K. Gougas, D. Ilie, S. Ilie and V. Pojdaev, *Nucl. Instrum. Methods Phys. Res., Sect. A*, 2000, **421**, 249.
- T. M. Tillotson, W. E. Sunderland, I. M. Thomas and L. W. Hrubesh, *J. Sol-Gel Sci. Technol.*, 1994, **1**, 241.
- C. M. Mo, Y. H. Li, Y. S. Liu, Y. Zhang and L. D. Zhang, *J. Appl. Phys.*, 1998, **83**, 4389.
- B. B. Owens, S. Passerini and W. H. Smyrl, *Electrochim. Acta*, 1999, **45**, 215.
- J. W. Long, K. E. Swider, C. I. Merzbacher and D. R. Rolison, *Langmuir*, 1999, **15**, 780.
- G. M. Pajonk, *Appl. Catal.*, 1991, **72**, 217.
- G. Matis, F. Juillet and S. Teichner, *J. Bull. Soc. Chim. Fr.*, 1976, 1633.
- F. Blanchard, B. Pommier, J. P. Reymond and S. J. Teichner, *J. Mol. Catal.*, 1982, **17**, 171.
- B. E. Yoldas, M. J. Annen and M. J. Bostaph, *Chem. Mater.*, 2000, **12**, 2475.
- D. Quenard, B. Chevalier, H. Sallee, F. Olive and D. Giraud, *Rev. Metall. Cah. Inf. Tech.*, 1998, **95**, 1149.
- J. F. T. Conroy, B. Hosticka, S. C. Davis, A. N. Smith and P. M. Norris, *Microscale Thermophys. Eng.*, 1999, **3**, 199.
- M. Gronauer and J. Fricke, *Acustica*, 1986, **59**, 177.
- L. C. Klein, *Annu. Rev. Mater. Sci.*, 1985, **15**, 227.
- A. H. Boonstra and C. A. M. Mulder, *J. Non-Cryst. Solids*, 1988, **105**, 201.
- P. B. Wagh, R. Begag, G. M. Pajonk, A. V. Rao and D. Haranath, *Mater. Chem. Phys.*, 1999, **57**, 214.
- S. Henning and L. Svensson, *Phys. Scr.*, 1981, **23**, 697.
- M. Yamane, S. Inove and A. Yasumori, *J. Non-Cryst. Solids*, 1984, **63**, 12.
- L. B. Brown, A. M. Anderson and M. K. Carrol, *J. Sol-Gel Sci. Technol.*, 2012, **62**, 404.
- D. A. Ward and E. I. Ko, *Chem. Mater.*, 1993, **5**, 956.
- D. J. Suh and T.-J. Park, *Chem. Mater.*, 2002, **14**, 1452.
- S. J. Teichner, G. A. Nicolaon, M. A. Vicarini and G. E. Gardes, *Adv. Colloid Interface Sci.*, 1976, **5**, 245.
- C. Stocker and A. Baiker, *J. Non-Cryst. Solids*, 1998, **223**, 165.
- L. K. Campbell, B. K. Na and E. I. Ko, *Chem. Mater.*, 1992, **4**, 1329.
- H. Li, S. G. Sunol and A. K. Sunol, *Nanotechnology*, 2012, **23**, 294012.
- S. Kelly, F. H. Pollak and M. Tomkiewicz, *J. Phys. Chem. B*, 1997, **101**, 2730.
- B. Ksapabutr, E. Gulari and S. Wongkasemjit, *Mater. Sci. Forum Vols.*, 2005, **549**, 480.
- C. N. Chervin, B. J. Clapsaddle, H. W. Chiu, A. E. Gash, J. H. Jr. Satcher and S. M. Kauzlarich, *Chem. Mater.*, 2005, **17**, 3345.
- T. Okubo, T. Takahashi, M. Sadakata and H. Nagamoto, *J. Membr. Sci.*, 1996, **118**(2), 151.
- C. Xia, H. Cao, H. Wang, P. Yang, G. Meng and D. Peng, *J. Membr. Sci.*, 1999, **162**, 181.
- S. D. Bhagat, Y.-H. Kim, M.-J. Moon, Y.-S. Ahn and J.-G. Ye, *Solid State Sci.*, 2007, **9**(7), 628.
- L. W. Hrubesh and R. W. Pekala, *J. Mater. Res.*, 1994, **9**(3), 731.
- N. Olivi-Tran, A. Lecomte, P. Lenormand and A. Dager, *J. Phys.: Condens. Matter*, 2000, **12**, 7547.
- Z. Zhao, D. Chen and X. Jiao, *J. Phys. Chem. C*, 2007, **111**, 18738.
- A. E. Gash, T. M. Tillotson, J. H. Jr. Satcher, L. W. Hrubesh and R. L. Simpson, *J. Non-Cryst. Solids*, 2001, **285**, 22.
- A. E. Gash, J. H. Satcher and R. L. Simson, *Chem. Mater.*, 2003, **15**, 3268.
- A. E. Gash, T. M. Tillotson, J. H. Jr. Satcher, J. F. Poco, L. W. Hrubesh and R. L. Simpson, *Chem. Mater.*, 2001, **13**, 999.
- B. J. Clapsaddle, A. E. Gash, J. H. Satcher and R. L. Simpson, *J. Non-Cryst. Solids*, 2003, **331**(1–3), 190.
- Y. P. Gao, C. N. Sisk and L. J. Hope-Weeks, *Chem. Mater.*, 2007, **19**, 6007.
- S. K. Gill and L. J. Hope-Weeks, *Chem. Commun.*, 2009, 4384–4386.
- Z. Deng, J. Wang, Y. Zhang, Z. Weng, Z. Zhang, B. Zhou, J. Shen and L. Cheng, *Nanostruct. Mater.*, 1999, **11**(8), 1313.
- R. Takahashi, S. Sato, T. Sodesawa, K. Suzuki, M. Tafu, K. Nakanishi and N. Soga, *J. Am. Ceram. Soc.*, 2001, **84**(9), 1968.
- R. Takahashi, K. Nakanishi and N. Soga, *J. Sol-Gel Sci. Technol.*, 1997, **8**, 71.
- R. Takahashi, K. Nakanishi and N. Soga, *J. Ceram. Soc. Jpn.*, 1998, **106**, 772.
- H. Schäfer, H.-R. Stock and P. Mayr, *Corros. Sci.*, 2005, **47**, 953.
- C. C. Pavel, D. Vuono, L. Catanzaro, P. De Luca, N. Bilba, A. Nastro and J. B. Nagy, *Microporous Mesoporous Mater.*, 2002, **56**, 227.
- D. S. van Vuuren, S. J. Oosthuizen and M. D. Heydenrych, *The Journal of The Southern African Institute of Mining and Metallurgy*, 2011, **111**, 141.
- R. A. Gonzalez, C. D. Musick and J. N. Tilton, Process for controlling agglomeration in the manufacture of TiO₂, *U.S. Patent* 5,508,015, April 16, 1996.
- J. C. Deberry, M. Robinson, M. D. Pomponi, A. J. Beach, Y. Xiong and K. Akhtar, Controlled vapor phase oxidation



- of titanium tetrachloride to manufacture titanium dioxide, *U.S. Patent* 6,387,347, May 14, 2002.
- 58 Supplier: Hutong Global Co., Ltd, Chagugang town, wuqing district, Tianjin, China. Date of quotation: 09/17/2012.
 - 59 Supplier: Tomson Chemical Limited, Hangzhou, China, Price: 8400 \$/ton; Date of quotation: 09/17/2012.
 - 60 T.-H. Wang, A. M. N. Lopez, S. Li, D. A. Dixon and J. L. Gole, *J. Phys. Chem. A*, 2010, **114**, 7561.
 - 61 W. Zheng, X. Liu, Z. Yan and L. Zhu, *ACS Nano*, 2009, **3**(1), 115.
 - 62 A. D. Paola, M. Bellardita, R. Ceccato, L. Palmisano and F. Parrino, *J. Phys. Chem. C*, 2009, **113**, 15166.
 - 63 D.-S. Lee and T.-K. Liu, *J. Sol-Gel Sci. Technol.*, 2002, **25**, 121.
 - 64 N. Sasireka, B. Rajesh and Y.-W. Chen, *Thin Solid Films*, 2009, **518**(1), 43.
 - 65 Producer: Shanghai Richem International Co., Ltd., Shanghai, China, Date of quotation: 09/17/2012.
 - 66 F. J. Broecker, W. Heckmann, F. Fischer, M. Mielke, J. Schroeder and A. Stange, Proceedings of the Second International Symposium on Aerogels (ISA2), *Rev. Phys. Appl. Colloq.*, 1989, 10.
 - 67 R. A. Boyse and E. I. Ko, *Catal. Lett.*, 1996, **38**, 225.
 - 68 L. Chen, J. Hu and R. M. Richards, *ChemPhysChem*, 2008, **9**, 1069.
 - 69 H. W. Brinkmann, G. Z. Zhao and A. Burggraf, *J. Solid State Ion*, 1993, **37**, 63.
 - 70 A. Rahtu and M. Ritala, *J. Mater. Chem.*, 2002, **12**, 1484.
 - 71 A. K. Kivi, E.-L. Lakomaa, A. Root, H. Osterholm, J.-P. Jacobs and H. H. Brongersma, *Langmuir*, 1997, **13**, 2717.
 - 72 J. C. Wang, S. H. Chiao, C. L. Lee, T. F. Lei and Y. M. Lin, *J. Appl. Phys.*, 2002, **92**, 3936.
 - 73 M. A. Holland, D. M. Pickup, G. Mountjoy, E. S. C. Tsang, G. W. Wallidge, R. J. Newport and M. E. Smith, *J. Mater. Chem.*, 2000, **10**, 2495.
 - 74 S. Yoda, K. Otake, Y. Takebayashi, T. Sugeta and T. Sato, *J. Non-Cryst. Solids*, 2001, **285**, 8.
 - 75 W. Rüpp, N. Hüsing and U. Schubert, *J. Mater. Chem.*, 2002, **12**, 2594.
 - 76 K. W. Terry and T. D. Tilley, *Chem. Mater.*, 1991, **3**, 1001.
 - 77 M. P. Coles, C. G. Lugmair, K. W. Terry and T. D. Tilley, *Chem. Mater.*, 2000, **12**, 122.
 - 78 X. M. Wang and P. Xia, *J. Mater. Res.*, 2006, **21**(2), 355.
 - 79 Y. Wan, J. X. Ma, W. Zhou, Y. J. Zhu, X. Y. Song and H. X. Li, *Appl. Cat. A: General*, 2004, **277**(55), 1.
 - 80 B. Malinowska, J. Walendziewski, D. Robert, J. V. Weber and M. Storalski, *Int. J. Photoenergy*, 2003, **5**, 147.
 - 81 B. Sen and A. Vannice, *J. Catal.*, 1998, **113**, 52.
 - 82 D. Robert and J. V. Weber, *J. Clean. Prod.*, 1998, **6**, 335.
 - 83 G. Poelz and R. Riethmüller, Cerenkov counters, *Report 811055, DESY (Deutsches Elektronen-Synchrotron)*, 1981.
 - 84 A. V. Rao, G. M. Pajonk and N. N. Parvathy, *J. Mater. Sci.*, 1994, **29**, 1807.
 - 85 S. Ki. Hong, Mi. Y. Yoon and H. Jin Hwang, *J. Am. Ceram. Soc.*, 2011, **94**(10), 3198.
 - 86 Qingdao Sinoglory Chemical Co., Ltd, Qingdao, China.
 - 87 Y. C. Cha, C. E. Kim, S. Lee, H. J. Hwang, J. W. Moon, I. S. Han and S.-K. Woo, *Sol. State Phenom. Vols.*, 2007, **671**, 124.
 - 88 A. V. Rao, A. P. Rao and M. M. Kulkarni, *J. Non-Cryst. Solids*, 2004, **350**, 224.
 - 89 C. J. Lee, G. S. Kim and S. H. Hyun, *J. Mater. Sci.*, 2002, **37**, 2237.
 - 90 L. M. Hair, R. W. Pekala, R. E. Stone, C. Chen and S. L. Buckley, *J. Vac. Sci. Technol.*, **A**, 1988, **6**, 2559.
 - 91 C. A. Garcia-Gonzalez, M. C. Camino-Rey, M. Alnaief, C. Zetzl and I. Smirnova, *J. Supercrit. Fluids*, 2012, **66**, 297.
 - 92 F. Schwertfeger, D. Frank and M. Schmidt, *J. Non-Cryst. Solids*, 1998, **225**, 24.
 - 93 FeyeCon Development & Implementation B. V. 1382 GS Weesp, The Netherlands.
 - 94 C. Liang, G. Sha and S. Guo, *J. Non-Cryst. Solids*, 2000, **271**, 167.
 - 95 F. Kirkbir, H. Murata, D. Meyers and S. R. Chaudhuri, *J. Non-Cryst. Solids*, 1998, **225**, 14.
 - 96 T. M. Tillotson, W. E. Sunderland, I. M. Thomas and L. W. Hrubesh, *J. Sol-Gel Sci. Technol.*, 1994, **1**, 241.
 - 97 Dongying Longxing Chemical Co., Ltd., Shandong, China, Date of quotation: 10/08/2012.
 - 98 G. B. Kolesar, W. H. Siddiqui, R. G. Geil, R. M. Malczewski and E. J. Hobbs, *Fundam. Appl. Toxicol.*, 1989, **13**, 285.
 - 99 H. Tamon, T. Kitamura and M. Okazaki, *J. Colloid Interface Sci.*, 1998, **197**, 353.
 - 100 B. Xia, H. Huang and Y. Xie, *Mater. Sci. Eng., B*, 1999, **57**, 150.
 - 101 B. M. Gauthier, S. D. Bakrania, A. M. Anderson and M. K. Carroll, *J. Non-Cryst. Solids*, 2004, **350**, 238.
 - 102 X. Z. Guo, L. Q. Yan, H. Yang, J. Li, C. Y. Li and X. B. Cai, *Acta. Phys. Chim. Sin.*, 2011, **27**(10), 2478.
 - 103 C. Stöcker, M. Schneider and A. Baiker, *J. Porous Mater.*, 1996, **2**, 325.
 - 104 S. Yoda, Y. Tasaka, K. Uchida, A. Kawai, S. Ohshima and F. Ikazaki, *J. Non-Cryst. Solids*, 1998, **225**, 105.
 - 105 S. Yda, K. Ohtake, Y. Takebayashi, T. Sugeta, T. Sako and T. Sato, *J. Mater. Chem.*, 2000, **10**, 2151.

