


 Cite this: *RSC Adv.*, 2025, 15, 25663

Ag@Nb₂CT_x MXene composites for efficient photocatalytic degradation of norfloxacin and fleroxacin antibiotics

 Javeria Munir,^a Imran Haider Sajid,^b Syed Irfan^b and Syed Rizwan^{b*}

Two-dimensional (2D), MXenes' large surface area, great hydrophilicity, chemical stability, tunable electronic structure, and excellent electrical conductivity make them effective photocatalysts by enhancing light absorption and charge separation. To harness solar energy for photocatalysis, silver nanoparticles (Ag NPs), known for their catalytic properties, were incorporated into MXene sheets to synthesize Ag@Nb₂CT_x composite by a cost-effective and straightforward electrostatic self-assembly method. The SEM images showed that Ag NPs were attached to the surface of 2D exfoliated MXene sheets. The photocatalytic efficiency of the Ag@Nb₂CT_x composite was investigated for the photodegradation of Norfloxacin and Fleroxacin antibiotics, showing 74% and 68% degradation, respectively, in 120 minutes. The band gap of the prepared composite was tuned to 1.76 eV. Compared to Nb₂CT_x MXene, Ag@Nb₂CT_x composite exhibited good photodegradation due to its improved charge separation and less charge recombination rate. The photoluminescence spectra also showed that pristine MXene has the highest electron–hole pair recombination rate compared to all prepared Ag@Nb₂CT_x composites. It is challenging to degrade antibiotics because of their strong chemical stability, so Ag@Nb₂CT_x composite could be a potential candidate for commercial applications owing to its low-cost synthesis route.

Received 16th April 2025

Accepted 2nd July 2025

DOI: 10.1039/d5ra02680f

rsc.li/rsc-advances

1. Introduction

Currently, among major environmental issues, water contamination due to organic pollutants has gained global attention.^{1–3} Specifically, organic pollutants, including dyes and antibiotics, cause water pollution. Dyes are discarded from textiles, food processing, cosmetics, and paper industries.^{4–7} Pharmaceutical waste like antibiotics and their residues are directly discharged into water bodies without prior treatment by several sources such as pharmaceutical industries, hospital sewage, human and livestock excretion, *etc.*^{8,9} Although these dyes and antibiotics are vital, their improper discharge in water reservoirs, even at low concentrations, can lead to serious issues for human health and the ecosystem because some dyes are very toxic and carcinogenic.^{7,10}

Water purification is crucial to meet the need for potable water for the increasing population. Several advanced water purification techniques provide high-quality consumable water, including adsorption, biodegradation, reverse osmosis, and

photocatalysis. Notably, photocatalysis is an effective method for dye, organic, and antibiotic degradation because of its advantages, such as its eco-friendliness, high efficiency, low-cost, and reusability.^{4,11} When the photocatalyst's surface is illuminated with light, electrons transfer from the valence band to the conduction band, leaving behind holes. These photo-induced electron–hole pairs react with water and form reactive oxygen species (ROS), leading to the degradation of organic pollutants. Several semiconductor-based photocatalysts, such as TiO₂ and ZnO, have been discovered and reported for the degradation of organic pollutants. Still, their efficiency is not so good because of their wider band gaps.^{11,12}

Among all the families of 2D nanomaterials, Gogotsi (2011) discovered a promising new 2D material known as MXenes. Due to their extraordinary properties, such as large surface area, great hydrophilicity, high electrical conductivity, fast ion transport mechanism, and large surface area, the MXene family has gained attention from researchers.^{13–16} MXenes (with basic formula M_{n+1}X_nT_x) were selectively etched from MAX phases having basic formula M_{n+1}AX_n where M is any transition metal (such as Nb, V, Ti, Mo *etc.*), A belongs to the Aluminum or Silicon family and X represents the Carbon, nitrogen or both where T_x in MXenes represents surface terminations or functional groups (such as O, F and OH) attached on MXene surface during etching process and *n* is an integer between 1 to 4. These surface terminations have a profound impact on MXene

^aPhysics Characterization and Simulations Lab (PCSL), Department of Physics and Astronomy, School of Natural Sciences (SNS), National University of Sciences and Technology (NUST), Islamabad, 44000, Pakistan. E-mail: syedrizzwan@sns.nust.edu.pk; ihsajid@gmail.com

^bState Key Laboratory of Environment-Friendly Energy Materials, Southwest University of Science and Technology, Mianyang 621010, PR China



properties.¹⁷ In the MAX phase structure, $M_{n+1}X_n$ layers are sandwiched with pure A-element layers where M–A bonding is weaker than M–X bonding.^{16,18,19} Due to their great hydrophilic nature, chemical and thermal stability, large surface area, excellent mobility of electrons and holes and adjustable band gap, MXenes have become promising materials to be utilized as photocatalysts in environmental remediation strategies.²⁰ However, the restacking of pristine MXene sheets may inhibit their practical applications as photocatalysts, but to prevent this restacking, the intercalation of nanoparticles acts as spacers between MXene sheets as well, and increased conductive channels is a good strategy to improve the photocatalytic efficiency.^{11,21,22} Recently, Nb_2CT_x MXene has been recognized as a potential photocatalyst co-catalyst because it has a lower Fermi level than $Ti_3C_2T_x$.^{23–25}

In recent studies, nanostructured silver nanoparticle decoration has captured significant consideration for improved charge carrier separation, high electrical conductivity, high catalytic activity, its ability to enhance the visible light absorption attributed to surface plasmonic resonance (SPR) effect, and relatively low cost as compared to other metals.^{26–28} Silver nanoparticles embedded on MXene sheets exhibit good photocatalytic efficiency because of a suitable charge transfer mechanism.²⁹ Pingtao *et al.*³⁰ attained the highest photodegradation of methyl orange for Ag-doped ZnO/Graphene photocatalysts because of their effective charge separation. Owing to the spherical nano-sized Ag, we can achieve (a) an improved contact area of the photocatalyst and (b) enhanced charge transfer due to high electrical conductivity. The uniform distribution of Ag NPs on MXene sheets can enhance the conductive channels for better charge transportation between MXene layers.³¹

In this work, we report the synthesis of pristine MXene and various $Ag@Nb_2CT_x$ nanocomposites as photocatalysts by the self-assembly of Ag NPs on Nb_2CT_x MXene nanosheets through van der Waals interactions. Ali *et al.* and Haider *et al.*^{21,32} have also observed these interactions between Ag NPs and MXene. The structural, morphological, and optical stability of as-prepared nanocomposites is also reported in this study by using different characterization techniques. Among these nanocomposites, C_2 (MXene : Ag NPs: 1 : 0.5) showed good photocatalytic efficiency compared to pristine MXene and other nanocomposites as photocatalysts. The author firmly believes that the study of incorporation of Ag NPs in Nb_2CT_x MXene in

this research could pave more opportunities to examine and explore the properties of other different MXenes that have not been widely studied yet, besides $Ti_3C_2T_x$.

2. Experimental section

The method used to synthesize the Nb_2CT_x MXene and $Ag@Nb_2CT_x$ composites is depicted schematically in Fig. 1.

2.1. Materials and reagents

The MAX powder (Nb_2AlC , purity 99%) was purchased from Carbon Ukraine company. Silver Nitrate ($AgNO_3$, ACS reagent, 99%), hydrofluoric acid (48% purity), deionized water (DI, purity 99%), cetyltrimethylammonium bromide (CTAB, purity 99%) were purchased from Sigma Aldrich and Sodium borohydride ($NaBH_4$, CAS No. 16940-66-2) was purchased from Dae-Jung Chemicals and Materials Co. Ltd Korea. All reagents and chemicals were utilized in their analytical grade without any purification.

2.2. Synthesis of Nb_2CT_x MXene

The Nb_2CT_x MXene was prepared using a wet chemical etching method from the Nb_2AlC MAX phase. 1 g milled powder of MAX (Nb_2AlC) phase was gradually immersed in 20 ml HF (47%) aqueous solution and stirred using a Teflon-coated magnetic stirrer at 300 rpm for 96 hours at 55 °C in a Teflon beaker. The etched powder was then washed several times with deionized water until the pH of the supernatant exceeded 6. The solution was subsequently filtered by filtration assembly. The dried powder on filter paper was placed in a vacuum oven at 60 °C overnight. Finally, the dried powder was collected and kept in an Eppendorf tube in a vacuum desiccator.

2.3. Synthesis of silver nanoparticles

The homogenous solution of silver nanoparticles was synthesized through the chemical reduction method of $AgNO_3$ salt. In brief, 50 ml of 9.0 mM aqueous solution containing silver nitrate $AgNO_3$ and 0.1 wt% cetyltrimethylammonium hydroxide (acts as a surfactant and gives a positive charge to the silver) was placed for constant stirring at room temperature. The stirring was continued for the next 30 minutes to achieve homogeneity. After that, the 10 ml of 8 mM refrigerated cold sodium borohydride (3.1 mg) was added dropwise into the prepared mixture




Fig. 1 Schematic interpretation for synthesis of Nb_2CT_x MXene and $Ag@Nb_2C$ composite.



solution. Immediately, the solution turned bright yellow, indicating the formation of silver nanoparticles (Ag NPs). The solution was kept under stirring for 1 hour.

2.4. Synthesis of Nb₂CT_x and Ag@Nb₂CT_x composite

In synthesizing the Nb₂CT_x/Ag NPs composite, the electrostatic self-assembly method was used to load Ag NPs on Nb₂CT_x MXene sheets. An aqueous 100 mg Nb₂CT_x MXene solution was prepared in 100 ml DI and stirred at 40 °C for 1 hour. Then, 50 ml 9 mM Ag NPs colloidal solution was added dropwise in the MXene. The solution was left at continuous stirring for 30 minutes to get a homogeneous mixture. Then, the mixture was thoroughly washed with DI and filtered. The filtrate was dried overnight in a vacuum oven at 60 °C to obtain the final product. By following a similar fashion, three solution volume ratios 1 : 0.25, 1 : 0.5 and 1 : 0.75, of MXene : Ag NPs were synthesized to prepare the samples containing 0.25%, 0.5% and 0.75% weight ratios of Ag NPs to MXene nanosheets by preparing 50 ml of 3 mM, 6 mM and 9 mM Ag NPs colloidal solution and named them C₁ (1 : 0.25), C₂ (1 : 0.5) and C₃ (1 : 0.75) respectively.

2.5. Photocatalytic degradation measurements

The photocatalytic performance of as-prepared materials Nb₂CT_x and Ag@Nb₂CT_x were investigated against two antibiotics, norfloxacin and fleroxacin, for their photodegradation in a glass vessel using a 400 W Halogen lamp as a light source to initiate the photocatalytic process. 15 mg of photocatalyst was added in 30 ml antibiotic-contaminated (10 mgL⁻¹) solution. The dispersion was stirred in the dark for 20 minutes to attain the adsorption-desorption equilibrium before visible light exposure. Samples of 2 ml were taken at regular 30-minute intervals to measure antibiotic degradation. The samples were separated by centrifugation. Then, the supernatant is analyzed by measuring the maximum absorbance using a double-beam UV-vis spectrophotometer. The same procedure was conducted by varying the concentrations of the photocatalyst, *i.e.*, 3 mg and 30 mg, in the antibiotic solution. The photodegradation efficiency was calculated using the formula.

$$\text{Degradation (\%)} = C_0 - C_t / C_0 \times 100 \quad (1)$$

where C₀ is the initial concentration of contaminated solution and C_t is the concentration of contaminated solution at any time instant *t*.^{33–36}

2.6. Material characterizations

The structural properties of the prepared materials were analyzed through X-ray diffraction (XRD) with wavelength 1.54 Å from a monochromatic Cu-Kα source (Burk, D8Advance). To analyze the chemical structures and bonding, Raman Spectroscopy (532 TEC-Ci) was used, whereas to investigate the band gaps and percentage degradation further, Ultraviolet-visible (UV-vis) Spectroscopy (Lambda 365PekinElmer) was utilized. The scanning electron microscope (SEM) was used to examine the surface morphology of the prepared materials through a Hitachi s-4800FEG. The energy dispersive X-ray spectroscopy

(EDX) explored the elemental composition. The Fourier Transform Infrared spectroscopy was used to investigate the chemical composition and surface terminations attached to the materials. The recombination rate of charge carriers in materials was analyzed using photoluminescence (PL) spectra.

3. Results and discussions

XRD provides detailed information about the structure of the material. Fig. 2(a) compares the parent Nb₂AlC MAX phase, exfoliated Nb₂CT_x MXene, and Ag@Nb₂CT_x composite. The sharp and intense peaks in the Nb₂AlC MAX phase are evident in its crystalline structure. The Nb₂AlC MAX phase depicts its major peaks at 2θ: 12.65°, 25.7°, 33.3°, 38.7°, 42.7°, 52.1°, 59.5° corresponding to planes (002), (004), (100), (103), (104), (106) and (110) respectively and is compatible to previous reported data (JCPDSNo:00-030-0033).^{37,38} Meanwhile, the all-other peaks are intermetallic.³⁹ The (002) peak at 12.65° is shifted at the lower angle in the case of MXene at 7.9° after HF treatment, so its *d*-spacing increases from 6.99 Å to 11.18 Å and *c*-lattice parameter increases from 13.98 Å to 22.36 Å, which shows the removal of Al layer from the MAX phase.⁴⁰ The ions/water pillars or etching products are intercalated among MXene layers, causing the shifting of the (002) peak in the case of MXene from MAX.^{41,42} The un-etched MAX is also present, as seen from a tiny (103) peak at 38.7°, which is Aluminum. The broadening and shifting of the (002) peak from 7.9° to 8.2° shows the presence of Ag nanoparticles between MXene layers.^{43,44} The corresponding *d*-spacing also decreases from 11.04 Å to 10.51 Å, and *c*-lattice parameters decrease from 22.08 Å to 21.03 Å. Some extra minor peaks (111), (200), (220), and (311) corresponding to 2θ: 38.1°, 44.3°, 64.5°, and 77.4° have emerged due to Ag-NPs in Ag@Nb₂CT_x composite and are in good agreement with Ag NPs JCPDS card no. 04-0783.⁴⁵ Our synthesis method, based on electrostatic self-assembly, differs significantly from high temperature aqueous processing or hydrothermal routes known to oxidize Nb₂CT_x into Nb₂O₅ (acts as good semiconducting photocatalyst) or rutile/anatase phase TiO₂ phase in Ti₃C₂ MXene, previously reported by Peng *et al.*, Xu *et al.* and Peng *et al.*^{46–48} This technique avoids high temperature, pressure, and prolonged exposure to oxidizing environments. As a result, no oxidation to Nb₂O₅ occurred, which is clearly supported by the absence of Nb₂O₅ peaks in the XRD patterns at 2θ = 26.62° and 45.98° in our reported work but Peng *et al.* reported the formation of Nb₂O₅ nanorods in his report due to hydrothermal synthesis route.⁴⁶ The photocatalytic activity observed is therefore attributed to the pristine or surface-functionalized Nb₂CT_x MXene, not any Nb₂O₅ phase. The FTIR spectra of pristine Nb₂CT_x MXene and Ag@Nb₂CT_x composite were recorded in the wavenumber range of 400 cm⁻¹ to 4000 cm⁻¹, as shown in Fig. 2(b).^{49,50} The spectra can be divided into the functional group region (4000 cm⁻¹ to 1000 cm⁻¹) and the fingerprint region (below 1000 cm⁻¹). The peak at 3441 cm⁻¹ is attributed to O–H bond stretching vibrations, while the peaks at 2917 cm⁻¹ and 2846 cm⁻¹ correspond to C–H bonds stretching vibrations. The peaks observed at 1625 cm⁻¹, 1427 cm⁻¹, and 1021 cm⁻¹ are associated with O–H bending vibrations, C–H






Fig. 2 (a) XRD spectra of Nb_2AlC MAX (black), Nb_2CT_x MXene (red), $\text{Ag@Nb}_2\text{CT}_x$ (C_2) (blue), (b) FTIR spectra of Nb_2CT_x MXene, and $\text{Ag@Nb}_2\text{CT}_x$ (C_2). The figure should be in high magnification.

bonds bending vibrations and C–O bonds stretching vibrations, respectively.^{50,51} A C–F band at 1252 cm^{-1} suggests asymmetric functionalization of the MXene sheets. The $\text{Ag@Nb}_2\text{CT}_x$ composite shows a higher density of surface functional groups than pristine MXene, as confirmed by similar findings in the Raman data. The peak at 543 cm^{-1} in the fingerprint region corresponds to the Nb–C mode of vibrations in MXene, and a similar but more intense peak in the composite material due to rich surface terminations or functional groups attached on the composite during synthesis process further indicates the successful synthesis of the $\text{Ag@Nb}_2\text{CT}_x$ composite.^{49,52}

Raman spectroscopy is a non-destructive analytical method that provides information regarding chemical structure, phase,

crystallinity and molecular interactions. Raman spectrum was observed for the exfoliated MXene and $\text{Ag@Nb}_2\text{CT}_x$ composite within the range of wave numbers of 100 to 800 cm^{-1} , as shown in Fig. 3(a). For Nb_2CT_x MXene, the characteristic peaks appear at 127 cm^{-1} , 257 cm^{-1} , and 410 cm^{-1} , representing the in-plane E_g vibrations of Nb atoms and their associated surface groups and are matched with the previous data.^{37,53} The peak at 623 cm^{-1} , corresponding to the A_{1g} modes of MXene, further confirms these features. When Nb_2CT_x MXene is combined with Ag, no significant peak shifts are observed. This suggests that the Nb_2CT_x MXene retains its high quality after composite formation, with Ag particles responsible for the enhanced peak intensity. Notably, since Ag itself does not produce peaks in




Fig. 3 (a) Raman spectra of Nb_2CT_x MXene and $\text{Ag@Nb}_2\text{CT}_x$ (C_2), (b) deconvoluted Raman spectra of $\text{Ag@Nb}_2\text{CT}_x$ (C_2).



Raman spectroscopy, the enhancement is attributed to Ag particles within the Nb_2CT_x structure. Fig. 3(b) illustrates the deconvoluted Raman spectra of the $\text{Ag}@\text{Nb}_2\text{CT}_x$ composite, where the Lorentz function had been used for the deconvoluted and fitted graph. The prominent peak at 127 cm^{-1} belongs to the flake region and shows Nb–C vibrations. The in-plane symmetric vibrations near 260 cm^{-1} are identified as A_{1g} out-of-plane vibrations of the metal atoms. The region from 200 cm^{-1} to 500 cm^{-1} is associated with the outer layer of metal and carbon atoms and the mixed functional groups. The region of 550 cm^{-1} to 800 cm^{-1} results from multiple in and out-of-plane carbon vibrations, with vibrations between 600 cm^{-1} and 800 cm^{-1} being denoted as asymmetric, appearing only in terminated MXenes.^{49,54–56}

Scanning electron microscopes play a crucial and beneficial role in assessing defects and exploring diverse materials' topography, composition, and surface features. Fig. 4(a) displays the SEM image of the Nb_2AlC MAX phase, highlighting its lump-like morphology. This image provides insight into the surface topography and texture of the MAX phases and reveals the grain size. After etching Nb_2AlC , Fig. 4(b and c) depicts the layered structure of exfoliated MXene. Additionally, surface impurities can be observed on the MXene sheets, indicating the presence of aluminum, fluoride, and unreacted MAX phase. Some impurities also arise from the functional groups that attach to the MXene surface after etching. The SEM images of the $\text{Ag}@\text{Nb}_2\text{CT}_x$ composite, which represents the successful intercalation of Ag nanoparticles on MXene surface and sheets, are shown in Fig. 4(d and e). Fig. 4(f) shows the EDX plot of the $\text{Ag}@\text{Nb}_2\text{CT}_x$ composite, which shows the presence of all elements in the composite like Nb, C, F, Al, and Ag. A peak of

fluorine and oxygen are attached as terminations to the MXene sheets as a consequence of the HF etching and washing process.⁵⁷ There is also a peak of Ag, which shows the successful decoration of silver nanoparticles on the MXene surface and sheets. The tiny peak of Al shows minor traces of unreacted MAX phase in the EDX plot.

The photocatalytic degradation of two antibiotics, norfloxacin and feroxacin, was examined to investigate the photocatalytic performance of Nb_2CT_x MXene and the $\text{Ag}@\text{Nb}_2\text{CT}_x$ composite. The blank experiment without any photocatalyst indicates that norfloxacin and feroxacin were hardly degraded, reflecting that the direct minor photolysis of norfloxacin and feroxacin after visible light exposure can be neglected. The photodegradation efficiencies of norfloxacin and feroxacin are 43% and 42% in the presence of MXene for 120 minutes, respectively. Of course, photocatalytic efficiency would increase after the Ag NPs were introduced. Both norfloxacin and feroxacin showed 13% photodegradation for $\text{Ag}@\text{Nb}_2\text{CT}_x$ composite in the dark due to adsorption. But when exposed to light, the photocatalytic efficiency of $\text{Ag}@\text{Nb}_2\text{CT}_x$ was increased with the increase of the content of Ag NPs, and the material C_2 (MXene : Ag: 1 : 0.5) showed the highest photodegradation efficiency with 74% and 68% for norfloxacin and feroxacin, respectively. The absorption spectra of the $\text{Ag}@\text{Nb}_2\text{CT}_x$ composite for norfloxacin and feroxacin are recorded and illustrated in Fig. 5(a and d).

As the content of Ag NPs increases, the $\text{Ag}@\text{Nb}_2\text{CT}_x$ forms a large interface contact, which improves the separation and migration of photo-generated charge carriers from Nb_2CT_x to Ag NPs, leading to improved and high photo-degradation efficiency. Although incorporating Ag NPs to Nb_2CT_x MXene promotes the charge transfer from Ag NPs to Nb_2CT_x MXene,




Fig. 4 SEM images of (a) Nb_2AlC MAX, (b and c) pristine Nb_2CT_x MXene, (d and e) $\text{Ag}@\text{Nb}_2\text{CT}_x$ (C_2), (f) EDX plot for the elemental analysis of $\text{Ag}@\text{Nb}_2\text{CT}_x$.




Fig. 5 (a and d) Absorbance spectra of Ag@Nb₂CT_x (C₂) showing the degradation efficiency of norfloxacin and feroxacin antibiotics from solutions at different times respectively, (b and e) comparison of different photocatalysts at various ratios, (c and f) photocatalytic degradation of norfloxacin and feroxacin antibiotics in the presence of pristine MXene and nanocomposites.

photodegradation efficiency decreases when the Ag NPs content is more than 0.5% weight ratio to MXene. This result shows that the optimization of incorporated material plays a crucial role.²³ The optimized ratio of Ag NPs in Nb₂CT_x MXene could boost the photodegradation efficiency of the Ag@Nb₂CT_x composite material. Similarly, contrary to the optimized ratio, optimization of the concentration of photocatalyst is also essential. Norfloxacin and feroxacin showed 65% and 57% photodegradation with 3 mg/30 ml, 74% and 68% photodegradation with 15 mg/30 ml, and 59% and 63% photodegradation with 30 mg/30 ml for Ag@Nb₂CT_x composite material. The comparison of all the 4 materials pristine Nb₂CT_x MXene and Ag@Nb₂CT_x (C₁ (1 : 0.25), C₂ (1 : 0.5) and C₃ (1 : 0.75)) as photo-catalysts with different concentrations is shown in Fig. 5(b and e). This can be interpreted because while increasing the photocatalyst concentration distributes more active sites, the powder particles may accumulate at high concentrations and decrease efficiency.⁵⁸ So, 15 mg/30 ml (or 500 mg L⁻¹) concentration of Ag@Nb₂CT_x was opted as the optimized concentration for norfloxacin and feroxacin antibiotic removal.⁵⁹ From Fig. 5(c and f), the black line represents the negligible photocatalytic degradation of norfloxacin and feroxacin without any photocatalyst. MXene shows average photodegradation, and the C₂ (1 : 0.5) material shows good photocatalytic activity, while the other two materials, C₁ (1 : 0.25) and C₃ (1 : 0.75) also showed appreciable removal activity for norfloxacin and feroxacin antibiotics. Ag nanoparticles bind to Nb₂CT_x MXene sheets and surface and might form a network or act as bridge that enhance conductive channels between Ag and

MXene layers for efficient charge transport.³² This fast and smooth charge transfer prevents recombination of electrons and holes, thus boosting the photocatalytic performance when these separated electrons and holes participate in redox reactions.

The UV-vis spectrophotometer obtained the absorption spectra of pristine Nb₂CT_x MXene and Ag@Nb₂CT_x composite. A well-known Kubelka–Munk technique was used to estimate the absorption spectra and relation for photon energy $h\nu$ for the allowed transition and absorption coefficient α is

$$(\alpha h\nu) = A(h\nu - E_g)^{n/2} \quad (2)$$

In eqn (2), A is a constant, ν is the frequency of light, h is Planck's constant, α is the absorbance of light, E_g is band gap energy, and n is a positive integer.⁶⁰ The absorption spectra of both materials were measured at room temperature. To calculate the band gap of pristine MXene and Ag@Nb₂CT_x materials, the Tauc plot method was used, as shown in the inset graph in Fig. 6(a). The calculated band gap for the pristine MXene and Ag@Nb₂CT_x was 1.82 eV and 1.76 eV, respectively, which demonstrates that Ag@Nb₂CT_x is preferable and suitable for photocatalytic application than pristine Nb₂CT_x MXene. Although Ag NPs are adsorbed onto the MXene surface while MXene retains its overall atomic structure, but their presence might still affect the overall electronic environment. As reported by Haider *et al.* these NPs bind on MXene surface and forms conducting channels, improving movement and separation of charge carriers and might introduce new electronic states at






Fig. 6 (a) Absorbance and band gap of pristine Nb_2CT_x MXene and $\text{Ag}@\text{Nb}_2\text{CT}_x$ (C_2), (b) Photoluminescence (PL) spectra of pristine MXene and nanocomposites.

surface and interface.³² It might lead to slight modifications in overall electronic structure which might cause the apparent band gap to decrease slightly. When $\text{Ag}@\text{Nb}_2\text{CT}_x$ is exposed to light, semiconducting Nb_2CT_x MXene generates photo generate electron hole pairs, electrons move on the Ag NPs from conduction band of MXene while holes remain in the valence band of MXene. These electrons on Ag NPs and hole participate in redox reactions to degrade pollutants in water.^{34,46,61,62} Fig. 6(b) presents the PL spectra of pristine Nb_2CT_x MXene and $\text{Ag}@\text{Nb}_2\text{CT}_x$ composites at various ratios. The pure Nb_2CT_x sample exhibits a primary emission peak around 451 nm.

The spectra intensity represents the charge carrier's recombination rate. Compared to pristine Nb_2CT_x MXene, the PL intensity of the $\text{Ag}@\text{Nb}_2\text{CT}_x$ composites decreases significantly at the same wavelength, indicating a lower charge recombination rate in the $\text{Ag}@\text{Nb}_2\text{CT}_x$ composites. Generally, a lower charge recombination rate corresponds to a reduced PL intensity, enhancing photocatalytic activity. In Fig. 6(b), the black line represents the PL spectrum of the pristine Nb_2CT_x MXene. The higher PL intensity for this sample suggests a high charge recombination rate, which correlates with lower photocatalytic activity. Conversely, the green curve shows the lowest intensity values, corresponding to the lowest charge recombination rate. This reduced recombination rate enhances the photocatalytic activity, with the green curve representing the $\text{Ag}@\text{Nb}_2\text{CT}_x$ C_2 (1:0.5) composite. This sample demonstrates the highest photocatalytic efficiency, achieving 74% and 68% photodegradation for norfloxacin and feroxacin antibiotics. This is because of the porous structure of exfoliated 2D MXene sheets which trap electrons, improve the electron-hole separation, and boost photocatalytic efficiency.

Also, the lower charge recombination rate of all composites compared to pristine MXene leads to enhanced utilization of active sites on MXene sheets, thereby improving photocatalytic performance. As the light falls on composites, the radicals are generated, showing nanoparticle activation. At first, the photo-

generated electron-hole pairs are formed due to the transfer of photo-excited electrons from the VB to the CB. Then, these excited electrons and holes participate in redox reactions to degrade the harmful organic pollutants, dyes, and antibiotics into less harmful, simpler molecules.

The proposed mechanism of photocatalysis depends on the oxidation-reduction reactions; on the surface of photocatalyst, in the presence of electrons and holes, is shown in Fig. 7. Pristine MXene act as metallic or metal phase co-catalyst but the terminated MXene or MXene based composites behave as semiconductors due to abundance of active sites and porous structure during the synthesis process.⁶³⁻⁶⁵ In the $\text{Ag}@\text{Nb}_2\text{CT}_x$ material, Nb_2CT_x MXene act as semiconductor active sites due to surface terminations (such as -F, -O, -OH *etc.*) which induce band gap and allow visible light absorption and Ag act as reduction co catalyst.⁴⁶ When expose to light, Nb_2CT_x MXene generates photogenerated electron-hole pairs. These photo-generated electrons then transfer on the surface adsorbed Ag NPs which act as electron sinks and redox active sites, help to reduce the absorbed oxygen to form superoxide radical ($\cdot\text{O}_2^-$). While holes remain on the MXene surface and oxidize water or hydroxide ions into hydroxyl radicals ($\cdot\text{OH}$). These radicals are highly reactive species and break antibiotics molecules from water into harmless and simple end products like H_2O and CO_2 . The abundant surface terminations provide active sites for both pollutant adsorption and ROS formation. Additionally, Ag nanoparticles enhance visible-light utilization through localized surface plasmon resonance (LSPR) and help suppress electron-hole recombination.⁴⁶ Together, this synergy between semiconducting Nb_2CT_x and plasmonic Ag drives efficient photocatalytic degradation of organic pollutants under visible light.

These end products can be converted into hydrocarbons like methane, *etc.*, by further reduction. Electron-hole pairs are generated when light falls on the photocatalyst surface (eqn (3)). Electrons transfer on Ag while exfoliated MXene sheets behave








Fig. 7 Ag@Nb₂C composite antibiotic degradation mechanism.

Table 1 Comparison of MXene based and silver based photocatalysts for norfloxacin and fleroxacin antibiotics

Sr. no.	Catalyst	Organic pollutant with conc. (ppm)	Catalyst conc. (mg mL ⁻¹)	% Age degradation	Light source	Time (minutes)	Ref.
1	ZnO-Ti ₃ C ₂ T _x composites	NOR 20	100 mg/50 ml	90	300 W xenon lamp	240	70
2	C-TiO ₂	NOR 10	10 mg/25 ml	74	500 W halogen lamp	150	71
3	NiFe-LDH/MXene	NOR 20	20 mg/50 ml	98	300 W xenon lamp	240	72
4	Ag@Nb ₂ CT _x	NOR 10	15 mg/30 ml	74	400 W halogen lamp	120	
5	g-C ₃ N ₄ /PPy/Ag	FLE 20	50 mg/50 ml	90.2	250 W xenon lamp	180	73
6	Ag@Nb ₂ CT _x	FLE 10	15 mg/30 ml	68	400 W halogen lamp	120	

as hole acceptors due to negatively attached surface terminations and functional groups and trap holes to increase the separation of charge carriers and help to reduce recombination rate of electron hole pairs (eqn (4) and (5)). Electrons reduce absorbed oxygen and O₂ in water into superoxide radicals while holes oxidize the water molecules into hydroxyl radical ions, •OH⁻ (eqn (6) and (7)). These ROS react with antibiotics and degrade them to give simple end products like CO₂ and H₂O.⁶⁶⁻⁶⁸

The proposed photodegradation procedure is demonstrated by the following equations^{66,68}



Norfloxacin antibiotic has molecular formula C₁₆H₁₈FN₃O₃ and when ROS species degrade antibiotics then we get less toxic

degradation products such as H₂O and CO₂.⁶⁹ It can be seen that C₂ is a promising photocatalyst. This shows good photodegradation because of less electron-hole recombination rate and narrow band gap (1.76 eV) compared to other nanocomposites. The low band gap is due to the doping of Ag NPs that further generate more ROS species by oxidation-reduction reactions. Hence, the production of these ROS species allows for the photodegradation of contaminants and organic pollutants in water.^{34,68} The Ag@Nb₂CT_x photocatalyst achieve 74% and 68% degradation of norfloxacin and fleroxacin within 120 minutes under visible light irradiation. Although this degradation efficiency is moderate as compared to other materials discussed in Table 1, the synthesis of the composite is straightforward, simple and cost effective. The catalyst operates effectively under relatively low catalyst dosage and ambient conditions, making it promising for practical applications where energy efficiency and ease of preparation are important. Additionally, the incorporation of Ag nanoparticles enhances the charge separation efficiency in MXene, contributing to the observed photocatalytic activity. Furthermore, no MXene based photocatalysts have been reported till date for fleroxacin.

4. Conclusion

Ag nanoparticles were synthesized using the chemical reduction method. The 2D MXene sheets were synthesized from their



parent MAX by wet chemical etching of aluminum using HF as an etchant. The Ag@Nb₂CT_x nanocomposites were prepared using the electrostatic self-assembly method with various doping concentrations. The XRD and SEM results also indicated the successful formation of nanocomposites. The nanocomposites showed a high electron-hole pair generation rate and low recombination rate as compared to pristine MXene. The photodegradation of norfloxacin and fleroxacin antibiotics was higher in the case of C₂, showing 74% and 68%, respectively, in 120 minutes compared to pristine MXene and other nanocomposites. Although it's challenging to degrade antibiotics, a highly efficient Ag@Nb₂CT_x nanocomposite made it possible without any co-catalyst. The nanocomposites synthesized and reported as photocatalysts are the novel and best candidates for photocatalytic activity and are unique, making them promising candidates for commercial applications owing to their cost-effective route.

Data availability

Data will be made available on request.

Conflicts of interest

There are no conflicts to declare.

Acknowledgements

The authors thank the Higher Education Commission (HEC) of Pakistan for providing research funding under Project No. 20-14784/NRPU/R&D/HEC/2021.

References

- 1 L. Qin, *et al.*, Hierarchical porous carbon material restricted Au catalyst for highly catalytic reduction of nitroaromatics, *J. Hazard. Mater.*, 2019, **380**, 1–11, DOI: [10.1016/J.JHAZMAT.2019.120864](#).
- 2 B. Li, *et al.*, Facile synthesis of bismuth oxyhalogen-based Z-scheme photocatalyst for visible-light-driven pollutant removal: Kinetics, degradation pathways and mechanism, *J. Cleaner Prod.*, 2019, **225**, 898–912, DOI: [10.1016/J.JCLEPRO.2019.04.012](#).
- 3 L. Li, *et al.*, Degradation of naphthalene with magnetic bio-char activate hydrogen peroxide: Synergism of bio-char and Fe–Mn binary oxides, *Water Res.*, 2019, **160**, 238–248, DOI: [10.1016/J.WATRES.2019.05.081](#).
- 4 C. Cui, *et al.*, Bi₂WO₆/Nb₂CT_x MXene hybrid nanosheets with enhanced visible-light-driven photocatalytic activity for organic pollutants degradation, *Appl. Surf. Sci.*, 2020, **505**, 1–10, DOI: [10.1016/j.apsusc.2019.144595](#).
- 5 Y. Xu, B. Ren, R. Wang, L. Zhang, T. Jiao and Z. Liu, Facile preparation of rod-like MnO nanomixtures *via* hydrothermal approach and highly efficient removal of methylene blue for wastewater treatment, *Nanomaterials*, 2019, **9**, 1–16, DOI: [10.3390/nano9010010](#).
- 6 S. Li, S. Hu, W. Jiang, Y. Liu, J. Liu and Z. Wang, Facile synthesis of flower-like Ag₃VO₄/Bi₂WO₆ heterojunction with enhanced visible-light photocatalytic activity, *J. Colloid Interface Sci.*, 2017, **501**, 156–163, DOI: [10.1016/J.JCIS.2017.04.057](#).
- 7 M. W. Zhang, K. Y. A. Lin, C. F. Huang and S. Tong, Enhanced degradation of toxic azo dye, amaranth, in water using Oxone catalyzed by MIL-101-NH₂ under visible light irradiation, *Sep. Purif. Technol.*, 2019, **227**, 115632, DOI: [10.1016/J.SEPPUR.2019.05.074](#).
- 8 F. Deng, L. Zhao, X. Luo, S. Luo and D. D. Dionysiou, Highly efficient visible-light photocatalytic performance of Ag/AgIn₅S₈ for degradation of tetracycline hydrochloride and treatment of real pharmaceutical industry wastewater, *Chem. Eng. J.*, 2018, **333**, 423–433, DOI: [10.1016/J.CEJ.2017.09.022](#).
- 9 C. Li, *et al.*, Mesoporous ferrihydrous oxide nanoreactors modified on graphitic carbon nitride towards improvement of physical, photoelectrochemical properties and photocatalytic performance, *J. Colloid Interface Sci.*, 2018, **531**, 331–342, DOI: [10.1016/J.JCIS.2018.07.083](#).
- 10 C. Li, *et al.*, Z-scheme mesoporous photocatalyst constructed by modification of Sn₃O₄ nanoclusters on g-C₃N₄ nanosheets with improved photocatalytic performance and mechanism insight, *Appl. Catal., B*, 2018, **238**, 284–293, DOI: [10.1016/J.APCATB.2018.07.049](#).
- 11 A. Tariq, S. I. Ali, D. Akinwande and S. Rizwan, Efficient Visible-Light Photocatalysis of 2D-MXene Nanohybrids with Gd³⁺- and Sn⁴⁺-Codoped Bismuth Ferrite, *ACS Omega*, 2018, **3**(10), 13828–13836, DOI: [10.1021/acsomega.8b01951](#).
- 12 W. Wang, *et al.*, In situ synthesis of 2D/2D MXene-COF heterostructure anchored with Ag nanoparticles for enhancing Schottky photocatalytic antibacterial efficiency under visible light, *J. Colloid Interface Sci.*, 2022, **608**, 735–748, DOI: [10.1016/J.JCIS.2021.09.093](#).
- 13 B. Anasori, M. R. Lukatskaya and Y. Gogotsi, 2D metal carbides and nitrides (MXenes) for energy storage, *MXenes: From Discovery to Applications of Two-Dimensional Metal Carbides and Nitrides*, 2023, pp. 677–722, DOI: [10.1201/9781003306511-35/2D-METAL-CARBIDES-NITRIDES-MXENES-ENERGY-STORAGE-BABAK-ANASORI-MARIA-LUKATSKAYA-YURY-GOGOTSI](#).
- 14 K. S. Kumar, N. Choudhary, Y. Jung and J. Thomas, Recent Advances in Two-Dimensional Nanomaterials for Supercapacitor Electrode Applications, *ACS Energy Lett.*, 2018, **3**(2), 482–495, DOI: [10.1021/ACSENERGYLETT.7B01169/ASSET/IMAGES/MEDIUM/NZ-2017-01169Z_0005.GIF](#).
- 15 M. Naguib, V. N. Mochalin, M. W. Barsoum and Y. Gogotsi, 25th Anniversary Article: MXenes: A New Family of Two-Dimensional Materials, *Adv. Mater.*, 2014, **26**(7), 982, DOI: [10.1002/ADMA.201470041](#).
- 16 J. Gonzalez-Julian, Processing of MAX phases: from synthesis to applications, *J. Am. Ceram. Soc.*, 2021, **104**(2), 659–690, DOI: [10.1111/JACE.17544](#).
- 17 J. Björk and J. Rosen, Functionalizing MXenes by Tailoring Surface Terminations in Different Chemical Environments,



- Chem. Mater.*, 2021, **33**(23), 9108–9118, DOI: [10.1021/ACS.CHEMMATER.1C01264/ASSET/IMAGES/LARGE/CM1C01264_0008.JPEG](https://doi.org/10.1021/ACS.CHEMMATER.1C01264/ASSET/IMAGES/LARGE/CM1C01264_0008.JPEG).
- 18 B. Anasori, *et al.*, Two-Dimensional, Ordered, Double Transition Metals Carbides (MXenes), *ACS Nano*, 2015, **9**(10), 9507–9516, DOI: [10.1021/ACS.NANO.5B03591/ASSET/IMAGES/NN-2015-03591M_M002.GIF](https://doi.org/10.1021/ACS.NANO.5B03591/ASSET/IMAGES/NN-2015-03591M_M002.GIF).
- 19 M. Downes, *et al.*, M5X4: A Family of MXenes, *ACS Nano*, 2023, **17**(17), 17158–17168, DOI: [10.1021/ACS.NANO.3C04967/SUPPL_FILE/NN3C04967_SI_001](https://doi.org/10.1021/ACS.NANO.3C04967/SUPPL_FILE/NN3C04967_SI_001).
- 20 X. Feng, *et al.*, Review MXenes as a new type of nanomaterial for environmental applications in the photocatalytic degradation of water pollutants, *Ceram. Int.*, 2021, **47**(6), 7321–7343, DOI: [10.1016/j.ceramint.2020.11.151](https://doi.org/10.1016/j.ceramint.2020.11.151).
- 21 I. Ali, S. A. Zahra, I. H. Sajid and S. Rizwan, Efficient electrochemical performance of electrostatically self-assembled Nb₂CT_x/AgNPs-CTAB nanocomposite in both basic and neutral electrolytes, *J. Energy Storage*, 2024, **88**, 1–13, DOI: [10.1016/j.est.2024.111629](https://doi.org/10.1016/j.est.2024.111629).
- 22 J. Luo, *et al.*, Pillared Structure Design of MXene with Ultralarge Interlayer Spacing for High-Performance Lithium-Ion Capacitors, *ACS Nano*, 2017, **11**(3), 2459–2469, DOI: [10.1021/ACS.NANO.6B07668/ASSET/IMAGES/NN-2016-07668U_M005.GIF](https://doi.org/10.1021/ACS.NANO.6B07668/ASSET/IMAGES/NN-2016-07668U_M005.GIF).
- 23 C. Cui, *et al.*, Bi₂WO₆/Nb₂CT_x MXene hybrid nanosheets with enhanced visible-light-driven photocatalytic activity for organic pollutants degradation, *Appl. Surf. Sci.*, 2020, **505**, 1–10, DOI: [10.1016/j.apsusc.2019.144595](https://doi.org/10.1016/j.apsusc.2019.144595).
- 24 T. Su, *et al.*, One-Step Synthesis of Nb₂O₅/C/Nb₂C (MXene) Composites and Their Use as Photocatalysts for Hydrogen Evolution, *ChemSusChem*, 2018, **11**(4), 688–699, DOI: [10.1002/cssc.201702317](https://doi.org/10.1002/cssc.201702317).
- 25 H. Wang, R. Peng, Z. D. Hood, M. Naguib, S. P. Adhikari and Z. Wu, Titania Composites with 2D Transition Metal Carbides as Photocatalysts for Hydrogen Production under Visible-Light Irradiation, *ChemSusChem*, 2016, **9**(12), 1490–1497, DOI: [10.1002/cssc.201600165](https://doi.org/10.1002/cssc.201600165).
- 26 K. Huang, C. Li, L. Wang, W. Wang and X. Meng, Layered Ti₃C₂ MXene and silver co-modified g-C₃N₄ with enhanced visible light-driven photocatalytic activity, *Chem. Eng. J.*, 2021, **425**, 131493, DOI: [10.1016/j.cej.2021.131493](https://doi.org/10.1016/j.cej.2021.131493).
- 27 Z. Othman, A. Sinopoli, H. R. MacKey and K. A. Mahmoud, Efficient Photocatalytic Degradation of Organic Dyes by AgNPs/TiO₂/Ti₃C₂T_x MXene Composites under UV and Solar Light, *ACS Omega*, 2021, **6**(49), 33325–33338, DOI: [10.1021/ACS.OMEGA.1C03189/ASSET/IMAGES/LARGE/AO1C03189_0014.JPEG](https://doi.org/10.1021/ACS.OMEGA.1C03189/ASSET/IMAGES/LARGE/AO1C03189_0014.JPEG).
- 28 Y. Jiang, *et al.*, Silver nanoparticles modified two-dimensional transition metal carbides as nanocarriers to fabricate acetylcholinesterase-based electrochemical biosensor, *Chem. Eng. J.*, 2018, **339**, 547–556, DOI: [10.1016/j.cej.2018.01.111](https://doi.org/10.1016/j.cej.2018.01.111).
- 29 X. Zhu, *et al.*, A near-infrared light-mediated antimicrobial based on Ag/Ti₃C₂T_x for effective synergetic antibacterial applications, *Nanoscale*, 2020, **12**(37), 19129–19141, DOI: [10.1039/D0NR04925E](https://doi.org/10.1039/D0NR04925E).
- 30 P. Dou, *et al.*, One-step microwave-assisted synthesis of Ag/ZnO/graphene nanocomposites with enhanced photocatalytic activity, *J. Photochem. Photobiol., A*, 2015, **302**, 17–22, DOI: [10.1016/j.jphotochem.2014.12.012](https://doi.org/10.1016/j.jphotochem.2014.12.012).
- 31 Z. Haider, *et al.*, Ag Nanoparticle-Decorated V₂CT_x MXene Nanosheets as Catalysts for Water Splitting, *ACS Appl. Nano Mater.*, 2022, **6**, 2374–2384, DOI: [10.1021/acsnm.2c04428](https://doi.org/10.1021/acsnm.2c04428).
- 32 Z. Haider, *et al.*, Ag Nanoparticle-Decorated V₂CT_x MXene Nanosheets as Catalysts for Water Splitting, *ACS Appl. Nano Mater.*, 2022, **6**, 2374–2384, DOI: [10.1021/ACSANM.2C04428/SUPPL_FILE/AN2C04428_SI_001.PDF](https://doi.org/10.1021/ACSANM.2C04428/SUPPL_FILE/AN2C04428_SI_001.PDF).
- 33 M. A. Iqbal, S. I. Ali, F. Amin, A. Tariq, M. Z. Iqbal and S. Rizwan, La- and Mn-Codoped Bismuth Ferrite/Ti₃C₂MXene Composites for Efficient Photocatalytic Degradation of Congo Red Dye, *ACS Omega*, 2019, **4**(5), 8661–8668, DOI: [10.1021/acsomega.9b00493](https://doi.org/10.1021/acsomega.9b00493).
- 34 A. Tariq, S. I. Ali, D. Akinwande and S. Rizwan, Efficient Visible-Light Photocatalysis of 2D-MXene Nanohybrids with Gd³⁺- and Sn⁴⁺-Codoped Bismuth Ferrite, *ACS Omega*, 2018, **3**(10), 13828–13836, DOI: [10.1021/acsomega.8b01951](https://doi.org/10.1021/acsomega.8b01951).
- 35 Y. Cong, J. Zhang, F. Chen and M. Anpo, Synthesis and Characterization of Nitrogen-Doped TiO₂ Nanophotocatalyst with High Visible Light Activity, *J. Phys. Chem. C*, 2007, **111**(19), 6976–6982, DOI: [10.1021/jp0685030](https://doi.org/10.1021/jp0685030).
- 36 S. Irfan, *et al.*, The Gadolinium (Gd³⁺) and Tin (Sn⁴⁺) Codoped BiFeO₃ Nanoparticles as New Solar Light Active Photocatalyst, *Sci. Rep.*, 2017, **7**(1), 1–12, DOI: [10.1038/srep42493](https://doi.org/10.1038/srep42493).
- 37 A. Nasir, I. H. Sajid, A. Syed, F. Adnan and S. Rizwan, Promising antibacterial performance of Ag-nanoparticles intercalated Nb₂CT_x MXene towards *E. coli* and *S. aureus*, *Nano-Struct. Nano-Objects*, 2024, **40**, 1–10, DOI: [10.1016/j.nanoso.2024.101415](https://doi.org/10.1016/j.nanoso.2024.101415).
- 38 A. Syed, S. A. Zahra, A. Nasir, M. Yousaf and S. Rizwan, Improved electrocatalytic efficiency of nitrogen-doped Nb₂CT_x MXene in basic electrolyte for overall water splitting, *Int. J. Hydrogen Energy*, 2024, **83**, 39–50, DOI: [10.1016/j.ijhydene.2024.07.398](https://doi.org/10.1016/j.ijhydene.2024.07.398).
- 39 M. Alhabeib, *et al.*, Guidelines for Synthesis and Processing of Two-Dimensional Titanium Carbide (Ti₃C₂T_x MXene), *Chem. Mater.*, 2017, **29**(18), 7633–7644, DOI: [10.1021/ACS.CHEMMATER.7B02847/SUPPL_FILE/CM7B02847_SI_002.MP4](https://doi.org/10.1021/ACS.CHEMMATER.7B02847/SUPPL_FILE/CM7B02847_SI_002.MP4).
- 40 X. Qi, *et al.*, Chlorophyll derivative intercalation into Nb₂C MXene for lithium-ion energy storage, *J. Mater. Sci.*, 2022, **57**(22), 9971–9979, DOI: [10.1007/S10853-022-06929-Y/FIGURES/7](https://doi.org/10.1007/S10853-022-06929-Y/FIGURES/7).
- 41 W. Sun, *et al.*, Multiscale and Multimodal Characterization of 2D Titanium Carbonitride MXene, *Adv. Mater. Interfaces*, 2020, **7**(11), 1902207, DOI: [10.1002/admi.201902207](https://doi.org/10.1002/admi.201902207).
- 42 E. S. Muckley, *et al.*, Multimodality of Structural, Electrical, and Gravimetric Responses of Intercalated MXenes to Water, *ACS Nano*, 2017, **11**(11), 11118–11126, DOI: [10.1021/ACS.NANO.7B05264/SUPPL_FILE/NN7B05264_SI_001](https://doi.org/10.1021/ACS.NANO.7B05264/SUPPL_FILE/NN7B05264_SI_001).
- 43 Z. Haider, *et al.*, Ag Nanoparticle-Decorated V₂CT_x MXene Nanosheets as Catalysts for Water Splitting, *ACS Appl.*



- Nano Mater.*, 2022, **6**, 2374–2384, DOI: [10.1021/ACSANM.2C04428/SUPPL_FILE/AN2C04428_SI_001.PDF](https://doi.org/10.1021/ACSANM.2C04428/SUPPL_FILE/AN2C04428_SI_001.PDF).
- 44 D. C. Corsino and M. D. L. Balela, Room temperature sintering of printer silver nanoparticle conductive ink, *IOP Conf. Ser.: Mater. Sci. Eng.*, 2017, **264**(1), 012020, DOI: [10.1088/1757-899X/264/1/012020](https://doi.org/10.1088/1757-899X/264/1/012020).
- 45 B. K. Mehta, M. Chhajlani and B. D. Shrivastava, Green synthesis of silver nanoparticles and their characterization by XRD, *J. Phys.:Conf. Ser.*, 2017, **836**(1), 012050, DOI: [10.1088/1742-6596/836/1/012050](https://doi.org/10.1088/1742-6596/836/1/012050).
- 46 C. Peng, *et al.*, Engineering highly active Ag/Nb₂O₅@Nb₂CT_x (MXene) photocatalysts *via* steering charge kinetics strategy, *Chem. Eng. J.*, 2021, **421**, 128766, DOI: [10.1016/J.CEJ.2021.128766](https://doi.org/10.1016/J.CEJ.2021.128766).
- 47 W. Xu, *et al.*, One-pot synthesis of Ru/Nb₂O₅@Nb₂C ternary photocatalysts for water splitting by harnessing hydrothermal redox reactions, *Appl. Catal., B*, 2022, **303**, 120910, DOI: [10.1016/J.APCATB.2021.120910](https://doi.org/10.1016/J.APCATB.2021.120910).
- 48 C. Peng, *et al.*, Regulation of the rutile/anatase TiO₂ phase junction in-situ grown on -OH terminated Ti₃C₂T_x (MXene) towards remarkably enhanced photocatalytic hydrogen evolution, *Chem. Eng. J.*, 2022, **439**, 135685, DOI: [10.1016/J.CEJ.2022.135685](https://doi.org/10.1016/J.CEJ.2022.135685).
- 49 I. Ali, S. A. Zahra, I. H. Sajid and S. Rizwan, Efficient electrochemical performance of electrostatically self-assembled Nb₂CT_x/AgNPs-CTAB nanocomposite in both basic and neutral electrolytes, *J. Energy Storage*, 2024, **88**, 1–13, DOI: [10.1016/j.est.2024.111629](https://doi.org/10.1016/j.est.2024.111629).
- 50 I. Ali, M. Yousaf, I. H. Sajid, M. W. Hakim and S. Rizwan, Reticulation of 1D/2D Mo₂TiC₂ MXene for excellent supercapacitor performance, *Mater. Today Chem.*, 2023, **34**, 101766, DOI: [10.1016/J.MTCHEM.2023.101766](https://doi.org/10.1016/J.MTCHEM.2023.101766).
- 51 M. Boota, *et al.*, Interaction of Polar and Nonpolar Polyfluorenes with Layers of Two-Dimensional Titanium Carbide (MXene): Intercalation and Pseudocapacitance, *Chem. Mater.*, 2017, **29**(7), 2731–2738, DOI: [10.1021/ACS.CHEMMATER.6B03933/SUPPL_FILE/CM6B03933_SI_001](https://doi.org/10.1021/ACS.CHEMMATER.6B03933/SUPPL_FILE/CM6B03933_SI_001).
- 52 X. Zhou, Y. Guo, D. Wang and Q. Xu, Nano friction and adhesion properties on Ti₃C₂ and Nb₂C MXene studied by AFM, *Tribol. Int.*, 2021, **153**, 106646, DOI: [10.1016/J.TRIBOINT.2020.106646](https://doi.org/10.1016/J.TRIBOINT.2020.106646).
- 53 T. Su, *et al.*, One-Step Synthesis of Nb₂O₅/C/Nb₂C (MXene) Composites and Their Use as Photocatalysts for Hydrogen Evolution, *ChemSusChem*, 2018, **11**(4), 688–699, DOI: [10.1002/CSSC.201702317](https://doi.org/10.1002/CSSC.201702317).
- 54 R. M. S. Yoo and A. Djire, Decoupling the Surface and Bulk Reactivities of MXenes and Catalytic Activity Tuning through Surface Chemistry Modification, *ACS Catal.*, 2023, **13**(10), 6823–6836, DOI: [10.1021/ACSCATAL.3C00655/ASSET/IMAGES/LARGE/CS3C00655_0009.JPEG](https://doi.org/10.1021/ACSCATAL.3C00655/ASSET/IMAGES/LARGE/CS3C00655_0009.JPEG).
- 55 T. Hu, M. Hu, B. Gao, W. Li and X. Wang, Screening Surface Structure of MXenes by High-Throughput Computation and Vibrational Spectroscopic Confirmation, *J. Phys. Chem. C*, 2018, **122**(32), 18501–18509, DOI: [10.1021/ACS.JPCC.8B04427/SUPPL_FILE/JP8B04427_SI_001](https://doi.org/10.1021/ACS.JPCC.8B04427/SUPPL_FILE/JP8B04427_SI_001).
- 56 K. Shevchuk, A. Sarycheva, C. E. Shuck and Y. Gogotsi, Raman Spectroscopy Characterization of 2D Carbide and Carbonitride MXenes, *Chem. Mater.*, 2023, **35**(19), 8239–8247, DOI: [10.1021/ACS.CHEMMATER.3C01742/SUPPL_FILE/CM3C01742_SI_001](https://doi.org/10.1021/ACS.CHEMMATER.3C01742/SUPPL_FILE/CM3C01742_SI_001).
- 57 M. Benchakar, *et al.*, One MAX phase, different MXenes: A guideline to understand the crucial role of etching conditions on Ti₃C₂T_x surface chemistry, *Appl. Surf. Sci.*, 2020, **530**, 147209, DOI: [10.1016/J.APSUSC.2020.147209](https://doi.org/10.1016/J.APSUSC.2020.147209).
- 58 A. A. Alqadami, M. Naushad, Z. A. Allothman and T. Ahamad, Adsorptive performance of MOF nanocomposite for methylene blue and malachite green dyes: Kinetics, isotherm and mechanism, *J. Environ. Manage.*, 2018, **223**, 29–36, DOI: [10.1016/J.JENVMAN.2018.05.090](https://doi.org/10.1016/J.JENVMAN.2018.05.090).
- 59 S. Park, *et al.*, Adsorptive and photocatalytic performance of cobalt-doped ZnTiO₃/Ti₃C₂T_x MXene nanohybrids towards tetracycline: Kinetics and mechanistic insight, *J. Hazard. Mater.*, 2023, **443**, 1–13, DOI: [10.1016/j.jhazmat.2022.130165](https://doi.org/10.1016/j.jhazmat.2022.130165).
- 60 M. A. Iqbal, *et al.*, Ti₃C₂-MXene/Bismuth Ferrite Nanohybrids for Efficient Degradation of Organic Dyes and Colorless Pollutants, *ACS Omega*, 2019, **4**(24), 20530–20539, DOI: [10.1021/acsomega.9b02359](https://doi.org/10.1021/acsomega.9b02359).
- 61 Y. Gao, *et al.*, Hydrothermal synthesis of TiO₂/Ti₃C₂ nanocomposites with enhanced photocatalytic activity, *Mater. Lett.*, 2015, **150**, 62–64, DOI: [10.1016/J.MATLET.2015.02.135](https://doi.org/10.1016/J.MATLET.2015.02.135).
- 62 C. Peng, X. Yang, Y. Li, H. Yu, H. Wang and F. Peng, Hybrids of Two-Dimensional Ti₃C₂ and TiO₂ Exposing {001} Facets toward Enhanced Photocatalytic Activity, *ACS Appl. Mater. Interfaces*, 2016, **8**(9), 6051–6060, DOI: [10.1021/ACSAMI.5B11973/SUPPL_FILE/AM5B11973_SI_001](https://doi.org/10.1021/ACSAMI.5B11973/SUPPL_FILE/AM5B11973_SI_001).
- 63 D. Ontiveros, F. Viñes and C. Sousa, Bandgap engineering of MXene compounds for water splitting, *J. Mater. Chem. A*, 2023, **11**(25), 13754–13764, DOI: [10.1039/D3TA01933K](https://doi.org/10.1039/D3TA01933K).
- 64 M. A. Qamar and S. K. Ali, Functionalized MXenes for Enhanced Visible-Light Photocatalysis: A Focus on Surface Termination Engineering and Composite Design, *Inorganics*, 2025, **13**(2), 45, DOI: [10.3390/INORGANICS13020045](https://doi.org/10.3390/INORGANICS13020045).
- 65 N. H. Solangi, *et al.*, MXene as emerging material for photocatalytic degradation of environmental pollutants, *Coord. Chem. Rev.*, 2023, **477**, 214965, DOI: [10.1016/J.CCR.2022.214965](https://doi.org/10.1016/J.CCR.2022.214965).
- 66 T. Soltani and B. K. Lee, Sono-synthesis of nanocrystallized BiFeO₃/reduced graphene oxide composites for visible photocatalytic degradation improvement of bisphenol A, *Chem. Eng. J.*, 2016, **306**, 204–213, DOI: [10.1016/j.cej.2016.07.051](https://doi.org/10.1016/j.cej.2016.07.051).
- 67 S. Irfan, L. Li, A. S. Saleemi and C. W. Nan, Enhanced photocatalytic activity of La³⁺ and Se⁴⁺ co-doped bismuth ferrite nanostructures, *J. Mater. Chem. A*, 2017, **5**(22), 11143–11151, DOI: [10.1039/C7TA01847A](https://doi.org/10.1039/C7TA01847A).
- 68 S. H. Lee, K. S. Lee, S. Sorcar, A. Razaq, C. A. Grimes and S. Il, Wastewater treatment and electricity generation from a sunlight-powered single chamber microbial fuel cell, *J.*



- Photochem. Photobiol.*, A, 2018, **358**, 432–440, DOI: [10.1016/J.JPHOTOCHEM.2017.10.030](https://doi.org/10.1016/J.JPHOTOCHEM.2017.10.030).
- 69 Adnan, *et al.*, Visible light induced photocatalytic degradation of norfloxacin using xC-TiO₂, *Heliyon*, 2025, **11**, 1–11, DOI: [10.1016/J.HELIYON.2024.E41320](https://doi.org/10.1016/J.HELIYON.2024.E41320).
- 70 J. Chen, F. Liu, T. Abdiryim, H. Yin and X. Liu, ZnO-Ti₃C₂T_x composites supported on polyacrylic acid/chitosan hydrogels as high-efficiency and recyclable photocatalysts for norfloxacin degradation, *Int. J. Biol. Macromol.*, 2024, **258**, 128912, DOI: [10.1016/J.IJBIOMAC.2023.128912](https://doi.org/10.1016/J.IJBIOMAC.2023.128912).
- 71 Adnan, *et al.*, Visible light induced photocatalytic degradation of norfloxacin using xC-TiO₂, *Heliyon*, 2025, **11**, 1–11, DOI: [10.1016/J.HELIYON.2024.E41320](https://doi.org/10.1016/J.HELIYON.2024.E41320).
- 72 Y. Ma, *et al.*, Oxygen-vacancy-embedded 2D/2D NiFe-LDH/MXene Schottky heterojunction for boosted photodegradation of norfloxacin, *Appl. Surf. Sci.*, 2022, **572**, 151432, DOI: [10.1016/J.APSUSC.2021.151432](https://doi.org/10.1016/J.APSUSC.2021.151432).
- 73 L. Ma, *et al.*, Photodegradation of fleroxacin by g-C₃N₄/PPy/Ag and HPLC-MS/MS analysis of degradation pathways, *RSC Adv.*, 2023, **13**(18), 11912–11918, DOI: [10.1039/D3RA01485A](https://doi.org/10.1039/D3RA01485A).

