


 Cite this: *Chem. Commun.*, 2016, 52, 13620

Correction: A high-performance supercapacitor cell based on ZIF-8-derived nanoporous carbon using an organic electrolyte

 Rahul R. Salunkhe,^a Christine Young,^{ab} Jing Tang,^{ab} Toshiaki Takei,^a Yusuke Ide,^a Naoya Kobayashi^a and Yusuke Yamauchi^{*ab}

DOI: 10.1039/c6cc90505f

www.rsc.org/chemcomm

 Correction for 'A high-performance supercapacitor cell based on ZIF-8-derived nanoporous carbon using an organic electrolyte' by Rahul R. Salunkhe *et al.*, *Chem. Commun.*, 2016, **52**, 4764–4767.

The authors regret that some of the parameters used in eqn (1), (4), (5) and (8) and the corresponding text are either incorrect or incorrectly defined in the original article.

The correct version of eqn (1), in which the parameter 's' has been replaced by 'v' is:

$$C_g = \frac{1}{mv(V_f - V_i)} \int_{V_i}^{V_f} I(V) dV \quad (1)$$

where 'v' is the scan rate and 'm' is redefined as the total mass of both the electrodes. The re-defining of 'm' also applies to eqn (4), where this variable is also present. Eqn (4) is unchanged.

The correct version of eqn (5), in which the parameter 'v' has been replaced by 'V' is:

$$SE = \frac{\frac{1}{2}CV^2}{3600} \quad (5)$$

where 'V' is the potential window.

Finally, in the sentence beginning 'The specific energy (SE...)' on page 4766, the acronym for the power density should be changed from 'VE' to 'PD', to be consistent with the acronym used in eqn (8). Eqn (8) is unchanged.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^a World Premier International (WPI) Research Center for Materials Nanoarchitectonics (MANA), National Institute for Materials Science (NIMS), 1-1 Namiki, Tsukuba, Ibaraki 305-0044, Japan. E-mail: Yamauchi.Yusuke@nims.go.jp

^b Faculty of Science and Engineering, Waseda University, 3-4-1 Okubo, Shinjuku, Tokyo 169-8555, Japan

