

Cite this: *Green Chem.*, 2016, **18**, 129Received 11th June 2015,  
Accepted 25th August 2015

DOI: 10.1039/c5gc01281c

www.rsc.org/greenchem

## Reversing aggregation: direct synthesis of nanocatalysts from bulk metal. Cellulose nanocrystals as active support to access efficient hydrogenation silver nanocatalysts†

Madhu Kaushik, Alain You Li, Reuben Hudson, Mitra Masnadi, Chao-Jun Li and Audrey Moores\*

**A highly atom-economical synthetic method to access nanocatalysts from bulk metal is described. A water suspension of cellulose nanocrystals was exposed to an Ag wire, under air and light exposure. In 2 weeks, Ag nanoparticles of size  $1.3 \text{ nm} \pm 0.3 \text{ nm}$  were deposited onto the biopolymer. These species were active for the hydrogenation of aldehydes, 4-nitrophenol, alkenes and alkynes.**

Many different synthetic methods have been developed to access metal nanomaterials with well controlled size, shape, aspect ratio and thus properties. However, because metal nanoparticles (NPs) are kinetically stabilized materials, their synthesis often relies on intensive use of solvents, reagents, reducing and capping agents. The concept of atom economy, developed by Trost<sup>1</sup> and adopted within the 12 principles of green chemistry for organic synthesis,<sup>2</sup> remains to be systematically applied to nanosynthesis.<sup>3</sup> In recent years, efforts have been made to develop more sustainable synthetic methods to access these high-value materials,<sup>3</sup> including solvent-free methods,<sup>4</sup> biomass-based approaches<sup>3d,5</sup> and greener reducers development.<sup>6</sup> An interesting avenue relies on by-passing the need to reduce metal salts and use a reduced metal form as starting material. While metal (0) organometallic species have been developed, they often require some synthetic effort and careful handling.<sup>7</sup> Bulk metal grinding is also a well-known approach, suffering from poor NP size and shape control.<sup>4b</sup> A distinct and potentially milder approach relies on a result recently delineated by Hutchison and his group.<sup>8</sup> Bulk Cu and Ag materials were shown to generate nanoparticles in their surface vicinity, as the results of exposure to moisture, light and air. In this interesting work, no external oxidizing, redu-

cing agents or energy were needed to turn bulk into nanomaterials.

In this article, we present the novel synthetic method to access metal nanoparticles based on this principle, thus bypassing two industrial steps necessary to access such nanomaterials: (1) the need to form metal halide salts produced industrially *via* reacting pure metals with halohydric acids and (2) the reduction of the resulting halogenide salts, or other derivatives originating from these salts. For this study, we used cellulose nanocrystals (CNCs) as a water suspendable, and mildly reducing support. Ag NPs were produced in days at room temperature, in the presence of light, in water, from a simple Ag wire and without using any other additive than CNCs. Characterization by transmission electron microscopy (TEM) and X-ray photoelectron spectroscopy (XPS), including Auger analysis, was performed to establish that the resulting material was a hybrid composed of CNCs onto which small Ag NPs were deposited (AgNPs@CNC). In this work, we used the resulting Ag NPs in the catalytic hydrogenation of aldehydes to afford primary alcohols in water, at 100 °C and 40 bars H<sub>2</sub>.<sup>9</sup> We (Li) had recently demonstrated the homogeneous version of this reaction using Ag salts with ligands.<sup>10</sup> AgNPs@CNC were also effective in the hydrogenation of 4-nitrophenol, alkenes and alkynes. The aqueous suspension of AgNPs@CNC served as a biphasically separable catalytic system, recyclable up to 4 times, with negligible leaching.

CNCs are a class of functional nanomaterial readily obtained from cellulose *via* sulfuric acid hydrolysis.<sup>11</sup> CNCs have well-defined size and morphology, high specific surface area, high aspect ratio, high crystalline order, chirality, high mechanical strength, and controllable surface chemistry. In addition, CNCs are inexpensive, renewable, biodegradable, non-toxic, and accessible industrially in large scale, from a local plant in Quebec.<sup>12</sup> These properties have made CNCs useful in a range of applications, including the production of iridescent and birefringent films, reinforcing fillers in plastics and polymers, chiral materials, hydrogels, aerogels and supercapacitors.<sup>11b,12b,13</sup> They have also been shown to act as active

Centre for Green Chemistry and Catalysis, Department of Chemistry, McGill University, 801 Sherbrooke St West, Montreal, QC H3A 0B8, Canada.

E-mail: audrey.moores@mcgill.ca; Fax: +1 (514) 398 3797; Tel: +1 (514) 398 4654

†Electronic supplementary information (ESI) available. See DOI: 10.1039/c5gc01281c



and water suspendable support to stabilize NPs of Pd,<sup>14</sup> Pt,<sup>15</sup> Au,<sup>16</sup> Ag,<sup>16a,17</sup> Cu<sup>16a</sup> and Se.<sup>18</sup> Specifically, AgNPs@CNCs were previously synthesized from Ag salts, such as AgNO<sub>3</sub>, using either NaBH<sub>4</sub>,<sup>16a,17a-c</sup> or CNCs themselves as a reducing agent.<sup>17d,17e</sup> Ag NPs constitute interesting materials, used for antibacterial applications,<sup>17a,d,e,19</sup> 4-nitrophenol reductions,<sup>19a,20</sup> oxidation,<sup>21</sup> and alcohols cross-coupling<sup>22</sup> reactions.

In an initial set of experiments, silver wires were immersed in CNC suspensions with concentrations of either 0.5%, 1% or 1.5% (w/w) in pure water. Some vials were exposed to light, while the others were kept in the dark (by wrapping with aluminium foil). All samples were air-exposed. After 45 days, the Ag content in the samples was measured using inductively coupled plasma-mass spectroscopy (ICP-MS) (Table 1).

The results were bimodal. High, and essentially similar, concentrations of Ag were observed when CNCs were present in the suspension and when the suspensions were exposed to light (Table 1, entries 1–3). Any other circumstance led to the presence of a baseline quantity of Ag (Table 1, entries 4–8). Light proved essential to silver oxidation in accordance with the work of Hutchison.<sup>8</sup> But CNCs were also essential, proving their key role in the silver wire depletion.

The kinetics of this process was further explored with a 0.5% CNC suspension exposed to the Ag wire at room temperature (Fig. S1†). Its Ag content was monitored by ICP-MS upon sampling on days 3, 7, 10, 15 and 20. Two sets of experiment were carried out side by side, one in the presence, one in absence of light. Fig. 1 shows a steady increase of the Ag content in the CNC suspension for the first 10 days with light, after which it reached a plateau around 160  $\mu\text{g L}^{-1}$ . This value is comparable to results obtained at 45 days, indicating the achievement of an equilibrium state. Again, absence of CNC or light led to no significant increase in Ag concentration (Fig. 1). The role of air was probed by immersing a Ag wire in a degassed CNC suspension, in the presence of light. No significant amount of Ag was observed in this case either.

The ICP-MS measurements were performed after proper Ag digestion and were thus a means to quantify Ag in suspensions in all its possible forms, *i.e.* Ag salts and suspended Ag colloids. In order to gain more insight into the role of the CNC in the observed phenomenon as well as the nature of the ICP-MS measured Ag, a complete characterization of the resulting sus-




Fig. 1 Ag content over 20 days by ICP-MS measurements. The values observed are an average of five data points for each type of experiment.

pended material was undergone. A sample of 0.5% CNC suspension, stirred at room temperature for 20 days while exposed to Ag wire, light and air was dried onto a Cu TEM grid. On TEM images, CNCs were observed as well-dispersed, low contrast whiskers and the Ag NPs appeared as darker spots, mostly onto the CNCs, with an average size of  $1.3 \text{ nm} \pm 0.3 \text{ nm}$  (Fig. 2, S2–4†). The presence of Ag was confirmed by EDS (Fig. S4†). A careful selection of focusing conditions allowed to overcome the usual difficulties associated with CNCs/metal hybrid composites imaging.<sup>23</sup> Reduction of Ag under TEM conditions was excluded based on time analysis, Ag NPs size and specific location onto CNC and XPS results (*vide infra*).<sup>24</sup> These TEM results were in agreement to the previously reported CNC images,<sup>12b,23,25</sup> showing that the CNCs did not aggregate in suspension and retained both their high surface area and rod-like form. Next, XPS experiments were performed to gain insight into the Ag oxidation state. Precise quantification of Ag(I) and Ag(0) species is difficult in the photoelectron region, because both species have binding energies which are close. In the Auger region, Ag(I) and Ag(0) each produce an individual peak, at 355.7 eV and 357.21 eV respectively. They were both observed in AgNPs@CNCs samples (Fig. S5a†). XPS being a surface technique, sputtering was performed on the samples for 15 seconds and led to Ag(I) peak disappearance, leaving the Ag(0) peak alone (Fig. S5b†). Standards for this method were obtained using Ag metal (Fig. S6†).

Table 1 Ag content after 45 days in CNC suspensions exposed to Ag wire, measured by ICP-MS. All samples were air exposed

Entry	CNC concentration (in w/w)	Light exposure	Ag content (in $\mu\text{g L}^{-1}$ )
1	0.5	Yes	163.1
2	1.0	Yes	166.3
3	1.5	Yes	144.4
4	No CNC	Yes	5.7
5	0.5	No	4.1
6	1.0	No	4.5
7	1.5	No	4.4
8	No CNC	No	5.1























Fig. 2 TEM images of Ag NPs supported on CNCs.



This study thus proved that: (1) Ag(0) NPs (with partially oxidized surface) were produced at the surface of CNCs upon immersing a Ag wire in a CNC suspension; (2) both CNCs and light were necessary for this reaction to proceed. A proposed mechanism is depicted in Fig. 3. According to the study of Hutchison and coll., light, moisture and air are able to oxidize the Ag wire into Ag(I) salts.<sup>8</sup> In absence of CNCs, the reaction stops at this stage and the Ag concentration in suspension remains marginal. In fact, in absence of potential support, AgNPs tend to dissolve in pure water.<sup>26</sup> When CNCs are in suspension, the Ag salts are consumed towards the growth of Ag NPs at the CNC surface, causing more Ag depleting from the wire and a sharp Ag concentration increase measured by ICP. CNCs are nanowhiskers composed of cellulose strings packed in a crystalline fashion. Cellulose itself is a polymer of cellobiose, a dimer of glucose. Therefore, the surface of CNCs is lined with hydroxyl groups, which have been shown before to enable the reduction of Ag(I) back into Ag(0).<sup>27</sup> Cellulose was also shown to allow this reduction under microwave conditions.<sup>28</sup> In the CNC synthesis process, by sulfuric acid hydrolysis, some hydroxyl groups are turned into sulfate esters (sulfur content = 3%). These sulfate groups have been proven to favour stabilisation and nucleation of Ag NPs in a recent research.<sup>17b</sup> A recent review on the evaluation of Ag NPs synthesis according to sustainable principles may be used to assess this novel method.<sup>3d</sup> Over the 8 evaluation criteria used, this method ranks very high on 7 of them (reducing agent, capping agent, solvent, local resources used, reaction temperature, equipment and size range).


Beyond its key role in the Ag NPs synthesis, the CNC suspension also acted as a stabilizing medium for the nanocatalysts, which were stable as non-aggregated, small NPs, and a readily usable and separable catalytic system. The AgNPs@CNCs suspension obtained was tested as catalysts for the hydrogenation of unsaturated compounds, including aldehydes, alkenes, alkynes and nitro, in water (Table 2). To start with, benzaldehyde was chosen as the model substrate for optimisation of temperature and pressure conditions (Table S1†). At 100 °C and 40 bars H<sub>2</sub>, benzaldehyde was suc-

**Table 2** Hydrogenation of unsaturated compounds using AgNPs@CNCs<sup>a</sup>

Entry	Substrate	Product	Yield <sup>b</sup>
1			96%
2			72%
3			78%
4			83%
5			43%
6			89%
7			98%
8			91%
9			100%
10		N/A	0%

<sup>a</sup> Reaction conditions: 100 °C, 40 bars H<sub>2</sub>, 24 h, water as solvent.

<sup>b</sup> Determined by GC-MS.



**Fig. 3** Pictorial representation of the mechanism for the generation of Ag NPs from Ag wire in aqueous CNC suspensions.

cessfully hydrogenated to benzyl alcohol with a yield of 96% (Table 2, entry 1). The homogeneous counterpart of this reaction was recently demonstrated by us (Li) under comparable conditions and AgNPs@CNCs offer an appealing means of heterogenizing this process in an atom-economical fashion.<sup>10</sup>

Further screening was performed on substituted aromatic aldehydes (Table 1, entries 2–5). Methyl and methoxy substitution in *para* position, as well as hydroxyl in *ortho*, afforded good yields. Trifluoromethyl however gave poor results, possibly due to solubility issues. Vinyl aldehydes also worked well, with complete reduction of both C=O and C=C bonds (entry





6). Complete reduction of C–C double and triple bonds was also demonstrated on styrene and phenylacetylene (entries 7 and 8). We were also pleased to see that a nitroarene (entry 9) could be turned into an aniline derivative, in a process that is more atom economical than the classic  $\text{NaBH}_4$ , silver-catalysed reduction. To the best of our knowledge, this is the first example of this reaction being performed with Ag NPs and  $\text{H}_2$  as a reducer. Ketones however proved unreactive under these conditions (entry 10). The catalyst could also be easily recycled by addition of an organic solvent followed by phase separation, and the aqueous AgNPs@CNCs suspension was reused in a subsequent reaction. The yields were quantitative in the first four cycles, after which the activity reduced drastically (Fig. S7†). This sharp decrease was coincidental with the transformation of the water suspension into a gel, presumably because of water loss upon multiple workups. This gel is likely to lead to a drop in catalytic activity because of diffusion limitation. The leaching of Ag was quantified from the product of benzaldehyde hydrogenation. It was determined that from the 5 mL of a typical catalytic test,  $95 \text{ ng L}^{-1}$  of Ag had leached in the product. Compared to the original  $168 \text{ } \mu\text{g L}^{-1}$  concentration of Ag in the same solution, this corresponds to a marginal depletion of 0.056%. As the synthetic method described therein could be considered lengthier than comparable methods, it was checked that  $\text{AgNO}_3$  salts produced the same outcome as Ag wire exposure. A  $175 \text{ } \mu\text{g L}^{-1}$  aqueous solution of  $\text{AgNO}_3$  was stirred at room temperature in presence of CNCs (0.5 wt%) for 20 days. The resulting system performed very well for the hydrogenation of benzaldehyde (97% yield). As a control, it was checked that either a CNC suspension or a  $\text{AgNO}_3$  solution alone afforded no conversion for the same reaction (Fig. S8†).

## Conclusions

In this article, we described for the first time the direct Ag NPs synthesis from bulk Ag metal in a one-pot setting. This facile, inexpensive synthetic method proceeded in water at room temperature. CNCs played a key role as high surface support and *in situ* reducer to drive the depletion of Ag from a metal wire and afford  $1.3 \text{ nm} \pm 0.3 \text{ nm}$  Ag NPs. The resulting hybrid was fully characterized by TEM and XPS and tested for their catalytic activity. Their ability to hydrogenate aldehydes, 4-nitrophenol, alkenes and alkynes was shown and they afford a cheap and sustainable alternative for their homogeneous counterparts.

## Acknowledgements

We thank the Natural Science and Engineering Research Council of Canada (NSERC) Discovery Grant program, the Canada Foundation for Innovation (CFI), the Canada Research Chairs (CRC), the Centre for Green Chemistry and Catalysis (CGCC), NSERC-Collaborative Research and Training Experi-

ence (CREATE) in Green Chemistry and McGill University for their financial support. We thank FPInnovations for providing the CNC starting material and Kevin Wilkinson and Madjid Hadioui from Université de Montreal for ICP-MS analysis. We are grateful to Hojatollah Vali and Kelly Sears for useful conversations on TEM analysis and Rajender Varma for interesting insight into silver nanoparticle synthesis. Elisabeth François-Moore is thanked for contributing to the graphical abstract material.

## Notes and references

- (a) B. M. Trost, *Acc. Chem. Res.*, 2002, **35**, 695–705; (b) B. M. Trost, *Angew. Chem., Int. Ed. Engl.*, 1995, **34**, 259–281.
- (a) P. Anastas and N. Eghbali, *Chem. Soc. Rev.*, 2010, **39**, 301–312; (b) P. T. Anastas and J. C. Warner, *Green Chemistry: Theory and Practice*, Oxford University Press, New York, 1998.
- (a) J. A. Dahl, B. L. S. Maddux and J. E. Hutchison, *Chem. Rev.*, 2007, **107**, 2228–2269; (b) C. J. Murphy, *J. Mater. Chem.*, 2008, **18**, 2173–2176; (c) M. J. Eckelman, J. B. Zimmerman and P. T. Anastas, *J. Indian Ecol.*, 2008, **12**, 316–328; (d) M. Cinelli, S. R. Coles, M. N. Nadagouda, J. Błaszczyński, R. Słowiński, R. S. Varma and K. Kirwan, *Green Chem.*, 2015, **17**, 2825–2839.
- (a) M. J. Rak, N. K. Saadé, T. Frišćić and A. Moores, *Green Chem.*, 2014, **16**, 86–89; (b) M. J. Rak, T. Frišćić and A. H. Moores, *Faraday Discuss.*, 2014, **170**, 155–167.
- J. Virkutytė and R. S. Varma, *Chem. Sci.*, 2011, **2**, 837–846.
- (a) V. Kelsen, B. Wendt, S. Werkmeister, K. Junge, M. Beller and B. Chaudret, *Chem. Commun.*, 2013, **49**, 3416–3418; (b) K. Pelzer, O. Vidoni, K. Philippot, B. Chaudret and V. Colliere, *Adv. Funct. Mater.*, 2003, **13**, 118–126; (c) C. Pan, K. Pelzer, K. Philippot, B. Chaudret, F. Dassenoy, P. Lecante and M.-J. Casanove, *J. Am. Chem. Soc.*, 2001, **123**, 7584–7593; (d) M. Kaushik, H. M. Friedman, M. Bateman and A. Moores, *RSC Adv.*, 2015, 53207–53210.
- (a) K. Philippot and B. Chaudret, *C. R. Chim.*, 2003, **6**, 1019–1034; (b) B. Chaudret, *C. R. Phys.*, 2005, **6**, 117–131; (c) S. A. Stratton, K. L. Luska and A. Moores, *Catal. Today*, 2012, **183**, 96–100; (d) R. Linhardt, Q. M. Kainz, R. N. Grass, W. J. Stark and O. Reiser, *RSC Adv.*, 2014, **4**, 8541–8549.
- R. D. Glover, J. M. Miller and J. E. Hutchison, *ACS Nano*, 2011, **5**, 8950–8957.
- D. E. De Vos, P. G. N. Mertens, F. Cuypers, P. Vandezande, X. Ye, F. Verpoort and I. F. J. Vankelecom, *Appl. Catal., A*, 2007, **325**, 130.
- Z. Jia, F. Zhou, M. Liu, X. Li, A. S. C. Chan and C.-J. Li, *Angew. Chem., Int. Ed.*, 2013, **52**, 11871–11874.
- (a) D. Klemm, F. Kramer, S. Moritz, T. Lindström, M. Ankerfors, D. Gray and A. Dorris, *Angew. Chem., Int. Ed.*, 2011, **50**, 5438–5466; (b) S. J. Eichhorn, A. Dufresne, M. Aranguren, N. E. Marcovich, J. R. Capadona, S. J. Rowan, C. Weder, W. Thielemans, M. Roman, S. Renneckar, W. Gindl, S. Veigel, J. Keckes, H. Yano,



- K. Abe, M. Nogi, A. N. Nakagaito, A. Mangalam, J. Simonsen, A. S. Benight, A. Bismarck, L. A. Berglund and T. Peijs, *J. Mater. Sci.*, 2010, **45**, 1–33.
- 12 (a) J. A. C. Gómez, U. W. Erler and D. O. Klemm, *Macromol. Chem. Phys.*, 1996, **197**, 953–964; (b) Y. Habibi, L. A. Lucia and O. J. Rojas, *Chem. Rev.*, 2010, **110**, 3479–3500.
- 13 (a) X. Cao, Y. Habibi, W. L. E. Magalhães, O. J. Rojas and L. A. Lucia, *Curr. Sci.*, 2011, **100**, 1172–1176; (b) S. J. Eichhorn, *Soft Matter*, 2011, **7**, 303–315; (c) H. Koga, E. Tokunaga, M. Hidaka, Y. Umemura, T. Saito, A. Isogai and T. Kitaoka, *Chem. Commun.*, 2010, **46**, 8567–8569; (d) H. Koga, A. Azetsu, E. Tokunaga, T. Saito, A. Isogai and T. Kitaoka, *J. Mater. Chem.*, 2012, **22**, 5538–5542; (e) X. Yang and E. D. Cranston, *Chem. Mater.*, 2014, **26**, 6016–6025; (f) J. Yang, C.-R. Han, J.-F. Duan, M.-G. Ma, X.-M. Zhang, F. Xu, R.-C. Sun and X.-M. Xie, *J. Mater. Chem.*, 2012, **22**, 22467–22480; (g) N. L. Garcia de Rodriguez, W. Thielemans and A. Dufresne, *Cellulose*, 2006, **13**, 261–270; (h) S. Y. Liew, D. A. Walsh and W. Thielemans, *RSC Adv.*, 2013, **3**, 9158–9162; (i) S. Y. Liew, S. Shariki, A. Vuorema, D. A. Walsh, F. Marken and W. Thielemans, Cellulose nanowhiskers in electrochemical applications, in *ACS Symposium Series*, American Chemical Society, 2012, vol. 1107, pp. 75–106; (j) K. E. Shopsowitz, H. Qi, W. Y. Hamad and M. J. MacLachlan, *Nature*, 2010, **468**, 422–425.
- 14 (a) C. M. Cirtiu, A. F. Dunlop-Brière and A. Moores, *Green Chem.*, 2011, **13**, 288–291; (b) X. Wu, C. Lu, W. Zhang, G. Yuan, R. Xiong and X. Zhang, *J. Mater. Chem. A*, 2013, **1**, 8645–8652; (c) M. Rezayat, R. K. Blundell, J. E. Camp, D. A. Walsh and W. Thielemans, *ACS Sustainable Chem. Eng.*, 2014, **2**, 1241–1250; (d) M. Kaushik, K. Basu, C. Benoit, C. M. Cirtiu, H. Vali and A. Moores, *J. Am. Chem. Soc.*, 2015, **137**, 6124–6127.
- 15 (a) K. Benaissi, L. Johnson, D. A. Walsh and W. Thielemans, *Green Chem.*, 2010, **12**, 220–222; (b) F. Coccia, L. Tonucci, D. Bosco, M. Bressan and N. d'Alessandro, *Green Chem.*, 2012, **14**, 1073–1078.
- 16 (a) S. Padalkar, J. R. Capadona, S. J. Rowan, C. Weder, Y.-H. Won, L. A. Stanciu and R. J. Moon, *Langmuir*, 2010, **26**, 8497–8502; (b) E. Lam, S. Hrapovic, E. Majid, J. H. Chong and J. H. T. Luong, *Nanoscale*, 2012, **4**, 997–1002; (c) J.-L. Huang, D. G. Gray and C.-J. Li, *Beilstein J. Org. Chem.*, 2013, **9**, 1388–1396.
- 17 (a) Z. Shi, J. Tang, L. Chen, C. Yan, S. Tanvir, W. A. Anderson, R. M. Berry and K. C. Tam, *J. Mater. Chem. B*, 2015, **3**, 603–611; (b) A. R. Lokanathan, K. M. A. Uddin, O. J. Rojas and J. Laine, *Biomacromolecules*, 2014, **15**, 373–379; (c) H. Liu, D. Wang, Z. Song and S. Shang, *Cellulose*, 2011, **18**, 67–74; (d) N. Drogat, R. Granet, V. Sol, A. Memmi, N. Saad, C. Klein Koerkamp, P. Bressollier and P. Krausz, *J. Nanopart. Res.*, 2011, **13**, 1557–1562; (e) R. Xiong, C. Lu, W. Zhang, Z. Zhou and X. Zhang, *Carbohydr. Polym.*, 2013, **95**, 214–219.
- 18 Y. Shin, J. M. Blackwood, I.-T. Bae, B. W. Arey and G. J. Exarhos, *Mater. Lett.*, 2007, **61**, 4297–4300.
- 19 (a) W. Xu, W. Jin, L. Lin, C. Zhang, Z. Li, Y. Li, R. Song and B. Li, *Carbohydr. Polym.*, 2014, **101**, 961–967; (b) F. Cui, J. Liu, Z. Zhao and H. Feng, *J. Mater. Chem.*, 2012, **22**, 13891.
- 20 (a) S. K. Das, M. M. R. Khan, A. K. Guha and N. Naskar, *Green Chem.*, 2013, **15**, 2548; (b) H. Liu, H. Liu, S. Yang and C. Nie, *Mater. Lett.*, 2013, **100**, 296; (c) K. Jiang, H.-X. Zhang, Y.-Y. Yang, R. Mothes, H. Lang and W.-B. Cai, *Chem. Commun.*, 2011, **47**, 11924–11926.
- 21 (a) P. Singh, G. Lamanna, C. Menard-Moyon, F. M. Toma, E. Magnano, F. Bondino, M. Prato, S. Verma and A. Bianco, *Angew. Chem., Int. Ed.*, 2011, **50**, 9893–9897; (b) A. Biabani-Ravandi, M. Rezaei and Z. Fattah, *Chem. Eng. J.*, 2013, **219**, 124–130.
- 22 A. Satsuma and K.-i. Shimizu, *J. Jpn. Pet. Inst.*, 2011, **54**, 347–360.
- 23 (a) M. Kaushik, W. C. Chen, T. G. M. van de Ven and A. Moores, *Nord. Pulp Pap. Res. J.*, 2014, **29**, 77–84; (b) M. Kaushik, C. Fraschini, G. Chauve, J.-L. Putaux and A. Moores, in *The Transmission Electron Microscopy*, ed. K. Maaz, InTech, 2015, DOI: 10.5772/60985.
- 24 M. N. Nadagouda and R. S. Varma, *Aust. J. Chem.*, 2009, **62**, 260–264.
- 25 D. Klemm, B. Heublein, H. P. Fink and A. Bohn, *Angew. Chem., Int. Ed.*, 2005, **44**, 3358–3393.
- 26 C. Stephan, K. J. Wilkinson and M. Hadioui, *Nanosci. Nanometrol.*, 2015, **1**, 20–23.
- 27 P. Raveendran, J. Fu and S. L. Wallen, *J. Am. Chem. Soc.*, 2003, **125**, 13940–13941.
- 28 M. N. Nadagouda and R. S. Varma, *Biomacromolecules*, 2007, **8**, 2762–2767.

