

CORRECTION

[View Article Online](#)
[View Journal](#) | [View Issue](#)Cite this: *RSC Adv.*, 2016, 6, 14222**Correction: A polymeric membrane permeabilizer displaying densely packed arrays of crown ether lateral substituents**Ming Liu,^a Anna Bertova,^b Nicolas Illy,^a Blandine Brissault,^a Jacques Penelle,^a Karol Ondrias^b and Valessa Barbier^{*a}

DOI: 10.1039/c6ra90009g

www.rsc.org/advancesCorrection for 'A polymeric membrane permeabilizer displaying densely packed arrays of crown ether lateral substituents' by Ming Liu *et al.*, *RSC Adv.*, 2012, 2, 8606–8609.

The authors wish to draw readers' attention to a possible error in part of the data interpretation and conclusions for the original article, as trace phosphazanium salt, used in the synthesis of the reported poly(crown ethers), may have influenced the polymer's reported permeabilization properties.

A recent investigation by the authors has demonstrated the permeabilization activity of the precursor (phosphazene base *t*-BuP₄) for a phosphazanium salt, which was used as a polymerization activator in *RSC Adv.*, 2012, 2, 8606–8609 and remained in the product as a trace contaminant. 8-Hydroxypyrene-1,3,6-trisulfonic acid trisodium salt (HPTS) assays and black lipid membrane (BLM) experiments have confirmed that this precursor has lipid bilayer permeabilization activity.

Although findings that specifically verify the contribution of the phosphazanium salt to the polymer's permeabilization properties are unavailable, the authors highlight that the data published in the article are not sufficient to conclude that the poly(crown ethers) alone possess permeabilization activity. Although the observed cation selectivity may be attributed to the polymer, it could be speculated that the contaminant takes part in the permeabilization activity shown in Fig. 3 of the original article.

The Royal Society of Chemistry apologises for these errors and any consequent inconvenience to authors and readers.

^aInstitut de Chimie et des Matériaux Paris-Est (ICMPE), CNRS and Université Paris-Est, 2-8 rue Henri Dunant, 94320 Thiais, France. E-mail: barbier@icmpe.cnrs.fr; Fax: +33 1 49 78 12 08; Tel: +33 1 49 78 11 94

^bInstitute of Molecular Physiology and Genetics, Slovak Academy of Sciences, Vlarska 5, 833 34 Bratislava, Slovak Republic. E-mail: karol.ondrias@savba.sk; Fax: +421 2 54773666; Tel: +421 2 54774102

