ChemComm



View Article Online

COMMUNICATION



Cite this: Chem. Commun., 2017, 53, 2590

Received 13th December 2016, Accepted 30th January 2017

DOI: 10.1039/c6cc09904a

rsc.li/chemcomm

Ba₅Cu₈In₂S₁₂: a quaternary semiconductor with a unique 3D copper-rich framework and ultralow thermal conductivity[†]

Hua Lin,^{ab} Hong Chen,^{ab} Yu-Jun Zheng,^{abc} Yu-Kun Chen,^{ab} Ju-Song Yu^{abc} and Li-Ming Wu^{*ab}

A novel quaternary sulfide, $Ba_5Cu_8In_2S_{12}$ (1), has been successfully synthesized *via* a high-temperature solid-state reaction. It contains $Cu_8S_{10}S_{4/2}$ clusters as basic building blocks, which are connected to one another by discrete In^{3+} ions to generate a 3D copper-rich framework, where the Ba^{2+} cations reside. Interestingly, such large clusters that are fused by five crystallographically independent Cu sites with three different chemical environments result in the increase of phonon scattering, which is the crucial factor to the exceptionally low lattice thermal conductivity (*ca.* 0.28 W m⁻¹ K⁻¹ at 773 K) in 1.

Solid-state cuprous- and argentous-based chalcogenides have been extensively investigated for several decades not only for their promising applications in thermoelectric (TE) fields, such as $Cu_{2-x}Se$, $^{1}Cu_{7}PSe_{6}$, $^{2}AgCuSe$, $^{3}AgSbTe_{2}$ and $CsAg_{5}Te_{3}$, 5 but also for their intriguing architectures and topologies, for instance, monovalent Cu/Ag can create various asymmetric local environments to the chalcogenides due to the lack of crystal field stabilization, forming linear, trigonal, and tetrahedral geometries. On the other hand, group 13-containing chalcogenides containing MQ₄ tetrahedra (*e.g.*, M = Ga, In) serve as the smallest structural units and have also attracted intensive research. From the point of view of crystallography, these structural units are always linked together by sharing corners or edges to form 1D chains, 2D layers, and 3D networks. Also, most of them show exciting TE properties. For instance, InTe, a mixed-valent 1D compound, exhibits an ultralow lattice thermal conductivity ($\kappa_L \approx 0.4 \text{ W m}^{-1} \text{ K}^{-1}$) in high-quality crystalline ingots.⁶ 2D layered In₄Pb_xSn_ySe₃ is an exceptional candidate for mid-temperature TE materials with a high figure of merit *ZT* value of 1.4 at 733 K.⁷ CuGaTe₂ and CuInTe₂ show high-efficiency TE performances based on the 3D diamond-like frameworks.⁸

To date, a large number of ternary A/TM/Q and A/M/Q (A = cations; TM = coinage metals; M = group 13 metals; and Q = chalcogenides) systems with diverse crystal structures have been explored and synthesized. However, the existing examples for quaternary compounds based on the A/TM/M/Q systems are limited to only $K_2TMM_3Se_6$ (TM = Cu, Ag; M = Ga, In),⁹ $CsAgGa_2Se_4$,¹⁰ $Ba_7AgGa_5Se_{15}$,¹¹ Ba_2AgInS_4 ,¹² $Ba_4TMGa_5Q_{12}$ (TM = Cu, Ag; Q = S, Se),^{12,13} Ba_4TMMSe_6 (TM = Cu, Ag; M = Ga, In; Q = S, Se),¹⁴ Pb₈TMIn₁₇S₃₄ (TM = Cu, Ag, Au),¹⁵ RE₂CuInQ₅ (RE = La-Nd, Sm; Q = S, Se),¹⁶ $La_4Ag_2In_4S_{13}$,¹⁷ and RE₃CuGaQ₇ (RE = La-Nd; Q = S, Se) compounds.¹⁸ Moreover, all of them are not coinage metal-rich compounds, *i.e.*, the ratio of $TM/M \le 1$. In recent years, a large family of natural minerals called tetrahedrites has received worldwide intensive investigation due to their unique structural characteristics (e.g., large Cu/Sb ratio and different coordination geometries of Cu atoms) and their promising thermoelectric applications. For example, the pure synthetic tetrahedrite $Cu_{12}Sb_4S_{13}$ has a ZT value of approximately 0.6 at 700 K; the values of transition-metal-substituted tetrahedrite compounds are in the range of 0.7-1.1.19 In this communication, we report a novel quaternary semiconductor, $Ba_5Cu_8In_2S_{12}$ (1), with a unique 3D copper-rich framework (Cu/In = 4) and unusual Cu coordination that exhibits ultralow thermal conductivity.

Air-stable **1** was prepared *via* a solid-state reaction by heating of a mixture of elements Ba, Cu, In, and S at 1223 K (for details, see the ESI[†]). The thermal stability of **1** was investigated by TG-DTA analysis on a NETZSCH STA 449C simultaneous analyser. As shown in Fig. 1a, compound **1** has excellent thermal stability and shows no obvious weight loss within the entire experimental temperature range. Moreover, the DTA data show only one sharp endothermic peak at around 968 K in the heating curve and one

^a State Key Laboratory of Structural Chemistry, Fujian Institute of Research on the Structure of Matter, Chinese Academy of Sciences, Fuzhou, Fujian 350002, People's Republic of China

^b Key Laboratory of Optoelectronic Materials Chemistry and Physics, Fujian Institute of Research on the Structure of Matter, Chinese Academy of Sciences, Fuzhou, Fujian 350002, People's Republic of China. E-mail: liming_wu@fjirsm.ac.cn; Tel: +86-591-63173130

^c University of Chinese Academy of Sciences, Beijing 100039,

People's Republic of China

[†] Electronic supplementary information (ESI) available: Crystallographic data, experimental section and theoretical studies, together with additional figures and tables. CCDC 1504921. For ESI and crystallographic data in CIF or other electronic format see DOI: 10.1039/c6cc09904a



Fig. 1 Measurements on 1: (a) TG and DTA (inset) diagrams. (b) PXRD of simulated (black), as-synthesized (red), and DTA products (blue).

sharp exothermic peak at 902 K in the cooling curve, which indicates that **1** is a congruently melting compound. In order to further verify its thermal behaviour, the powder X-ray diffraction (PXRD) patterns recorded before and after DTA indicated the full recovery of compound **1** (Fig. 1b).

Single-crystal XRD analysis reveals that **1** crystallizes in the monoclinic space group *C*2/*c* (no. 15) with *a* = 14.584(2) Å, *b* = 16.369(2) Å, *c* = 10.509(2) Å, β = 100.14(2)° and *Z* = 4.‡ In the asymmetric unit, the structure of **1** consists of 15 crystallographically independent sites, which include three Ba sites, one In site, six S sites and five Cu sites (the corresponding Cu5 atom splits into three sites, Cu5A, Cu5B, and Cu5C, with occupancies of 17(4)%, 42(2)%, and 41(2)%, respectively). As shown in Fig. 2, the 3D copper-rich Cu–In–S open framework was constructed by 1D [Cu₈S₁₂]^{16–} chains (dashed area in Fig. 2) of vertex sharing S atoms. The channels along the *c*-direction were occupied by Ba²⁺ cations.



Fig. 2 3D framework structure of **1** viewed down the *c*-axis with the unit cell marked (1D $[Cu_8S_{12}]^{16-}$ chain is outlined by a dashed area; for details, see Fig. 3).



Fig. 3 (a) $Cu_8S_{10}S_{4/2}$ cluster with the atom number marked. (b) Coordination geometry of Cu atoms with Cu–S distances. (c) 1D $[Cu_8S_{12}]^{16-}$ chain along the $\langle 100\rangle$ direction with the width shown in the right side. The split site of atom Cu5 is omitted for a better view.

The critical building block of 1 is the $Cu_8S_{10}S_{4/2}$ cluster, as shown in Fig. 3a, which consists of three types of coordination modes. The coordination geometry of Cu atoms is shown in Fig. 3b, where Cu1 and Cu5 are 3-fold coordinated in an approximate plane triangle, Cu2 and Cu4 are 2-fold coordinated in an approximate line, and Cu3 is 4-fold coordinated in a distorted tetrahedron. Each cluster is interconnected with other two neighbouring clusters by sharing four S6 atoms, which gives rise to 1D $[Cu_8S_{12}]^{16-}$ chains along the $\langle 100\rangle$ direction with a width of 13.6 Å (Fig. 3c). These chains are further linked together by discrete In³⁺ ions to form a 3D open framework. The Cu atoms show normal Cu-S distances, ranging from 2.142(4) to 2.574(4) Å and the In atom is four-fold coordinated in a distorted tetrahedral sphere with In-S bond distances of 2.444(4)-2.510(4) Å. There are three crystallographically independent Ba atomic sites with two different chemical environments, as shown in Fig. S1 (ESI⁺). Both Ba1 and Ba3 exhibit a square prismatic coordination with eight Ba-S bonds of distances between 3.191(4) and 3.596(6) Å, whereas the Ba2 atom is surrounded by six close S atoms at the corners of a distorted triangular prism with Ba-S distances of 3.057(4)-3.319 (4) Å and two capping S atoms at a further distance of 3.712(4)-3.921 (4) Å. Such an interesting coordination geometry of the Ba2 atom is also observed in $Ba_{12}In_4S_{19}$ and $Ba_4M_2S_8$ (M = Ga, In).²⁰

According to the solid-state optical absorption spectrum at room temperature, the energy gap (E_g) of **1** is estimated to be 2.14 eV (Fig. 4a), which is in agreement with its dark-red colour and suggests a semiconductor behaviour. To understand the nature of compound **1**, the band structures together with the projected density of state (PDOS) calculations have been studied. As shown in Fig. 4b, the electronic structure calculations reveal an indirect E_g of 1.09 eV for **1**, which is smaller than the measured value due to the well-known tendency of these calculations to underestimate the value of E_g . The PDOS between +5.0 and -7.0 eV, with the Fermi level at 0 eV, is shown in Fig. 4c. The major contribution to the valence band



Fig. 4 (a) Solid-state optical absorption spectrum of 1. (b) The calculated band structure of 1. (c) The projected DOS of 1 (the orbitals with minor contributions are omitted for clarity). (d) Thermal conductivity as a function of the temperature for a hot-pressed polycrystalline sample of 1 during two thermal cycles.

maximum (VBM) is from the S-3p and Cu-3d states, while the conduction band minimum (CBM) mainly consists of S-3p, In-5s, Cu-3d and Ba-5d states. Therefore, the optical absorption in **1** is mainly ascribed to the charge transitions from S-3p states to In-5s, Cu-3d and Ba-5d states.

The thermal conductivity (κ_{total}) and electrical conductivity (σ) of **1** have been measured on hot-pressed polycrystalline pellets, the relative densities of which are more than 98% of the theoretical value. As shown in Fig. 4d, the κ_{total} value decreases with increasing temperature from 0.39 W m^{-1} K⁻¹ at 300 K to 0.28 W m⁻¹ K⁻¹ at 773 K. This decrease in κ_{total} with increasing temperature indicates that the phonon contribution to the conductivity is predominant. This is consistent with the very low thermal diffusivity (D) as a function of temperature (Fig. S2, in the ESI[†]) and the insulating character of the electrical transport properties (e.g., 1.75×10^{-10} S cm⁻¹ at 300 K for 1; for details, see Fig. S3 in the ESI[†]). The thermal conductivity of 1 is one of the lowest reported for crystalline materials. Such a value is more interesting to compare with the exceptional TE materials in the range of 300-800 K, such as the highest ZT value in the SnSe crystal, which exhibits an ultralow $\kappa_{\rm L}$ value (0.25–0.68 W m⁻¹ K⁻¹), is due to the strong anharmonicity of chemical bonds in this layered compound,²¹ phonon-liquid electron-crystal (PLEC) materials Cu_{2-x}S (0.30-0.55 W m⁻¹ K⁻¹)²² and Cu7PSe6 (0.23-0.34 W m⁻¹ K⁻¹),² and typical phonon-glass electron-crystal (PGEC) materials, e.g. multiple-filled skutterudites $(Ba_{0.08}La_{0.05}Yb_{0.04}Co_4Sb_{12}, 1.61-0.97 \text{ W m}^{-1} \text{ K}^{-1})$,²³ Zintl phases $(Yb_{14}MnSb_{11})^{24}$ 0.61–0.47 W m⁻¹ K⁻¹, and $Gd_{117}Co_{56}Sn_{112}$, 0.3– $(0.5 \text{ W m}^{-1} \text{ K}^{-1})$,²⁵ clathrates (Ba₈Ga₁₆Ge₃₀,²⁶ 0.20–0.46 W m⁻¹ K⁻¹, and Ba₈Au₁₆P₃₀,²⁷ 0.15–0.45 W m⁻¹ K⁻¹), tetrahedrites $(Cu_{12-x}Zn_xSb_4S_{12})^{19a}$ 0.15–1.02 W m⁻¹ K⁻¹, and $Cu_{12}Sb_4S_{12}Se$,^{19f} 0.31–0.72 W m^{-1} $K^{-1}\),$ highly disordered compound Zn_4Sb_3 $(0.27-0.42 \text{ W m}^{-1} \text{ K}^{-1})$,²⁸ semiconducting sulfosalt LiPbSb₃S₆ $(0.21-0.24 \text{ W m}^{-1} \text{ K}^{-1})$ ²⁹ and Ag₉TlTe₅ (<0.25 W m⁻¹ K⁻¹).³⁰

In addition, the ultralow thermal conductivity of **1** appears to be similar in origin to the recently reported $CsAg_5Te_3^{-5}$ and likely results from the concerted rattling of Cu atoms with different chemical environments in the structure.

In summary, the first quaternary 3D copper-rich sulfide framework, $Ba_5Cu_8In_2S_{12}$, in the A/TM/M/Q system (A = cations; TM = coinage metals; M = group 13 metals; Q = chalcogenides) has been discovered. The remarkable structural feature is the novel $Cu_8S_{10}S_{4/2}$ clusters with the Cu atoms in three different chemical environments. More interestingly, such an extraordinary group of Cu atoms in the structure results in an ultralow lattice thermal conductivity (*ca.* 0.28 W m⁻¹ K⁻¹) at around 800 K. This new insight will shed useful light on the search and design of promising thermoelectric materials with exceedingly low thermal conductivities.

This work was supported by the National Natural Science Foundation of China (21171168, 21225104, 21233009, 21301175, 21571020 and 91422303) and the Natural Science Foundation of Fujian Province (2015J01071).

Notes and references

‡ Crystal data for 1 at 293(2) K: monoclinic; C2/c; Z = 4; a = 14.584(15) Å, b = 16.369(17) Å, c = 10.509(12) Å, $\beta = 100.14(2)^{\circ}$, V = 2469(5) Å³. Collection and refinement data: $d_{calc} = 4.867$ g cm⁻³; $\mu = 17.386$ mm⁻¹; 9529 total reflections; 2835 unique reflections $[F_0^2 > 2\sigma(F_0^2)]$; GOF = 1.134; $R_1 = 4.79\%$ and $wR_2 = 7.87\%$ for $I > 2\sigma(I)$. CCDC 1504921.

- 1 H. L. Liu, X. Shi, F. F. Xu, L. L. Zhang, W. Q. Zhang, L. D. Chen, Q. Li, C. Uher, T. Day and G. J. Snyder, *Nat. Mater.*, 2012, **11**, 422.
- 2 K. S. Weldert, W. G. Zeier, T. W. Day, M. Panthofer, G. J. Snyder and W. Tremel, *J. Am. Chem. Soc.*, 2014, **136**, 12035.
- 3 S. Ishiwata, Y. Shiomi, J. S. Lee, M. S. Bahramy, T. Suzuki, M. Uchida, R. Arita, Y. Taguchi and Y. Tokura, *Nat. Mater.*, 2013, **12**, 512.
- 4 T. J. Zhu, H. L. Gao, Y. Chen and X. B. Zhao, *J. Mater. Chem. A*, 2014, 2, 3251.
- 5 H. Lin, G. J. Tan, J. N. Shen, S. Q. Hao, L. M. Wu, N. Calta, C. Malliakas, S. Wang, C. Wolverton and M. G. Kanatzidis, *Angew. Chem.*, *Int. Ed.*, 2016, 55, 11431.
- 6 M. K. Jana, K. Pal, U. V. Waghmare and K. Biswas, *Angew. Chem., Int. Ed.*, 2016, **55**, 7792.
- 7 Z. S. Lin, L. Chen, L. M. Wang, J. T. Zhao and L. M. Wu, Adv. Mater., 2013, 25, 4800.
- 8 (a) T. Plirdpring, K. Kurosaki, A. Kosuga, T. Day, S. Firdosy, V. Ravi and G. J. Snyder, *Adv. Mater.*, 2012, 24, 3622; (b) R. H. Liu, L. L. Xi, H. L. Liu, X. Shi, W. Q. Zhang and L. D. Chen, *Chem. Commun.*, 2012, 48, 3818.
- 9 H. W. Ma, G. C. Guo, M. S. Wang, G. W. Zhou, S. H. Lin, Z. C. Dong and J. S. Huang, *Inorg. Chem.*, 2003, **42**, 1366.
- 10 D. J. Mei, W. L. Yin, K. Feng, L. Bai, Z. S. Lin, J. Y. Yao and Y. C. Wu, J. Solid State Chem., 2012, 186, 54.
- 11 W. L. Yin, R. He, K. Feng, W. Y. Hao, J. Y. Yao and Y. C. Wu, *J. Alloys Compd.*, 2013, **565**, 115.
- 12 W. L. Yin, K. Feng, D. J. Mei, J. Y. Yao, P. Z. Fu and Y. C. Wu, *Dalton Trans.*, 2012, **41**, 2272.
- 13 S. M. Kuo, Y. M. Chang, I. Chung, J. I. Jang, B. H. Her, S. H. Yang, J. B. Ketterson, M. G. Kanatzidis and K. F. Hsu, *Chem. Mater.*, 2013, 25, 2427.
- 14 J. L. Yao, Z. X. Wang, J. van Tol, N. S. Dalal and J. A. Aitken, *Chem. Mater.*, 2010, 22, 1647.
- 15 C. K. Wang and S. C. Lee, Inorg. Chem., 2006, 45, 1415.
- 16 M. R. Huch, L. D. Gulay, I. D. Olekseyuk and A. Pietraszko, J. Alloys Compd., 2006, 425, 230.
- 17 L. D. Gulay, M. Daszkiewicz and M. R. Huch, J. Solid State Chem., 2008, 181, 2626.
- 18 (a) X. Zhang, W. Chen, D. J. Mei, C. Zheng, F. H. Liao, Y. T. Li, J. H. Lin and F. Q. Huang, J. Alloys Compd., 2014, 610, 671;

(*b*) A. K. Iyer, B. W. Rudyk, X. S. Lin, H. Singh, A. Z. Sharma, C. R. Wiebe and A. Mar, *J. Solid State Chem.*, 2015, **229**, 150.

- 19 (a) X. Lu, D. T. Morelli, Y. Xia, F. Zhou, V. Ozolins, H. Chi, X. Zhou and C. Uher, Adv. Energy Mater., 2012, 3, 342; (b) X. Lu and D. T. Morelli, Phys. Chem. Chem. Phys., 2013, 15, 5762; (c) J. Heo, G. Laurita, S. Muir, M. A. Subramanian and D. A. Keszler, Chem. Mater., 2014, 26, 2047; (d) R. Chetty, A. Bali, M. H. Naik, G. Rogl, P. Rogl, M. Jain, S. Suwas and R. C. Mallik, Acta Mater., 2015, 100, 266; (e) X. Lu, D. T. Morelli, Y. Xia and V. Ozolins, Chem. Mater., 2015, 27, 408; (f) X. Lu, D. T. Morelli, Y. X. Wang, W. Lai, Y. Xia and V. Ozolins, Chem. Mater., 2016, 28, 1781.
- 20 J. W. Liu, P. Wang and L. Chen, Inorg. Chem., 2011, 50, 5706.
- 21 L. D. Zhao, S. H. Lo, Y. S. Zhang, H. Sun, G. J. Tan, C. Uher, C. Wolverton, V. P. Dravid and M. G. Kanatzidis, *Nature*, 2014, **508**, 373.
- 22 Y. He, T. Day, T. S. Zhang, H. L. Liu, X. Shi, L. D. Chen and G. J. Snyder, *Adv. Mater.*, 2014, **26**, 3974.

- 23 X. Shi, J. Yang, J. R. Salvador, M. F. Chi, J. Y. Cho, H. Wang, S. Q. Bai, J. H. Yang, W. Q. Zhang and L. D. Chen, J. Am. Chem. Soc., 2011, 133, 7837.
- 24 S. R. Brown, S. M. Kauzlarich, F. Gascoin and G. J. Snyder, *Chem. Mater.*, 2006, **18**, 1873.
- 25 D. C. Schmitt, N. Haldolaarachchige, Y. M. Xiong, D. P. Young, R. Y. Jin and J. Y. Chan, J. Am. Chem. Soc., 2012, 134, 5965.
- 26 E. S. Toberer, M. Christensen, B. B. Iversen and G. J. Snyder, *Phys. Rev. B: Condens. Matter Mater. Phys.*, 2008, 77, 075203.
- 27 J. Fulmer, O. I. Lebedev, V. V. Roddatis, D. C. Kaseman, S. Sen, J.-A. Dolyniuk, K. Lee, A. V. Olenev and K. Kovnir, *J. Am. Chem. Soc.*, 2013, 135, 12313.
- 28 J. P. Lin, X. Q. Li, G. J. Qiao, Z. Wang, J. Carrete, Y. Ren, L. Z. Ma, Y. J. Fei, B. F. Yang, L. Lei and J. Li, *J. Am. Chem. Soc.*, 2014, **136**, 1497.
- 29 E. C. Agha, C. D. Malliakas, J. Im, H. Jin, L. D. Zhao, A. J. Freeman and M. G. Kanatzidis, *Inorg. Chem.*, 2014, 53, 673.
- 30 K. Kurosaki, A. Kosuga, H. Muta, M. Uno and S. Yamanaka, *Appl. Phys. Lett.*, 2015, 87, 061919.